

Calculus II

Simplify $\arccos(\cos(x))$

Todor Milev

2019

Example

Find $\arccos(\cos 4)$.

Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π .

Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π .
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π .
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π .
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π .
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π .
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π .
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π .
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

$$a = ?$$

Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π .
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

$$a = \pi - (4 - \pi)$$

Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π .
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

$$a = \pi - (4 - \pi) = 2\pi - 4$$

Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π .
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

$$a = \pi - (4 - \pi) = 2\pi - 4$$

$$\text{Therefore } \arccos(\cos 4) = \arccos(\cos a)$$

Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π .
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

$$\begin{aligned}
 a &= \pi - (4 - \pi) = 2\pi - 4 \\
 \text{Therefore } \arccos(\cos 4) &= \arccos(\cos a) \\
 &= a
 \end{aligned}$$

Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π .
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

$$a = \pi - (4 - \pi) = 2\pi - 4$$

$$\begin{aligned} \text{Therefore } \arccos(\cos 4) &= \arccos(\cos a) \\ &= a = 2\pi - 4. \end{aligned}$$