

Calculus II

Simplify $\arcsin(\sin(x))$

Todor Milev

2019

Example

Find $\arcsin(\sin(1.5))$.

Example

Find $\arcsin(\sin(1.5))$.

● $\frac{\pi}{2} \approx ?$

Example

Find $\arcsin(\sin(1.5))$.

- $\frac{\pi}{2} \approx 1.57$.

Example

Find $\arcsin(\sin(1.5))$.

- $\frac{\pi}{2} \approx 1.57$.
- Therefore $-\frac{\pi}{2} \leq 1.5 \leq \frac{\pi}{2}$.

Example

Find $\arcsin(\sin(1.5))$.

- $\frac{\pi}{2} \approx 1.57$.
- Therefore $-\frac{\pi}{2} \leq 1.5 \leq \frac{\pi}{2}$.
- Therefore $\arcsin(\sin 1.5) = 1.5$.

Example

Find $\arcsin(\sin 2)$.

Example

Find $\arcsin(\sin 2)$.

- 2 is not between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$.

Example

Find $\arcsin(\sin 2)$.

- 2 is not between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$.
- We need the angle a between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$ for which $\sin 2 = \sin a$.

Example

Find $\arcsin(\sin 2)$.

- 2 is not between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$.
- We need the angle a between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$ for which $\sin 2 = \sin a$.

Example

Find $\arcsin(\sin 2)$.

- 2 is not between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$.
- We need the angle a between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$ for which $\sin 2 = \sin a$.

Example

Find $\arcsin(\sin 2)$.

- 2 is not between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$.
- We need the angle a between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$ for which $\sin 2 = \sin a$.

Example

Find $\arcsin(\sin 2)$.

- 2 is not between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$.
- We need the angle a between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$ for which $\sin 2 = \sin a$.

Example

Find $\arcsin(\sin 2)$.

- 2 is not between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$.
- We need the angle **a between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$** for which $\sin 2 = \sin a$.

Example

Find $\arcsin(\sin 2)$.

- 2 is not between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$.
- We need the angle a between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$ for which $\sin 2 = \sin a$.

$$a = ?$$

Example

Find $\arcsin(\sin 2)$.

- 2 is not between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$.
- We need the angle a between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$ for which $\sin 2 = \sin a$.

$$a = \pi - 2.$$

Example

Find $\arcsin(\sin 2)$.

- 2 is not between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$.
- We need the angle a between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$ for which $\sin 2 = \sin a$.

$$a = \pi - 2.$$

$$\text{Therefore} \quad \arcsin(\sin 2) = \arcsin(\sin a)$$

Example

Find $\arcsin(\sin 2)$.

- 2 is not between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$.
- We need the angle a between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$ for which $\sin 2 = \sin a$.

$$a = \pi - 2.$$

$$\begin{aligned} \text{Therefore } \arcsin(\sin 2) &= \arcsin(\sin a) \\ &= a \end{aligned}$$

Example

Find $\arcsin(\sin 2)$.

- 2 is not between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$.
- We need the angle a between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$ for which $\sin 2 = \sin a$.

$$a = \pi - 2.$$

$$\begin{aligned} \text{Therefore} \quad \arcsin(\sin 2) &= \arcsin(\sin a) \\ &= a = \pi - 2. \end{aligned}$$