Rodent Abatement Service Contract
Pine Flat Dam & Lake

Performance Work Statement

01 May 2026

Project: Rodent Abatement Services at Pine Flat Lake Park Headquarters, Pine Flat Dam, Island Park Campground, Deer Creek Point Group Areas, and Trimmer Campground within the Pine Flat Lake and Dam Project boundaries, Fresno County, CA.

Payment Questions: Payment questions shall be directed to the Contracting Officer's Representative (COR).

For prompt payment, submit invoices to all parties and follow the guidance provided in the Payment and Invoices paragraph. Payment is NET 30 unless the Contractor specifies prompt payment discount terms in the quote/proposal.

Incomplete or inaccurate invoices shall be returned to the Contractor for revision.

1. **General Information**

1.1 This is a performance-based contract for Rodent Abatement Services at Pine Flat Lake & Dam, Fresno County, CA. The overall responsibility of the Contractor is to plan, coordinate, organize, manage, and perform the activities described within this contract in accordance with the performance objectives.

2. **Introduction**

2.1 This Performance Work Statement (PWS) describes the basic objectives for Rodent Abatement Services at Pine Flat Lake Park Headquarters, Pine Flat Dam, Island Park Campground, Deer Creek Point Group Areas, and Trimmer Campground within the Pine Flat Lake and Dam Project boundaries, Fresno County, CA. Minimum levels of performance are outlined in the "Quality Assurance Surveillance Plan" (QASP), contained in Attachment A.

3. **Description of Services**

3.1 The Contractor shall furnish all labor, materials, equipment, transportation and supplies necessary to fulfill the terms and conditions stated in this contract. The Contractor shall be responsible for all costs related to performing Rodent Abatement services. Services include but are not limited to the abatement of ground squirrels, gophers, and rabbits at Pine Flat Lake Park Headquarters, Pine Flat Dam, Island Park Campground, Deer Creek Point Group Areas, and Trimmer Campground. All work, materials, and equipment shall comply with the safety and environmental standards outlined in this PWS. The contractor's proposed control methods and chemical products are subject to acceptance by the Contracting Officer Representative (COR) to ensure they meet contract requirements.

3.2 The Contractor will be required to return and perform additional services, at no cost to the Government, if all treated areas do not demonstrate at least 90% rodent kill rate. The treatment sites shall be monitored by the Contractor to ensure specified rodent abatement results are achieved. The Contractor shall contact the COR, or their representative no later than one month after treatment to discuss the results of inspections and contract performance.

4. **Site Inspection**

4.1 Prior to submitting bids, bidders are urged to inspect the job site where services are to be performed to accurately observe conditions that may affect the cost of performance of the service contract.

4.2 In no event will failure to inspect the site constitute grounds for the withdrawal of a quote after award or for a claim after the award of the contract.

5. Pre-Work Meeting

5.1 At least ten (10) days prior to commencement of work, the Contractor shall contact the COR to schedule a pre-work meeting. This meeting will be held at the Pine Flat Lake Park Headquarters, located at 27295 Pine Flat Road, Sanger, CA 93657. The Prime contractor must attend this in person (not via phone or virtually). While subcontractors may attend the Pre-work Meeting, the subcontractors can NOT attend for the prime.

5.2 During the pre-work meeting, the Contractor shall provide the COR with the following for acceptance:

5.2.1 The Contractor shall submit an Accident Prevention Plan (APP) as required by EM 385-1-1, Safety and Health Requirements Manual.

5.2.2 The Contractor shall provide copies of Safety Data Sheets (SDS) for all chemical products to be used by The Contractor or their employees during the execution of this contract.

5.2.3 Uniform and Personal Protection Equipment (PPE).

5.2.4 Proof of insurance for all vehicles to be used by the Contractor or their employees while operating on U.S. Army Corps of Engineers (USACE) property.

5.2.5 Contractor Vehicle Identification: All Contractor vehicles shall be identified with the company name or logo conspicuously displayed on door panels. Professionally made magnetic signs or pressure sensitive decals may be used to comply with this specification.

6. Contractor's Quality Control Plan (QCP):

6.1 The Contractor shall establish and maintain a complete QCP to assure the requirements of this contract are provided as specified. This QCP shall be submitted to the COR at the pre-work meeting. The COR will review the QCP and list any needed clarifications, and return to the Contractor for response, if necessary, reference Attachment A. The Contractor's QCP shall include the following, or have incorporated into the document during performance of the contract, at a minimum:

6.1.1 An inspection plan covering all services is required by this contract. The inspection plan shall specify the areas to be inspected on either a scheduled or unscheduled basis, how often inspections shall be accomplished and documented, and shall specify the title of the individual(s) who will perform the inspections.

6.1.2 On-site records of all inspections conducted by the Contractor noting necessary corrective actions taken. The Government reserves the right to request copies of any and/or all inspections.

6.1.3 Methods for identifying and preventing deficiencies in the quality of service performed, before the level of performance becomes unacceptable and organizational functions noting intermediate supervisory responsibilities and overall management responsibilities for ensuring total acceptable performance.

6.1.4 Contain a log to account for all requests for immediate services. The log shall indicate the date and time of services, and description of results and completion of these services. The log shall also contain any complaints or problems, with procedures taken, to allow for corrections and/or elimination before effects caused interruption of performance of the contract.

7. Ability to Perform

7.1 The Contractor and their employees shall be responsible for maintaining accurate and detailed records as required by the contract.

7.2 The Contractor and their employees shall be capable of communicating with visitors, other contractors, outside agencies and project personnel in a respectful and courteous manner.

7.3 The Contractor shall furnish competent personnel. If employees furnished prove to be incompetent, the Contractor shall remove them and furnish satisfactory employees at the discretion of the COR, at no additional cost to the Government.

7.4 The Contractor shall comply with all applicable Federal, State, and local regulations.

7.5 The Contractor shall maintain telephone services that will enable the COR to have communication capability during business hours. The Contractor shall return all calls to the COR within 24 hours.

7.6 The Contractor and all employees shall be licensed and permitted to operate all equipment necessary to complete work under this contract. All required licenses and permits to operate shall be the responsibility of the Contractor.

8. Materials, Equipment & Supplies

8.1 The Contractor shall be responsible for all materials and equipment in their possession. The Contractor shall be accountable for any loss, damage, or misuse of Government equipment and/or property being used during the performance of contractual services.

8.2 The Contractor shall submit a completed post-application report following treatments for each service day (See Attachment B).

9. Reporting

9.1 The Contractor shall submit a Safety Exposure Report, CESPD Form 94-R, to the COR or his/her representative with each monthly invoice. Failure to submit this form may delay payment for services performed. The form will be provided to the contractor at the pre-work meeting.

9.2 The Contractor shall maintain an accurate record of, and shall notify the COR immediately following the occurrence/discovery, of any accidents resulting in death, injury, occupational disease, and/or damage to property or equipment, incidental to work performed under this contract.

9.3 All personal property found anywhere on Government property shall be accounted for and turned over to a Park Ranger or COR for inclusion into the Lost and Found Program.

9.4 The Contractor shall immediately report to the COR any needed repairs, malfunctions, damage, vandalism to Government property, and/or any potential safety hazards encountered while performing services. If there is an immediate danger to the public or the potential thereof, the Contractor shall notify the COR, Park Office, or a Park Ranger immediately.

10. Security

10.1 **General Security Requirements and Guidance:** The security requirements described below apply to all contract personnel (including employees of the prime Contractor ("Contractor") and all subcontractor employees) supporting the performance requirements of this contract. The Contractor is responsible for compliance with these security requirements. Questions regarding security matters shall be addressed to the designated Government representative (e.g., Contracting Officer Representative (COR), or Contracting Officer (if a COR is not appointed). Contract personnel are critical to the overall security and safety of US Army Corps of Engineers (USACE) installations, facilities and activities, and security awareness training contributes to those efforts. The Department of Defense (DoD) and Army security training requirements specified below, if applicable, are performance requirements; all applicable contract personnel shall complete initial training within 30 days of

contract award or the date new contract personnel begin performance on the contract. Within five (5) business days from the completion of training, the Contractor shall provide written documentation (e.g., email or memorandum) to the Government representative - COR. The documentation shall include the names of contract personnel trained and which training they completed; the Contractor shall maintain training records as part of their contract files and be prepared to provide copies of training certificates to the Government representative - COR. Contractor personnel and vehicles are subject to search when entering federal installations. Additionally, all contract personnel shall comply with Force Protection Condition (FPCON) measures, Random Antiterrorism Measures (commonly referred to as "RAMs"), and Health Protection Condition (HPCON) measures. The Contractor is responsible for meeting performance requirements during elevated FPCON and/or HPCON levels in accordance with applicable CORplans and procedures—this includes identifying mission essential and non-mission essential personnel. In addition to the changes otherwise authorized by the changes clause of this contract, should the FPCON or HPCON levels at any individual facility or installation change, the Government may implement security changes that affect contract personnel. The Contractor shall ensure all contract personnel are aware of their security responsibilities, including any site-specific requirements identified in local policies or procedures.

10.2 **Antiterrorism (AT) Level 1 Training:** All contract personnel requiring routine access to Army installation, facilities, and controlled access areas, or requiring network access shall complete initial and annual refresher AT Level 1 awareness training.

10.3 **Physical Security and Access Control Requirements:** All contract personnel requiring physical access to a federal installation or facility shall comply with the access control procedures of that location. Contract personnel requiring unescorted access to meet contract performance requirements on a DoD installation in the US shall be vetted by the installation/facility Provost Marshal/Directorate of Emergency Services/Security Office using the National Crime Information Center-Interstate Identification Index (commonly referred to as "NCIC-III") and Terrorist Screening Database (commonly referred to as "TSDB"). Contract personnel shall comply with all personal identity verification requirements specified in installation/facility policies and procedures. Contract personnel who do not meet requirements for unescorted access to USACE facilities shall coordinate escorted access with the Government representative, as needed. Contract personnel who receive keys, access cards, or lock combinations that provide access to government-owned property shall comply with key and lock control procedures of the COR.

10.4 **Suspicious Activity Reporting Training (e.g., iWatch, CorpsWatch, or See Something, Say Something):** All contract personnel should revive initial and annual refresher training from the COR representative on the local suspicious activity reporting program. This locally developed training provides contract personnel with general information on suspicious behavior, and guidance on reporting suspicious activity to the COR, project manager, security representative, or law enforcement entity.

11. Quality Control

11.1 Prior to applying any treatment, the Contractor shall conduct a pre-treatment survey to establish a baseline count of all active burrows and mounds within the treatment areas. This baseline report, including maps, must be submitted to the COR before work commences. The Contractor shall provide an updated map showing baiting locations and active holes/mounds to the COR following each service. The target for ground mouse, rat, squirrel, rabbit, and gopher control is a 90% kill rate. Throughout the treatment period, the Contractor shall level all mounds following service as a means to monitor activity by the number of "new" mounds during the next scheduled service day. The COR will use these maps to determine the effectiveness of the treatment methods and to determine when the target rodent abatement rate (minimum 90% kill) is obtained.

12. Areas to be treated

12.1 Interior areas to be treated

1. Ranger Shop (approximately 2,500 square feet) See Map E
2. Crane Building (approximately 1,200 square feet) See Map E
3. Maintenance Shop (Approximately 4,800 square feet) See Map E
4. Island Park Fee Booth (200 square feet) See Map F

5. Island Park Storage Building (400 square feet) See Map F
6. Island Park Restroom Pipe Chases (100 square feet each x Quantity of 4 = 400 square feet) See Map F
7. Trimmer Restroom Pipe Chase (100 square feet) See Map H

12.2 Exterior areas to be treated

1. Park Headquarters Area: Entire fenced compound (approximately 3.5 acres) See Map A
2. Pine Flat Dam: North and south dam abutments (upstream and downstream of the dam), observation area and parking lot (approximately 2.5 acres) See Map B
3. Island Park Campground: Entire campground and evaporation ponds (approximately 4 acres) See Map C
4. Deer Creek Point Group Areas: Includes both the Blue Oak and Buckeye group areas (approximately 3 acres) See Map D
5. Trimmer Campground: Entire campground and evaporation ponds (approximately 2 acres) See Map G

13. **Services to be Performed**

13.1 Monthly Rodent Abatement

The Contractor shall determine the rodent abatement procedures and methods of treatment that will achieve the most effective outcome. Prior to the commencement of work, all control procedures and methods shall be accepted by the COR. All chemical applications shall be compliant and administered in accordance with the manufacture's recommendations. The COR and Contractor shall discuss and agree upon a predetermined time of month for each treatment. The Contractor shall use the attached maps (Maps A, B, C, D, E, F, G, and H) to identify application sites and treatment locations.

Ground Squirrel, Rabbit, and Gopher abatement:
The target for ground squirrel, rabbit, and gopher abatement is a minimum 90% kill rate. If the desired target rate has not been achieved, the COR shall request treatment of specific areas where the target kill rate was not obtained at no additional cost to the Government.

Mouse and Rat abatement:
The target for mouse and rat abatement is a minimum 90% kill rate. Procedures that reduce the number of rodents dying within the building walls and ceiling and producing odors of decay shall be utilized. Following the treatment process, areas shall be free of any new rat/mouse droppings and/or nesting materials. If the desired target rate has not been achieved, the COR shall request treatment of specific areas where the target kill rate was not obtained at no additional cost to the Government.

13.2 Equipment

Outdoor:
Bait stations and traps shall be accepted by COR, rated for outdoor applications, and must comply with all California regulations. Bait shall be confined to the bait station. Bait stations and traps shall be properly anchored to the ground to prevent movement by pests and other wildlife. Any spilled bait shall be cleaned up immediately. All bait stations shall contain enough bait to prevent the stations from running out of bait between services. Labeling: Each bait station shall be labeled in accordance with the product SDS for use in public areas.

Indoor:
Traps shall be accepted by COR, rated for indoor applications, and must comply with all California regulations. Traps shall be emptied of any deceased rodents by the contractor during each monthly service, as needed.

14. **Accident Prevention Plan (APP):**

14.1 The Contractor shall obtain the USACE Project Safety Officer's acceptance and Accident Prevention Plan (APP) BEFORE starting any on-site work.

14.2 The Contractor shall use a qualified Safety and Health Manager (SHM) to prepare the written site-specific Accident Prevention Plan (APP) in accordance with the format and requirements of USACE EM 385-1-1. Cover

all paragraph and subparagraph elements in Appendix A of USACE EM 385-1-1, "Minimum Basic Outline for Accident Prevention Plan." Activity Hazard Analyses (AHAs) shall be appended to the APP.

14.3 The Contractor shall develop an Injury and Illness Prevention Program (IIPP) for projects within the State of California as an appendix to the APP. Where a paragraph or subparagraph element is not applicable to the work to be performed, indicate "Not Applicable" next to the heading. The APP shall be job specific and shall address any unusual or unique aspects of the project or activity for which it is written. The APP shall interface with the Contractor's overall safety and health program (SHP). Any portions of the Contractor's overall safety and health program referenced in the APP shall be included in the applicable APP element and made site-specific. The Government considers the Prime Contractor to be the "controlling authority" for all work site safety and health of the Subcontractors. The Contractor is responsible for informing their Subcontractors of the safety provisions under the terms of the contract and the penalties for noncompliance, coordinating the work to prevent one craft from interfering with or creating hazardous working conditions for other crafts, and inspecting Subcontractor operations to ensure that accident prevention responsibilities are being carried out. The Contractor, COR, and Site Safety and Health Officer (SSHO) shall sign the APP.

14.4 The Contractor shall submit the APP to the COR for review and acceptance. The APP must be presented to the COR at the pre-work meeting, which shall be held at least 10 days prior to the commencement of any on-site work. The Contractor shall resubmit the documents, with any requested changes, within 5 days of request.

14.5 The Contractor's APP and subsequent activities shall comply with the following referenced documents (most current version), at a minimum:

14.5.1 EM 385-1-1, USACE Safety & Health Requirements Manual, EM 385-1-1, https://www.publications.usace.army.mil/Portals/76/EM%20385-1-1%20_EFFECTIVE%2015%20March%202024.pdf

14.5.2 Title 29 Code of Federal Regulations (CFR) 1910, Occupational Safety and Health Standards.

14.5.3 29 CFR 1926, Safety and Health Regulations for Construction.

14.5.4 American Conference of Governmental Industrial Hygienists (ACGIH®), TLVs® and BELs®, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices (2005).

14.5.5 Title 8 California Code of Regulations (CCR) Chapter 4 Subchapter 4, Construction Safety Orders.

14.5.6 8 CCR Chapter 4 Subchapter 7, General Industry Safety Orders.

14.5.7 8 CCR Sections 3203 & 1509, Injury and Illness Prevention Program.

14.5.8 American Conference of Governmental Industrial Hygienists (ACGIH®), TLVs® and BELs®, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices (2005)

14.5.9 OSHA ancillary safety and health regulations governing certain aspects for this contract include:

14.5.9.1 *Respiratory Protection (29 CFR 1910.134/8 CCR Section 5144)*

14.5.9.2 *Occupational Noise Exposure (29 CFR 1910.95/8 CCR Sections 5095-5100)*

14.5.9.3 *Hazard Communication (29 CFR 1910.1200/29 CFR 1926.59/8 CCR Section 5194)*

14.5.9.4 *The Control of Hazardous Energy (Lockout/Tag-out) (29 CFR 1910.147)*

14.5.9.5 *Proposition 65 (22 CCR Section 12000) Chemicals Known to the State of California to Cause Cancer or Reproductive Toxicity*

15. **Performance and Program Objectives**

15.1 The Contractor shall be responsible for services described herein. The Government objectives are described in the "Performance of Work Requirements Summary" (Attachment A). The Contractor shall develop a "Performance Work Plan" that contains solutions to accomplish the same objectives as stated in the Performance of Work Requirements Summary, as they are applicable to the services required in the Schedule. The Contractor may use whatever method they choose to meet the objectives, if the result satisfies the Acceptable Quality Levels (AQL) of performance as defined in the Performance Work Requirements Summary.

16. **General Service Provisions**

16.1 Unless otherwise accepted by the COR, all services shall be performed between 8:00 AM and 4:30 PM Monday through Friday, excluding Federal holidays.

16.2 The Contractor is responsible for the management and quality control actions to meet the requirements of the contract. The role of the Government is quality assurance is to ensure quality control standards are achieved.

17. **Estimated Service Schedule/Frequency**

17.1 The days of service shall be negotiated with the COR to determine scheduled service days prior to commencement of services. If unforeseen events cause a variation in the scheduled service, the Contractor shall notify the COR 48 hours in advance of the delay or cancelation. Failure to provide the service or variation from the agreed service schedule will require written explanation by the Contractor. If additional service(s) are required, the schedule shall be modified and accepted by the COR.

17.2 If recreation areas are not open or require closing, the number of services required for those areas will be reduced accordingly.

17.3 Payment will only be made for those services performed.

17.4 The Contractor shall remove all equipment and supplies from Government property immediately upon completion of the service.

18. **E-Verify**

18.1 As of September 8, 2009, employers with federal contracts or subcontracts are required to use E-Verify to determine the employment eligibility of employees performing direct, substantial work under those federal contracts. Information on registration for and use of the E-Verify program can be obtained via the Internet at the Department of Homeland Security Web site: http://www.dhs.gov/E-Verify

19. **Period of Performance**

19.1 The contract shall consist of a Base Year plus four (4) Option Years as follows. Option Years are exercised at the discretion of the Government:

20. **Standards of Employee Conduct**

20.1 The Contractor and their employees shall be required to adhere to the following standards of dress and conduct while performing work. These regulations are enforceable as per the U.S. Army Corps of Engineers Safety and Health Requirements Manual, EM 385-1-1, the California State Health Code, and County Codes.

20.2 All Contractor personnel shall be identifiable by wearing a company uniform or clothing with the company name or logo conspicuously displayed on the clothing. The Contractor shall use personal protective equipment (PPE) as identified in EM 385-1-1, Safety and Health Requirements Manual. EM 385-1-1, Section 5 states, "The use of PPE is a control measure that is to be used only after a hazard evaluation identifies hazards associated with a particular job or activity, and it is determined that the hazards cannot be eliminated and/or controlled to an acceptable level through engineering design or administrative actions." The use of proper PPE shall be

determined at the pre-work conference following the Contractor's submittal of an activity hazard analysis. All PPE shall follow the SDS for chemical(s) being used.

20.3 A clean, well-groomed appearance shall be maintained at all times while performing contract services.

20.4 The Contractor shall not be in possession of any weapons in the public use areas at any time.

20.5 The Contractor shall not take part in any selling or advertising activities.

20.6 The Contractor shall not perform any duties relative to any other contract duties while performing this contract.

20.7 Alcoholic beverages and/or illegal substances shall not be consumed or possessed prior to or while on duty, nor at any time while the Contractor is performing contract services. The Contractor shall not be under the influence of any substance that impairs his/her ability to safely perform contract services.

20.8 The Contractor and their employees shall not smoke in or around any Government-owned structures or facilities. Additionally, the Contractor shall not smoke while in contact with the public and/or Government personnel.

20.9 The use of any Government property without proper authorization will not be permitted.

20.10 The Contractor shall comply with all CFR Title 36 regulations while performing services under this contract. The Contractor and their employees shall cooperate fully with all Corps of Engineers Employees, local law enforcement and State agencies. The Contractor and their employees are not authorized to direct the work of other contractors.

21. Protection and Use of Government Facilities and Equipment

21.1 The work to be performed is within the boundaries of public areas. The Contractor's attention is directed to the needs for extreme caution and care while driving and operating equipment. Safety requirements of EM-385-1-1 shall apply to all work. A copy of the Engineering Manual is available at the Park Headquarters for review or on-line at:
https://www.publications.usace.army.mil/Portals/76/EM%20385-1-1%20_EFFECTIVE%2015%20March%202024.pdf

21.2 The Contractor shall be responsible for restoring any Government facilities or property damaged as a result of the Contractor's operations at no additional cost to the Government. Reasonable care shall be used to avoid damage to existing structures, equipment, facilities, and vegetation in the areas serviced. Any damage shall be repaired or replaced as directed by the COR, and at no cost to the Government. .

21.3 The Government will provide repairs, as needed, to Government property used by the public. However, if damages are found to be a result of the Contractor's negligence or lack of reasonable care, the cost of repairs or the cost of replacement will be the responsibility of the Contractor. If the Contractor does not make such repairs, replacement, or reimburse the Government for such repairs or replacement, this will result in the Contracting Officer to issue a modification to reduces the value of the contract to account for the costs for repairs being performed by the Government or another contractor.

22. Performance Evaluation Meeting

22.1 The issuance of a Contract Discrepancy Report (CDR) may be cause for the scheduling of a meeting with the Contractor, and the Contracting Officer's Representative (COR). A mutual effort will be made to resolve all problems identified. The Government will prepare written minutes of the meeting. The Contractor and the COR will sign minutes of the meeting(s).

22.2 Should the Contractor not concur with the minutes, he/she will state in writing to the COR within ten (10) calendar days any areas he does not concur and explain the reasons for non-concurrence. The Contracting Officer

will review and consider the reasons submitted for the Contractor's non-concurrence and decide. The Contracting Officer will notify the Contractor of the decision in writing within ten (10) calendar days.

23. **Remedial Actions**

23.1 The COR will verbally advise or give a written inspection report to the Contractor of discrepancies the first time they occur and ask the Contractor to correct the problem. A notation will be made on the COR checklist of the date and the time the deficiency was discovered and the date and time the Contractor was notified.

23.2 If the Government creates any discrepancies in contract services, these will not be counted against the Contractor's performance.

23.3 When the Contractor is not meeting the limits of satisfactory performance, a CDR will be issued to the Contractor. The seriousness of the failures should govern whether to issue a CDR at the end of the period, or as soon as the limits of satisfactory performance is not met.

23.4 When a CDR is issued for a service, the contractor shall reperform until the AQL is met, at no additional cost to the Government, as indicated in the Performance of Work Requirements Summary (Attachment A).

23.5 If the Contractor does not achieve satisfactory performance by the end of the next period or agreed suspense date, another CDR will be issued and a Cure Notice may be issued by the Contracting Officer.

23.6 A third CDR will be the cause for a Cure Notice. However, the Contracting Officer may issue a Cure Notice or Show Cause letter at any time he/she deems appropriate. Depending on the overall performance of the Contractor, an unsatisfactory reply to the Cure Notice may result in a Show Cause letter to be issued, or issuance of a Termination for Default of the contract.

24. **Authorities/Technical Direction**

24.1 The Contractor shall take no direction from any Government employee or any other person other than the Government Contracting Officer that changes the terms and conditions of this contract action, the scope, or any change that impacts the cost, price or schedule. Changes authorized by the Contracting Officer will be in the form of a written, official, signed modification to the contract action received by the Contractor before the Contractor will act upon those changes. The Contractor shall comply with the Changes clause of this contract when the Contractor believes direction has been given from persons other than the Government Contracting Officer that equate to a change by notifying the Contracting Officer as directed by the clause. Any direction given by any Government employee or any other person outside their authority must be reported to the Contracting Officer. Contracting Officer Representatives (CORs) are limited to the authorities stated in the COR appointment letters. If a COR is appointed under this contract, they will be appointed by written letter from the Contracting Officer to the Contractor and COR specific to this contract only. COR appointment letters from previous contracts at this installation are not valid for this contract.

25. **Payment and Invoices**

25.1 Invoices for payment shall be submitted upon completion of tasks as outlined in the pricing/payment schedule. Invoices shall include all necessary information, including any necessary supporting documentation required as part of this Performance Work Statement. All invoices must reflect the contract number W91238-XX-X-XXXX, see Block 2 of the Standard Form 1449. The final invoice must be marked "FINAL". Copies of all invoices shall be provided to the following:

25.1.1 Following review by the COR for errors and accuracy, an invoice WITHOUT additional information or supporting documentation shall be sent to:

USACE Finance Center
Attn: CEFC-FP
5722 Integrity Dr.

Millington, TN 38054-5005
CEFC-Payments@usace.army.mil

25.1.2 A copy of each invoice WITH all necessary supporting documentation as required by this Performance Work Statement shall be provided to the following:

U.S. Army Corps of Engineers, Sacramento District
CESPK-ODS-P, Pine Flat Lake
Attn: Contracting Officer's Representative (COR)
P.O. Box 117
Piedra, CA 93649-0117

26. Contract Payments

26.1 The Government shall pay the Contractor upon submission of proper invoices for the services delivered and accepted or for the portion of work performed under the contract. Payment shall be made as indicated in the contract's Payment Schedule. Services as defined in the Payment Schedule of the contract must be accepted by the Government before payment will be made.

26.2 The Contractor shall be paid at the completion of services for work accomplished. Failure to complete any of the required items defined in the contract specifications for a particular service shall be cause for that service to be considered incomplete in its entirety. Incomplete services are not billable by the Contractor. As per the Performance Work Statement, if work accomplished is unsatisfactory and does not meet the contract specifications, the Contractor shall be subject to the parameters set forth in the Performance Work Statement, and may be held liable for any costs to the Government to correct the problem. The COR shall verify invoices before payment will be authorized.

26.3 The Contractor shall submit a monthly invoice for payment, verifying that all units, quantities and amounts are true and correct. Invoices shall be received by close of business on the first business day of the following month at Pine Flat Lake Park Headquarters. The invoice may also be faxed to Park Headquarters at (559) 787-2773 or emailed in either Microsoft Word, Excel or in a PDF format to the COR. An invoice number, the billing period services performed, and itemized line-item charges shall be indicated on the invoice in addition to the Contractor's name, address, contact information and contact number. Hours performed shall be submitted separately with each invoice on a Safety Exposure Report (CESPD Form 94-R, See Attachment D). Invoices will not be processed without the Safety Exposure Report.

26.4 The final payment will be authorized when all Government issued equipment has been returned and all reporting requirements have been met.

ATTACHMENT A

Quality Assurance Surveillance Plan (QASP)

1. The purpose of this exhibit is to:

    a. List the contract requirements considered most critical to acceptable contract performance.

    b. Show, where applicable, the maximum allowable degree of deviation from perfect performance for each requirement that shall be allowed by the Government before contract performance is considered unsatisfactory.

    c. Define the procedures the Government shall use in addressing performance that doesn't meet the Acceptable Quality Level (AQL).

2. The Government's quality assurance procedures are based on actual performance of the contract and all areas will be reviewed periodically, (e.g. daily, weekly, monthly, quarterly, semi-annually, etc.).

3. The criteria for acceptable and/or unacceptable performance are as follows:

    a. Contract requirements. The criteria for requirements are the QAL of performance deemed acceptable by the Government.

    b. If the quality of work does not comply with the contract requirements, the COR will initiate, and the Contractor shall be required to complete a Contract Discrepancy Report (CDR).

    c. The CDR will require the Contractor to explain in writing why performance was unacceptable, how performance will be returned to an acceptable level, and how recurrence of the problem will be prevented in the future. The Contractor will not be paid for services not rendered in accordance with the standards set forth in this contract.

    d. If the level of performance is deemed unacceptable to the Government, concurrent with two unsatisfactory ratings, a Cure Notice may be issued by the Contracting Officer:

OBJECTIVE: Mice and Rat Abatement

Performance Standard	***Acceptable Quality Level (AQL)***	***Method and Frequency of Inspection***	***Remedy Procedures***
Abate target species in all buildings and locations specified in Section 12 of the PWS.	90% required at the AQL	Random quality assurance inspections by the COR	**Remedy**: The Contractor shall reperform at no additional cost to the Government until service meets the AQL. Continuous review until performance is satisfactory.

OBJECTIVE: Ground Squirrel, Gopher and Rabbit

Performance Standard	***Acceptable Quality Level (AQL)***	***Method and Frequency of Inspection***	***Remedy Procedures***
Abate target species in all buildings and locations specified in Section 12 of the PWS.	90% required at the AQL	Random quality assurance inspections by the COR	**Remedy**: The Contractor shall reperform at no additional cost to the Government until service meets the AQL. Continuous review until performance is satisfactory.

ATTACHMENT B

SACRAMENTO DISTRICT

DATE_____

US ARMY CORPS OF ENGINEERS
PEST CONTROL PROGRAM
POST-APPLICATION REPORT

PINE FLAT LAKE
PO BOX 117
PIEDRA, CA 93649-0117
(559) 787-2589 FAX: (559) 787-2773

CONTRACTOR:_____
Address:_____
City:_____
Phone:_____

APPLICANT:_____
Address:_____
City:_____
Phone:_____

TARGET PEST:_____

DATE OF APPLICATION	TIME OF DAY	AIR TEMP	RELATIVE HUMIDITY	CLOUD COVER	WIND DIRECTION AND SPEED	ACREAGE TREATED

DESCRIPTION OF TREATED AREA: _____

_____

TARGET PEST DESCRIPTION:_____

PESTICIDE (TRADE NAME):_____

FORM APPLIED:_____

ACTIVE INGREDIENTS:_____

EPA REGISTRATION:_____EPA CLASSIFICATION_____

HOW THE PESTICIDE WAS MIXED:_____ AMOUNT APPLIED:_____

APPLICATION RATE:_____

APPLICATION EQUIPMENT USED:_____

_____

WAS ANY OF THIS PESTICIDE DISPOSED OF (Y/N)?_____

METHOD OF DISPOSAL_____ DATE OF DISPOSAL_____

LOCATION OF DISPOSAL SITE:_____

ADDITIONAL APPLICATION INFO:_____


Map A
Exterior Treatment Areas
Google Earth
N
100 ft


Map B
Pine Flat Dam Exterior Treatment Areas
Google Earth
N
300 ft


Map C
Island Park Campground Exterior Treatment Areas
Google Earth
Image © 2026 Airbus
N
700 ft


Map D
Deer Creek Point Exterior Treatment Areas
Google Earth
Image © 2026 Airbus
N
300 ft


Map E
HQ Interior Treatment Areas
Crane Building
Ranger Shop
Maintenance Shop
HQ Building
Google Earth
N
100 ft


Map F
Interior Treatments
Pipe Chase #4
Island Park Fee Booth
Pipe Chase #3
Pipe Chase #1
Pipe Chase #2
Island Park Storage Building
Google Earth
N
300 ft


Map G
Trimmer Exterior Treatment Areas
Google Earth
N
200 ft


Map H
Trimmer Interior Treatment Areas
Pipe Chase
Google Earth
N
200 ft