SECTION J
DOCUMENTS, EXHIBITS, AND OTHER ATTACHMENTS
TABLE OF CONTENTS

ATTACHMENT NUMBER	ATTACHMENT TITLE
J-0200000-01	DEFINITIONS AND ACRONYMS
J-0200000-02	WAGE DETERMINATIONS
J-0200000-03	DIRECTIVES, INSTRUCTIONS, AND REFERENCES
J-0200000-04	INVOICE FORM
J-0200000-05	FORMS
J-0200000-05-1	CONTRACTOR SIGNIFICANT INCIDENT REPORT (CSIR)
J-0200000-05-2	MOTOR VEHICLE ACCIDENT REPORT
J-0200000-05-3	INSTALLATION SPILL CONTROL PLAN
J-0200000-05-4	CONTRACTOR HAZARDOUS MATERIAL INVENTORY LOG
J-0200000-06	GOVERNMENT FURNISHED FACILITIES
J-0200000-07	EXHIBIT LINE ITEM NUMBERS

0200000 – Management and Administration	
Spec Item	**Title**
2	Management and Administration
2.1	Definitions and Acronyms
2.2	General Information
2.2.1	Government Regular Working Hours
2.2.1.1	Observed Federal Holidays
2.2.1.2	Restriction to Contractor Working Hours
2.2.2	Wage Determinations
2.2.3	Requirements Hierarchy
2.3	General Administrative Requirements
2.3.1	Required Conferences and Meetings
2.3.2	Training for Maintenance and Operation of New and Replacement Systems and Equipment
2.3.3	Partnering
2.3.3.1	Informal Partnering
2.3.3.2	Contract Partnering Administration
2.3.3.3	Contract Partnering Session Attendees
2.3.4	Permits and Licenses
2.3.5	Insurance
2.3.5.1	Certificate of Insurance
2.3.5.2	Minimum Insurance Amounts
2.3.6	Protection of Government Property
2.3.7	Directives, Instructions, and References
2.3.8	Invoicing Procedures
2.3.9	Forms
2.4	Government-Furnished Items
2.4.1	Government-Furnished Property (GFP)
2.4.2	Government-Furnished Facilities
2.4.3	Government-Furnished Vehicles and Equipment
2.4.4	Government-Furnished Utilities
2.5	Contractor-Furnished Items
2.6	Management
2.6.1	Safeguarding Information
2.6.2	Dissemination of Information
2.6.3	Work Reception
2.6.4	Work Control
2.6.5	Work Schedule
2.6.6	Deliverables
2.6.7	Service Interruptions
2.6.8	NAVFAC MAXIMO
2.6.8.1	MAXIMO Data
2.6.8.2	MAXIMO Method of Data Entry
2.6.8.3	MAXIMO Access
2.6.8.4	MAXIMO Training
2.6.9	Quality Management System (QMS)
2.6.9.1	Quality Management (QM) Plan
2.6.9.2	Quality Inspection and Surveillance
2.6.9.3	Quality Inspection and Surveillance Report
2.6.10	Property Management Plan
2.6.11	System and Equipment Replacement
2.7	Personnel Requirements
2.7.1	Key Personnel
2.7.1.1	Project Manager (PM)

0200000 – Management and Administration	
Spec Item	**Title**
2.7.1.2	Quality Manager
2.7.1.2.1	Quality Control Personnel
2.7.1.3	Site Safety and Health Officer (SSHO)
2.7.1.4	Environmental/Energy Manager
2.7.2	Employee Requirements
2.7.2.1	Employee Certification and Training
2.7.2.2	Employee Appearance
2.7.2.3	Employee Conduct
2.7.2.4	Identification as Contractor Employee
2.7.2.5	Removal of Employees
2.7.2.6	Proof of Legal Residency
2.7.3	Service Contract Reporting (SCR)
2.8	Security Requirements
2.8.1	Employee Listing
2.8.2	Vehicles
2.8.3	Passes and Badges
2.8.4	Access to Installation
2.8.4.1	DBIDS Program
2.8.4.2	DBIDS Credentials
2.8.5	Access to Buildings
2.8.6	Access Arrangements
2.8.6.1	Escort Arrangement for Secured Areas
2.8.7	Security Clearances
2.8.8	Access to Controlled Unclassified Information
2.8.9	Access to Government Information Technology (IT), Operating Technology (OT), and Facility Related Control Systems (FRCS)
2.8.10	Access to Navy Marine Corps Intranet (NMCI)
2.8.11	Employee Status
2.9	Contractor Safety Program
2.9.1	Contractor Safety Requirements
2.9.1.1	Experience Modification Rate (EMR)
2.9.1.2	OSHA Days Away From Work, Restricted Duty, or Job Transfer (DART) Rate
2.9.2	Accident Prevention Plan (APP)
2.9.3	Activity Hazard Analysis (AHA)
2.9.4	Safety and Occupational Health (SOH) Risks and Compliance Plans
2.9.5.1	Alcohol and Drug Abuse Prevention Plan
2.9.5.2	Chemical Hazard Communication Program
2.9.3.3	Confined Space Program
2.9.3.4	Critical Lift Plan
2.9.3.5	Fall Prevention and Protection Plan
2.9.4.6	Pathogen Exposure
2.9.4.7	Control of Hazardous Energy (lockout/tagout)
2.9.5	Crane Operations
2.9.5.1	Crane Inspections
2.9.5.2	Rigging Gear
2.9.5.3	Crane Operators
2.9.6	Accident and Damage Reporting
2.9.6.1	Accident Reporting and Notification Criteria
2.9.7	Fire Protection
2.9.8	Monthly On-Site Labor Report
2.9.9	OSHA Citations and Violations
2.9.10	Safety Inspections and Monitoring

0200000 – Management and Administration	
Spec Item	**Title**
2.9.11	Safety Certification
2.9.12	Safety Apparel on Jobsites
2.9.13	Emergency Medical Treatment
2.9.14	Excavations
2.10	Environmental Management and Sustainability
2.10.1	Energy Management Program
2.10.1.1	Water Conservation Plan
2.10.1.2	Energy Efficient Products
2.10.2	Environmental Protection
2.10.2.1	Sampling, Testing and Laboratory Services
2.10.2.2	ODS Requirements for Refrigerant Recycling
2.10.2.3	Solid Waste Management and Recycling
2.10.2.4	Non-Regulated Waste Disposal
2.10.2.5	Regulated Waste Disposal
2.10.2.6	Universal Waste
2.10.2.7	Spill Prevention, Containment, and Clean-up
2.10.2.8	Hazardous Material Management
2.10.2.9	Protection of Endangered and Threatened Species (Flora and Fauna)
2.10.2.10	Noise Control
2.10.2.11	Salvage
2.10.2.12	Asbestos Containing Material (ACM)
2.10.2.13	Clean Air Act (CAA)
2.10.3	Sustainable Procurement and Practices
2.10.3.1	Environmentally Preferable Products
2.10.3.2	Use of Recovered Materials
2.10.3.3	Use of Biobased Products
2.11	Disaster Preparedness
2.12	Technical Library
2.13	Warranty Management
2.14	Recurring Work Procedures
2.14.1	Recurring Work Preparation of Proposals
2.14.2	Notification to the Government for Work Above the Recurring Work Limitations
2.14.3	Recurring Work Exhibit Line Item Numbers (ELINs)
2.15	Non-Recurring Work
2.15.1	Unit Priced Task (UPT) Work (Non-Negotiated)
2.15.1.1	Acceptance and Performance
2.15.1.2	Invoicing and Receiving Payment
2.15.2	Unit Priced Labor (UPL)Work (Negotiated)
2.15.2.1	Non-recurring Preparation of Proposals
2.15.2.1.1	Labor Requirements
2.15.2.1.2	Direct Material and Construction Equipment Requirements
2.15.2.2	Issuance of Final Task Order
2.15.3	Non-Recurring Work ELINS

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
2	Management and Administration	
2.1	Definitions and Acronyms	Definitions and Acronyms are listed in **(J-0200000-01)**.
2.2	General Information	
2.2.1	Government Regular Working Hours	The Government's regular working hours are 0700-1600, five days per week, Monday through Friday, except observed Federal holidays. Exceptions to the regular hours of operation are detailed in subsequent sections of this PWS. Work in certain annexes or sub-annexes require Contractor continuous operations, 24 hours a day, every day of the year including holidays. The performance of other work requirements shall be accomplished within the Government's regular working hours unless the specific work requirement specified herein necessitates otherwise. Any other work outside Government regular working hours must be authorized by the KO prior to commencement of work.
2.2.1.1	Observed Federal Holidays	The Government observes the following holidays: New Year's Day, Martin Luther King Jr.'s Birthday, President's Day, Memorial Day, Independence Day, Labor Day, Columbus Day, Veterans' Day, Thanksgiving Day, and Christmas Day.
2.2.1.2	Restriction to Contractor Working Hours	If the Contractor wishes to work outside of the Government's regular working hours for the Contractor's convenience, the Contractor shall submit a written Request to Work Outside Government's Regular Working Hours per Section F. Excludes work to be performed during specified hours.
2.2.2	Wage Determinations	Wage Determinations are included in **(J-0200000-02**).
2.2.3	Requirements Hierarchy	Requirements or definitions specified in each spec item of this contract apply to subordinate paragraphs. For example, requirements shown in spec item 3.1 would apply to spec items 3.1.1, 3.1.2, 3.1.2.1 and so on. Likewise, Performance Standards specified at a lower digit level (i.e. spec item 3.1.1, 3.1.2, 3.1.2.1) apply when performance is assessed at a higher tier (i.e., spec item 3.1) based on the composite work requirements.
2.3	General Administrative Requirements	
2.3.1	Required Conferences and Meetings	The Contractor may be required to attend administrative and coordination meetings.
2.3.2	Training for Maintenance and Operation of New and Replacement Systems and Equipment	When construction, renovation, or repair work is performed by means other than this contract, the Contractor shall attend Government provided training, as applicable, for maintenance and operation of new and replacement systems and equipment at no additional cost to the Government.
2.3.3	Partnering	The Government requires cohesive partnerships with its Contractors and subcontractors. Key stakeholders, including the supported commands who will receive services, principal individuals from NAVFAC, the performance assessment team, and representative(s) of the installation(s) will be invited to participate in the partnering process. Key members of the prime and sub-contractor teams, including senior management personnel must participate. The partnership will draw on the strength of each organization in an effort to

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		achieve quality contract services done right the first time, within the contract price, as scheduled, and without any safety mishaps. Partnering should accomplish three goals: - The first goal is to develop a cohesive team with common purpose, commitment and established communication processes. - The second goal of partnering is contract specific, identifying risks and opportunities for the team to address. - The third goal is to sustain the Partnership throughout the contract by identifying and addressing issues that affect the Partnership.
2.3.3.1	Informal Partnering	The Contracting Officer shall organize the initial Partnering Meeting with key personnel of the project team, including Contractor's personnel and Government personnel. The initial session will be scheduled concurrent with the Pre-Performance Conference and held no later than 30 days after award and will be held at a Government provided facility as designated by the KO. The Initial Informal Partnering Session will be conducted and facilitated using electronic media (a video and accompanying forms) provided by Contracting Officer. The senior Government stakeholder present will lead the meeting, however, the Contractor's PM or senior representative is encouraged to participate as co-lead. The Partners will determine the frequency of the follow-on sessions.
2.3.3.2	Contract Partnering Administration	Upon award, the ACO will contact the Contractor, supported command(s), Region, and Installation(s) stakeholders, and the performance assessment team to discuss implementation of partnering. A partnership agreement, The Charter, should be in place as early as possible so issues arising, even before work begins, can be resolved using the issues resolution process. Replacement of Core Management Team members (stakeholders who attended the initial session and manage the contract work day-to-day) is discouraged since it will disrupt the synergy that has been developed. If replacement of a team member proves to be unavoidable, a follow-on partnering session must be held to officially turn the responsibilities of the position over to the new member. The Core Management Team consisting of the attendees below must be present during the initial and all follow-on partnering sessions. These are the core mandatory attendees. Other stakeholders may attend if they desire or as recommended by the partners.
2.3.3.3	Contract Partnering Session Attendees	The Contractor shall bring the necessary personnel to successfully partner on this contract. Asterisk indicates mandatory personnel. President/Vice President * Project Manager * Quality Manager Site Safety and Health Officer
2.3.4	Permits and Licenses	The Contractor shall obtain all required permits, licenses, and authorizations to perform work under this contract and comply with all the applicable Federal, state and local laws and regulations. The Contractor shall submit copies of Permits and Licenses per Section F.

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
2.3.5	Insurance	The Contractor shall submit a Certificate of Insurance per Section F as evidence of the existence of the following insurance coverage in amounts not less than the amounts specified below in accordance with the FAR Clause 52.228-5, INSURANCE – WORK ON A GOVERNMENT INSTALLATION. This insurance must be maintained during the performance period.
2.3.5.1	Certificate of Insurance	The Certificate of Insurance shall provide for at least 30 calendar days written notice to the KO by the insurance company prior to cancellation or material change in policy coverage. Other requirements and information are contained in the aforementioned insurance clause.
2.3.5.2	Minimum Insurance Amounts	The Contractor shall procure and maintain, during the entire period of performance under this contract, the following minimum insurance coverage: Comprehensive General Liability: $500,000 per occurrence Automobile Liability: $200,000 per person, $500,000 per occurrence, $20,000 per occurrence for property damage Workmen's Compensation: As required by Federal and state worker's compensation and occupational disease statutes Employer's Liability coverage: $100,000, except in states where worker's compensation may not be written by private carriers Other as required by state law
2.3.6	Protection of Government Property	During execution of the work, the Contractor shall protect Government property. The Contractor shall return areas damaged as a result of negligence under this contract to their original condition at no cost to the Government.
2.3.7	Directives, Instructions, and References	Department of Defense (DoD), Secretary of the Navy (SECNAV), Chief of Naval Operations (OPNAV), and other applicable Directives, Instructions, and References are listed in **(J-0200000-03)**. The Contractor shall comply with the most current version of directives, instructions, and references including versions published during the term of the contract.
2.3.8	Invoicing Procedures	Refer to Invoice Form in **(J-0200000-04)** for sample. Invoices shall be submitted in a format compatible with the most recent Government installed Microsoft Office Version (currently 2010). Invoice data shall be capable of being sorted by CLIN, annex/sub-annex, spec item, spec item title, and ELIN/Sub-ELIN.
2.3.9	Forms	Forms referenced in this Annex, e.g. accident reporting, and damage reporting are included among the Forms in **(J-0200000-05-1** through **J-0200000-05-4)**.
2.4	Government-Furnished Items	Except for items identified below as Government-Furnished, the Contractor shall furnish all labor, supervision, management, tools, materials, equipment, facilities, transportation, incidental engineering, and other items necessary to provide the services described in this Performance Work Statement (PWS). Government-Furnished Items will be provided in "AS-IS" condition and their use is at the option of the Contractor. The total or partial breakdown or failure of Government-Furnished Items shall not relieve the Contractor of the responsibility to perform the requirements of this contract. The Contractor shall provide periodic servicing, maintenance, and repair of the Government-Furnished Items accepted for use at no additional cost to the

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		Government. Servicing, maintenance, and repair shall be provided in accordance with the manufacturer's recommendations. The Contractor shall generate work orders in NAVFAC Maximo per Spec Item 2.6.8 for all servicing, maintenance, and repair activities performed on Government-Furnished Items. At the completion of the contract, all Government-Furnished Items shall be returned to the Government in the same condition as received, except for reasonable wear and tear. Government-Furnished Items, which becomes worn out due to normal wear and tear, shall be returned to the Government and its replacement shall be the responsibility of the Contractor at no additional cost to the Government. The Contractor shall be responsible for the cost of any repairs or replacement caused by Contractor negligence or abuse. The Government may inspect Government-Furnished Items at any time and without notice.
2.4.1	Government-Furnished Property	**N/A to this contract.**
2.4.2	Government-Furnished Facilities (GFF)	The Government will make available to the Contractor certain facilities for use in connection with this contract. The use of these facilities for any other purposes is prohibited. The Contractor shall be responsible and accountable for the facilities accepted for use and shall take adequate precautions to prevent fire hazards, odors, and vermin. Janitorial and refuse collection services for the facilities shall be provided by the Contractor. The Contractor shall obtain written approval from the KO prior to making any modifications or alterations to the facilities. A list of the facilities that will be made available to the Contractor is provided in J-0200000-06.
2.4.3	Government-Furnished Vehicles and Equipment	**N/A to this contract.**
2.4.4	Government-Furnished Utilities	The Government will furnish water and electricity at existing outlets required for the work to be performed under the contract at no cost to the Contractor. Information concerning the location of existing outlets may be secured from the KO. The Contractor shall provide and maintain, at its expense, the necessary service lines from the existing Government outlets to the work site. Provide and maintain backflow prevention devices on connections to domestic water lines and electrical transformer provisions on connections to electric lines. Meet all Federal, State, local, and installation codes and regulations for backflow prevention devices and electrical transformer provisions. Services required by the Contractor, for which there are no available Government outlets, shall be provided by the Contractor at no cost to the Government. The Contractor is responsible for the cost of all utilities at all Government-provided facilities and any additional Contractor-owned facilities, at prevailing Naval Station rates. The Contractor will be billed directly for all utilities provided to all Contractor occupied facilities. Utility rates billed to the Contractor will be at the following rates: 1. Electrical - the current rate for electrical services is $111.82 MWH

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		2. Water - the current rate for water is $13.23 per KGAL 3. Wastewater (Sewage) - the current rate for sewage services is $14.06 per KGAL, based on 100% of the water consumption Variations in Rates: Utility rates are subject to change. Changes in one or more utility rates shall not be basis for adjustment to the contract price or a claim unless the deviation from the quoted price for a utility rate exceeds 15%. When a utility rate varies by more than 15%, the contract price will be adjusted to reflect the amount the actual charge exceeds the rate quoted; however, the Government will only be liable for the amount of cost exceeding 15% of the rate quoted. For example, if a quoted rate increases by 16%, the Government will only be liable for 1% of the rate increase. Vice versa if the quoted rate decreases by 16%. Historically, electrical and water utility consumption at the Facilities provided of Contractor use has averaged approximately 351 MWH of electricity and 316 KGAL annually. However, historical data associated with contracts prior to this solicitation may present data that may not be representative of the requirements specified in this contract.
2.5	Contractor-Furnished Items	Except for items identified as Government Furnished, the Contractor shall provide all equipment, materials, parts, supplies, components, and facilities to perform the requirements of this contract. The KO may inspect Contractor-furnished items for adequacy and compliance with contract requirements. Inadequate or unsafe items shall be removed and replaced by the Contractor at no cost to the Government. Materials containing asbestos, lead, and polychlorinated biphenyls (PCBs) shall not be brought onsite. Energy efficient tools and equipment shall be used when available. The KO may at any time require Samples, Safety Data Sheets (SDS) or Manufacturer's Data Cut Sheets of Materials used in this contract.
2.6	Management	The Contractor shall manage the total work effort associated with the services required herein to meet the performance objectives and standards. Such management includes but is not limited to planning, scheduling, cost accounting, report preparation, establishing and maintaining records, and quality assurance. The Contractor shall provide a staff with the necessary management expertise to ensure performance objectives and standards are met.
2.6.1	Safeguarding Information	The Contractor shall safeguard controlled unclassified information and information associated with Government property in accordance with the latest revision of CNSSI 1253, DoDI 8582.01, NIST SP 800-53, NIST SP 800-171, SECNAV Defense Industrial Base (DIB) Memo, and applicable contract clauses. At a minimum, this information shall be protected at the moderate confidentiality level as defined in NIST SP 800-171. Contractor information and data systems that contain information associated with Government property shall comply with DoD Risk Management Framework (RMF). The Contractor shall develop Plans of Action and Milestones (POA&Ms) per NIST SP 800-171, track accomplishment, and submit to the Government per Section F. If a cybersecurity incident is encountered or suspected related to any (Contractor or Government) Information Technology (IT) or Operating

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		Technology (OT) systems, including Monitoring and Control Systems, the Contractor shall notify the Government per Section F.
2.6.2	Dissemination of Information	If certain information cannot be provided to the public, state what information cannot be provided, when it will be provided, and to whom, e.g., DoD policy limits the dissemination of certain information. Instructions, Directives, and References not releasable to the public, e.g., Floor Plans, Maps, Post Orders, and Standard Operating Procedures, will be made available after contract award to the successful offeror with appropriate credentials and a need to know.
2.6.3	Work Reception	The Contractor shall provide the capability to receive, prioritize, correspond, and respond to trouble/service calls and task orders during Government regular working hours and provide a point of contact at a local or toll free number who can perform the above function during other than Government regular working hours.
2.6.4	Work Control	The Contractor shall implement all necessary work control procedures to ensure timely accomplishment of work requirements, as well as to permit tracking and reporting of work in progress. The Contractor shall plan and schedule work to assure material, labor, and equipment are available to complete work requirements within the specified time limits and in conformance with the quality standards established herein. Verbal scheduling and work status updates shall be provided when requested by the KO. A status update of any item of work must be provided within two hours of the inquiry during regular working hours, and by 0800 the following work day for inquiries after regular working hours. The Contractor shall provide work schedules for both Recurring and Non-Recurring Work per Section F. At a minimum, work schedules shall include: • Description of service(s) to be accomplished • Location • Date service(s) are scheduled to be accomplished
2.6.5	Work Schedule	The Contractor's work shall not interfere with normal Government business. In those cases where some interference is unavoidable, the Contractor shall minimize the impact and effects of the interference. The Contractor shall provide advance access of all of its work schedules to the Government. The Contractor shall provide written notification of any difficulty in scheduling work due to Government controls, per Section F. At a minimum, the notification shall include the following: • The date and time the work was initially coordinated. • The name and phone number of the Government person with whom the work was initially coordinated. • The name and phone number of the Government person who prevented the work from being performed as previously coordinated. • The alternative date and time, the Government person requested the work be accomplished.
2.6.6	Deliverables	Except where otherwise stated, deliverable requirements are specified in Sections C, F, H, I, J, and within the Directives, Instructions, and References. The Contractor shall submit accurate and complete documents within the specified timeframes. The Contractor shall revise/modify deliverables, as directed by the KO, at no additional cost to the Government. Except where otherwise specified, all deliverables shall be submitted electronically in a Microsoft Office Version 2010 compatible format. Deliverables shall include the company name, contract number, contract title,

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		date, and shall be unprotected and capable of being sorted by CLIN, work order number, asset number, section, annex/sub-annex, spec item and ELIN/Sub-ELIN or clause. All formulas shall be traceable.>> Government acceptance of deliverables shall not relieve the Contractor of the responsibility for any error or omission which may exist in the deliverable, as the Contractor is responsible for all requirements of this contract. For contracts greater than $5M/year or for multi-function or regional contracts with significant performance risk, insert requirements for web-based posting of deliverables. For low risk or limited scope contracts such as single function facilities services contracts, determine via consultation with PWO, ACQ, and FSCM whether web-based deliverables should be required and modify or delete the below accordingly. Tailor the following based local requirements, e.g., The Contractor shall establish and maintain a secure website for posting an electronic copy of all deliverables listed in Section F. The Contractor shall allow only authorized Government and Contractor personnel to access the website. Government personnel access shall be limited to viewing and downloading of deliverables, but restricted from posting to the website. The Contractor shall notify the Government by email whenever there are new or updated deliverables posted to the website. Each deliverable posting on the website and each email notification shall include the title of the deliverable, the spec item requiring the deliverable, and the date and time the deliverable was posted. All deliverables shall be available to authorized Government personnel 24 hours/day and 365 days/year for the duration of the contract.
2.6.7	Service Interruptions	If any utilities or other services must be discontinued (even temporarily) due to scheduled contract work, the Contractor shall notify the KO, COR, affected tenants, and customers in accordance with local procedures. << *Note to Spec Writer*: Insert local procedures or reporting requirements, e.g., If the discontinued service is due to an emergency breakdown the Contractor shall notify the KO, COR, affected tenants, and customers as soon as practicable and provide the status of repairs, as directed by the KO, until normal operation is restored. Scheduled utility outages and interruptions to equipment, system(s) operation, or other services shall be scheduled after hours of operation. The Contractor shall shutdown, restart, and perform operational checks on all equipment affected by both scheduled and unscheduled utility outages and service interruptions, at no additional cost to the Government. >>
2.6.8	NAVFAC MAXIMO	**N/A to this contract.**
2.6.8.1	NAVFAC MAXIMO Data	**N/A to this contract.**
2.6.8.2	NAVFAC MAXIMO Method of Data Entry	**N/A to this contract.**
2.6.8.3	NAVFAC MAXIMO Access	**N/A to this contract.**
2.6.8.4	NAVFAC MAXIMO Training	**N/A to this contract.**

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
2.6.9	Quality Management System (QMS)	The Contractor shall establish and maintain a complete QMS program in accordance with the provisions specified herein. The Contractor's QMS program shall provide an effective and efficient means of identifying and correcting problems throughout the entire scope of operations. The Contractor's QMS program shall address: • Accurate documentation of work processes, procedures, and output measures. • A systematic procedure for assessing compliance with performance objectives and standards. • Accurate documentation of quality inspections and surveillance conducted throughout the execution of work. • Assessment-driven corrective actions and process adjustments as appropriate in a timely manner.
2.6.9.1	Quality Management (QM) Plan	The Contractor shall develop and submit a QM Plan per Section F. The QM Plan shall describe the QMS methodology and approaches used under this contract. If any changes are made during the period of performance, the Contractor shall submit the revised QM Plan for acceptance, per Section F. The Contractor's QM Plan shall include, at a minimum, the following: • Policy and objectives of Quality Management System (QMS) • Quality organization o List of personnel o Responsibilities & lines of authority o Training and qualifications • Approach to assuring quality of services provided and conformance with performance objectives and standards • Methods and procedures for effective planning, operation and control of processes and performance of work • Procedures for inspection and surveillance of services to include all contractual requirements. o Scheduling and performance of inspection and surveillance o Measurement, data collection and analysis o Corrective action, preventive action, and continuous improvement o Oversight of subcontracted work • Documentation and records management • Communication with government (customers)>>
2.6.9.2	Quality Inspection and Surveillance	The Contractor shall establish and maintain an inspection and surveillance system in accordance with the FAR Clause 52.246-4, INSPECTION OF SERVICES – FIXED PRICE, to ensure that the work performed conforms to the contract requirements. The Contractor shall document and maintain a file of all scheduled and performed inspections and surveillances, inspection and surveillance results, and dates and details of corrective and preventive actions. The quality inspection and surveillance file shall be the property of the Government and made available during the Government's regular working hours. The file shall be submitted to the COR after termination of the contract per Section F.
2.6.9.3	Quality Inspection and Surveillance Report	The Contractor shall submit a copy of the Contractor Quality Inspection and Surveillance Report per Section F. The Contractor Quality Inspection and Surveillance Report shall include a narrative of events, a tabulated summary and results of the quality inspection and surveillance events performed, inspection-driven corrective actions taken and the results attained, and management process adjustments during the previous month. The

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		Government may adjust the frequency of the submittal based on the Contractor's quality of performance.
2.6.10	Property Management Plan	The Contractor shall establish and maintain a plan that meets the contract clause requirements of Specification Item 2.4, Government-Furnished Property, Materials and Services, of this Annex. This plan shall identify the Contractor's policies, procedures, and practices in receiving and performing physical inventories, repairing and maintaining, preserving and protecting, and reporting the disposition of accepted government property in its possession. The Property Management Plan shall be submitted per Section F.
2.6.11	System and Equipment Replacement	The Contractor shall maintain the integrity and performance of existing energy saving, water conservation or other sustainability design features of systems and equipment in the performance of repair and replacement work. Except where otherwise specified, replacement components shall be of the same model/style or equivalent as the component being replaced. Substitutes for replacement components must be accepted by the KO prior to use. The KO will furnish available information for the existing systems and equipment.
2.7	Personnel Requirements	The Contractor shall comply with the personnel requirements stated below.
2.7.1	Key Personnel	The Contractor shall submit a List of Key Personnel and Qualifications per Section F. The Contractor shall provide any additional information requested by the KO necessary to certify their qualifications. The Contractor shall submit an Organizational Chart per Section F showing lines of authority of the key personnel and on-site supervisor(s) for this contract. The chart shall include names of personnel and their position title in this contract. As a minimum, include the PM, Quality Manager, SSHO, and on-site supervisor(s) and who they will report directly to for this contract. The key personnel shall be revised as applicable for the contract. The Contractor shall provide complete resumes for proposed substitutes and any additional information requested by the KO. Proposed substitutes shall have comparable qualifications to those of the persons being replaced. The KO will notify the Contractor within 15 calendar days after receipt of all required information of the consent on substitutions. No change in fixed unit prices may occur as a result of key personnel substitutions.
2.7.1.1	Project Manager (PM)	The Contractor shall provide a PM and designated alternate, as applicable, who has the have full authority to act for the Contractor on all contract matters relating to this contract. The PM or alternate shall be on-site during the Government's regular working hours and shall be available onsite within one hour after the Government's regular working hours. The PM shall have at least three years of experience in managing a workforce providing services on contracts of similar size, scope and complexity.
2.7.1.2	Quality Manager	The Contractor shall provide a Quality Manager or designated alternate shall be on-site within during the Government's regular working hours and shall be available on-site within two hours after the Government's regular working hours. The Quality Manager or designated alternate shall report directly to a senior corporate official and shall not report directly to the Project Manager.

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		The Quality Manager or designated alternate shall have fulfilled the following pre-requisite training and experiences before being hired as the Quality Manager under this contract: The Quality Manager or designated alternate shall have at least three years of experience in preparing and enforcing QMS programs on contracts of similar size, scope and complexity. The Quality Manager or designated alternate may be the same person as the SSHO.
2.7.1.3	Site Safety and Health Officer (SSHO)	The Contractor shall provide a Level 2 SSHO who is responsible for preparing and enforcing the Contractor's safety program on this contract. The Level 2 SSHO shall ensure the requirements of EM 385-1-1 and 29 CFR 1926.16 are met for the project. The Level 2 SSHO or an equally qualified Designated Representative/alternate shall be on-site at all times when work is being performed to implement and administer the Contractor's safety program and government-accepted Accident Prevention Plan. The Level 2 SSHO shall have fulfilled the pre-requisite qualification, training, continuous learning, and experiences describe in the EM 385-1-1 before being hired as the Level 2 SSHO under this contract. The Level 2 SSHO may be the same person as the project manager but shall have fulfilled the pre-requisite qualification and experience
2.7.1.4	Environmental/ Energy Manager	The Contractor shall provide an Environmental/Energy Manager whose primary duty and responsibility is to ensure Contractor operations adhere to the goals and policies of the Environmental Management System, the Installation Energy Plan, and other specified Sustainability requirements affecting this contract. The Environmental/Energy Manager shall develop, implement and monitor environmental strategies, policies and programs that promote sustainable development and examine the contract activities to establish where improvements can be made and ensure compliance with environmental legislation and energy policy. The Environmental/Energy Manager shall have a minimum two years' experience with environmental procedures similar to those of this contract; familiarity with Environmental Management Systems (EMSs); and knowledge of environmental regulations and federal energy laws and policy (including energy and water reduction requirements and renewable energy requirements) that are applicable to operations similar to those of this contract.
2.7.2	Employee Requirements	The Contractor shall provide experienced, qualified, and capable personnel to perform the work in this contract. Personnel shall be fully knowledgeable of all safety, environmental, and energy requirements associated with the work they perform. Personnel shall speak, read, and comprehend English to the extent that they can perform the contract requirements and comply with installation emergency procedures.
2.7.2.1	Employee Certification and Training	The Contractor shall maintain personnel certification, training, and licensing records for employee requirements specified herein and within all technical annexes/sub-annexes. Certification, training, and licensing records shall be kept current and on file for the duration of the contract including all option periods. Records shall be made available for Government review within 4 hours of request.
2.7.2.2	Employee Appearance	The Contractor shall ensure that all employees present a professional appearance that is appropriate for their position. The KO reserves the right to determine the acceptability of any clothing worn. All Contractor/subcontractor employees working under this contract shall be

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		identified by a distinctive nameplate, emblem, or patch attached in a prominent place on an outer garment. Employee identification shall not be substituted for station required passes or badges.
2.7.2.3	Employee Conduct	Contractor employees shall conduct themselves in a proper, efficient, courteous and businesslike manner.
2.7.2.4	Identification as Contractor Employee	Contractor employees shall identify themselves as Contractor personnel by introducing themselves or being introduced as Contractor personnel and displaying distinguishing badges or other visible identification for meetings with Government personnel. All Contractor employees shall appropriately identify themselves as contractor employees in telephone conversations and in formal and informal written correspondence.
2.7.2.5	Removal of Employees	The Contractor shall remove from the site any individual whose continued employment is deemed by the KO to be contrary to the public interest or inconsistent with the best interests of National Security.
2.7.2.6	Proof of Legal Residency	No employee or representative of the Contractor will be admitted to the site of work unless satisfactory Proof of Legal Residency is furnished per Section F.
2.7.3	Service Contract Reporting (SCR)	The Contractor shall report total dollar amount invoiced and all contractor labor hours (including subcontractor labor hours) required for performance of services provided under this contract via a secure data collection site. The contractor is required to completely fill in all required data fields using the following web address: https://www.sam.gov. Per Section F, reporting inputs will be for the labor executed during the period of performance during each Government fiscal year (FY), which runs October 1 through September 30. While inputs may be reported any time during the FY, all data shall be reported no later than October 31 of each calendar year. Contractors may direct questions to the help desk, linked at https://www.sam.gov.
2.8	Security Requirements	The Contractor shall comply with all Federal, state, and local security statutes, regulations, and requirements. The Contractor shall become acquainted with and comply with all Government regulations as posted, or as requested by the KO when required to enter a Government site. The Contractor shall ensure that all security/entrance clearances are obtained. The Contractor shall ensure that Contractor personnel do not present a risk to security. By entering the installation, Contractor personnel are subject to installation, state, local and federal regulations and laws, including but not limited to debarment and criminal prosecution.
2.8.1	Employee Listing	The Contractor shall maintain a current Employee List and submit per Section F. The list shall include employee's name, supervisor, company, and level of security clearance.
2.8.2	Vehicles	The company name shall be displayed on each of the Contractor's vehicles in a manner and size that is clearly visible. All vehicles shall display a valid state license plate that complies with State Vehicle Code. Vehicles shall meet all other requirement of the State Vehicle Code, such as safety standards, and shall carry proof of insurance and state registration, if applicable.
2.8.3	Passes and Badges	All Contractor employees shall obtain the required employee and vehicle passes. The Contractor employees must be able to obtain Common Access Cards (CAC) in accordance with security requirements. Each employee shall wear the Government issued badge over the front of the outer clothing. When an employee leaves the Contractor's service, the employee's Passes and Badges shall be returned within 10 calendar days.

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
2.8.4	Access to Installation	All Contractor personnel shall obtain access to the installation through enrollment and registration into the Defense Biometric Identification System (DBIDS). The Contractor shall provide the KO with the name of their designated Service Contractor Administrator (SCA) for enrollment in DBIDS. Once enrolled, the Contractor must provide the DBIDS Registrar with an approved employee list and then direct their employees to register into DBIDS.
2.8.4.1	DBIDS Program	DBIDS is an enterprise identity management and perimeter installation access control solution in which Contractor personnel who enroll, and are approved, are subsequently granted access to the installation for a period up to three years, or the length of the contract, whichever is less, and are not required to obtain a new pass from the Base Pass and Identification Office for each visit. There are no fees associated with obtaining a DBIDS credential. The Government performs background screening and credentialing. Throughout the year the Contractor employee must continue to meet background screening standards. Periodic background screenings are conducted to verify continued DBIDS participation and installation access privileges. DBIDS access privileges will be immediately suspended or revoked if at any time a Contractor employee becomes ineligible.
2.8.4.2	DBIDS Credentials	Contractor employees shall furnish a completed copy of the SECNAV 5512/1 form to obtain the required background check and visit the local Navy Installation Visitor Control Center to obtain a DBIDS credential once approved. The SECNAV 5512/1 form and additional information about DBIDS can be found at: https://www.cnic.navy.mil/om/dbids.html. The Contractor may initiate the adjudication process when a background screen failure results in disqualification from participation in DBIDS and the Contractor employees do not agree with the reason for disqualification. The Contractor may also apply for a waiver when a background screening failure results in disqualification from participation in DBIDS. The Commanding Officer will be the final waiver determination authority. The Contractor shall immediately collect employee DBIDS credentials and notify the KO in writing: (1) That an employee has departed the company without having properly returned or surrendered their DBIDS credentials. (2) That there is a reasonable basis to conclude that an employee, or former employee, might pose a risk, compromise, or threat to the safety or security of the installation or anyone therein.
2.8.5	Access to Buildings	The Contractor shall monitor and control access into restricted areas under their responsibility, allowing only those individuals who have been properly cleared into restricted areas or other controlled access areas. The Contractor shall comply with security requirements, plus those imposed by the installation Commander at all times. Personnel with access to special areas will have the appropriate screening and/or security clearance, and personnel requiring routine access to restricted areas will wear special badges authorizing access for those areas. Contractor personnel shall not enter restricted or controlled areas or installation facilities unless specifically authorized in performance of their duties. The Contractor shall secure all buildings and facilities entered during non-duty hours and will secure all building and facilities under the Contractor's cognizance at the end of each work day or shift period.

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
2.8.6	Access Arrangements	The Contractor shall make all arrangements through the appropriate office necessary to obtain access to buildings, facilities and other work areas, and when necessary, arrange for them to be opened and closed by the controlling authority. The Government may issue keys to the Contractor. The Contractor shall use due diligence and be responsible for compromised security systems to include replacement costs that result from its action or inaction.
2.8.6.1	Escort Arrangement for Secured Areas	The Contractor shall make arrangements for Government escort into secured areas requiring escort. The KO will provide information on applicable buildings, spaces and the appropriate point of contact. The Contractor may experience delays while waiting for escorts. The Government estimates the wait period can be up to 15 minutes. The Contractor shall notify the Government Performance Assessment Representative (PAR) and appropriate point of contract if an escort is not available after 15 minutes and access to accomplish the work is denied. Unscheduled requirements, e.g., trouble calls, may require a longer wait for an escort.
2.8.7	Security Clearances	The Contractor shall obtain all required corporate and personnel Security Clearances prior to commencement of work. The Contractor shall ensure that a list of all personnel with Security Clearances is maintained current, including clearances that are pending.
2.8.8	Access to Controlled Unclassified Information	The Contractor personnel whose work involves access to controlled unclassified information shall undergo a Tier 3 Investigation to verify their trustworthiness. If the Contractor personnel currently have a favorably adjudicated Tier 3 Investigation the Contractor shall notify the Government Command Security Manager who will validate this in the Joint Personnel Adjudication System (JPAS). The Contractor shall request from the Government for access to the E-QIP Direct program for the Contractor employees to complete the SF-86 form on line for a Tier 3 Investigation. The Security Manager will determine suitability. Upon a favorable Tier 3 Investigation, the Contractor personnel shall submit the original signed release statements, and an OF-306 Declaration for Federal Employment to the Security Manager per Section F. Upon submission of the necessary documentation through eQIP, the Contractor Employee shall provide digital fingerprints. The Contractor's Security POC shall notify the COR and the Security Manager when Contractor Employees have submitted their fingerprints. The request shall be renewed annually or for the duration of the contract if less than one year.
2.8.9	Access to Government Information Technology (IT), Operation Technology (OT), and Facility Related Control Systems (FRCS)	Personnel accessing Government IT and OT systems to include but not limited to Maximo, DMLSS, DDC, and SCADA are in positions considered Non-Critical Sensitive/IT-II and require a Tier 3 investigation to verify their trustworthiness. Prior to being granted access to Government IT, OT, and FRCS systems, personnel shall have a favorably adjudicated Tier 3 Investigation, obtain a CAC in accordance with security requirements, successfully complete required training, submit a Systems Authorization Access Request (SAAR) Form, and meet all eligibility requirements.

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		Personnel accessing Government IT, OT, and FRCS systems shall complete annual required training such as cyber assurance awareness, information security (INFOSEC) awareness, and operations security (OPSEC) awareness. The Contractor shall submit a list of personnel requiring access to Government IT, OT, and FRCS systems per Section F.
2.8.10	Access to Navy Marine Corps Intranet (NMCI)	The Contractor may be required to access Navy Marine Corps Intranet (NMCI). Prior to being granted access to NMCI, Contractor employees shall obtain a CAC in accordance with security requirements, successfully complete required training, submit a Systems Authorization Access Request (SAAR) Form, and meet all eligibility requirements.
2.8.11	Employee Status	The Contractor shall notify the KO of any changes to any employee's status to include, but not limited to, termination, convictions/arrests, adverse actions taken on the job for any reason or any other documented misbehavior that may affect, or have the potential to affect, security standing in terms of access to federal facilities or IT systems.
2.9	Contractor Safety Program	The Contractor shall develop and implement a Safety Program detailing how the Contractor plans, staffs, performs, and controls all safety practices while delivering best value services to the Government without any accidents or mishaps. The Contractor's safety program shall comply with all safety standards identified in the U.S. Army Corps of Engineers Safety and Health Requirements Manual, EM 385-1-1 and Public Law 91-596, Occupational Safety and Health Act. Any reference to "USACE" facilities, property, or equipment specified in EM 385-1-1 should be interpreted as Government facilities, property, and equipment.
2.9.1	Contractor Safety Requirements	Neither Contractor nor any subcontractor may enter into contract with any subcontractor that fails to meet the below requirements. The term subcontractor in this and the following paragraphs means any entity holding a contract with the Contractor or with a subcontractor at any tier.
2.9.1.1	Experience Modification Rate (EMR)	Subcontractors on this contract must have an effective EMR less than or equal to 1.10, as computed by the National Council on Compensation Insurance (NCCI) or if not available, as computed by the state agency's rating bureau in the state where the subcontractor is registered, when entering into a subcontract agreement with the Prime Contractor or a subcontractor at any tier. The Prime Contractor may submit a written request for additional consideration to the Contracting Officer where the specified acceptable EMR range cannot be achieved. Relaxation of the EMR range will only be considered for approval on a case-by-case basis for special conditions and must not be anticipated as tacit approval. Contractor's Site Safety and Health Officer (SSHO) must collect and maintain the certified EMR ratings for all subcontractors on the project and make them available to the Government at the Government's request.
2.9.1.2	OSHA Days Away From Work, Restricted Duty, or Job Transfer (DART) Rate	Subcontractors on this contract must have a DART rate, calculated from the most recent, complete calendar year, less than or equal to 3.4 when entering into a subcontract agreement with the Prime Contractor or a subcontractor at any tier. The Prime Contractor may submit a written request for additional consideration to the Contracting Officer where the specified acceptable

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		OSHA Dart rate range cannot be achieved for a particular subcontractor. Relaxation of the OSHA DART rate range will only be considered for approval on a case-by-case basis for special conditions and must not be anticipated as tacit approval. Contractor's Site Safety and Health Officer (SSHO) must collect and maintain self-certified OSHA DART rates for all subcontractors on the project and make them available to the Government at the Government's request.
2.9.2	Accident Prevention Plan (APP)	The Contractor shall develop and implement a site Accident Prevention Plan (APP). The APP shall be prepared by the Contractor's SSHO and shall be followed by all Contractor employees, subcontractors, and vendors at each service site. The APP shall follow the abbreviated format and include as a minimum, elements addressed in paragraph 11 of Appendix A of EM 385-1-1." The Contractor shall submit an APP for acceptance per Section F. The Contractor shall review, update, and submit revisions to the APP whenever a change in work conditions, hazards, or activities occur. Submittal of the APP shall include Activity Hazard Analyses (AHAs) and applicable compliance plans, programs, and procedures as specified below. The Contractor shall not commence work until the APP has been accepted and no activity shall be started on site until the applicable AHAs and compliance plans have been accepted. Once accepted by the Contracting Officer, the APP and attachments will be enforced as part of the contract. Disregarding the provisions of this contract or the accepted APP will be cause for stopping of work, at the discretion of the Contracting Officer, until the matter has been rectified.
2.9.3	Activity Hazard Analysis (AHA)	The Contractor shall prepare Activity Hazard Analyses (AHAs) for all applicable common recurring work activities performed under this contract. AHAs for recurring work shall be submitted with the APP and shall be updated as work activities or conditions change and additional AHAs prepared as new work activities are required. AHAs for non-recurring and one-time (e.g., non-recurring work task orders) work occurrences shall be submitted at least two working days prior to start of work. Specifically: • For contract modifications to recurring work requirements where changes are germane to the original contract, the Contractor shall revise applicable AHAs within 15 calendar days after modification is signed. • For contracts with non-recurring work ELINs, the Contractor shall submit an AHA on non-recurring work task orders, with the associated proposal, whenever the service environment or required task is different from the recurring work priced services. • For construction (including renovation or alteration) task orders placed on the non-recurring work portion of contract, the Contractor shall submit a separate AHA for each task order with the associated proposal. The Contractor shall follow the Risk Management Process for the development of Activity Hazard Analysis (AHA) in accordance with

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		paragraph 01.A.14 and Appendix A of EM 385-1-1. A formatted outline of an AHA is provided in Figure 1-2 of EM 385-1-1. During performance of services, the SSHO shall periodically review the AHA at each service site and for each sub-annex to assess the effectiveness of the Contractor's overall APP. If changes to the AHAs are required, such changes shall be submitted to the KO for review and acceptance.
2.9.4	Safety and Occupational Health (SOH) Risks and Compliance Plans	Based on a risk assessment of recurring and non-recurring work requirements and on mandatory OSHA compliance programs, the Contractor shall develop, provide and implement all applicable compliance plans, as necessary for the situation or types of work to be performed under this contract. Compliance plans, programs, and procedures along with their respective references are detailed in Appendix A, paragraph 3.i of EM 385-1-1. These plans shall be submitted with the APP and shall be updated as situations change. Additional compliance plans, programs, and procedures shall be developed as applicable when new types of work are required under this contract.
2.9.4.1	Alcohol and Drug Abuse Prevention Plan	The Contractor shall develop an alcohol and drug abuse prevention plan to explain how it will satisfy the drug-free work force requirement as stated in DFARS Clause 252.223-7004 and include elements addressed in paragraph 01.C.02 of EM 385-1-1.
2.9.4.2	Chemical Hazard Communication Program	**N/A to this contract.**
2.9.4.3	Confined Space Program	**N/A to this contract.**
2.9.4.4	Critical Lift Plan	**N/A to this contract.**
2.9.4.5	Fall Prevention and Protection Plan	The Contractor shall develop a site specific fall prevention and protection plan to protect and prevent its service workers from falling from heights of 1.8m (6 feet) or more. This plan shall include elements addressed in paragraph 21.D of EM 385-1-1 and ANSI A10.32, ANSI Z359.1, and ANSI/ASSE A10.34. The fall prevention and protection plan shall include a Rescue and Evacuation Plan in accordance with EM 385-1-1, Section 21.N. A competent person for fall protection shall prepare and sign the plan.
2.9.4.6	Pathogen Exposure	The Contractor shall comply with 29 CFR-1910.1030 at all times if personnel are performing work where they may be exposed to blood or other potentially infectious materials. The Contractor shall develop an Exposure Control Plan. This plan shall comply with 29 CFR-1910.1030, be reviewed annually to ensure compliance, and be accessible to employees. Employees required to access areas subject to higher exposure risk (such as hospitals, clinics, and laboratories) shall submit to all required testing and receive vaccinations as required by the installation.
2.9.4.7	Control of Hazardous Energy (lockout/tagout)	The Contractor shall establish a program and utilize procedures for affixing appropriate lockout devices or tagout devices to energy isolating devices, and to otherwise disable machines or equipment to prevent unexpected energization, start up or release of stored energy to ensure compliance with 29 CFR 1910.147. The Contract shall submit a report of their periodic

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		inspection of the energy control procedure that ensures the procedures and the requirements of 29 CFR 1910.147 are being followed per Section F.
2.9.5	Crane Operations	All operations of Cranes, Multi-Purpose Machines and Material Handling Equipment shall comply with EM 385-1-1, NAVFAC P-307, 29 CFR Part 1910, and 29 CFR Part 1926. The Contractor shall comply with paragraph 1.7.2 of NAVFAC P-307 and notify the Contracting Officer at least 24 hours prior to bringing any crane (including delivery vehicles with crane boom attachments), multi-purpose machines, material handling equipment, or construction equipment that may be used in a crane-like application to lift suspended loads on board a Navy Installation. Written documentation of the last weight test of the crane and all related weight handling equipment (e.g. attachments, rigging gear, etc.) shall be maintained on site. A joint verification with the Government representative must be performed to ensure that a legible and indelible completed copy of Appendix P, Figure P-1 of NAVFAC P-307 is maintained on the crane, multi-purpose machine, and material handling equipment or construction equipment used in a crane-like application to lift suspended loads. The following certification and testing documentation shall be on site prior to entry and use on any Navy Installation: 1) Crane, multi-purpose machine, material handling equipment or construction equipment used in a crane-like application to lift suspended load certification 2) Load testing 3) Yearly, monthly and daily inspection logs 4) Rope/sling certifications 5) Operator certifications/designations 6) Designation of person performing log inspections 7) Cranes that are permanently located on a Navy Installation shall have a quarterly joint verification.
2.9.5.1	Crane Inspections	The Contractor shall ensure all inspections are performed in accordance with EM 385-1-1, NAVFAC P-307, 29 CFR Part 1910, and 29 CFR Part 1926 (daily, monthly, quarterly, yearly), and retain the current documentation of inspections. Documents shall be kept on site. Daily pre-use inspections and testing shall be performed on all load hoisting and lowering mechanisms, boom hoisting and lowering mechanisms, swinging mechanisms, travel mechanisms (if to be used that day), and safety devices. Cranes that have to be re-rated shall be in accordance with SAE Recommended Practices, Crane Load Stability Test Code J765 and documentation maintained on site. The Contractor shall have an operational anti-two block device or a two-block damage prevention feature for all points of two blocking and a boom hoist disconnect, shutoff, or hydraulic relief to automatically stop the boom hoist when the boom reaches a predetermined high angle.
2.9.5.2	Rigging Gear	The Contractor shall ensure rigging gear and below the hook lifting devices and personnel comply with the following requirements: 1) Personnel performing rigging shall have an understanding of all signs, notices, and operating instructions, and be familiar with the applicable hand signals prescribed by the ASME B30 standard for the type of crane in use. 2) Personnel performing rigging shall be familiar with the rigging requirements in EM 385-1-1, NAVFAC P-307, 29 CFR Part 1910, and 29 CFR Part 1926.

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		3) The Contractor shall inspect rigging gear in accordance with EM 385-1-1, NAVFAC P-307, 29 CFR Part 1910, and 29 CFR Part 1926 and paragraph 1.7.2 of NAVFAC P-307. Certification records shall be made available for review upon request.
2.9.5.3	Crane Operators	Crane operators shall meet the personnel qualifications requirements in paragraph 16.B of EM 385-1-1 and paragraph 1.7.2 of NAVFAC P-307. For mobile cranes with Original Equipment Manufacturer (OEM) rated capacitates of 2,000 pounds or greater, designate crane operators as qualified by a source that qualifies crane operators (i.e., union, a government agency, or an organization that tests and qualifies crane operators).
2.9.6	Accident and Damage Reporting	The Contractor shall notify the Contracting Officer as soon as practical, but no more than four hours after any accident meeting the definition of Recordable Injuries or Illnesses or High Visibility Accidents, property damage equal to or greater than $2,000, or any Weight Handling Equipment (WHE) accident. Notification shall also be provided for any mishap occurring in any of the following high hazard areas: electrical (to include Arc Flash, electrical shock, etc.); uncontrolled release of hazardous energy (includes electrical and non-electrical); weight or load handling equipment (LHE) or rigging; fall-from-height (any level other than same surface); and underwater diving. These mishaps shall be investigated in depth to identify all causes and to recommend hazard control measures. Within notification include Contractor name; contract title; type of contract; name of activity, installation or location where accident occurred; date and time of accident; names of personnel injured; extent of property damage, if any; extent of injury, if known, and brief description of accident (to include type of equipment used, PPE used, etc.). Preserve the conditions and evidence on the accident site until the Government investigation team arrives on-site and Government investigation is conducted. The Contractor shall conduct an accident investigation for recordable injuries and illnesses, for accidents requiring Medical Treatment, property damage accidents resulting in at least $20,000 in damages, and near misses as defined in EM 385-1-1, to establish the root cause(s) of the accident. The Contractor shall complete the applicable NAVFAC Contractor Incident Reporting System (CIRS), and electronically submit via the NAVFAC Enterprise Safety Applications Management System (ESAMS) per Section F. Required or special forms are provided within the Forms in **(J-0200000-05-1)**. For any weight handling equipment accident (including rigging gear accidents) the Contractor shall conduct an accident investigation to establish the root cause(s) of the accident and comply with additional requirements and procedures for accidents in accordance with NAVFAC P-307, Section 12. The Contractor shall submit a WHE Accident Report (Crane and Rigging Gear) per Section F. No crane operations are allowed to proceed until cause is determined and corrective actions have been implemented to the satisfaction of the Contracting Officer. For a near miss, the Contractor shall complete the applicable documentation in NAVFAC Contractor Incident Reporting System (CIRS), and electronically submit via the NAVFAC Enterprise Safety Applications Management System (ESAMS) per Section F.

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		For a near miss involving crane or rigging operations, the Contractor shall report verbally to the Contracting Officer as soon as management becomes aware but not later than 4 hours of such event and comply with additional requirements and procedures for near-misses in accordance with NAVFAC P-307, Section 12. A near miss occurs when an accident was avoided by mere chance or when intervention prevented an ongoing sequence of events that would have resulted in an accident (e.g. unplanned encroachment, improper crane set-up, improperly rigged load, etc.). The Contractor shall submit a Crane and Rigging Gear Near Miss Report per Section F.
2.9.6.1	Accident Reporting and Notification Criteria	The following criteria and definitions apply to the accident reporting requirements specified above: Recordable Injuries or Illnesses. Any work-related injury or illness that results in: 1) Death, regardless of the time between the injury and death, or the length of the illness; 2) Days away from work (any time lost after day of injury/illness onset); 3) Restricted work; 4) Transfer to another job; 5) Medical treatment beyond first aid; 6) Loss of consciousness; or 7) A significant injury or illness diagnosed by a physician or other licensed health care professional, even if it did not result in (1) through (6) above. High Visibility Accident. Any mishap which may generate publicity or high visibility. Medical Treatment. Treatment administered by a physician or by registered professional personnel under the standing orders of a physician. Medical treatment does not include first aid treatment even through provided by a physician or registered personnel. WHE Accident. A WHE accident occurs when any one or more of the eight elements in the operating envelope fails to perform correctly during operation, including operation during maintenance or testing resulting in personnel injury or death; material or equipment damage; dropped load; derailment; two-blocking; overload; or collision, including unplanned contact between the load, crane, or other objects. A dropped load, derailment, two-blocking, overload and collision are considered accidents even though no material damage or injury occurs. A component failure (e.g., motor burnout, gear tooth failure, bearing failure) is not considered an accident solely due to material or equipment damage unless the component failure results in damage to other components (e.g., dropped boom, dropped load, roll over, etc.) The Motor Vehicle Accident Report form is provided within the Forms in **(J-0200000-05-2)**.
2.9.7	Fire Protection	The Contractor shall know where fire alarms are located and how to activate them. The Contractor shall handle and store all combustible supplies, materials, waste and trash in a manner that prevents fire or hazards to persons, facilities, and materials.
2.9.8	Monthly On-Site Labor Report	The Contractor shall submit a Monthly On-Site Labor Report per Section F. This report is a compilation of employee-hours worked each month for all site workers, both prime and subcontractor.

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		Monthly On-Site Labor Report shall be provided unprotected and capable of being sorted to the ELIN/Sub-ELIN
2.9.9	OSHA Citations and Violations	The Contractor shall correct violations and citations promptly and submit a copy of each OSHA citation and OSHA report with written OSHA Citations and Violations Corrective Action Report per Section F.
2.9.10	Safety Inspections and Monitoring	The Contractor shall conduct inspections of its work areas, job sites, and work crews every day work is being performed to ensure that all Contractor operations are being conducted safely. These inspections shall ensure: The site is safe and free of job-site hazards • Proper PPE is being utilized and worn. • Safe work practices and processes are being followed. • Workers are familiar with the hazards covered in the respective AHA for that work activity. • All equipment and tools are in good condition and being used safely. The Government reserves the right to inspect and monitor Contractor operations for safety compliance. In general, the Government approach will be to conduct Performance Assessment on the quality and effectiveness of the Contractor's safety program. The Government reserves the right to stop any work activity when it deems danger is imminent. Contractor personnel shall work in a safe manner and comply with all applicable safety regulations. The Contractor shall be subject to safety inspections of its work sites by the Government. Contractor safety records shall be available to the KO upon request. Whenever the KO becomes aware of any safety noncompliance or any condition which poses a serious or imminent danger or hazard to the health or safety of the public or Government Personnel, the KO will notify the Contractor orally, with written confirmation, and request immediate corrective action. This notice, when delivered to the Contractor's representative or SSHO, shall be deemed sufficient notice of noncompliance and that corrective action is required. After receiving this notice, the Contractor shall immediately take corrective action. If the Contractor fails, delays, or refuses to promptly take corrective action, the KO may issue a stop work order for all or part of the services or work until satisfactory corrective action has been taken. Whenever such a stop work order has been issued, the Contractor shall waive all equitable adjustments to the contract related to the stop work ordered issued. The Contractor shall include this requirement in all of its subcontracts and vendor contracts in support of contract safety. The Contractor shall submit a copy of the Contractor Safety Inspection and Monitoring Report per Section F. The Contractor Safety Inspection and Monitoring Report shall include a narrative of significant events; a tabulated summary and results of the safety inspection and monitoring events performed; inspection-driven corrective actions taken and the results attained; and management process adjustments during the previous month.
2.9.11	Safety Certification	The Contractor shall submit copies of all the required Federal, state, county, city and industry Safety Certifications for work performed under this contract per Section F. These certifications shall be kept up to date by the Contractor. The Contractor shall submit new versions of certifications as the old certifications expire. No work, that requires a certification, shall start without a valid and approved certification.

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
2.9.12	Safety Apparel on Jobsites	The Contractor personnel shall wear appropriate high-visibility safety apparel (garment, vest, or harness of retro-reflective and fluorescent material) meeting ANSI/ISEA 107-2010 requirements. Appropriate garment shall be based on the worker hazards and tasks, complexity of the work environment or background, and vehicular traffic and speed. As a minimum, the Contractor personnel shall wear ANSI/ISEA 107-2010 Class I compliant apparel.
2.9.13	Emergency Medical Treatment	Contractor will arrange for their own emergency medical treatment. The Government has no responsibility to provide emergency medical treatment.
2.9.14	Excavations	Soil classification must be performed by a competent person in accordance with 29 CFR 1926 and EM 385-1-1. The Contractor shall provide a third party, independent, private utility locating company to positively identify underground utilities in the work area in addition to any station locating service and coordinated with the station utility department. The Contractor shall physically verify underground utility locations, including utility depth, by hand digging using wood or fiberglass handled tools when any adjacent work is expected to come within 3 feet of the underground system. Utilities located within and under concrete slabs or pier structures, bridges, parking areas, and the like, are extremely difficult to identify. Whenever contract work involves chipping, saw cutting, or core drilling through concrete, bituminous asphalt or other impervious surfaces, the existing utility location shall be coordinated with station utility departments in addition to location and depth verification by a third party, independent, private locating company. The third party, independent, private locating company must locate utility depth by use of Ground Penetrating Radar (GPR), X-ray, bore scope, or ultrasound prior to the start of work. Outages to isolate utility systems must be used in circumstances where utilities are unable to be positively identified. The use of historical drawings does not alleviate the Contractor from meeting this requirement.
2.10	Environmental Management and Sustainability	The Contractor shall perform work under this contract consistent with the following Environmental Management System (EMS) goals and policy. Goals: • Reduce purchase and use of toxic and hazardous materials; • Expand purchase of green products and services; increase recycling; • Reduce energy and water use; • Increase use of alternative fuels and renewable energy; • Integrate green building concepts in major renovations and new construction; • Prevent pollution at the source; and • Continual improvement. Policy: • Protect public health and the environment by being an environmentally responsible member of the community; • Preserve our natural, historic and cultural resources; • Conserve natural resources by reducing what we discard, reusing items, and recycling materials, which includes purchasing products made from recycled materials;

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		• Integrate sound environmental practices into all our operations and business decisions; Integrate environmental protection requirements and pollution prevention initiatives into the early planning, design and procurement of facilities, equipment and material, as well as the planning and implementation of military training activities; • Prevent or minimize pollution at its source as we seek out ways to eliminate or further minimize use of hazardous materials and generation of hazardous waste; • Maintain a sound partnership with regulatory agencies to sustain our compliance with existing and new environmental laws and regulations; • Enhance our program as we develop and implement an Environmental Management System; and • Adhere to this policy, remind one another to do so, and ensure that our entire community knows this is our policy by our actions as well as our words. The Contractor shall maintain monitoring and measurement information to address the EMS goals and policy and provide the EMS Goals and Policy Measurement Information to the KO when requested. In the event an EMS nonconformance or environmental noncompliance associated with the contracted services, tasks, or actions occurs, the Contractor shall take corrective and/or preventative actions, assume legal and financial liability for the noncompliance and take corrective action immediately to remedy the noncompliance. The Contractor shall ensure that its employees are aware of their roles and responsibilities under the EMS and how these EMS roles and responsibilities affect work performed under the contract.
2.10.1	Energy Management Program	The Contractor PM, or designee, shall represent the Contractor's interest at all meetings of the activity's Energy Management Board. The Contractor shall attend periodic meetings with the Installation Energy Manager, where energy and water efficiency goals and project status will be discussed to ensure that any Contractor work complements and optimizes efficiency efforts.
2.10.1.1	Water Conservation Plan	The Contractor shall develop, submit and implement a Water Conservation Plan per Section F.
2.10.1.2	Energy Efficient Products	The Contractor shall use life-cycle cost analysis in making decisions about investments in products, services, construction and other projects to lower Federal Government's costs and reduce energy consumption. The Contractor shall elect lifecycle cost effective Energy Star and other energy-efficient products when acquiring energy-using products. For product groups where Energy Star labels are not yet available, select products that are in upper 25 percent of energy efficiency as designated by the Federal Energy Management Program. Use of high energy consuming tools or equipment is subject to approval by the KO prior to use.
2.10.2	Environmental Protection	The Contractor shall comply with all applicable Federal, state, and local laws, regulations, and executive orders, and with base-wide instructions, standards, and permit requirements. All environmental protection matters shall be coordinated with the KO. Inspection of Contractor operated facilities may be conducted by the Installation Environmental Protection Coordinator or other authorized officials on a no-notice basis. The Contractor shall comply with the instructions of the cognizant Navy Medical Department with respect to avoidance of conditions which create a nuisance or which may be hazardous

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		to the health of military or civilian personnel. The Contractor is responsible for ensuring that its employees receive applicable environmental and occupational health and safety training, and are kept up to date on all required regulatory and specific training for the type of work to be conducted onsite. All on-site Contractor personnel, and their subcontractor personnel, performing tasks that have the potential to cause an impact to the environment shall be competent on the basis of appropriate education, training or experience. The Contractor shall develop, submit, and implement an Environmental Protection Plan per Section F.
2.10.2.1	Sampling, Testing and Laboratory Services	**N/A to this contract.**
2.10.2.2	ODS Requirements for Refrigerant Recycling	**N/A to this contract.**
2.10.2.3	Solid Waste Management and Recycling	**N/A to this contract.**
2.10.2.4	Non-Regulated Waste Disposal	**N/A to this contract.**
2.10.2.5	Regulated Waste Disposal	**N/A to this contract.**
2.10.2.6	Universal Waste	**N/A to this contract.**
2.10.2.7	Spill Prevention, Containment, and Clean-up	The Contractor shall prevent, contain, clean up, and report all spills on Government property caused by the Contractor, in a manner that complies with applicable Federal, state, and local laws and regulations and with the Installation Spill Control Plan provided in **(J-0200000-05-3)** at no additional cost to the Government. The Contractor shall report all fuel and hazardous substance spills on NAVSTA Mayport within 15 minutes of discovery to the Regional Dispatch Center by dialing 911 from a station landline. If calling from a device not connected to a station landline, notify the emergency dispatcher you are calling from NAVSTA Mayport and you will be transferred to the Regional Dispatch Center. The Contractor shall notify the KO as soon as possible but not more than 24 hours after spill. Spill reports shall be submitted within 48 hours per Section F.
2.10.2.8	Hazardous Material Management	The Contractor shall support the Consolidated Hazardous Material Reutilization and Inventory Management Program (CHRIMP). The Contractor shall submit an Emergency Planning and Community Right to Know Act (EPCRA) Report and Contractor Hazardous Material Inventory Log per Section F following the format provided in **(J-0200000-05-4)**. The Contractor shall receive approval from the KO prior to bringing hazardous material on Government Property or prior to any other use in conjunction with this contract. For approval to use any hazardous material, allow a minimum of 10 working days for processing the request. The Contractor shall post Safety Data Sheets (SDS) at the worksite where the products are being used. Should the Government determine that a chemical the Contractor will use needs to be tracked, the Government may direct the Contractor to submit additional information in order to fulfill reporting requirements.

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		The Contractor shall ensure that procedures are in place to deal with hazardous materials, pursuant to the FAR Clause 52.223-3, HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA. Notwithstanding any other hazardous material used in this contract, radioactive materials or instruments capable of producing ionizing/non-ionizing radiation (with the exception of radioactive material and devices used in accordance with EM 385-1-1 such as nuclear density meters for compaction testing and laboratory equipment with radioactive sources) as well as materials which contain asbestos, mercury or polychlorinated biphenyls, di-isocynates, lead-based paint are prohibited. The Contracting Officer, upon written request by the Contractor, may consider exceptions to the use of any of the above excluded materials. Low mercury lamps used within fluorescent lighting fixtures are allowed as an exception without further Contracting Officer approval. Notify the Radiation Safety Officer (RSO) prior to excepted items of radioactive material and devices being brought on base.
2.10.2.9	Protection of Endangered and Threatened Species (Flora and Fauna)	The Contractor shall not disturb endangered and threatened species and their habitat. The Contractor shall carefully protect in-place and report immediately to the KO endangered and threatened species discovered in the course of work. The Contractor shall stop work in the immediate area of the discovery until directed by the KO to resume work.
2.10.2.10	Noise Control	The Contractor shall comply with all applicable Federal, state and local laws, ordinances, and regulations relative to noise control.
2.10.2.11	Salvage	**N/A to this contract.**
2.10.2.12	Asbestos Containing Material (ACM)	Asbestos containing insulation, flooring, and other building materials may be encountered by the Contractor during the performance of work under this contract, and the Contractor shall remain alert to this possibility. If ACM is encountered or suspected in the performance of work, the Contractor shall avoid removing, sanding, abrading, or disturbing the material. The Contractor shall verbally notify the KO within one hour and submit a written ACM Notification within 24 hours per Section F.
2.10.3	Sustainable Procurement and Practices	The Contractor shall develop, submit, and implement a Sustainable Procurement and Practices Plan per Section F. This plan shall identify how the Contractor will comply with all applicable Federal, state and local laws and regulation, including E.O. 13423, E.O. 13514, Installation Energy Management Program and Water Conservation Programs and energy reduction requirements. The plan shall specifically address the following components: • Recycled Contents Products • Energy/Water efficiency • Energy Efficient Tools and Equipment • Alternate Fuels and Alternate Fuel Vehicles • Biobased Products • Non-Ozone Depleting Products • Environmental Preferred Products and Services • Low/Non-Toxic and Hazardous Materials The Contractor shall submit an annual Sustainable Delivery of Services Report per Section F.

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
2.10.3.1	Environmentally Preferable Products	The Contractor shall procure and use products that are energy-efficient (Energy Star or Federal Energy Management Program (FEMP)-designated), water efficient, bio-based, environmentally preferable (*e.g.,* Electronic Product Environmental Assessment Tool (EPEAT)-registered), non-ozone depleting, contain recycled content, or are non-toxic or less toxic alternatives, where such products and services meet performance requirements.
2.10.3.2	Use of Recovered Materials	The Government has an affirmative procurement program to promote the purchase of products containing recovered materials. The intent is to reduce the solid waste stream and conserve natural resources by establishing markets for recycled content products and encouraging manufacturers to produce quality products containing recovered materials. Participate in this program by using, for Environmental Protection Agency (EPA) designated items, recovered materials to the maximum extent practicable without jeopardizing the intended end use of the item. The percentage of recovered materials content levels for use in the performance of this contract will be, at a minimum, the amount recommended in the EPA Comprehensive Procurement Guideline (CPG) Product Index website (http://www.epa.gov/epawaste/conserve/tools/cpg/index.htm). Use of EPA designated products is not required for products that are either not available within a reasonable period of time, are not available at a reasonable price, are not available from a sufficient number of sources to maintain a satisfactory level of competition, or fail to meet performance standards based on technical verification. EPA designation of products is an on-going process. Listings of EPA designated products containing recovered materials are found in 40 CFR 247. Make recommendation and submit Recovered Material Certification, per Section F, when a product containing recovered materials is equal to or better than the original and could be used for this contract. All changes of products must be accepted by the KO before it is used.
2.10.3.3	Use of Biobased Products	The Contractor shall make maximum use of biobased products in accordance with the FAR Clause 52.223-2 -- Affirmative Procurement of BIOBASED Products Under Service And Construction Contracts. Information about these products is available at http://www.usda.gov/biopreferred.
2.11	Disaster Preparedness	The Contractor shall comply with the installation's Contingency Instruction The Contractor shall support the installation contingency response plan as directed by the KO. The Contractor shall submit their Mission Essential Contractor Services Plan and a list of their Mission Critical/Mission Essential Personnel per Section F.
2.12	Technical Library	**N/A to this contract.**
2.13	Warranty Management	Prior to performing repair work, the Contractor shall report to the KO any defect in workmanship, material, or parts, and any improper installation of equipment and components that are covered by a warranty. The Contractor is responsible for knowing which equipment and components are covered by the original warranty and the warranty duration. The KO will provide available warranty documents.
2.14	Recurring Work Procedures	
2.14.1	Recurring Work Preparation of Proposals	The Contractor shall price additions or deletions to the Recurring Work requirements using the unit prices bid by the Contractor for Non-Recurring Work Unit Priced Tasks (UPTs). If Non-Recurring Work does not include a corresponding UPT for a specific work requirement for addition or deletion to the Recurring Work requirements, the Contractor shall propose on that

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		specific work requirement in accordance with the Non-recurring Work Preparation of Proposal requirements specified below. Additional markups shall not be included since the cost for these items were included in the unit prices bid by the Contractor for Non-Recurring Work. This may result in the Contractor's proposal consisting of UPT unit price(s), Unit Priced Labor (UPL) Hour(s), Material pricing, or a combination thereof. Recurring Work proposals, including detailed scopes of work and detailed estimates for modification to the Recurring Work requirements shall be submitted per Section F.
2.14.2	Notification to the Government for Work Above the Recurring Work Limitations	The Contractor is fully responsible for work up to the recurring work limits. Recurring work limits are specified in subsequent annexes or sub-annexes. When work is expected to exceed the recurring work limits, the Contractor shall notify the KO and provide a rough order of magnitude (ROM) estimate for the work exceeding the Contractors recurring work limits of liability within two hours of identification for further direction. The Government may issue a service order in accordance with the recurring work provisions of this contract order work in accordance with the non-recurring work provisions of this contract detailed below or accomplish the work by means other than this contract. The Contractor shall provide a detailed scope of work and detailed estimate, per Section F, per the non-recurring work procedures in Spec Item 2.15 for any potential task orders resulting from work that exceeded a recurring work limit of liability in the contract. The estimate shall include the full scope of work and clearly show the deductions for the applicable recurring work limit of liability. The resultant proposed price shall be for the portion of the work exceeding the recurring work limit of liability. Further, the Contractor shall prepare and provide scopes of work and estimates in this manner to the KO when requesting a determination that a recurring work limit of liability has or will be exceeded.
2.14.3	Recurring Work Exhibit Line Item Numbers (ELINs)	Recurring work ELINS are provided in **(J-0200000-06)**.
2.15	Non-recurring Work	Non-recurring work is identified in each applicable annex or sub-annex. Non-recurring work may consist of Unit Priced Task (UPT) Work (non-negotiated) and Unit Priced Labor (UPL) Work (negotiated). The Contractor shall perform all non-recurring task work as ordered by the KO per Section G and DoD FedMall requirements in Section H. Non-recurring work will consist of Unit Priced Tasks and Unit Priced Labor Work which may be ordered by the Government as separate items or in combinations of items from the Non-recurring Work Exhibit Line Items (ELINs) provided in Section J on an as needed basis.
2.15.1	Unit Priced Task (UPT) Work (Non-Negotiated)	A UPT is defined as a non-recurring work item that includes all direct and indirect costs plus profit associated with the particular unit of work. All materials and equipment (rented, leased or Contractor-owned) required for the accomplishment of a UPT shall be included within the respective exhibit line item prices. The fixed price for the task order is determined by multiplying the exhibit line item unit prices by the quantities ordered. The Contractor is not required to submit cost estimates for UPTs.
2.15.1.1	Acceptance and Performance	The Contractor shall offer indefinite quantity (IQ) pre-priced line item services to authorized Government personnel when they are ordering the work directly via the Government-wide Commercial Purchase Card (GCPC) program. When receiving GCPC orders against Section B, the Contractor

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
		shall provide the supplies and services at the offered price without additional markup or handling fee. The Contractor shall accept and process electronically submitted GCPC orders for IQ services, including those orders issued through the FedMall. FedMall is a U.S. Government (USG) owned and operated web-based ordering system that enables any Department of Defense (DoD) or Federal activity to search for and order goods and services. Authorized GCPC users will receive approved accounts on FedMall to view and order IQ line items. The Contractor shall receive electronic IQ orders from FedMall using 128-bit encrypted email. The Contractor shall purchase, install, and utilize the most recent version of PGP Personal software, or a comparable solution, for the purpose of decrypting order notification emails from FedMall. In addition, the DoD has established the External Certification Authority (ECA) program to support the issuance of DoD-approved certificates to Contractors. The ECA program is designed to provide the mechanism for Contractors to securely communicate with the DoD and authenticate to DoD Information Systems. The Contractor shall purchase, install, maintain and use a DoD-approved ECA certificate. Information on obtaining an ECA certificate can be found at https://public.cyber.mil/eca/ The Contractor shall post updates on order delivery schedule and performance to the FedMall in a timely manner. The Contractor shall track quantities and report total ordered quantity in FedMall and approved DD 1155's by line item number each month and year-to-date. The report shall be due to the Contracting Officer by the fifth day of the following month, per Section F. The Contractor must track and report when total dollar value of all orders from both GCPC purchases and DD 1155s exceed 75% of the combined Section B Pre-Priced Line Item quantities.
2.15.1.2	Invoicing and Receiving Payment	Payment for completed FedMall orders will be made using the Government wide Commercial Purchase Card (GCPC). Reference “payment by third party” clause FAR 52.232-36. The Contractor shall possess the capability to invoice and receive payment for non-recurring work via an electronic medium with supported command representatives utilizing their GPC. No partial or advance payments will be provided.
2.15.2	Unit Priced Labor (UPL)Work (Negotiated)	The Contractor shall perform all UPL work in accordance with the scope and delivery schedule negotiated per each task order. UPL work is defined as non-recurring work that utilizes negotiated labor hours and materials to accomplish a task not required by the recurring work portion of the contract. UPL includes separately priced labor, material, and equipment exhibit line items. The Contractor shall prepare and furnish a detailed cost estimate identifying proposed labor, material, and equipment costs, which upon approval by the KO, becomes the fixed price for the task order.
2.15.2.1	Non-recurring Work Preparation of Proposals	In response to the Government's Request for Proposal (RFP), the Contractor shall submit an non-recurring work proposal to the KO, per Section F, within two working days following receipt for each potential task order which includes: 1) a complete list of all tasks necessary to perform the required scope of work, 2) the number of direct labor hours to perform each task and 3) the projected quantity and costs of materials and equipment to perform the required scope of work.

0200000 - Management and Administration		
Spec Item	**Title**	**Description**
2.15.2.1.1	Labor Requirements	Accepted industry time standards published in R. S. Means cost data, industry organizations, and similar estimating sources shall be used for determining the number of direct labor hours required to complete the scope of work. The total labor cost will be determined by totaling the number of direct labor hours and then multiplying by the UPL amount in the Non-recurring Work Exhibit Line Items (ELINs) provided in Section J.
2.15.2.1.2	Direct Material and Construction Equipment Requirements	Direct material and construction equipment costs published in R. S. Means cost data, national material supplier catalogues, U.S. Army Corps of Engineers Construction Equipment Ownership and Operating Expense Schedule (EP 1110-1-8), equipment rental catalogues, and similar estimating sources shall be used for determining customary and reasonable costs for the material and equipment estimate. If not provided in RS Means or a similar estimating source, direct material prices may be based on national material supplier catalogue pricing or quotes from at least three different commercial vendors. Projected direct material requirements shall include a list of materials establishing the size, quality, number of units, and unit prices. Pre-expended bin supplies and materials shall not be included in the list of materials since the cost for these items are to be included in the labor hour unit price. The direct material prices shall be the lowest price available considering the availability of materials and the time constraints of the job. The direct material price shall include all discounts and rebates for core value and salvage value that accrue to the Contractor and Contractor-furnished warehousing cost. Construction equipment costs shall include rental and lease costs, ownership costs where Contractor-owned, equipment mobilization, and tools, not priced under the recurring work portion of the contract. The direct material price will be multiplied by the Contractor's non-recurring work material fixed burden rate. The Government retains the right to obtain additional quotes in questionable situations. The lowest price shall be used.
2.15.2.2	Issuance of Final Task Order	The KO will order unit priced labor by issuing to the Contractor a copy of the approved scope of work and a task order for the work described, in accordance with Section G. Task order completion times will be specified on each task order.
2.15.3	Non-recurring work ELINS	Non-recurring Work ELINs are provided in **(J-0200000-08)**.

SECTION F: DELIVERIES OR PERFORMANCE

Section F – 0200000 Management and Administration						
DELIVERABLES						
				Distribution		
Spec Item	**Form Attachment Number**	**Deliverable Title**	**Date (s) of Submission**	**Original**	**Copies (including original)**	**Frequency**
2.2.1.2	N/A	Request to Work Outside Government's Regular Working Hours	At least seven calendar days prior to requested day.	KO and COR	1	As required
2.3.1	N/A	Sign-in Sheets and Minutes for Review and Comments	Within two working days	KO, COR and all attendees	1	As Required
2.3.4	N/A	Permits and Licenses	Before work commences and as requested by the KO.	KO and COR	1	As specified
2.3.5	N/A	Certificate of Insurance	Within 15 calendar days prior to contract start.	KO and COR	1	As specified
2.3.5	N/A	Written Notice of cancellation or material change in policy coverage	At least 30 calendar days prior to cancellation or material change in policy coverage	KO and COR	1	As required
2.6.1	N/A	Plans of Action and Milestones (POA&Ms)	Within 15 calendar days prior to contract start and within seven calendar days of changes.	KO, COR, and Command Security Manager	1	As required
2.6.1	N/A	Cybersecurity Incident	Immediately upon discovery during regular working hours and by 0800 the following work day for discoveries after regular working hours	KO, COR, and Command Security Manager	1	As required

Section F – 0200000 Management and Administration						
DELIVERABLES						
				Distribution		
Spec Item	**Form Attachment Number**	**Deliverable Title**	**Date (s) of Submission**	**Original**	**Copies (including original)**	**Frequency**
2.6.4	N/A	Scheduling and Work Status Updates	Weekly, within 30 minutes of the inquiry during regular working hours, and by 08:00 the following work day for inquiries after regular working hours	KO and COR	1	As Specified
2.6.4	N/A	Work Schedules	Within 15 calendar days prior to contract start, 10 days prior to the beginning of the month in which services are scheduled to be performance, and within two calendar days of changes.	COR	1	Monthly
2.6.5	N/A	Notification of any Difficulty in Scheduling Work	By the end of each workday	KO and COR	1	As required
2.6.6	N/A	Status of Deliverables	Within 30 minutes of the inquiry during regular working hours, and by 0800 the following work day for inquiries after regular working hours	KO and COR	1	As required
2.6.7	N/A	Service Interruptions	At least five working days in advance	KO and COR	1	As required
2.6.9.1	N/A	Quality Management Plan	Within 15 calendar days prior to contract start.	KO and COR	1	As specified
2.6.9.1	N/A	Revised Quality Management Plan	Within seven calendar days of changes.	KO and COR	1	As specified

Section F – 0200000 Management and Administration						
DELIVERABLES						
				Distribution		
Spec Item	**Form Attachment Number**	**Deliverable Title**	**Date (s) of Submission**	**Original**	**Copies (including original)**	**Frequency**
2.6.9.2	N/A	QC Inspection File	Within five calendar days of completion/ termination of the contract.	KO and COR	1	As specified
2.6.9.3	N/A	Contractor Quality Inspection and Surveillance Report	First work day of each month.	KO and COR	1	Monthly
2.6.10	N/A	Property Management Plan	Within 45 calendar days after award.	KO and COR	1	As specified
2.7.1	N/A	List of Key Personnel and Qualifications	Within 15 calendar days prior to contract start	KO and COR	1	As specified
2.7.1	N/A	Organizational Chart	Within 15 calendar days prior to contract start	KO and COR	1	As specified
2.7.2.6	N/A	Proof of Legal Residency	Prior to be admitted to site of work.	KO and COR	1	As specified
2.7.2.6	N/A	Proof of United States of America Citizenship	Prior to be admitted to site of work.	KO and COR	1	As specified
2.7.3	N/A	Service Contract Reporting (SCR)	No later than 31 October.	KO and COR	1	Annually for labor executed during the period of performance during each Government fiscal year (FY)
2.8.1	N/A	Employee List	Within 15 calendar days prior to contract start and within seven calendar days of changes.	KO and COR	1	As required

Section F – 0200000 Management and Administration						
DELIVERABLES						
				Distribution		
Spec Item	**Form Attachment Number**	**Deliverable Title**	**Date (s) of Submission**	**Original**	**Copies (including original)**	**Frequency**
2.8.8	N/A	OF-306 Declaration for Federal Employment and Digital Fingerprints	Prior to commencement of work	KO, COR, and Security Manager	1	As required
2.8.9	N/A	List of personnel requiring access to and the justification for their access to Government IT, OT, and FRCS	Within 15 calendar days prior to contract start and within seven calendar days of changes.	KO, COR, and Security Manager	1	As required
2.9.2	N/A	Accident Prevention Plan	Within 15 calendar days prior to contract start and within seven calendar days of changes.	KO and COR	1	As specified
2.9.3	N/A	Activity Hazard Analysis	Together with the Accident Prevention Plan and within seven calendar days of and changes.	KO and COR	1	As specified
2.9.4	N/A	Compliance Plans, Programs, and Procedures	Together with the Accident Prevention Plan and within seven calendar days of and changes.	KO and COR	1	As specified
2.9.4.7	N/A	Control of Hazardous Energy (lockout/tagout)	Within 30 calendar days after annual inspection.	KO and COR	1	Annually
2.9.6	J-0200000-05-1	NAVFAC Contractor Incident Reporting System (CIRS)	Within five calendar days of accident.	KO and COR	1	As required
2.9.6	J-0200000-05-2	Weight Handling Equipment Accident Report	Within 15 working days of accident.	KO and COR	1	As required
2.9.8	N/A	Monthly On-Site Labor Report	First work day of each month.	KO and COR	1	Monthly

Section F – 0200000 Management and Administration						
DELIVERABLES						
				Distribution		
Spec Item	**Form Attachment Number**	**Deliverable Title**	**Date (s) of Submission**	**Original**	**Copies (including original)**	**Frequency**
2.9.9	N/A	OSHA Citations and Violations Corrective Action Report	Within 48 hours after receiving a citation.	KO and COR	1	As required
2.9.10	N/A	Safety Inspection and Monitoring Report	Upon request.	KO and COR	1	As required
2.9.11	N/A	Safety Certifications	Within 15 calendar days prior to contract start and as old certifications, expire.	KO and COR	1	As specified
2.10	N/A	EMS Goals and Policy Measurement Information	Upon request.	KO and COR	1	As required
2.10.1.1	N/A	Water Conservation Plan	Within 15 calendar days after award and for changes.	KO and COR	1	As specified
2.10.2	N/A	Environmental Protection Plan	Within 15 calendar days prior to contract start and within seven calendar days of changes.	KO and COR	1	As specified
2.10.2.7	N/A	Fuel and hazardous substance spill notification	Within 15 minutes of discovery	Regional Dispatch Center	1	As required
2.10.2.7	N/A	Fuel and hazardous substance spill notification	As soon as possible but not more 24 hours of discovery	KO and COR	1	As required
2.10.2.7	N/A	Fuel and hazardous substance spill report	Within 48 hours of discovery	KO and COR	1	As required
2.10.2.8	N/A	Emergency Planning and Community Right-To-Know Act (EPCRA) Report	Within 15 calendar days prior to contract start and not less than 10 working days prior to planned use of hazardous material.	KO and COR	2	As specified

Section F – 0200000 Management and Administration						
DELIVERABLES						
				Distribution		
Spec Item	**Form Attachment Number**	**Deliverable Title**	**Date (s) of Submission**	**Original**	**Copies (including original)**	**Frequency**
2.10.2.8	J-0200000-05-4	Contractor Hazardous Material Inventory Log	Within 15 calendar days after the end of each calendar year and at termination of the contract.	KO and COR	2	Annually
2.10.2.12	N/A	Asbestos Containing Material (ACM)	Verbally notify the KO and COR within one hour and follow-up with written Notification within 24 hours	KO and COR	1	As specified
2.10.3	N/A	Sustainable Procurement and Practices Plan	Within 15 calendar days prior to contract start and within 15 calendar days after exercised option periods.	KO and COR	1	Annually
2.10.3	N/A	Sustainable Procurement and Practices Plan	Within 15 calendar days prior to contract start and within 15 calendar days after exercised option periods.	KO and COR	1	Annually
2.10.3	N/A	Sustainable Delivery of Services Report	Within five calendar days after each contract period.	KO and COR	1	Annually
2.10.3.2	N/A	Recovered Material Certification	As specified	KO and COR	1	When a product containing recovered materials is equal to or better than the original and could be used.

Section F – 0200000 Management and Administration						
DELIVERABLES						
				Distribution		
Spec Item	**Form Attachment Number**	**Deliverable Title**	**Date (s) of Submission**	**Original**	**Copies (including original)**	**Frequency**
2.11	N/A	Mission Essential Contractor Services Plan	Within 15 calendar days prior to contract start and within seven calendar days of changes.	KO and COR	1	As Required
2.11	N/A	Mission Critical/Mission Essential Personnel	Within 15 calendar days prior to contract start and within seven calendar days of changes.	KO and COR	1	As specified
2.14.1		Recurring Work Proposals	Within five calendar days following receipt of request	KO and COR	1	As required
2.14.2	N/A	Notification to the Government for Work Above the Recurring Work Limitations and Rough Order of Magnitude	Within two hours of identification	KO and COR	1	As required
2.15.1.1	N/A	Non-Recurring Work Quantities Ordered via FedMall	By the fifth day of the following month	KO and COR	1	Monthly
2.15.2.1	N/A	Non-Recurring Work Proposals	Within two working days following receipt of request	KO and COR	1	As required

ATTACHMENT J-0200000-01
DEFINITIONS AND ACRONYMS

Definition	Description
Assessment	A general term referring to either a survey or inspection of a facility to determine condition.
Asset	A general term used to refer to an item, such as a component, system, building or facility, which is managed by an automated data management program.
Business Management System (BMS)	A web-based tool that provides a systematic method for the management of business processes, common practices, and process quality improvements that produce and support the most efficient and effective delivery of NAVFAC's products and services.
Competent Person	A person who has the professional experience and training necessary to identify existing and predictable hazards at a work or service environment, and who has the authority to take prompt and corrective action to eliminate or remove dangers from the environment.
Component Inventory Management Unit (CIMU)	An organization of like-kind real property into manageable maintenance units. CIMU is a building component, group of components or component assemblies, serving a specific purpose in a facility that can be expected to follow a common and predictable lifecycle behavior. This class of non-equipment will include items such as exterior walls, exterior windows, interior finish, and roofs. This class of equipment will include items such as fan coil units, air handling units, lighting, and water closets. CIMUs can include one or more items of installed equipment typically subject to routine scheduled maintenance.
Confined Work Space	A space that is large enough and so configured that a person may bodily enter a space (such as in tanks, vessels, silos, storage bins, hoppers, vaults, pits, and like spaces where there is limited means of entry) and is hindered or restricted from escaping during an emergency.
Contracting Officer (KO)	That individual with the authority to enter into, administer, and/or terminate contracts and make related determinations and findings. The term includes certain authorized representatives of the Contracting Officer acting within the limits of their authority as delegated by the Contracting Officer.
Contractor	That entity or its representative responsible for the delivery of the services or materials specified in this contract, as designated by contract award. The term Contractor as used herein refers to both the prime Contractor and any subcontractors. The prime Contractor shall insure that subcontractors comply with the provision of this contract.
Contractor Representative	That individual appointed by the Contractor, either orally or in writing, who has been assigned responsibility for executing the requirements of this contract.
Direct Material Costs	The actual vendor invoice charges for materials used for performance of work under this contract. Direct material costs shall include transportation charges when such charges are included on the invoice by the vendor, as well as any discounts allowed for prompt payment and discounts or rebates for core value or salvage value that accrue to the Contractor. When questions arise concerning the cost of materials, material costs will be based on the lowest of quotes provided by the Contractor from at least three different commercial vendors for the direct material cost. The Government retains the right to obtain additional quotes in questionable situations. The lowest price will be used.
Electronic Operation And Maintenance And Support Information (eOMSI)	A set of consultant-prepared data and document files that contain detailed, as-built technical information that describes the efficient, economical and safe operation, maintenance and repair of a facility, plant, equipment or system throughout its life cycle. Generally it is prepared during construction and submitted upon completion of a new facility or major facility upgrade. eOMSI's typically include asset information, staffing and budgeting information, supply support including critical spare parts, operating procedures, troubleshooting and diagnostic guides, extended warranty data, maintenance task frequencies and documentation, technical data, repair procedures and manufacturer's product data. eOMSI data and document files are provided in electronic formats.
Equipment	Tangible asset that is functionally complete for its intended purpose, durable, and non-expendable.
Facility	A building or structure designed and created to serve a particular function.

ATTACHMENT J-0200000-01
DEFINITIONS AND ACRONYMS

Definition	Description
Fixed Burden Rate (FBR)	The additional costs (expressed in percent of direct material cost) for ordering, handling, and stockpiling materials and repair parts. For example, if the offeror's Fixed Burden Rate for materials in the Base Period is 10% then: $100,000.00 + ($100,000.00 x 10%) = $110,000.00 The Government will compensate the Contractor for the required parts and materials and not the total amount shown in Schedule of Indefinite Delivery Indefinite Quantity Work.
Frequency Of Service	Annual (A). Services performed once during each 12-month period of the contract at intervals of 335 to 395 days. Semiannual (SA). Services performed twice during each 12-month period of the contract at intervals of 160 to 200 calendar days.
Government Furnished Property (GFP)	Property in the possession of, or directly acquired by, the Government and subsequently furnished to the contractor for performance of a contract. Government furnished property includes, but is not limited to, spares and property furnished for repairs, maintenance, overhaul, or modification. Government furnished property also includes contractor acquired property if the contractor acquired property is a deliverable under a cost contract when accepted by the Government for continued use under the contract.
Infrastructure Condition Assessment Program (ICAP)	A Navy automated data management program that utilizes historical asset lifecycle data and a structured assessment process to evaluate the condition facilities and their components.
Inspection	A rigorous, detailed assessment of the condition of a facility performed to generate a fundable scope and cost estimate for prioritization and funding of maintenance and repair.
Job or Work Order	An authorization for work that requires planning and estimating and has an individual line of accounting for financial and performance evaluation.
Maintenance And Repair	The preservation or restoration of a piece of equipment, system, or facility to such condition that it may be effectively used for its designated purposes. Maintenance/repair may be adjustment, overhaul, reprocessing, or replacement of constituent parts or materials that are missing or have deteriorated by action of the elements or usage, or replacement of the entire unit or system if beyond economical repair.
USMC MAXIMO	A specially configured software version of MAXIMO®, a commercially available computerized maintenance management system (CMMS), adopted by NAVFAC for enterprise facility asset data management. The terms “MAXIMO”, “NAVFAC MAXIMO” or “Government’s MAXIMO” shall be used interchangeably in the document.
Performance Assessment	A method used by the Government to provide some measure of control over the quality of purchased goods and services received.
Performance Assessment Representative (PAR)	That individual designated by the KO to be responsible for the monitoring of Contractor performance.
Pre-Expended Bin Materials And Supplies	The minor materials and supplies that are incidental to the job, for which the total direct cost of any one material line item shown on the material estimate is $10.00 or less. Examples of pre-expended bin materials and supplies include, but are not limited to, solder, lead, flux, electrical connectors, electrical tape, fuses, nails, screws, bolts, nuts, washers, spacers, masking tape, sand paper, solvent, cleaners, lubricants, grease, oil, rags, mops, glue, epoxy, spackling compound, joint tape, plumbers tape and compound, clips, welding rods, and touch up paint.
Property Administrator	An authorized representative of the Contracting Officer who is responsible for administering contract property requirements, terms and conditions of the contract
Property Management Program	A Government program established for the purpose of reviewing and approving the Contractor’s Property Management Plan and System through performance of a system analysis whenever government property is in the possession of the Contractor.

ATTACHMENT J-0200000-01
DEFINITIONS AND ACRONYMS

Definition	Description
Quality Assurance (QA)	The planned and systematic activities implemented in a quality system so that quality requirements for a product or service will be fulfilled.
Quality Control (QC)	The observation techniques and activities used to fulfill requirements for quality.
R. S. Means	A data collection and organization system developed by R. S. Means Company which can be used to prepare accurate, dependable construction estimates and budgets in a variety of ways. The Contractor shall use the latest edition. Material prices are based on a national average and computed labor costs are based on a 30-city national average. An estimate prepared using this data is called a "Means estimate"; data may simply be referred to as "Means".
Real Property Inventory Equipment (RPIE)	A Government owned or leased individual pieces of equipment, apparatus, or fixture that are essential to the function of the real property (i.e. plumbing, electrical, heating, cooling and elevators). It is physically attached to, integrated into, and built in or on the property. Individual RPIE's can be combined to make a CIMU to facilitate facilities management. An individual RPIE can also be a CIMU if the equipment is complex enough to require its own management planning.
Response Time	The time allowed the Contractor after initial notification of a work requirement to be physically on the premises at the work site with appropriate personnel, tools, equipment, and materials, ready to perform the work required.
Unit Priced Labor (UPL) Hour	The unit price bid by the Contractor to perform one hour of work-in-place. With the exception of direct material and construction equipment costs, the unit price includes all indirect and direct costs associated with performing work. The price includes the Contractor's hourly composite trade wage, adjusted to allow for workforce productivity; costs for pre-expended bin materials, union agreements, crew sizes, hand tools, payroll burdens and fringes, overtime, job (field) overhead (including clerical support, supervision, inspection, fees, taxes, licenses, permits, and insurance), general and administrative (home office) overhead, and profit. Additionally, time for job preparation, safety standby personnel, and similar indirect labor elements are included.

ATTACHMENT J-0200000-02
WAGE DETERMINATIONS

"

REGISTER OF WAGE DETERMINATIONS UNDER THE SERVICE CONTRACT ACT

By direction of the Secretary of Labor

Daniel W. Simms
Director

Division of
Wage Determinations

U.S. DEPARTMENT OF LABOR
EMPLOYMENT STANDARDS ADMINISTRATION
WAGE AND HOUR DIVISION
WASHINGTON D.C. 20210

Wage Determination No.: 2015-4389
Revision No.: 35
Date Of Last Revision: 8/12/2026

State: North Carolina

Area: North Carolina Counties of Onslow

Fringe Benefits Required Follow the Occupational Listing

OCCUPATION CODE - TITLE	FOOTNOTE	RATE
01000 - Administrative Support And Clerical Occupations		
01011 - Accounting Clerk I		16.44
01012 - Accounting Clerk II		18.45
01013 - Accounting Clerk III		20.64
01020 - Administrative Assistant		29.50
01035 - Court Reporter		20.75
01041 - Customer Service Representative I		15.00
01042 - Customer Service Representative II		16.37
01043 - Customer Service Representative III		18.37
01051 - Data Entry Operator I		16.23
01052 - Data Entry Operator II		17.71
01060 - Dispatcher, Motor Vehicle		20.80
01070 - Document Preparation Clerk		16.53
01090 - Duplicating Machine Operator		16.53
01111 - General Clerk I		15.21
01112 - General Clerk II		16.60
01113 - General Clerk III		18.62
01120 - Housing Referral Assistant		23.14
01141 - Messenger Courier		13.47
01191 - Order Clerk I		15.15
01192 - Order Clerk II		16.53
01261 - Personnel Assistant (Employment) I		19.33
01262 - Personnel Assistant (Employment) II		21.63
01263 - Personnel Assistant (Employment) III		24.12
01270 - Production Control Clerk		22.78

DISTRIBUTION: DoW COMMUNITY ONLY

01290 - Rental Clerk	16.87
01300 - Scheduler, Maintenance	18.55
01311 - Secretary I	18.55
01312 - Secretary II	20.75
01313 - Secretary III	23.14
01320 - Service Order Dispatcher	18.49
01410 - Supply Technician	29.50
01420 - Survey Worker	17.67
01460 - Switchboard Operator/Receptionist	14.71
01531 - Travel Clerk I	16.53
01532 - Travel Clerk II	18.55
01533 - Travel Clerk III	20.75
01611 - Word Processor I	16.53
01612 - Word Processor II	18.55
01613 - Word Processor III	20.75
05000 - Automotive Service Occupations	
05005 - Automobile Body Repairer, Fiberglass	22.41
05010 - Automotive Electrician	21.01
05040 - Automotive Glass Installer	19.65
05070 - Automotive Worker	19.65
05110 - Mobile Equipment Servicer	17.06
05130 - Motor Equipment Metal Mechanic	22.20
05160 - Motor Equipment Metal Worker	19.65
05190 - Motor Vehicle Mechanic	22.20
05220 - Motor Vehicle Mechanic Helper	15.49
05250 - Motor Vehicle Upholstery Worker	18.39
05280 - Motor Vehicle Wrecker	19.65
05310 - Painter, Automotive	21.01
05340 - Radiator Repair Specialist	19.65
05370 - Tire Repairer	16.54
05400 - Transmission Repair Specialist	22.20

DISTRIBUTION: DoW COMMUNITY ONLY

07000 - Food Preparation And Service Occupations	
07010 - Baker	14.62
07041 - Cook I	16.26
07042 - Cook II	18.73
07070 - Dishwasher	13.08
07130 - Food Service Worker	13.42
07210 - Meat Cutter	20.92
07260 - Waiter/Waitress	11.28
09000 - Furniture Maintenance And Repair Occupations	
09010 - Electrostatic Spray Painter	26.14
09040 - Furniture Handler	15.69
09080 - Furniture Refinisher	26.14
09090 - Furniture Refinisher Helper	19.28
09110 - Furniture Repairer, Minor	22.89
09130 - Upholsterer	26.14
11000 - General Services And Support Occupations	
11030 - Cleaner, Vehicles	13.46
11060 - Elevator Operator	15.36
11090 - Gardener	23.82
11122 - Housekeeping Aide	15.36
11150 - Janitor	15.36
11210 - Laborer, Grounds Maintenance	17.60
11240 - Maid or Houseman	13.77
11260 - Pruner	15.63
11270 - Tractor Operator	21.62
11330 - Trail Maintenance Worker	17.60
11360 - Window Cleaner	17.28
12000 - Health Occupations	

12010 - Ambulance Driver	26.06
12011 - Breath Alcohol Technician	26.06
12012 - Certified Occupational Therapist Assistant	35.75
12015 - Certified Physical Therapist Assistant	29.70
12020 - Dental Assistant	23.06
12025 - Dental Hygienist	39.61
12030 - EKG Technician	39.47
12035 - Electroneurodiagnostic Technologist	39.47
12040 - Emergency Medical Technician	26.06
12071 - Licensed Practical Nurse I	23.30
12072 - Licensed Practical Nurse II	26.06
12073 - Licensed Practical Nurse III	29.04
12100 - Medical Assistant	17.99
12130 - Medical Laboratory Technician	23.88
12160 - Medical Record Clerk	22.32
12190 - Medical Record Technician	24.97
12195 - Medical Transcriptionist	23.30
12210 - Nuclear Medicine Technologist	57.26
12221 - Nursing Assistant I	14.05
12222 - Nursing Assistant II	15.81
12223 - Nursing Assistant III	17.25
12224 - Nursing Assistant IV	19.35
12235 - Optical Dispenser	26.39
12236 - Optical Technician	23.30
12250 - Pharmacy Technician	19.57
12280 - Phlebotomist	18.19
12305 - Radiologic Technologist	30.74
12311 - Registered Nurse I	27.52
12312 - Registered Nurse II	33.66
12313 - Registered Nurse II, Specialist	33.66
12314 - Registered Nurse III	40.74
12315 - Registered Nurse III, Anesthetist	40.74

12316 - Registered Nurse IV	48.83
12317 - Scheduler (Drug and Alcohol Testing)	32.27
12320 - Substance Abuse Treatment Counselor	25.30
13000 - Information And Arts Occupations	
13011 - Exhibits Specialist I	20.93
13012 - Exhibits Specialist II	25.93
13013 - Exhibits Specialist III	31.72
13041 - Illustrator I	20.93
13042 - Illustrator II	25.93
13043 - Illustrator III	31.72
13047 - Librarian	28.72
13050 - Library Aide/Clerk	16.67
13054 - Library Information Technology Systems Administrator	25.93
13058 - Library Technician	20.93
13061 - Media Specialist I	18.71
13062 - Media Specialist II	20.93
13063 - Media Specialist III	23.34
13071 - Photographer I	18.71
13072 - Photographer II	20.93
13073 - Photographer III	25.93
13074 - Photographer IV	31.72
13075 - Photographer V	38.38
13090 - Technical Order Library Clerk	20.93
13110 - Video Teleconference Technician	18.71
14000 - Information Technology Occupations	
14041 - Computer Operator I	18.78
14042 - Computer Operator II	21.00
14043 - Computer Operator III	23.41
14044 - Computer Operator IV	26.02

14045 - Computer Operator V		28.81
14071 - Computer Programmer I	(see 1)	22.75
14072 - Computer Programmer II	(see 1)	
14073 - Computer Programmer III	(see 1)	
14074 - Computer Programmer IV	(see 1)	
14101 - Computer Systems Analyst I	(see 1)	
14102 - Computer Systems Analyst II	(see 1)	
14103 - Computer Systems Analyst III	(see 1)	
14150 - Peripheral Equipment Operator		18.78
14160 - Personal Computer Support Technician		26.02
14170 - System Support Specialist		29.49
15000 - Instructional Occupations		
15010 - Aircrew Training Devices Instructor		
(Non-Rated)		34.32
15020 - Aircrew Training Devices Instructor (Rated)		41.53
15030 - Air Crew Training Devices Instructor		
(Pilot)		49.78
15050 - Computer Based Training Specialist /		
Instructor		34.32
15060 - Educational Technologist		32.76
15070 - Flight Instructor (Pilot)		49.78
15080 - Graphic Artist		28.64
15085 - Maintenance Test Pilot, Fixed, Jet/Prop		49.78
15086 - Maintenance Test Pilot, Rotary Wing		49.78
15088 - Non-Maintenance Test/Co-Pilot		49.78
15090 - Technical Instructor		24.56
15095 - Technical Instructor/Course Developer		30.04
15110 - Test Proctor		19.82
15120 - Tutor		19.82
16000 - Laundry, Dry-Cleaning, Pressing And Related Occupations		

16010 - Assembler	11.07
16030 - Counter Attendant	11.07
16040 - Dry Cleaner	13.80
16070 - Finisher, Flatwork, Machine	11.07
16090 - Presser, Hand	11.07
16110 - Presser, Machine, Drycleaning	11.07
16130 - Presser, Machine, Shirts	11.07
16160 - Presser, Machine, Wearing Apparel, Laundry	11.07
16190 - Sewing Machine Operator	14.73
16220 - Tailor	15.68
16250 - Washer, Machine	11.96
19000 - Machine Tool Operation And Repair Occupations	
19010 - Machine-Tool Operator (Tool Room)	26.14
19040 - Tool And Die Maker	32.09
21000 - Materials Handling And Packing Occupations	
21020 - Forklift Operator	18.76
21030 - Material Coordinator	23.63
21040 - Material Expediter	23.63
21050 - Material Handling Laborer	16.65
21071 - Order Filler	16.29
21080 - Production Line Worker (Food Processing)	18.76
21110 - Shipping Packer	18.04
21130 - Shipping/Receiving Clerk	18.04
21140 - Store Worker I	15.10
21150 - Stock Clerk	21.47
21210 - Tools And Parts Attendant	18.76
21410 - Warehouse Specialist	18.76
23000 - Mechanics And Maintenance And Repair Occupations	
23010 - Aerospace Structural Welder	35.31

23019 - Aircraft Logs and Records Technician	27.73
23021 - Aircraft Mechanic I	33.47
23022 - Aircraft Mechanic II	35.31
23023 - Aircraft Mechanic III	37.10
23040 - Aircraft Mechanic Helper	23.35
23050 - Aircraft, Painter	31.67
23060 - Aircraft Servicer	27.73
23070 - Aircraft Survival Flight Equipment Technician	31.67
23080 - Aircraft Worker	29.63
23091 - Aircrew Life Support Equipment (ALSE) Mechanic I	29.63
23092 - Aircrew Life Support Equipment (ALSE) Mechanic II	33.47
23110 - Appliance Mechanic	26.14
23120 - Bicycle Repairer	21.23
23125 - Cable Splicer	27.83
23130 - Carpenter, Maintenance	23.50
23140 - Carpet Layer	24.45
23160 - Electrician, Maintenance	25.20
23181 - Electronics Technician Maintenance I	27.85
23182 - Electronics Technician Maintenance II	29.77
23183 - Electronics Technician Maintenance III	31.47
23260 - Fabric Worker	22.89
23290 - Fire Alarm System Mechanic	27.63
23310 - Fire Extinguisher Repairer	21.23
23311 - Fuel Distribution System Mechanic	27.63
23312 - Fuel Distribution System Operator	21.23
23370 - General Maintenance Worker	19.43
23380 - Ground Support Equipment Mechanic	33.47
23381 - Ground Support Equipment Servicer	27.73
23382 - Ground Support Equipment Worker	29.63

23391 - Gunsmith I	21.23
23392 - Gunsmith II	24.45
23393 - Gunsmith III	27.63
23410 - Heating, Ventilation And Air-Conditioning Mechanic	23.35
23411 - Heating, Ventilation And Air Contidioning Mechanic (Research Facility)	24.64
23430 - Heavy Equipment Mechanic	33.03
23440 - Heavy Equipment Operator	23.29
23460 - Instrument Mechanic	27.63
23465 - Laboratory/Shelter Mechanic	26.14
23470 - Laborer	16.65
23510 - Locksmith	26.14
23530 - Machinery Maintenance Mechanic	29.70
23550 - Machinist, Maintenance	26.68
23580 - Maintenance Trades Helper	17.19
23591 - Metrology Technician I	27.63
23592 - Metrology Technician II	29.15
23593 - Metrology Technician III	30.63
23640 - Millwright	27.63
23710 - Office Appliance Repairer	26.14
23760 - Painter, Maintenance	20.57
23790 - Pipefitter, Maintenance	27.04
23810 - Plumber, Maintenance	25.59
23820 - Pneudraulic Systems Mechanic	27.63
23850 - Rigger	27.63
23870 - Scale Mechanic	24.45
23890 - Sheet-Metal Worker, Maintenance	25.48
23910 - Small Engine Mechanic	24.45
23931 - Telecommunications Mechanic I	30.44
23932 - Telecommunications Mechanic II	32.12
23950 - Telephone Lineman	29.06

23960 - Welder, Combination, Maintenance	27.42
23965 - Well Driller	27.63
23970 - Woodcraft Worker	27.63
23980 - Woodworker	21.23
24000 - Personal Needs Occupations	
24550 - Case Manager	20.86
24570 - Child Care Attendant	14.09
24580 - Child Care Center Clerk	17.58
24610 - Chore Aide	14.51
24620 - Family Readiness And Support Services Coordinator	20.04
24630 - Homemaker	20.04
25000 - Plant And System Operations Occupations	
25010 - Boiler Tender	33.76
25040 - Sewage Plant Operator	31.92
25070 - Stationary Engineer	33.76
25190 - Ventilation Equipment Tender	23.55
25210 - Water Treatment Plant Operator	31.92
27000 - Protective Service Occupations	
27004 - Alarm Monitor	20.27
27007 - Baggage Inspector	17.55
27008 - Corrections Officer	22.04
27010 - Court Security Officer	22.04
27030 - Detection Dog Handler	19.63
27040 - Detention Officer	22.04
27070 - Firefighter	23.01
27101 - Guard I	17.55
27102 - Guard II	19.63
27131 - Police Officer I	24.83

27132 - Police Officer II		27.59
28000 - Recreation Occupations		
28041 - Carnival Equipment Operator		17.45
28042 - Carnival Equipment Repairer		19.23
28043 - Carnival Worker		12.62
28210 - Gate Attendant/Gate Tender		19.49
28310 - Lifeguard		17.37
28350 - Park Attendant (Aide)		21.81
28510 - Recreation Aide/Health Facility Attendant		15.92
28515 - Recreation Specialist		27.02
28630 - Sports Official		17.37
28690 - Swimming Pool Operator		22.14
29000 - Stevedoring/Longshoremen Occupational Services		
29010 - Blocker And Bracer		24.45
29020 - Hatch Tender		24.45
29030 - Line Handler		24.45
29041 - Stevedore I		22.89
29042 - Stevedore II		26.14
30000 - Technical Occupations		
30010 - Air Traffic Control Specialist, Center		
(HFO)	(see 2)	46.54
30011 - Air Traffic Control Specialist, Station		
(HFO)	(see 2)	32.09
30012 - Air Traffic Control Specialist, Terminal		
(HFO)	(see 2)	35.33
30021 - Archeological Technician I		18.48
30022 - Archeological Technician II		20.67
30023 - Archeological Technician III		25.61
30030 - Cartographic Technician		25.61

30040 - Civil Engineering Technician	25.43
30051 - Cryogenic Technician I	28.36
30052 - Cryogenic Technician II	31.32
30061 - Drafter/CAD Operator I	18.48
30062 - Drafter/CAD Operator II	20.67
30063 - Drafter/CAD Operator III	23.04
30064 - Drafter/CAD Operator IV	28.36
30081 - Engineering Technician I	16.47
30082 - Engineering Technician II	18.48
30083 - Engineering Technician III	20.67
30084 - Engineering Technician IV	25.61
30085 - Engineering Technician V	31.32
30086 - Engineering Technician VI	37.89
30090 - Environmental Technician	25.61
30095 - Evidence Control Specialist	25.25
30210 - Laboratory Technician	23.04
30221 - Latent Fingerprint Technician I	28.36
30222 - Latent Fingerprint Technician II	31.32
30240 - Mathematical Technician	25.61
30361 - Paralegal/Legal Assistant I	22.48
30362 - Paralegal/Legal Assistant II	27.85
30363 - Paralegal/Legal Assistant III	34.07
30364 - Paralegal/Legal Assistant IV	41.22
30375 - Petroleum Supply Specialist	30.87
30390 - Photo-Optics Technician	25.61
30395 - Radiation Control Technician	30.87
30461 - Technical Writer I	25.61
30462 - Technical Writer II	31.32
30463 - Technical Writer III	37.89
30491 - Unexploded Ordnance (UXO) Technician I	29.57
30492 - Unexploded Ordnance (UXO) Technician II	35.78
30493 - Unexploded Ordnance (UXO) Technician III	42.89

DISTRIBUTION: DoW COMMUNITY ONLY

30494 - Unexploded (UXO) Safety Escort		29.57
30495 - Unexploded (UXO) Sweep Personnel		29.57
30501 - Weather Forecaster I		28.36
30502 - Weather Forecaster II		34.50
30620 - Weather Observer, Combined Upper Air Or		
Surface Programs	(see 2)	23.04
30621 - Weather Observer, Senior	(see 2)	25.61
31000 - Transportation/Mobile Equipment Operation Occupations		
31010 - Airplane Pilot		35.78
31020 - Bus Aide		12.31
31030 - Bus Driver		17.97
31043 - Driver Courier		15.11
31260 - Parking and Lot Attendant		10.94
31290 - Shuttle Bus Driver		15.83
31310 - Taxi Driver		11.92
31361 - Truckdriver, Light		16.65
31362 - Truckdriver, Medium		17.94
31363 - Truckdriver, Heavy		21.94
31364 - Truckdriver, Tractor-Trailer		21.94
99000 - Miscellaneous Occupations		
99020 - Cabin Safety Specialist		17.45
99030 - Cashier		12.68
99050 - Desk Clerk		13.19
99095 - Embalmer		29.57
99130 - Flight Follower		29.57
99251 - Laboratory Animal Caretaker I		16.87
99252 - Laboratory Animal Caretaker II		18.58
99260 - Marketing Analyst		28.27
99310 - Mortician		29.57
99410 - Pest Controller		19.47

DISTRIBUTION: DoW COMMUNITY ONLY

99510 - Photofinishing Worker	15.54
99710 - Recycling Laborer	20.72
99711 - Recycling Specialist	25.46
99730 - Refuse Collector	18.41
99810 - Sales Clerk	14.18
99820 - School Crossing Guard	17.10
99830 - Survey Party Chief	29.39
99831 - Surveying Aide	17.38
99832 - Surveying Technician	23.83
99840 - Vending Machine Attendant	23.65
99841 - Vending Machine Repairer	30.00
99842 - Vending Machine Repairer Helper	23.65

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors, applies to all contracts subject to the Service Contract Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is the victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Note: Executive Order 13658 generally applies to contracts subject to the Service Contract Act that were awarded on or between January 1, 2015 and January 29, 2022, and that have not been renewed or extended on or after January 30, 2022. If a contract is subject to Executive Order 13658, the contractor must pay all covered workers at least $13.65 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract from

May 11, 2026, through December 31, 2026. The applicable Executive Order minimum wage rate will be adjusted annually.

Additional information on contractor requirements and worker protections under Executive Order 13658 is available at www.dol.gov/whd/govcontracts.

ALL OCCUPATIONS LISTED ABOVE RECEIVE THE FOLLOWING BENEFITS:

HEALTH & WELFARE: $5.92 per hour, up to 40 hours per week, or $236.80 per week or $1,026.13 per month

HEALTH & WELFARE EO 13706: $5.42 per hour, up to 40 hours per week, or $216.80 per week, or $939.46 per month*

*This rate is to be used only when compensating employees for performance on an SCA-covered contract also covered by EO 13706, Establishing Paid Sick Leave for Federal Contractors. A contractor may not receive credit toward its SCA obligations for any paid sick leave provided pursuant to EO 13706.

VACATION: 2 weeks paid vacation after 1 year of service with a contractor or successor; 3 weeks after 8 years, and 4 weeks after 20 years. Length of service includes the whole span of continuous service with the present contractor or successor, wherever employed, and with the predecessor contractors in the performance of similar work at the same Federal facility. (Reg. 29 CFR 4.173)

HOLIDAYS: A minimum of eleven paid holidays per year: New Year's Day, Martin Luther King Jr.'s Birthday, Washington's Birthday, Memorial Day, Juneteenth National Independence Day, Independence Day, Labor Day, Columbus Day, Veterans' Day, Thanksgiving Day, and Christmas Day. (A contractor may substitute for any of the named holidays another day off with pay in accordance with a plan communicated to the employees involved.) (See 29 CFR 4.174)

THE OCCUPATIONS WHICH HAVE NUMBERED FOOTNOTES IN PARENTHESES RECEIVE THE FOLLOWING:

1) COMPUTER EMPLOYEES: This wage determination does not apply to any individual employed in a bona fide executive, administrative, or professional capacity, as defined in 29 C.F.R. Part 541. (See 41 C.F.R. 6701(3)). Because most Computer Systems Analysts and Computer Programmers who are paid at least $27.63 per hour (or at least $684 per week if paid on a salary or fee basis) likely qualify as exempt computer professionals under 29 U.S.C. 213(a)(1) and 29 U.S.C. 213(a)(17), this wage determination may not include wage rates for all occupations within those job families. In such instances, a conformance will be necessary if there are nonexempt employees in these job families working on the contract.

Job titles vary widely and change quickly in the computer industry, and are not determinative of whether an employee is an exempt computer professional. To be exempt, computer employees who satisfy the compensation requirements must also have a primary duty that consists of:

(1) The application of systems analysis techniques and procedures, including consulting with users, to determine hardware, software or system functional specifications;

(2) The design, development, documentation, analysis, creation, testing or modification of computer systems or programs, including prototypes, based on and related to user or system design specifications;

(3) The design, documentation, testing, creation or modification of computer programs related to machine operating systems; or

(4) A combination of the aforementioned duties, the performance of which requires the same level of skills. (29 C.F.R. 541.400).

Any computer employee who meets the applicable compensation requirements and the

above duties test qualifies as an exempt computer professional under both section 13(a)(1) and section 13(a)(17) of the Fair Labor Standards Act. (Field Assistance Bulletin No. 2006-3 (Dec. 14, 2006)). Accordingly, this wage determination will not apply to any exempt computer employee regardless of which of these two exemptions is utilized.

2) AIR TRAFFIC CONTROLLERS AND WEATHER OBSERVERS - NIGHT PAY & SUNDAY PAY: If you work at night as part of a regular tour of duty, you will earn a night differential and receive an additional 10% of basic pay for any hours worked between 6pm and 6am. If you are a full-time employed (40 hours a week) and Sunday is part of your regularly scheduled workweek, you are paid at your rate of basic pay plus a Sunday premium of 25% of your basic rate for each hour of Sunday work which is not overtime (i.e. occasional work on Sunday outside the normal tour of duty is considered overtime work).

** HAZARDOUS PAY DIFFERENTIAL **

An 8 percent differential is applicable to employees employed in a position that represents a high degree of hazard when working with or in close proximity to ordnance, explosives, and incendiary materials. This includes work such as screening, blending, dying, mixing, and pressing of sensitive ordnance, explosives, and pyrotechnic compositions such as lead azide, black powder and photoflash powder. All dry-house activities involving propellants or explosives. Demilitarization, modification, renovation, demolition, and maintenance operations on sensitive ordnance, explosives and incendiary materials. All operations involving re-grading and cleaning of artillery ranges.

A 4 percent differential is applicable to employees employed in a position that represents a low degree of hazard when working with, or in close proximity to ordnance, (or employees possibly adjacent to) explosives and incendiary materials which involves potential injury such as laceration of hands, face, or arms of the

employee engaged in the operation, irritation of the skin, minor burns and the like; minimal damage to immediate or adjacent work area or equipment being used. All operations involving, unloading, storage, and hauling of ordnance, explosive, and incendiary ordnance material other than small arms ammunition. These differentials are only applicable to work that has been specifically designated by the agency for ordnance, explosives, and incendiary material differential pay.

** UNIFORM ALLOWANCE **

If employees are required to wear uniforms in the performance of this contract (either by the terms of the Government contract, by the employer, by the state or local law, etc.), the cost of furnishing such uniforms and maintaining (by laundering or dry cleaning) such uniforms is an expense that may not be borne by an employee where such cost reduces the hourly rate below that required by the wage determination. The Department of Labor will accept payment in accordance with the following standards as compliance:

The contractor or subcontractor is required to furnish all employees with an adequate number of uniforms without cost or to reimburse employees for the actual cost of the uniforms. In addition, where uniform cleaning and maintenance is made the responsibility of the employee, all contractors and subcontractors subject to this wage determination shall (in the absence of a bona fide collective bargaining agreement providing for a different amount, or the furnishing of contrary affirmative proof as to the actual cost), reimburse all employees for such cleaning and maintenance at a rate of $3.35 per week (or $.67 cents per day). However, in those instances where the uniforms furnished are made of """"wash and wear"""" materials, may be routinely washed and dried with other personal garments, and do not require any special treatment such as dry cleaning, daily washing, or commercial laundering in order to meet the cleanliness or appearance standards set by the terms of the Government contract, by the contractor, by law, or by the nature of the work, there is no requirement that employees be reimbursed for uniform maintenance costs.

** SERVICE CONTRACT ACT DIRECTORY OF OCCUPATIONS **

The duties of employees under job titles listed are those described in the """"Service Contract Act Directory of Occupations"""", Fifth Edition (Revision 1), dated September 2015, unless otherwise indicated.

** REQUEST FOR AUTHORIZATION OF ADDITIONAL CLASSIFICATION AND WAGE RATE, Standard Form 1444 (SF-1444) **

Conformance Process:

The contracting officer shall require that any class of service employee which is not listed herein and which is to be employed under the contract (i.e., the work to be performed is not performed by any classification listed in the wage determination), be classified by the contractor so as to provide a reasonable relationship (i.e., appropriate level of skill comparison) between such unlisted classifications and the classifications listed in the wage determination (See 29 CFR 4.6(b)(2)(i)). Such conforming procedures shall be initiated by the contractor prior to the performance of contract work by such unlisted class(es) of employees (See 29 CFR 4.6(b)(2)(ii)). The Wage and Hour Division shall make a final determination of conformed classification, wage rate, and/or fringe benefits which shall be paid to all employees performing in the classification from the first day of work on which contract work is performed by them in the classification. Failure to pay such unlisted employees the compensation agreed upon by the interested parties and/or fully determined by the Wage and Hour Division retroactive to the date such class of employees commenced contract work shall be a violation of the Act and this contract. (See 29 CFR 4.6(b)(2)(v)). When multiple wage determinations are included in a contract, a separate SF-1444 should be prepared for each wage determination to which a class(es) is to be conformed.

The process for preparing a conformance request is as follows:

1) When preparing the bid, the contractor identifies the need for a conformed occupation(s) and computes a proposed rate(s).

2) After contract award, the contractor prepares a written report listing in order the proposed classification title(s), a Federal grade equivalency (FGE) for each proposed classification(s), job description(s), and rationale for proposed wage rate(s), including information regarding the agreement or disagreement of the authorized representative of the employees involved, or where there is no authorized representative, the employees themselves. This report should be submitted to the contracting officer no later than 30 days after such unlisted class(es) of employees performs any contract work.

3) The contracting officer reviews the proposed action and promptly submits a report of the action, together with the agency's recommendations and pertinent information including the position of the contractor and the employees, to the U.S. Department of Labor, Wage and Hour Division, for review (See 29 CFR 4.6(b)(2)(ii)).

4) Within 30 days of receipt, the Wage and Hour Division approves, modifies, or disapproves the action via transmittal to the agency contracting officer, or notifies the contracting officer that additional time will be required to process the request.

5) The contracting officer transmits the Wage and Hour Division's decision to the contractor.

6) Each affected employee shall be furnished by the contractor with a written copy of such determination or it shall be posted as a part of the wage determination (See 29 CFR 4.6(b)(2)(iii)).

Information required by the Regulations must be submitted on SF-1444 or bond paper.

When preparing a conformance request, the """"Service Contract Act Directory of

DISTRIBUTION: DoW COMMUNITY ONLY

Occupations""" should be used to compare job definitions to ensure that duties requested are not performed by a classification already listed in the wage determination. Remember, it is not the job title, but the required tasks that determine whether a class is included in an established wage determination. Conformances may not be used to artificially split, combine, or subdivide classifications listed in the wage determination (See 29 CFR 4.152(c)(1))."""

SUBMITTED BY 02 OFFICE

ATTACHMENT J-0200000-03
DIRECTIVES, INSTRUCTIONS, AND REFERENCES

Reference	Title
ANSI/ISEA 107-2010	High Visibility Garment Standard
29 CFR 1910.120	Hazardous Materials - Hazardous waste operations and emergency response
29 CFR 1910.134	Personal Protective Equipment-Respiratory protection.
29 CFR 1926.16	Safety and Health Regulations for Construction
29 CFR 1926.59	Occupational Health and Environmental Controls - Hazard communication
40 CFR 247	Comprehensive Procurement Guideline for Products Containing Recovered Materials
DFARS 252.223-7004	Drug Free Work Force
EM 385-1-1	U.S. Army Corps of Engineers Safety and Health Requirements
E.O. 13423	Executive Order Strengthening Federal Environmental, Energy, and Transportation Management
FAR 52.223-2	Affirmative Procurement of Biobased Products under Service and Construction Contracts
FAR 52.223-3	Hazardous Material Identification and Material Safety Data Sheet
FAR 52.228-5	Insurance – Work On A Government Installation
FAR 52.246-4	Inspection of Services Fixed-Price
NFPA 10	Standard for Portable Fire Extinguishers
NFPA 241	Standard for Safeguarding Construction, Alteration, and Demolition Operations
NFPA 51B	Standard for Fire Prevention During Welding, Cutting and other Hot Work
NFPA 70	National Electric Code
NFPA 70E	Standard for Electrical Safety in the Workplace
P.L. 91-596	Occupational Safety and Health Act