SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL PRODUCTS AND COMMERCIAL SERVICES

NOTE: OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, AND 30.

1. REQUISITION NUMBER	PAGE 1 OF
	87

2. CONTRACT NUMBER	3. AWARD/EFFECTIVE DATE	4. ORDER NUMBER	5. SOLICITATION NUMBER	6. SOLICITATION ISSUE DATE
			N3904027Q1001	03 Nov 2026

7. FOR SOLICITATION INFORMATION CALL:	a. NAME	b. TELEPHONE NUMBER *(No collect calls)*	8. OFFER DUE DATE/ LOCAL TIME
	David Ham	2079944511	10 Nov 2026 08:00 AM

9. ISSUED BY CODE N39040

PORTSMOUTH NAVAL SHIPYARD GF
PORTSMOUTH NH 03801-5000
PORTSMOUTH, NH 03801-5000
UNITED STATES
David Ham, Email: david.m.ham7.civ@us.navy.mil Telephone: 2079944511

10. THIS ACQUISITION IS [X] UNRESTRICTED OR [ ] SET ASIDE: ____ % FOR:

- [ ] SMALL BUSINESS
- [ ] HUBZONE SMALL BUSINESS
- [ ] SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS (SDVOSB)
- [ ] WOMEN-OWNED SMALL BUSINESS (WOSB)
- [ ] ECONOMICALLY DISADVANTAGED WOMEN-OWNED SMALL BUSINESS (EDWOSB)
- [ ] 8(A)

NORTH AMERICAN INDUSTRY CLASSIFICATION STANDARD (NAICS): 532490

SIZE STANDARD:

11. DELIVERY FOR FREE ON BOARD (FOB) DESTINATION UNLESS BLOCK IS MARKED
[ ] SEE SCHEDULE

12. DISCOUNT TERMS

[X] 13a. THIS CONTRACT IS A RATED ORDER UNDER THE DEFENSE PRIORITIES AND ALLOCATIONS SYSTEM - DPAS (15 CFR 700)

13b. RATING DO-A3

14. METHOD OF SOLICITATION
[X] REQUEST FOR QUOTE (RFQ) [ ] INVITATION FOR BID (IFB) [ ] REQUEST FOR PROPOSAL (RFP)

15. DELIVER TO CODE

See Schedule

16. ADMINISTERED BY CODE

17a. CONTRACTOR/ OFFEROR CODE FACILITY CODE

TELEPHONE NUMBER

[ ] 17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER

18a. PAYMENT WILL BE MADE BY CODE

[ ] 18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED [ ] SEE ADDENDUM

19. ITEM NUMBER	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	See Schedule *(Use Reverse and/or Attach Additional Sheets as Necessary)*				

25. ACCOUNTING AND APPROPRIATION DATA
See Section G - Contract Administration Data

26. TOTAL AWARD AMOUNT *(For Government Use Only)*

[X] 27a. SOLICITATION INCORPORATES BY REFERENCE (FEDERAL ACQUISITION REGULATION) FAR 52.212-1, 52.212-4. FAR 52.212-3 AND 52.212-5 ARE ATTACHED. ADDENDA [X] ARE [ ] ARE NOT ATTACHED

[ ] 27b. CONTRACT/PURCHASE ORDER INCORPORATES BY REFERENCE FAR 52.212-4. FAR 52.212-5 IS ATTACHED. ADDENDA [ ] ARE [ ] ARE NOT ATTACHED

[ ] 28. CONTRACTOR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN ____ COPIES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED

[ ] 29. AWARD OF CONTRACT: REFERENCE ____ OFFER DATED . ____ . YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS: See Schedule

30a. SIGNATURE OF OFFEROR/CONTRACTOR

31a. UNITED STATES OF AMERICA *(SIGNATURE OF CONTRACTING OFFICER)*

30b. NAME AND TITLE OF SIGNER *(Type or print)*	30c. DATE SIGNED	31b. NAME OF CONTRACTING OFFICER *(Type or print)*	31c. DATE SIGNED

Section A - Solicitation/Contract Form

Temp HVAC and Exhaust System

Section B - Supplies or Services & Prices or Costs

Additional Information/Notes

Item	Supplies/Service	Quantity	Unit	Unit Price	Amount
0001	Rental of (3) V-01 or V-02 Triple/Double Coil HVAC in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	52	Week		
0002	Rental of (5) V-03 Exhaust Blowers in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	52	Week		
0003	Rental of (14) V-13 E-Stop Equipment in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	52	Week		
0004	Rental of (7) V-04 Electric Fan Coil Unit in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	18	Week		
0005	Freight: All transportation costs associated with CLINs 0001-0004 Pricing Arrangement: Firm Fixed Price	1	Job		
Option Line Item 0006	Rental of (1) V-05 230 Ton Chiller & (1) V-06 CHW Pump 600gpm in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	25	Week		
Option Line Item 0007	Rental of (1) V-05 230 Ton Chiller & (1) V-06 CHW Pump 600gpm in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	25	Week		
Option Line Item 0008	Rental of Hoses & Elbows in accordance with the Statement of Work V-07: 6 IN Dia CHW Hose V-08: 6 IN Dia 90 Elbow V-09: 4 IN Dia CHW Hose V-10: 4 IN Dia 90 Elbow Pricing Arrangement: Firm Fixed Price	25	Week		

Option Line Item 0009	Rental of (4) V-11 CHW X Manifolds & V-12 CHW Adaptors in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	25	Week		
Option Line Item 0010	Freight: All transportation costs associated with CLINs 0006-0009 in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	1	Job		
0011	See Exhibits: A Contract Data Requirements List (CDRL) Data Items: A01 - Certification Data Report A02 - Contractor's Personnel Roster A03 - Equipment Technical Manual A04 - Maintenance Service Report A05 - Hydrostatic Test Report A06 - Maintenance Support Plan A07 - Calibration Certificate/Report				
A001	Certification Data Report in accordance with Exhibit A Pricing Arrangement: Firm Fixed Price	1	Each		
A002	Contractor's Personnel Roster in accordance with Exhibit A Pricing Arrangement: Firm Fixed Price	1	Each		
A003	Equipment Technical Manual in accordance with Exhibit A Pricing Arrangement: Firm Fixed Price	1	Each		
A004	Maintenance Service Report in accordance with Exhibit A Pricing Arrangement: Firm Fixed Price	52	Week		
A005	Hydrostatic Test Report in accordance with Exhibit A Pricing Arrangement: Firm Fixed Price	1	Each		
A006	Maintenance Support Plan in accordance with Exhibit A Pricing Arrangement: Firm Fixed Price	1	Each		
A007	Calibration Certificate/Report in accordance with Exhibit A	1	Each		

	Pricing Arrangement: Firm Fixed Price				
0012	Preventative, Routine Maintenance & Training in accordance with Sections 5.3 & 5.4 of the Statement of Work Pricing Arrangement: Firm Fixed Price	52	Week		
Option Line Item 1001	Option to Extend CLIN 0001 - Rental of (3) V-01 or V-02 Triple/Double Coil HVAC in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	44	Week		
Option Line Item 1002	Option to Extend CLIN 0002 - Rental of (5) V-03 Exhaust Blowers in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	44	Week		
Option Line Item 1003	Option to Extend CLIN 0003 - Rental of V-13 E-Stop Equipment in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	44	Week		
Option Line Item 1004	Option to Extend - Rental of (7) V-04 Electric Fan Coil Unit in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	31	Week		
Option Line Item 1005	Freight: All transportation costs associated with Option CLINs 1001-1004 Pricing Arrangement: Firm Fixed Price	1	Job		
Option Line Item 1006	Option to Extend CLIN 0006 - Rental of (1) V-05 230 Ton Chiller & (1) V-06 CHW Pump 600gpm in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	26	Week		
Option Line Item 1007	Option to Extend CLIN 0007 - Rental of (1) V-05 230 Ton Chiller & (1) V-06 CHW Pump 600gpm in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	26	Week		
Option Line Item 1008	Option to Extend CLIN 0008 - Rental of Hoses & Elbows in accordance with the Statement of Work V-07: 6 IN Dia CHW Hose V-08: 6 IN Dia 90 Elbow V-09: 4 IN Dia CHW Hose V-10: 4 IN Dia 90 Elbow	26	Week		

	Pricing Arrangement: Firm Fixed Price				
Option Line Item 1009	Option to Extend 0009 - Rental of (4) V-11 CHW X Manifolds & V-12 CHW Adaptors in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	26	Week		
Option Line Item 1010	Freight: All transportation costs associated with Option CLINs 1006-1009 in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	1	Job		
Option Line Item 1011	See Exhibits: B Contract Data Requirements List (CDRL) Data Items: B01 - Certification Data Report B02 - Contractor's Personnel Roster B03 - Equipment Technical Manual B04 - Maintenance Service Report B05 - Hydrostatic Test Report B06 - Maintenance Support Plan B07 - Calibration Certificate/Report				
Option Line Item B001	Certification Data Report in accordance with Exhibit B Pricing Arrangement: Firm Fixed Price	1	Each		
Option Line Item B002	Contractor's Personnel Roster in accordance with Exhibit B Pricing Arrangement: Firm Fixed Price	1	Each		
Option Line Item B003	Equipment Technical Manual in accordance with Exhibit B Pricing Arrangement: Firm Fixed Price	1	Each		
Option Line Item B004	Maintenance Service Report in accordance with Exhibit B Pricing Arrangement: Firm Fixed Price	44	Week		
Option Line Item B005	Hydrostatic Test Report in accordance with Exhibit B Pricing Arrangement: Firm Fixed Price	1	Each		

Option Line Item B006	Maintenance Support Plan in accordance with Exhibit B Pricing Arrangement: Firm Fixed Price	1	Each		
Option Line Item B007	Calibration Certificate/Report in accordance with Exhibit B Pricing Arrangement: Firm Fixed Price	1	Each		
Option Line Item 1012	Option to Extend CLIN 0012 - Preventative, Routine Maintenance & Training in accordance with Sections 5.3 & 5.4 of with the Statement of Work Pricing Arrangement: Firm Fixed Price	44	Week		
Option Line Item 2001	Option to Extend CLIN 1001 - Rental of (3) V-01 or V-02 Triple/Double Coil HVAC in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	4	Week		
Option Line Item 2002	Option to Extend CLIN 1002 - Rental of (5) V-03 Exhaust Blowers in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	4	Week		
Option Line Item 2003	Option to Extend CLIN 1003 - Rental of V-13 E-Stop Equipment in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	4	Week		
Option Line Item 2006	Option to Extend CLIN 1006 - Rental of (1) V-05 230 Ton Chiller & (1) V-06 CHW Pump 600gpm in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	4	Week		
Option Line Item 2007	Option to Extend CLIN 1007 - Rental of (1) V-05 230 Ton Chiller & (1) V-06 CHW Pump 600gpm in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	4	Week		
Option Line Item 2008	Option to Extend CLIN 1008 - Rental of Hoses & Elbows in accordance with the Statement of Work V-07: 6 IN Dia CHW Hose V-08: 6 IN Dia 90 Elbow V-09: 4 IN Dia CHW Hose V-10: 4 IN Dia 90 Elbow	4	Week		

	Pricing Arrangement: Firm Fixed Price				
Option Line Item 2009	Option to Extend 1009 - Rental of (4) V-11 CHW X Manifolds & V-12 CHW Adaptors in accordance with the Statement of Work Pricing Arrangement: Firm Fixed Price	4	Week		
Option Line Item 2011	See Exhibits: C Contract Data Requirements List (CDRL) Data Items: C01 - Certification Data Report C02 - Contractor's Personnel Roster C03 - Equipment Technical Manual C04 - Maintenance Service Report C05 - Hydrostatic Test Report C06 - Maintenance Support Plan C07 - Calibration Certificate/Report				
Option Line Item C001	Certification Data Report in accordance with Exhibit C Pricing Arrangement: Firm Fixed Price	1	Each		
Option Line Item C002	Contractor's Personnel Roster in accordance with Exhibit C Pricing Arrangement: Firm Fixed Price	1	Each		
Option Line Item C003	Equipment Technical Manual in accordance with Exhibit C Pricing Arrangement: Firm Fixed Price	1	Each		
Option Line Item C004	Maintenance Service Report in accordance with Exhibit C Pricing Arrangement: Firm Fixed Price	4	Week		
Option Line Item C005	Hydrostatic Test Report in accordance with Exhibit C Pricing Arrangement: Firm Fixed Price	1	Each		
Option Line Item C006	Maintenance Support Plan in accordance with Exhibit C Pricing Arrangement: Firm Fixed Price	1	Each		

Option Line Item C007	Calibration Certificate/Report in accordance with Exhibit C Pricing Arrangement: Firm Fixed Price	1	Each		
Option Line Item 2012	Option to Extend CLIN 1012 - Preventative, Routine Maintenance & Training in accordance with Sections 5.3 & 5.4 of the Statement of Work Pricing Arrangement: Firm Fixed Price	4	Week		

Section C - Description/Specifications/Statement of Work

STATEMENT OF WORK

1. SCOPE

1.1. Portsmouth Naval Shipyard (PNSY) is seeking to lease a temporary HVAC & Exhaust system with steam heat connections, but electric heat is an acceptable option if the rental industry cannot support the steam request.

2. REFERENCES

2.1. **Issues of Publications -** The following documents in effect on the date of this requested proposal is a part of this specification to the extent applicable, or as specified herein. Within the specification, they shall be referred to by their basic designation only.

2.1.1. **Government**

2.1.1.1. US Federal standard A-A-59326: Standard for cam action couplings.

2.1.2. **Nongovernment**

2.1.2.1. Spark Resistant Construction (SRC: AMCA Standard 99-0401-86) Type C

2.1.2.2. AHRI Standard 410

2.2. **Order of precedence** - In the event of conflict between the text of this specification and that of the references cited above, the text of this specification shall take precedence. Nothing in this specification, however, shall supersede applicable laws or regulations unless a specific exemption has been obtained.

3. TECHNICAL REQUIREMENTS

3.1. Component List

PIECE NO.	QTY.	NAME OF PART	Table	Section
V-01	1-3	HVAC Unit: Triple Coil Unit	1 & 1A	4.3-4.5 4.7-4.14
V-03	5	Industrial Exhaust Blower	5	4.4, 4.8- 4.14
V-04	7	Electric Fan Coil Unit- Heater (150 KW)	6	4.4, 4.8- 4.14
V-05	2	230 Ton Chiller	2	4.1-4.3, 4.5, 4.6, 4.8-4.14
V-06	2	Chilled Water Pump: 600 GPM	3	4.1-4.5, 4.8-4.14
V-07	1,000 FT	6 IN Dia Chilled Water Hose	4	4.2, 4.3, 4.5

V-08	4	6 IN Dia. 90 Degree Elbows	4	4.2, 4.3, 4.5
V-09	1,000 FT	4 IN Dia Chilled Water Hose	4	4.2, 4.3, 4.5
V-10	10	4 IN Dia. 90 Degree Elbows	4	4.2, 4.3, 4.5
V-11	4	Chilled Water X Manifold	4	4.2, 4.3, 4.5
V-12	4	CHW Adaptors / Transition Fittings	4	4.2, 4.3, 4.5
V-13	14	Emergency Remote Stop (E-Stop)	7	5.2.4.1.7

3.2. Alternate Component List

PIECE NO.	QTY.	NAME OF PART	Table.	Section
V-02	0-2	HVAC Unit: Dual Coil Unit	1	4.3-4.5 4.7-4.14

	Table 1: Dual Coil HVAC Unit
Maximum Dimensions	21 ft long, 8.5 ft wide, 17,000 lbs
Emergency Stop	Must be pre-wired for, compatible with, and supplied with, Emergency Remote Stop (E-Stop) (See Table 7 for E-Stop Requirement)
Fabrication	All components must be fully integrated within single housing equipped with appropriately rated overhead lifting points.
Power Supply	480 VAC Nominal / 3 Phase / 400FLA max.
Electrical Connections	Camlok Style (J Series locking style i.e. 1016 series)
Process Air Minimums	Four outlets. (All outlets must be 20" diameter, each, capable of connecting 20" flex duct).
20,000 CFM (5,000 per outlet) at 7 inches External Static Pressure	
TEFC Premium Motors, VFD fan controller capable of 50% of rated airflow	

Tightly sealed non-detachable process air inlet/outlet. Detachable covers are permitted.	
Process Air Filtration	Moisture Separator/Demister type filtration for purging 98% of the moisture. Paper or fibrous filtration media is NOT ACCEPTABLE.
Metal process air inlet filters	
Electric Heater Minimums	240KW electric heating element, thermostatically controlled to discharge air temperature set point.
Cooling Coil Ton (min)	120 Tons with 42F entering chill water and 10F T thermostatically controlled.
Cooling Coil Connection	4" non-ferrous, non-galvanized, metal cam and groove quick-disconnect style per reference 2.1.1.1, with manual air bleed valves

	Table 1A: Triple Coil HVAC Unit: Option
Steam Heat Minimum	2.0 MMBH
Steam Connection Type	11/2" FNPT 3 EA Inlet,
3/4" NPT Condensate drain	
Steam Trap PSI	Minimum 150 PSI

*__NOTE__: If industry cannot support the desired Triple Coils, an option is to provide one Triple Coil (Table 1 and Table 1A) and two units meeting Table 1 specifications.

	Table 2: 200-230 Ton Air Cooled Chiller Unit
Maximum Dimensions	27.5 ft long, 8.5 ft wide, 22,000 lbs
Safety	Must have a low-flow switch (*not* a pressure differential switch).
Fabrication	All components (with sole exception of the pump) must be fully integrated within single housing equipped with appropriately rated overhead lifting points.
Electrical	480 VAC Nominal / 3 Phase / 400FLA max per circuit. Integrated chiller pump **MUST** be powered separately.
Electrical Connections	Camlok Style (J Series locking style i.e. 1016 series)

Cooling Capacity	210 Ton heat rejection @ 95F Ambient conditions
Leaving Water Temp	422F
Chill Water Outlet Range	38F-60F
Condenser Type	Air Cooled, forced air
Chiller Components	Minimum of 2 separate compressor and refrigeration circuits
Chill Water Connection	6 inch, non-ferrous, non-galvanized, metal cam and groove quick disconnect fittings per reference 2.1.1.1.
Chiller Interface	Must have a display which allows end-user to jog through current and historical data.
Data Requirements	System Performance Data
System Parameters Adjustment	
System Errors (Recorded and logged during equipment failure)	
Flow Meter (Calibrated)	Electronic 100-800 GPM @ 1 GPM resolution Electronic in-line, downstream of pump designed for system working pressure.

	Table 3: Chiller Pump
Configuration	Can be integral to the Chiller, or standalone, with same connection requirements as Chiller.
Performance	600 GPM at 100 ft head (H2O) compatible with chiller unit, if standalone.
Motor	Low speed, 1750 RPM
Electrical	480 VAC Nominal/ 3 Phase, capable of being powered independently of Chiller with appropriately sized disconnect switch.
Safety	Differential Pressure gage rated from 0-150 PSI, or Max discharge pressure +20 PSI, whichever is greater.

	Table 4: Hoses & Fittings
Hose Type	6" and 4" non-collapsible suction/discharge hose.
Hose Lengths (max)	25 ft

Connection Types	Male & Female Cam and Groove quick disconnect fittings, per reference 2.1.1.1 supplied with new gaskets for all hoses and manifolds.
Pressure Rating	150 PSI
Manifold	Cross-style, with two 6" connections (male & female) and two 4" connections (female).
Sufficient adapters to convert half of 4" female to 4" male.	
All connections must have hydrostatic caps/plugs capable of sealing against system pressure.	
All 4" legs shall have isolation valves.	
Manifolds shall be designed such that they stack together to minimize laydown space.	
Transition fittings	Adapter fittings to attach 4" hose to 3" equipment connections required if any equipment is provided with 3" connections.
Test Requirements	All hoses and fittings must have been previously hydrostatically testing to 1.5 times the pressure rating within 1 year of issuance.
Spare Soft goods	All hoses and fittings must be supplied with replacement gaskets for each fitting/hose size.

	Table 5: Industrial Exhaust Blowers
Physical Attributes	8'-6"L &W x 9'H
Minimum Capacity	10,000 CFM at 14 inches External Static Pressure
Electrical	480 VAC Nominal/ 3 Phase, with appropriately sized disconnect switch. 100FLA max.
Motor	NEMA Design B, TEFC premium, industrial, continuous-duty, ball bearing, foot mounted. Bearings shall be rated L-10 life (40,000 hrs). Equipped with VFD.
Safety	Must be pre-wired for, compatible with, and supplied with, Emergency Remote Stop (E-Stop) See Table 7

Must include guards for drive assembly per OSHA regulations and suction /discharge outlet fan guards	
Vibration Sensor with programmable electronic automatic shutdown, for protection of equipment. Sensor shall have two setpoints: lower setpoint illuminates a "caution" light. Upper setpoint secures blower automatically and illuminates a "warning" light.	
Construction	AMCA Standard 99-0401-86 Type C, Centrifugal, Up-Blast. Fan Wheel must be constructed with flat blades. Airfoil and backward incline blades are not acceptable. Blades shall be continuously welded to reduce stress.
Connections	Adaptable to two 14" inlets or six 8" inlets, capable of connecting 14" or 8" flexible duct. Contractor is responsible for providing transition inlet assembly.
Cleanout	Gasketed door, either hinged or bolted, to provide maintenance and cleanout access. Drain pipe connected to lowest point on fan housing, due to up-blast configuration.

	Table 6: 150KW Electric Heaters
Maximum Dimensions	4'W x 8' L x 5' H. 2000lbs
Minimum Airflow	7000 CFM at 5.6 inches Total Static Pressure
Minimum Heat	150KW electric heat with 240F air temperature rise
Motor	TEFC Premium Motors with VFD Controller
Electrical	480 VAC Nominal / 3 Phase / 200FLA max.
Electrical Connections	Camlok Style (J Series locking style i.e. 1016 series)
Controls	Thermostatically controlled discharge air temperature set point
Safety	Must be pre-wired for, compatible with, and supplied with, Emergency Remote Stop (E-Stop) See Table 7
Safety controls integrated into controller	
Connection	One 20 inch diameter outlet capable of connecting to 20 inch flexible ducting.
Construction	Must include fork pocket slots and overhead rigging connections (padeyes)

	Table 7: Emergency Remote Stop (E-Stop)
Cable Type	Type SO or equivalent (Heavy duty, flexible, portable, durable)
Cable Length	1500 ft per E-Stop to accommodate tortured routing paths
Accessories	Plexiglas cover for all E-Stop buttons to prevent inadvertent activation

*__NOTE__: Contractor is responsible for installation and routing of all E-Stop components.

4. NOTES:

4.1. **Chiller Capacity & Utilities:**

4.1.1. **Cooling:** The primary utility for the Chiller shall be all electric and air-cooled. The minimum nominal chilled water capacity shall be as indicated with the actual capacity, based on an ambient temperature of 95F dry bulb with an Entering Water Temperature (EWT) of 52F and a Leaving Water Temperature (LWT) of 42F, to be not less than 5% of the desired nominal capacity. The unit capacity shall not be greater than one-third above (+) the minimum specified capacity and shall be able to run continuously at one-quarter of that unit's stated capacity.

4.1.2. **Automatic Operation, Regulation, & Controls:** The Chilled Water Unit or Chiller Module shall be equipped with an automatic variable capacity control requiring only initial temperature adjustment of from 38 to 60F by the operator. Refrigeration circuits shall maintain the specified temperature condition while protecting against coil freeze-up. The unit / modules shall be completely wired for safety, capacity, and operation such as a power/switch system with circuit breakers, manual/automatic controller, motor overload protection, high/low pressure cut-outs, energy control system, and other essential components. The unit / modules shall be fully controllable under a wide range of loads even though the daily and seasonal ambient temperatures vary greatly.

4.1.3. **Design & Component Integration:** The unit / modules shall be designed for continuous operation at minimal loading (i.e. one-quarter of full capacity for refrigeration & one-third of full capacity for pumping) despite extreme ambient conditions (e.g. -10 to +100F and 0 to 100% RH).

4.1.4. **Cooling:** The condenser(s) shall be air-cooled via fan(s). The chiller shall have a sufficient water storage capacity to run isolated from a make-up water connection.

4.1.5. **Energy Efficiency:** For energy efficient operation in a fully loaded condition, the Full Load Amperage (FLA) rating for the combined Chilled Water Unit or the FLA summation for a separate Chiller Module plus one Pump Module shall be two and a half amperes or less per ton of actual chilled water capacity.

4.2. **Coolant Free:** Besides manifolds and hose assemblies that are normally flushed and tested, all machinery conveying chilled water such as: the Chiller, Pump and machines with a chilled water coil; shall arrive with no coolant of any type in its piping (i.e. No Water & No Anti-Freeze).

4.3. **Chilled Water Hose Assembly / Manifold Construction / Cooling Coil Hydrostatic Testing:** For standard Chilled Water Hose assemblies of six inch nominal diameter or less, the exterior cover shall be a thick rubber (Buna-N) type material designed as a CHW insulator. All Chilled Water connectors / fittings must be quick disconnect style fittings meeting the requirements defined in reference 2.1.1.1. Chilled Water Hose assemblies shall be noncollapsible and the camlock fittings shall be attached to the hose material via the more secure, newer type, crimp style hose fitting via a single specified diameter, elongated sleeve length and not from the less secure, older type, band clamp style hose fitting via multiple universal diameter, shorter ferrules. Gaskets for couplings shall be preinstalled inside the female coupling(s) of hose assemblies and manifolds. The gasket shall be inspected for presence, tight fit, and lack of deterioration. Gaskets shall not protrude into the waterway.. Hose/manifold/valve assemblies and all cooling coils shall be hydrostatically tested with new hose gaskets for Strength and Tightness and/or Valve Seat Leakage by an independent (of the Contractor) and certified Contractor to a minimum of 150 psig for five minutes and visually inspected and/or internal valve leakage measured while pressurized. Hydrostatic test date shall be within one calendar year of scheduled Arrival Date of the equipment. Hoses/manifolds/valve assemblies shall have a banded identification (ID) tag or label attached to the assembly displaying the hydrostatic test results. (CDRL A005, B005, C005)

4.4. **Phase Rotation:** To prevent or identify an out-of-phase electrical power situation, three-phase machines shall include either: **(a)** a reverse phase relay and/or meter that identifies an out-of-phase condition and prevents operation especially applied to complex machinery in which such a condition could cause damage or **(b)** an arrow prominently displayed at an appropriate location on the machine's housing to indicate the proper direction of shaft rotation with the ability to observe a portion of the shaft after a momentary application of power (a. k.a. jog or bump). A reverse phase relay is not required nor desired for VFD motors, however, the VFD shall have a jog button so as to verify correct rotation.

4.5. **Supplemental Equipment:** For the protection and cleanliness of the machinery components, all chilled water connection points shall be shipped with plug/cap fittings.

4.6. **Hydronic Flow Meter:** Attached to the Chiller and its associated pump shall be a continuous reading liquid flow meter, preferably, in-line with flow. The type of meter may be Electronic Metering. The physical positioning of the instrument shall be downstream of the Chiller immediately after its discharge. The flow meter assembly shall be rated for 150 psig;. The instrument shall be calibrated by a licensed Metrology Laboratory within five years of its scheduled delivery with certified calibration test results both accompanying the flow meter assembly. (CDRL A007, B007, C007)

4.7. **HVAC Capacity & Utilities**

4.7.1. **Control:** The unit shall include a permanently mounted control board accessible without opening any panels with temperature thermometer(s) and pressure gauge(s) as necessary for monitoring and control. The unit shall be fully controllable under a wide range of loads even though the diurnal and seasonal ambient temperatures vary greatly.

4.8. **Construction:** Except as noted for a particular machine type, units shall be a single integrated framed structure manufactured as a complete entity to include all devices, accessories, and fittings necessary to perform the function for which it was designed. Each unit shall be capable of continuous, year-round, outdoor, unmanned operation even at minimal loading while exposed from inclement to extremely harsh weather (e.g. deep snow, strong & gusty winds, and/or heavy rain) and varied ambient conditions (-10 to +110F & 0 to 100% RH). Machines shall meet State and federal requirements for its type such as the National Electrical Code (NEC) for electrical devices / components and the American Society of Mechanical Engineers (ASME) for pressurized vessels / components. Machines shall be modular in design so as to act as a stand-alone unit; compact so as to fit in the tight confines of a drydock; portable so as to be transported by forklift and then lifted by crane; and ruggedly constructed so as to endure a marine industrial environment. Machines shall be newly manufactured / completely refurbished and factory tested within ten (10) years.

4.9. **Electrical:** Electrical components shall conform to a NEMA standard (NEMA 3 or 4) that allows for unsheltered outdoor use of the unit. Each machine shall require only one type / source of electrical power (480 Nominal VAC / three-phase / 60 hertz). The type of electrical power required (voltage & amperage) must be clearly indicated on the outside of the equipment, readily detected, and collocated with all other electrical information. The

Contractor shall provide the PNSY Contracting Office with the following details: (i) electrical power type (amperage & voltage); (ii) confirming that the type of electrical connectors for three phase shall be camlok; (iii) breaker type/size or recommended capacity for the electrical source; and (iv) whether the machine is furnished with overcurrent protection.

4.10. **Lifting & Handling:**

4.10.1. **Lifting & Handling Exception:** Although considered to be machinery, individual pump units, being relatively lightweight and compact, are not required to be enclosed in a caged frame. However, the remaining Lifting and Handling requirements pertain in that the unit will be handled by forklift.

4.11. **Noise Requirement:** When operating at full speed, noise levels must not be over 85 dB[A] at less than three feet from the unit or frame unless a quieter noise level is specified. A hearing protection safety placard shall be posted on each machine generating more than 85 dB[A] at the unit's edge or frame.

4.12. **Machinery / Equipment Tagging and Markings:** Fluid piping inlet(s) / outlet(s) must be clearly marked. Machinery and itemized equipment require tagging to show Project Number / Technical Specification Identification (ID) Number

4.13. **Contractor Identification Of Itemized And Ancillary Equipment:** The Contractor shall uniquely tag and permanently mark all of its ancillary and itemized equipment / hardware (e.g. manifolds, hose assemblies, pipe fittings, duct adapters, ducting, etc.) so as to differentiate from that owned by either the Shipyard or other Contractors.

4.14. **Dead Front Control Panel or External Controller:** Access to basic machinery controls, such as a Dead Front Control Panel or External Controller, shall be such that there is non-exposure to energized *"live"* electrical circuits or other components regardless of voltage, to include control circuitry, by *"a person on the operating side of the equipment"*.

5. RESPONSIBILITES

5.1. **Government**

5.1.1. Equipment Technical Evaluation: Temporary Services Engineering

5.1.2. Receipt Inspection: Contractor Officer Representative (COR)

5.1.3. Coordination of equipment delivery & returns: COR

5.1.4. Schedule equipment service, repair, and training: COR

5.2. **Contractor**

5.2.1. Use Table E1 of Enclosure 1 to verify conformity with the Technical Requirements.

5.2.2. The equipment will be operating around-the-clock under a rigorous deployment performance schedule. Within twenty-four (24) hours of initial notification of the need for repair, the Contractor shall have a qualified and equipped technician on the job-site fully prepared to repair the rental equipment. The defective unit(s) shall be repaired within forty-eight (48) hours of initial notification or, if the original defective unit(s) cannot be made operational, replaced within seventy-two (72) hours of initial notification. If the equipment failure is not the fault of the Government, the Contractor shall bear all costs associated with its repair and/or replacement.

5.2.3. The contractor shall provide technical support to PNSY project personnel as required.

5.2.4. Equipment Start-up/ Commissioning Services

5.2.4.1. Contractor must provide start-up and commissioning services to prepare the equipment to be placed into service. This includes but is not limited to the following:

5.2.4.1.1. Pressurizing the system

5.2.4.1.2. Performing leak check of all contractor made connections

5.2.4.1.3. Adjusting setpoint(s) to meet the requirements of this Statement of Work

5.2.4.1.4. Verifying satisfactory operation of all drains installed on equipment

5.2.4.1.5. Troubleshooting/adjudicating any alarm conditions present on start-up (See 5.3) 5.2.4.1.6.

Training Government operators in equipment function, control and alarm(s)/indications.

5.2.4.1.7. Installation and routing of all E-Stop components.

5.3. **Maintenance**

5.3.1. Except for daily surveillance checks, the Contractor is responsible for all equipment preventative maintenance and repairs for the duration of the lease. Coordinate maintenance with Contracting Office Representative (COR) or Technical Point of Contact (TPOC).

5.3.2. The contractor shall provide Preventative Maintenance (PM) schedules which are equipment specific. The PM shall meet all requirements determined by the Original Equipment Manufacturer (OEM). (CDRL A006, B006, C006) All PMs conducted shall include a technical service report identifying component, maintenance conducted, date, and next scheduled PM date. (CDRL A004, B004, C004).

5.3.3. In addition to providing routine preventative maintenance, the contractor shall provide a service technician on a weekly basis for the duration of the lease to perform weekly equipment inspections. Weekly equipment inspections shall consist of checking all functional operating parameters of each individual piece of equipment. This shall include but is not limited to: verifying correct equipment performance and operation, checking for diagnostic or trouble codes, measuring discharge air temps, verify amperage of all electric heating coils, verification of chilled water coils performance, verify pump operation, motor speed, and differential pressure, verify HVAC process air fan speeds, verify HVAC intake filter condition, Chiller performance operation, etc. Weekly equipment inspections shall include a technical field report identifying the status of each piece of equipment and shall include all data / measurement points verified. (CDRL A004, B004, C004).

5.3.4. The contractor shall provide a qualified service technician to cover the repair of all equipment deficiencies and malfunctions. The response time for the repair or replacement of deficient equipment shall meet the requirements defined in section 5.2.2.

5.4. **Training**

5.4.1. The Contractor is responsible for and shall provide training sessions to Shipyard Personal on the operation, set-up and daily surveillance requirements. Training shall be available throughout the duration of the lease to accommodate equipment swap out and seasonal equipment operation.

5.5. **Deliverables -** In addition to all required equipment, technical documentation shall also be provided electronically to the project COR and Engineering. Minimally, the documentation shall consist of:

5.5.1. Lifting & Handling the equipment with its padeye(s) Certification (CDRL A001, B001, C001)

5.5.2. Points of contact with telephone numbers for requesting emergency repair regardless of the time or type of day (CDRL A002, B002, C002)

5.5.3. Technical Instructions (TIs) such as an Operations & Maintenance Manual, Controls Manual, and/or Mechanical/Electrical Manual with Schematics. (CDRL A003, B003, C003)

5.5.4. Operating Instructions, if not in the TI. (CDRL A003, B003, C003)

5.5.5. Preventative Maintenance Schedules & Weekly Maintenance Reports. (See section 5.3.2 & 5.3.3) (CDRL A006, B006, C006)

5.5.6. Equipment Data Sheet (EDS). (CDRL A003, B003, C003)

5.5.7. Hydrostatic Pressure Test Reports. (CDRL A005, B005, C005)

5.5.8. Flow meter calibration certificate. (CDRL A007, B007, C007)

6. DELIVERY / ACCEPTANCE / RETURN

6.1. **Delivery** - The machinery shall be in a fully-charged, fully-assembled, ready-to-use, and in a first-class-operating condition. Machines shall be functionally tested prior to its delivery and all leased products, including machine / equipment / ancillary component accompanying machine, must fully function as intended. The machinery with its support equipment shall be delivered to the site on or prior to the request date. It is incumbent and the responsibility of the Contractor to either confirm or coordinate the date and time of delivery prior to each shipment via the Point-of-Contact (POC) as designated on the Contract and/or the Contracting Officer's Representative (COR). The Government can provide forklift services for removing machinery from Contractor's transport during work hours. Documentation with Shipyard copies shall accompany each delivery.

6.2. **Acceptance**- Upon satisfactory completion of inspection and test of the equipment, the authorized Government

Representative (Portsmouth Naval Shipyard, Equipment Manager) will sign and forward the acceptance

document(s) to the POC as designated on the Contract and/or COR for completion. Unloading of equipment from Contractor's transport does not signify acceptance.

6.3. **Start Up-** Upon delivery, the Contractor shall: **(i)** provide start up and commissioning of the equipment to verify its operability per SOW section 5.2.4; **(ii)** provide all deliverables as required per SOW section 5.5 and **(iii)** train designated Shipyard personnel on how to properly run the equipment to include its operation, control, daily checks, & service contacts per SOW sections 5.2.4.1.6 and 5.4.

6.4. **Security -** To be allowed onto PNSY:

6.4.1. All personnel assigned by the contractor to perform work or site visits must be US citizens. The contractor company manager will be required to submit a visit request listing information of personnel needing access aboard Portsmouth Naval Shipyard. Visit request must include the full name of the persons nationality, birth date and Social Security Number. Visit request may be in the form of a letter on company stationery with signature from company security manager or authorized company representative and faxed to the Pass and ID office at (207) 438-2669 or emailed to PNSDBIDS@US.NAVY.MIL. Company visit requests shall be submitted annually and as often as necessary to update employees of the company who need continued access to the Shipyard. Criminal history and/or falsification of information provided by an employee of the company may be subject to denial for unescorted access up to and including general access to the Shipyard. For contractors needing short term access to the shipyard the PNSY sponsor will submit the NAVSEA LOCAL VISIT REQUEST via the PNSY homepage.

6.4.2. If employees do not have a government issued contractor CAC which will allow access to the base, a SECNAV 5512/1 will need to be filled out and brought in with them to Pass & ID in order for the individual to be vetted and granted a (DBIDS) Defense Biometric Identification System pass or credential to allow access to the base.

6.4.3. Personnel must provide two forms of ID. One of which must prove U.S. citizenship in order to access the NAVSEA Controlled Industrial Area (CIA) or any other NAVSEA spaces. Documents: a valid REAL ID compliant driver's license, passport, birth certificate or government CAC. All documents must be active. No expired documents will be accepted.

6.4.4. Badge Criteria:

6.4.4.1. Green badges will be issued to contractors who are verified U.S. citizens, have a shipyard sponsor and a verified need to provide a service or perform work at PNSY.

6.4.4.2. These badges provide unescorted access to the CIA, excluding Nuclear Work Area's (NWA's),

Controlled Nuclear Information Areas (CNIA's), Security Islands (SI's) and Other Sensitive Areas (OSA)

6.4.4.3. The Standard Access Control Badge (SACB) is U.S. Government property and it must be protected and returned to Pass & ID office or Security Department upon termination of employment, completion of work, service performed, expiration of contract or no longer a need to enter NAVSEA controlled spaces.

6.4.4.4. The SACB will be displayed at the chest level area of the outer clothing with the picture side visible at all times.

6.4.4.5. No objects, pins or stickers can be attached to the badge. If the badge becomes faded, damaged or illegible for any reason the bearer will report to the Pass & ID office for a new badge.

6.4.5. Camera-enabled devices of any kind, including cell phones, laptops, and tablets, are prohibited inside the CIA. Laptops without cameras must be registered with the Security Office before entering the CIA.

6.4.6. All contractor vehicles are subject to inspection prior to allowing entry onto this installation.

6.4.7. Contractor vehicles may enter the CIA through the open CIA vehicle gate. Personal vehicles are precluded from entry. CIA access by Contractor vehicles will be kept to the absolute minimum necessary to accomplish the contracted work. All contractor vehicles must meet the following:

6.4.7.1. Possess a valid vehicle registration showing the vehicle is a company owned or leased vehicle, or

rental vehicle rented by the company; a valid state safety inspection as required by the state of registration and an inspection pass from Commercial Vehicle Inspections Station (CVIS) located at the main gate.

6.4.7.2. Contractor logo should be located on both sides of the vehicle and either painted on or magnetic sign. Paper or cardboard signs are not authorized. Lettering must be a minimum of 2-inch font and displayed in a manner that is clearly visible. 6.4.7.3. Contractor vehicles will be authorized access to the CIA to deliver contractor equipment to the work site. The use of these vehicles solely for the transport of personnel is not authorized.

6.4.8. CIA inspection passes will be issued to a contractor vehicle meeting the above criteria. CIA passes will have an expiration date, time and initials of the issuing officer. From the time of issue, the contractor vehicle must enter the CIA within 7 minutes from the time issued. Any contractor attempting to access the CIA after the 7-minute time window will be denied entry and directed back to CVIS for re-inspection.

6.5. **Receipt Inspection Criteria -** Equipment must meet all criteria defined in this specification.

6.6. **Return** - The Government will provide a temporary storage location convenient for Contractor pick-up. The Government will notify the Contractor as well as the Contracting Office as to when the rental Item has been released and is available for pick-up. The last day of the rental period shall be the next normal workday after the Contractor has been so notified. The Contractor shall be responsible for shipping. The Government can provide forklift services during work hours for placing the equipment onto the contractor's transport.

7. GENERAL

7.1. **Response to Request** - As part of the response to this request, descriptive literature shall be furnished in sufficient detail to show that the proposed design will meet these specifications. Contractor submittals shall include brochures of the model being submitted, assembly sketches with critical dimensions, sketches (with dimensions) of all tooling being provided, statements of compliance with specification, and performance statements with special instructions. Supporting information shall be organized and packaged by unit. If supporting information includes multiple models the contractor shall clearly state model number of proposed unit and redact all information not applicable to proposed unit.

Enclosure 1

Table E1

SOW Compliance Checklist

SOW	**REQUIREMENT**	**COMPLIANCE WITH SOW.** (See Instructions Below)	**EXCEPTIONS TO SOW.** (See Instructions Below)
Equipment			
Table 1	Equipment Specification		
Table 2	Equipment Specification		
Table 3	Equipment Specification		
Table 4	Equipment Specification		

Table 5	Equipment Specification		
Table 6	Equipment Specification		
Table 7	Emergency Remote Stop for Air Equip.		
Section 4.1- 4.2	Chiller System Capabilities		
Section 4.3	Hydrostatic Testing		
Section 4.4	Phase Rotation Indication		
Section 4.5-4.6	Accessories		
Section 4.7	HVAC System Capabilities		
Section 4.8	Construction & Weather Hardiness		
Section 4.9	Electrical		
Section 4.10	Lifting & Handling		
Section 4.11	Noise		
Section 4.12- **4.13**	Tagging/Marking		
Section 4.14	Electrical Safety		
Section 5 (in its entirety)	Deliverables		
Section 6 (in its entirety)	Delivery Acceptance and Return		

INSTRUCTIONS

1. **COMPLIANCE WITH SOW**.

(i) Use **YES** or **NO** to identify if equipment and services comply with all SOW requirements.

(ii) Ensure answers are consistent with any brochures, specification sheets or other descriptive literature provided in your quote.

2. **EXCEPTIONS TO SOW**.

(i) Identify any exceptions to the SOW. Note, answers are required for any **NO** in prior column. (ii) Explain reason for exception.

Requirements

Temp HVAC and Exhaust System

Additional Regulation or Supplemental Clauses Incorporated by Full Text

C-202-H001 ADDITIONAL DEFINITIONS--BASIC (Oct 2018)

(a) Department means the Department of the Navy.

(b) Commander, Naval Sea Systems Command means the Commander of the Naval Sea Systems Command of the Department of the Navy or his duly appointed successor.

(c) References to The Federal Acquisition Regulation (FAR) All references to the FAR in this contract shall be deemed to also reference the appropriate sections of the Defense FAR Supplement (DFARS), unless clearly indicated otherwise.

(d) National Stock Numbers Whenever the term Federal Item Identification Number and its acronym FIIN or the term Federal Stock Number and its acronym FSN appear in the contract, order or their cited specifications and standards, the terms and acronyms shall be interpreted as National Item Identification Number (NIIN) and National Stock Number (NSN) respectively which shall be defined as follows:

(1) National Item Identification Number (NIIN). The number assigned to each approved Item Identification under the Federal Cataloging Program. It consists of nine numeric characters, the first two of which are the National Codification Bureau (NCB) Code. The remaining positions consist of a seven digit nonsignificant number.

(2) National Stock Number (NSN). The National Stock Number (NSN) for an item of supply consists of the applicable four-position Federal Supply Class (FSC) plus the applicable nine-position NIIN assigned to the item of supply.

(End of Text)

C-204-H001 USE OF NAVY SUPPORT CONTRACTORS FOR OFFICIAL CONTRACT FILES (Oct 2018)

(a) NAVSEA may use a file room management support contractor, hereinafter referred to as "the support contractor", to manage its file room, in which all official contract files, including the official file supporting this procurement, are retained. These official files may contain information that is considered a trade secret, proprietary, business sensitive or otherwise protected pursuant to law or regulation, hereinafter referred to as "protected information". File room management services consist of any of the following: secretarial or clerical support; data entry; document reproduction, scanning, imaging, or destruction; operation, management, or maintenance of paper-based or electronic mail rooms, file rooms, or libraries; and supervision in connection with functions listed herein.

(b) The cognizant Contracting Officer will ensure that any NAVSEA contract under which these file room management services are acquired will contain a requirement that:

(1) The support contractor not disclose any information;

(2) Individual employees are to be instructed by the support contractor regarding the sensitivity of the official contract files;

(3) The support contractor performing these services be barred from providing any other supplies and/or services, or competing to do so, to NAVSEA for the period of performance of its contract and for an additional three years thereafter unless otherwise provided by law or regulation; and,

(4) In addition to any other rights the contractor may have, it is a third party beneficiary who has the right of direct action against the support contractor, or any person to whom the support contractor has released or disclosed protected information, for the unauthorized duplication, release, or disclosure of such protected information.

(c) Execution of this contract by the contractor is considered consent to NAVSEA's permitting access to any information, irrespective of restrictive markings or the nature of the information submitted, by its file room management support contractor for the limited purpose of executing its file room support contract responsibilities.

(d) NAVSEA may, without further notice, enter into contracts with other contractors for these services. Contractors should enter into separate non-disclosure agreements with the file room contractor. Contact the Procuring Contracting Officer for contractor specifics. However, any such agreement will not be considered a prerequisite before information submitted is stored in the file room or otherwise encumber the government.

(End of Text)

C-211-H001 ACCESS TO THE VESSEL(S) (Oct 2018)

Officers, employees and associates of other prime Contractors with the Government and their subcontractors, shall, as authorized by the Supervisor, have, at all reasonable times, admission to the plant, access to the vessel(s) where and as required, and be permitted, within the plant and on the vessel(s) required, to perform and fulfill their respective obligations to the Government. The Contractor shall make reasonable arrangements with the Government or Contractors of the Government, as shall have been identified and authorized by the Supervisor to be given admission to the plant and access to the vessel(s) for office space, work areas, storage or shop areas, or other facilities and services, necessary for the performance of the respective responsibilities involved, and reasonable to their performance.

(End of Text)

C-211-H018 APPROVAL BY THE GOVERNMENT (NAVSEA) (JAN 2019) (Jan 2019)

Approval by the Government as required under this contract and applicable specifications shall not relieve the Contractor of its obligation to comply with the specifications and with all other requirements of the contract, nor shall it impose upon the Government any liability it would not have had in the absence of such approval.

(End of Text)

C-211-W001 REPLACEMENT PARTS AVAILABILITY (NAVSEA) (OCT 2018) (Oct 2018)

The contractor guarantees that replacement parts for each component part listed in this contract shall be available for a minimum of until the contract expires. Subsequent to this period, if parts are not available from the contractor, the contractor shall, if requested by the Government, furnish data to enable the Government to have such parts manufactured elsewhere.

(End of Text)

C-222-H001 ACCESS TO THE VESSELS BY NON-U.S. CITIZENS (NAVSEA) (APR 2019) (Apr 2019)

(a) No person not known to be a U.S. citizen shall be eligible for access to naval vessels, work sites and adjacent areas when said vessels are under construction, conversion, overhaul, or repair, except upon a finding by COMNAVSEA or his designated representative that such access should be permitted in the best interest of the United States. The Contractor shall establish procedures to comply with this requirement and NAVSEAINST 5510.2D.

(b) If the Contractor desires to employ non-U.S. citizens in the performance of work under this contract or agreement that requires access as specified in paragraph (a) of this requirement, approval must be obtained prior to access for each contract or agreement where such access is required. To request such approval for non-U.S. citizens of friendly countries, the Contractor shall submit to the cognizant Contract Administration Office (CAO), an Access Control Plan (ACP) which shall contain as a minimum, the following information:

(1) Badge or Pass oriented identification, access, and movement control system for non-U.S. citizen employees with the badge or pass to be worn or displayed on outer garments at all times while on the Contractor's facilities and when performing work aboard ship.

(i) Badges must be of such design and appearance that permits easy recognition to facilitate quick and positive identification.

(ii) Access authorization and limitations for the bearer must be clearly established and in accordance with applicable security regulations and instructions.

(iii) A control system, which provides rigid accountability procedures for handling lost, damaged, forgotten or no longer required badges, must be established.

(iv) A badge or pass check must be performed at all points of entry to the Contractor's facilities or by a site supervisor for work performed on vessels outside the Contractor's plant.

(2) Contractor's plan for ascertaining citizenship and for screening employees for security risk.

(3) Data reflecting the number, nationality, and positions held by nonU.S. citizen employees, including procedures to update data as nonU.S. citizen employee data changes, and pass to cognizant CAO

(4) Contractor's plan for ensuring subcontractor compliance with the provisions of the Contractor's ACP.

(5) These conditions and controls are intended to serve as guidelines representing the minimum requirements of an acceptable ACP. They are not meant to restrict the Contractor in any way from imposing additional controls necessary to tailor these requirements to a specific facility.

(c) To request approval for non-U.S. citizens of hostile and/or communist-controlled countries (listed in Department of Defense Industrial Security Manual, DOD 5220.22-M or available from cognizant CAO), Contractor shall include in the ACP the following employee data: name, place of birth, citizenship (if different from place of birth), date of entry to U.S., extenuating circumstances (if any) concerning immigration to U.S., number of years employed by Contractor, position, and stated intent concerning U.S. citizenship. COMNAVSEA or his designated representative will make individual determinations for desirability of access for the above group. Approval of ACP's for access of non-U.S. citizens of friendly countries will not be delayed for approval of non-U.S. citizens of hostile communist-controlled countries. Until approval is received, Contractor must deny access to vessels for employees who are non-U.S. citizens of hostile and/or communist-controlled countries.

(d) The Contractor shall fully comply with approved ACPs. Noncompliance by the Contractor or subcontractor serves to cancel any authorization previously granted, in which case the Contractor shall be precluded from the continued use of non-U.S. citizens on this contract or agreement until such time as the compliance with an approved ACP is demonstrated and upon a determination by the CAO that the Government's interests are protected. Further, the Government reserves the right to cancel previously granted authority when such cancellation is determined to be in the Government's best interest. Use of non-U.S. citizens, without an approved ACP or when a previous authorization has been canceled, will be considered a violation of security regulations. Upon confirmation by the CAO of such violation, this contract, agreement or any job order issued under this agreement may be terminated for default in accordance with the clause entitled "Default (Fixed-Price Supply And Service)" (FAR 52.249-8), "Default (Fixed-Price Research And Development)" (FAR 52.249-9) or "Termination (Cost Reimbursement)" (FAR 52.249-6), as applicable.

(e) Prime Contractors have full responsibility for the proper administration of the approved ACP for all work performed under this contract or agreement, regardless of the location of the vessel, and must ensure compliance by all subcontractors, technical representatives and other persons granted access to U.S. Navy vessels, adjacent areas, and work sites.

(f) In the event the Contractor does not intend to employ non-U.S. citizens in the performance of the work under this contract, but has non-U.S. citizen employees, such employees must be precluded from access to the vessel and its work site and those shops where work on the vessel's equipment is being performed. The ACP must spell out how non-U.S. citizens are excluded from access to contract work areas.

(g) The same restriction as in paragraph (f) above applies to other non-U.S. citizens who have access to the Contractor's facilities (e.g., for accomplishing facility improvements, from foreign crewed vessels within its facility, etc.) except that, with respect to access to the vessel and worksite, the restrictions shall not apply to uniformed U.S. Navy personnel who are non-U.S. citizens and who are either assigned to the ship or require access to the ship to perform their duties.

(End of Text)

C-223-H003 EXCLUSION OF MERCURY (NAVSEA) (MAR 2019) (Mar 2019)

(a) Definitions. As used in this text:

Article means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.

Boundary of containment means a continuous tight seal (barrier) to prevent the release of functional mercury during normal operation and maintenance. Examples include the exterior of a fluorescent lamp, glass capsule of a mercury switch, and container for mercury reagents. A double boundary of containment consists of two independent seals.

Functional mercury means mercury or mercury compound(s) contained in equipment that is required for the equipment to operate properly, such as that found in mercury switches, fluorescent lamps, flat-panel monitors, thermostats, thermostat probes, small coin type batteries, barometers, and dental amalgams.

Hardware means any article, container, piece of material, individual part, subassembly, assembly, component, or system to which mercury control requirements apply.

Mercury-free means hardware that does not contain functional mercury and is not contaminated by mercury or mercury compounds.

Portable means items that are frequently transported during normal operation. Desk lamps, shop lights, and hand-held instruments are considered portable, while bulbs in stationary light fixtures are not. In general, items that require transport only during maintenance, installation, and removal of the items are not considered portable.

(b) The Contractor, and all subcontractors and vendors, shall ensure that mercury or mercury containing compounds are not intentionally added to, or come in direct contact with, hardware or supplies furnished under this contract.

(1) The Contractor shall ensure that mercury and mercury compounds are not taken onboard naval vessels by Contractor, subcontractor, or vendor personnel except for functional mercury used in batteries, dental amalgams, fluorescent lamps, flat-panel monitors, required instruments, sensors or controls, weapon systems, and chemical analysis reagents specified by the Naval Sea Systems Command (NAVSEA).

(2) Portable fluorescent lamps and portable instruments containing elemental mercury must be shock-proof in accordance with MIL-DTL-901E entitled Requirements for Shock Tests, H.I. (High Impact) Shipboard Machinery, Equipment, and Systems and have mercury enclosed by a double boundary of containment. Some devices with liquid crystal display (LCD) screens utilize a fluorescent bulb backlight to illuminate the LCD screen. No additional restrictions or controls apply to devices with LCD screens; however, the Contractor shall remove the LCD screen and seal it in plastic following any evidence that the backlight failed.

(3) For Submarines, any use of mercury containing items must be approved as required by the Nuclear Powered Submarine Atmosphere Control Manual (S9510-AB-ATM-010/U) Volume 1.

(4) The Contractor shall ensure that mercury and mercury compounds do not contact hardware surfaces in systems covered by NAVSEA Manual NAVSEA 0989-064-3000 entitled Cleanliness Requirements for Nuclear Propulsion Plant Maintenance and Construction, submarine air systems, level I systems per NAVSEA Publication 0948-LP-045-7010, NAVSEA Material Control Standard, or the submarine safety program (SUBSAFE) surfaces during maintenance or repair. Such hardware is designated as mercury-free. The Contractor shall ensure that all other hardware that could be structurally degraded by contamination with elemental mercury or reactive mercury compounds is separated from it by sufficient distance, or boundaries of containment that effectively prevents contact in all but the most extreme circumstances.

(5) The Contractor shall check any hardware surfaces in the above systems which are known or suspected to have come in contact with mercury or mercury compounds for evidence of structural degradation and external mercury contamination. The existence of external mercury contamination can be determined following MIL-STD-2041D entitled Control of Detrimental Materials.

(6) The presence of mercury in a product may be determined by checking product labeling on material safety data sheets or safety data sheets. Chemical analysis is not required.

(7) The Contractor shall dispose of any mercury and mercury compounds in accordance with OPNAV Manual (OPNAV M-5090.1) entitled Environmental Readiness Program Manual of 10 January 2014.

(8) If the use of mercury or mercury compounds cannot be avoided, a risk assessment and waiver request, if required, must be performed and submitted per the NAVSEA Hazardous Material Avoidance Process (T9070-AL-DPC-020/077-2). For systems covered by the NAVSEA Manual NAVSEA 0989-064-3000 entitled Cleanliness Requirements for Nuclear Propulsion Plant Maintenance and Construction, submit the risk assessment and waiver request, if required to Nuclear Propulsion (NAVSEA 08).

(c) In all cases where mercury or a mercury compound has contacted hardware surfaces required to be mercury-free the Contractor shall immediately provide a report to the NAVSEA Dry Environmental Systems and Hazardous Materials (NAVSEA 05P5) via the cognizant contract administration safety office. Reports concerning systems covered by NAVSEA Manual 0989-064-3000 must include NAVSEA Nuclear Propulsion Directorate (SEA 08) in the distribution. Reports must be in letter form and include the date and details of the contact, the surfaces contacted, the recovery actions taken, and the status of the affected surfaces.

(End of Text)

C-223-N002 RESTRICTIONS ON USE OF YELLOW MATERIAL (NAVSEA) (OCT 2018) (Oct 2018)

Yellow colored items are of special significance within the Shipyard and are subject to strict controls. Accordingly, contractors shall not use yellow or orange-yellow colored materials for the following purposes: protective clothing, hoods, sheeting, tarpaulins, polyethylene bottles or other containers, tapes, bags, banding, identification marks on tools, boundary markers, ribbons, vent ducts, etc. Contractor generated yellow colored waste shall be disposed of by the Contractor off-yard. Shipyard refuse containers shall not be used for disposal of yellow colored waste materials. Yellow colored contract generated debris shall be bagged in non-translucent containers, and promptly removed from the Shipyard.

(End of Text)

C-223-H004 MANAGEMENT AND DISPOSAL OF HAZARDOUS WASTE (NAVSEA) (MAY 2023) (May 2023)

(a) General

(1) The Contractor shall comply with the Resource Conservation and Recovery Act (RCRA), the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA), 10 U.S.C. 8681 and all other applicable Federal, State and local laws, codes, ordinances and regulations for the management and disposal of hazardous waste.

(2) Nothing contained in this special contract requirement shall relieve the Contractor from complying with applicable Federal, State, and local Laws, codes, ordinances, and regulations, including obtaining licenses and permits, giving notices and submitting reports, in connection with hazardous waste management and disposal in the performance of this contract. Nothing contained herein shall serve to alter either party's liability or responsibility under CERCLA.

(3) Materials contained in ship systems are not waste until after removal from the system.

(b) Identification of Hazardous Wastes __ _____ __ of this contract identifies the types and amounts of hazardous wastes that are required to be removed by the Contractor, or that are expected to be generated, during the performance of work under this contract.

(c) Generator Identification Numbers

(1) Documentation related to hazardous waste generated solely by the physical actions of ship's force or Navy employees on board the vessel shall only bear a generator identification number issued to the Navy pursuant to applicable law.

(2) Documentation related to hazardous waste generated solely by the physical actions of Contractor personnel shall only bear a generator identification number issued to the Contractor pursuant to applicable law. Regardless of the presence of other materials in or on the shipboard systems or structures which may have qualified a waste stream as hazardous, where the Contractor performs work on a system or structure using materials (whether or not the use of such materials was specified by the Navy) which by themselves would cause the waste from such work to be a hazardous waste, documentation related to such waste shall only bear a generator identification number issued to the Contractor.

(3) Documentation related to hazardous waste generated by the combined physical actions of Navy and Contractor personnel shall bear a generator identification number issued to the Contractor pursuant to applicable law and shall also cite in the remarks block a generator identification number issued to the Navy pursuant to applicable law.

(4) Notwithstanding paragraphs (c)(1) - (c)(3) above, hazardous wastes are considered to be co-generated in cases where: (a) the Contractor merely drains a system and such drainage creates hazardous waste or (b) the Contractor performs work on a system or structure using materials which by themselves would not cause the waste from such work to be hazardous

waste but such work nonetheless creates a hazardous waste. Documentation related to such co-generated waste shall bear a generator identification number in accordance with the provisions of paragraph (c)(3) above.

(5) In the event of a failure by the parties to agree to the assignment of a generator identification number to any hazardous waste as set forth in paragraphs (c)(1) through (c)(4) above, the Government may direct which party or parties shall provide generator identification numbers for the waste and such number(s) shall be used on all required documentation. Any disagreement with this direction shall be a dispute within the meaning of clause of this contract entitled "Disputes" (FAR 52.233-1). However, the Contractor shall not stop any work but shall continue with performance of all work under this contract as specified in the "DISPUTES" clause.

(6) Hazardous Waste Manifests For wastes described in (c)(2), (c)(3), and (c)(4) above (and (c)(5) as applicable), the Contractor shall sign the generator certification on the Uniform Hazardous Waste Manifest whenever use of the Manifest is required for disposal. The Contractor shall obtain _____ concurrence with the categorization of wastes under paragraphs (c)(3) and (c)(4) above before completion of the manifest. Manifests prepared pursuant to paragraph (c)(1) above shall be presented to the ___ for completion after the hazardous waste has been identified.

(7) For purposes of paragraphs (c)(2) and (3) herein, if the Contractor, while performing work at a Government facility, cannot obtain a separate generator identification number from the State in which the availability will be performed, the Contractor shall notify _____ within 3 business days of receipt of written notification by the State. After obtaining _____ approval, the Contractor shall use the Navy site generator identification number and insert in the remarks block the contractor generator identification number issued for the site where his main facilities are located. For purposes of paragraph (c)(1) herein, if the work is being performed at a contractor facility and the Government cannot obtain a separate generator identification number for the State, the Government shall use the Contractor site generator identification number and shall cite in the remarks block a Navy generator identification number. In both instances described above, the Contractor shall prepare the Uniform Hazardous Waste Manifest described in paragraph (c)(6) above and present it to _____ for completion.

(End of Text)

C-223-H002 SAFETY, HEALTH AND FIRE REQUIREMENTS FOR SHIP REPAIR (NAVSEA) (JAN 2019) (Jan 2019)

(a) Attention of the Contractor is directed to the Occupational Safety and Health Act of 1970 (29 USC 651-678), and to the Safety and Health Regulations for Ship Repairing (29 CFR 1915), promulgated under Public Law 85-742, amending Section 41 of the Longshoremen's and Harbor Workers' Compensation Act (33 USC 941), and adopted by the Department of Labor as occupational safety or health standards under Section 6(a) of the Occupational Safety and Health Act of 1970 (See 29 CFR 1910.13). These regulations apply to all ship repair and related work, as defined in the regulations performed under this contract on the navigable waters of the United States including any dry dock and marine railway. Nothing contained in this contract shall be construed as relieving the Contractor from any obligations which it may have for compliance with the aforesaid regulations.

(b) SAFETY INSPECTOR/FIRE MARSHAL: In addition to the safety standards provided in the specifications, the contractor is responsible for providing an experienced Safety Inspector/Fire Marshal who will accomplish daily inspections of the Contractor's entire work area on the ship, together with the Contracting Office's Safety Representative. This Inspector or Fire Marshal shall not be one of the Contractor's supervisors or superintendents normally assigned to the ship and shall be identified in the contractor's approved Safety Plan.

(c) PERSONAL PROTECTIVE EQUIPMENT: Whenever work is performed aboard U.S. Naval Ships or vessels at piers or dry docks of a Naval Shipyard or Naval Station, Contractor employees (including management personnel) shall have and use at all times the following personal protective equipment:

(1) Protective hard hats that meet the following specifications:

(i) Protective helmets purchased after July 5, 1994 shall comply with ANSI Z89.1-1986, "American National Standard for Personnel Protection-Protective Headwear for Industrial Workers-Requirements," or shall be demonstrated by the Contractor to be equally effective.

(ii) Protective helmets purchased before July 5, 1994 shall comply with ANSI Standard "American National Standard Safety requirements for Industrial Head Protection," Z89.1-1969, or shall be demonstrated by the employer to be equally effective. [Ref. 29 CFR 1910.135 Head Protection]

(2) Approved type Plano or prescription glasses meeting the following specifications:

(i) Protective eye and face devices purchased after July 5, 1994 shall comply with ANSI standard Z87.1-1989, "American National Standard Practice for Occupational and Educational Eye and Face Protection", or shall be demonstrated by the employer to be equally effective.

(ii) Protective eye and face devices purchased before July 5, 1994 shall comply with ANSI "USA standard for Occupational and Educational Eye and Face Protection", Z87.1-1968, or shall be demonstrated by the employer to be equally effective. [Ref. 29 CRF 1910.133 Protective eye and face devices.]

(3) Safety toe shoes, with built-in protective toe box that meet the following specifications:

(i) Protective footwear purchased after July 5, 1994 shall comply with ANSI Standard Z41-1991, "American National Standard for Personal Protection-Protective Footwear", or shall be demonstrated by the employer to be equally effective.

(ii) Protective footwear purchased before July 5, 1994 shall comply with the ANSI standard "USA Standard for Men's Safety Toe Footwear", Z41.1 1967, or shall be demonstrated by the employer to be equally effective [Ref. 29 CFR 1910.136 Protective eye and face devices.]

(End of Text)

C-223-W002 ON-SITE SAFETY REQUIREMENTS (NAVSEA) (OCT 2018) (Oct 2018)

(a) The contractor shall ensure that each contractor employee reads any necessary safety documents within 30 days of commencing performance at any Government facility. Required safety documents can be obtained from the respective safety office. Contractors shall notify the Safety office points of contact below to report completion of the required training via email. The email shall include the contractor employee's name, work site, and contract number.

(b) It is expected that contractor employees will have received training from their employer on hazards associated with the areas in which they will be working and know what to do in order to protect themselves. Contractors are required to adhere to the requirements of 29 CFR 1910, 29 CFR 1926 and applicable state and local requirements while in Government spaces. The contractor shall ensure that all on-site contractor work at the Government facility is in accordance with any local safety instructions as provided via the COR. The contractor shall report all work-related injuries/illnesses that occurred while working at the Government site to the COR.

(c) Contractors whose employees perform work within Government spaces in excess of 1000 hours per calendar quarter during a calendar year shall submit the data elements on OSHA Form 300A, Summary of Work Related Injuries and Illnesses, for those employees to the safety office , via the COR by 15 January for the previous calendar year, even if no work related injuries or illnesses occurred. If a contractor's injury/illness rates are above the Bureau of Labor Statistics industry standards, a safety assessment may be performed by the Safety Office to determine if any administrative or engineering controls can be utilized to prevent further injuries/illnesses, or if any additional Personal Protective Equipment or training will be required.

(d) Any contractor employee exhibiting unsafe behavior may be removed from the Government site. Such removal shall not relieve the contractor from meeting its contractual obligations and shall not be considered an excusable delay as defined in FAR 52.249-14.

(e) The Safety Office points of contacts are as follows:

_____ *[insert name and code]*

(End of Text)

C-227-H006 DATA REQUIREMENTS (NAVSEA) (OCT 2018) (Oct 2018)

The data to be furnished hereunder shall be prepared in accordance with the Contract Data Requirements List, DD Form 1423, Exhibit A, attached hereto.

(End of Text)

C-247-H001 PERMITS AND RESPONSIBILITIES (NAVSEA) (DEC 2018) (Dec 2018)

The Contractor shall, without additional expense to the Government, be responsible for obtaining any necessary licenses and permits for complying with any applicable Federal, State, and Municipal laws, codes, and regulations for shipping and transportation including, but not limited to, any movement over public highways of overweight/over dimensional materials.

(End of Text)

Section D - Packaging and Marking

Additional Regulation or Supplemental Clauses Incorporated by Full Text

D-211-H001 PACKAGING OF DATA (NAVSEA) (FEB 2022) (Feb 2022)

Data to be delivered by Integrated Digital Environment (IDE) or other electronic media shall be as specified in the contract.

All unclassified data to be shipped shall be prepared for shipment in accordance with best commercial practice.

Classified reports, data, and documentation shall be prepared for shipment in accordance with National Industrial Security Program Operating Manual (NISPOM), 32 CFR Part 117.

(End of Text)

D-211-H002 MARKING OF REPORTS (NAVSEA) (OCT 2018) (Oct 2018)

All reports delivered by the Contractor to the Government under this contract shall prominently show on the cover of the report:

(1) name and business address of the Contractor

(2) contract number

(3) sponsor: _____

(Name of Individual Sponsor)

_____

(Name of Requiring Activity)

_____

(City and State)

(End of Text)

D-247-W001 PROHIBITED PACKING MATERIALS (NAVSEA) (OCT 2018) (Oct 2018)

The use of asbestos, excelsior, newspaper or shredded paper (all types including waxed paper, computer paper and similar hygroscopic or non-neutral material) is prohibited. In addition, the use of yellow wrapping or packaging material is prohibited except where used for the containment of radioactive material. Loose fill polystyrene is prohibited for shipboard use.

(End of Text)

D-247-H002 PACKAGING OF SUPPLIES—BASIC (NAVSEA) (DEC 2020) (Dec 2020)

Item(s) 0001-2009 The supplies furnished hereunder shall be packaged in accordance with ASTM-D-3951-18, Standard Practice for Commercial Packing.

(End of Text)

D-247-H004 MARKING AND PACKING LIST(S) – BASIC (NAVSEA) (FEB 2022) (Feb 2022)

(a) Marking. Shipments, shipping containers and palletized unit loads shall be marked in accordance with ASTM-D-3951-18 approved 1 May 2018, Standard Practice for Commercial Packing.

(b) Packing List(s). A packing list (DD Form 250 Material Inspection and Receiving Report may be used) identifying the contents of each shipment, shipping container or palletized unit load shall be provided by the Contractor with each shipment. When a contract line item identified under a single stock number includes an assortment of related items such as kit or set components, detached parts or accessories, installation hardware or material, the packing list(s) shall identify the assorted items. Where assortment of related items is included in the shipping container, a packing list identifying the contents shall be furnished.

(c) Master Packing List. In addition to the requirements in paragraph (b) above, a master packing list shall be prepared where more than one shipment, shipping container or palletized unit load comprise the contract line item being shipped. The master packing list shall be attached to the number one container and so identified.

(d) Part Identification. All items within the kit, set, installation hardware or material shall be suitably segregated and identified within the unit pack (s) or shipping container by part number and/or national stock number.

(End of Text)

Section E - Inspection and Acceptance

Additional Regulation or Supplemental Clauses Incorporated by Full Text

E-246-H013 INSPECTION AND ACCEPTANCE OF DATA (NAVSEA) (OCT 2018) (Oct 2018)

Inspection and acceptance of all data shall be as specified on the attached Contract Data Requirements List(s), DD Form 1423.

(End of Text)

Overall Contract Inspection/Acceptance Locations

0001	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
0002	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
0003	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514

0004	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
0005	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 0006	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 0007	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES

	Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 0008	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 0009	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 0010	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
A001	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF

	RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
A002	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
A003	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
A004	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
A005	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination

	DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
A006	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
A007	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
0012	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
	Inspection and Acceptance Location

Option Line Item 1001	Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 1002	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 1003	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 1004	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514

Option Line Item 1005	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 1006	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 1007	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 1008	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES

	Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 1009	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 1010	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item B001	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item B002	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF

	RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item B003	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item B004	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item B005	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item B006	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination

	DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item B007	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 1012	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 2001	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
	Inspection and Acceptance Location

Option Line Item 2002	Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 2003	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 2006	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 2007	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514

Option Line Item 2008	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 2009	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item C001	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item C002	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES

	Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item C003	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item C004	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item C005	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item C006	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF

	RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item C007	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514
Option Line Item 2012	Inspection and Acceptance Location Both Destination Instructions: Please contact Brant Sampson for delivery and invoicing coordination DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514

Section F - Deliveries or Performance

Overall Contract Delivery Period

Contractor
Destination

Line Item	Delivery Schedule	Quantity	Address and POC	Special Handling/Notes
0001	Delivery Required On Delivery Date 14 Dec 2026 Period of Performance From 14 Dec 2026 To 12 Dec 2027	52 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
0002	Delivery Required On Delivery Date 14 Dec 2026 Period of Performance From 14 Dec 2026 To 12 Dec 2027	52 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
0003	Delivery Required On Delivery Date 14 Dec 2026 Period of Performance From 14 Dec 2026 To 12 Dec 2027	52 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination

0004	Delivery Required On Delivery Date 29 Dec 2026 Period of Performance From 29 Dec 2026 To 03 May 2027	18 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
0005	Delivery On Or Before Delivery Date 14 Dec 2026	1 Job	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item 0006	Delivery Required On Delivery Date 21 Apr 2027 Period of Performance From 21 Apr 2027 To 12 Oct 2027	25 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item 0007	Delivery Required On Delivery Date 21 Apr 2027 Period of Performance From 21 Apr 2027 To	25 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination

	12 Oct 2027			
Option Line Item 0008	Delivery Required On Delivery Date 21 Apr 2027 Period of Performance From 21 Apr 2027 To 12 Oct 2027	25 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item 0009	Delivery Required On Delivery Date 21 Apr 2027 Period of Performance From 21 Apr 2027 To 12 Oct 2027	25 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item 0010	Delivery On Or Before Delivery Date 21 Apr 2027	1 Job	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
0011				FoB Details Contractor Destination
	Delivery Required On Delivery Date 14 Dec 2026	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES	FoB Details Contractor Destination

A001	Period of Performance From 14 Dec 2026 To 12 Dec 2027		Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	
A002	Delivery Required On Delivery Date 14 Dec 2026 Period of Performance From 14 Dec 2026 To 12 Dec 2027	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
A003	Delivery Required On Delivery Date 14 Dec 2026 Period of Performance From 14 Dec 2026 To 12 Dec 2027	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
A004	Delivery Required On Delivery Date 14 Dec 2026 Period of Performance From 14 Dec 2026 To 12 Dec 2027	52 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination

A005	Delivery Required On Delivery Date 14 Dec 2026 Period of Performance From 14 Dec 2026 To 12 Dec 2027	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
A006	Delivery Required On Delivery Date 14 Dec 2026 Period of Performance From 14 Dec 2026 To 12 Dec 2027	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
A007	Delivery Required On Delivery Date 14 Dec 2026 Period of Performance From 14 Dec 2026 To 12 Dec 2027	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
0012	Delivery Required On Delivery Date 14 Dec 2026	52 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination

	Period of Performance From 14 Dec 2026 To 12 Dec 2027			
Option Line Item 1001	Delivery Required On Delivery Date 13 Dec 2027 Period of Performance From 13 Dec 2027 To 15 Oct 2028	44 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item 1002	Delivery Required On Delivery Date 13 Dec 2027 Period of Performance From 13 Dec 2027 To 15 Oct 2028	44 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item 1003	Delivery Required On Delivery Date 13 Dec 2027 Period of Performance From 13 Dec 2027 To 15 Oct 2028	44 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
	Delivery Required On Delivery Date 28 Sep 2027	31 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF	FoB Details Contractor

Option Line Item 1004 Period of Performance From 28 Sep 2027 To 01 May 2028			RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	Destination
Option Line Item 1005	Delivery On Or Before Delivery Date 28 Sep 2027	1 Job	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item 1006 Period of Performance From 17 Apr 2028 To 15 Oct 2028	Delivery Required On Delivery Date 17 Apr 2028	26 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item 1007 Period of Performance From 17 Apr 2028 To 15 Oct 2028	Delivery Required On Delivery Date 17 Apr 2028	26 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
	Delivery Required On Delivery Date 17 Apr 2028	26 Week	Place of Performance DoDAAC: N39040	FoB Details

Option Line Item 1008	Period of Performance From 17 Apr 2028 To 15 Oct 2028		CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	Contractor Destination
Option Line Item 1009	Delivery Required On Delivery Date 17 Apr 2028 Period of Performance From 17 Apr 2028 To 15 Oct 2028	26 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item 1010	Delivery On Or Before Delivery Date 17 Apr 2028	1 Job	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item 1011				FoB Details Contractor Destination
Option Line Item B001	Delivery Required On Delivery Date 28 Sep 2027 Period of Performance	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination

	From 28 Sep 2027 To 15 Oct 2028			
Option Line Item B002	Delivery Required On Delivery Date 28 Sep 2027 Period of Performance From 28 Sep 2027 To 15 Oct 2028	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item B003	Delivery Required On Delivery Date 28 Sep 2027 Period of Performance From 28 Sep 2027 To 15 Oct 2028	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item B004	Delivery Required On Delivery Date 28 Sep 2027 Period of Performance From 28 Sep 2027 To 15 Oct 2028	44 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
	Delivery Required On Delivery Date 28 Sep 2027	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170	FoB Details Contractor Destination

Option Line Item B005 Period of Performance From 28 Sep 2027 To 15 Oct 2028			KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	
Option Line Item B006 Delivery Required On Delivery Date 28 Sep 2027 Period of Performance From 28 Sep 2027 To 15 Oct 2028	1 Each		Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item B007 Delivery Required On Delivery Date 28 Sep 2027 Period of Performance From 28 Sep 2027 To 15 Oct 2028	1 Each		Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item 1012 Delivery Required On Delivery Date 13 Dec 2027 Period of Performance From 13 Dec 2027 To	44 Week		Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination

	15 Oct 2028			
Option Line Item 2001	Delivery Required On Delivery Date 16 Oct 2028 Period of Performance From 16 Oct 2028 To 12 Nov 2028	4 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item 2002	Delivery Required On Delivery Date 16 Oct 2028 Period of Performance From 16 Oct 2028 To 12 Nov 2028	4 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item 2003	Delivery Required On Delivery Date 16 Oct 2028 Period of Performance From 16 Oct 2028 To 12 Nov 2028	4 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
	Delivery Required On Delivery Date 16 Oct 2028	4 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES	FoB Details Contractor Destination

Option Line Item 2006	Period of Performance From 16 Oct 2028 To 12 Nov 2028		Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	
Option Line Item 2007	Delivery Required On Delivery Date 16 Oct 2028 Period of Performance From 16 Oct 2028 To 12 Nov 2028	4 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item 2008	Delivery Required On Delivery Date 16 Oct 2028 Period of Performance From 16 Oct 2028 To 12 Nov 2028	4 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item 2009	Delivery Required On Delivery Date 16 Oct 2028 Period of Performance From 16 Oct 2028 To 12 Nov 2028	4 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination

Option Line Item 2011				FoB Details Contractor Destination
Option Line Item C001	Delivery Required On Delivery Date 16 Oct 2028 Period of Performance From 16 Oct 2028 To 12 Nov 2028	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item C002	Delivery Required On Delivery Date 16 Oct 2028 Period of Performance From 16 Oct 2028 To 12 Nov 2028	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item C003	Delivery Required On Delivery Date 16 Oct 2028 Period of Performance From 16 Oct 2028 To 12 Nov 2028	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
	Delivery Required On Delivery Date 16 Oct 2028	4 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000	FoB Details Contractor Destination

Option Line Item C004	Period of Performance From 16 Oct 2028 To 12 Nov 2028		UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	
Option Line Item C005	Delivery Required On Delivery Date 16 Oct 2028 Period of Performance From 16 Oct 2028 To 12 Nov 2028	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item C006	Delivery Required On Delivery Date 16 Oct 2028 Period of Performance From 16 Oct 2028 To 12 Nov 2028	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination
Option Line Item C007	Delivery Required On Delivery Date 16 Oct 2028 Period of Performance From 16 Oct 2028 To 12 Nov 2028	1 Each	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination

Option Line Item 2012	Delivery Required On Delivery Date 16 Oct 2028 Period of Performance From 16 Oct 2028 To 12 Nov 2028	4 Week	Place of Performance DoDAAC: N39040 CountryCode: USA PORTSMOUTH NAVAL SHIPYARD GF RECEIVING OFFICER, BUILDING 170 KITTERY, ME 03904-5000 UNITED STATES Brant Sampson, COR Email: brant.j.sampson.civ@us.navy.mil Telephone: 207-690-1514	FoB Details Contractor Destination

Additional Regulation or Supplemental Clauses Incorporated by Full Text

F-211-W001 PARTIAL DELIVERIES (NAVSEA) (OCT 2018) (Oct 2018)

Partial deliveries will not be accepted without specific approval from the Contracting Officer.

(End of Text)

F-242-H001 CONTRACTOR NOTICE REGARDING LATE DELIVERY (NAVSEA) (OCT 2018) (Oct 2018)

In the event the contractor anticipates or encounters difficulty in complying with the contract delivery schedule or date, the contractor shall immediately notify, in writing, the Contracting Officer and the cognizant Contract Administration Services Office, if assigned. The notice shall give the pertinent details; however, such notice shall not constitute a waiver by the Government of any contract delivery schedule, or of any rights or remedies provided by law or under this contract.

(End of Text)

F-247-H001 DELIVERY OF DATA (NAVSEA) (OCT 2018) (Oct 2018)

All data to be furnished under this contract shall be delivered prepaid to the destination(s) and at the time(s) specified on the Contract Data Requirements List(s), DD Form 1423.

(End of Text)

F-247-N002 INSTRUCTIONS FOR DELIVERIES TO THE PORTSMOUTH NAVAL SHIPYARD (NAVSEA) (MAR 2019) (Mar 2019)

Mark shipping documents "Notify Receiving Officer, Portsmouth Naval Shipyard prior to arrival for delivery instructions. Telephone (207) 438-5521/5206.

"All drivers must either have a NCAC or Defense Biometric Identification System (DBIDS) card in addition they must have proof of US citizenship with them (birth certificate or US passport or state enhanced driver's license [only issued by WA, NY, VT, & MI])." OVERSIZED CALL 24 HRS IN ADVANCE, (207) 438-5521. NO ANIMALS ALLOWED ON BASE.

Except by special arrangement, shipments will be delivered only between the hours of 7:30 AM and 3:00 PM local time, Monday through Friday. (Federal Holidays excepted.)

(End of Text)

Section G - Contract Administration Data

DFARS Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate/ Deviation	Variation Effective Date
252.201-7000	Contracting Officer's Representative.	Dec 1991		
252.232-7003	Electronic Submission of Payment Requests and Receiving Reports.	Dec 2018		

DFARS Clauses Incorporated by Full Text

252.232-7006 Wide Area WorkFlow Payment Instructions. (Jan 2023)

WIDE AREA WORKFLOW PAYMENT INSTRUCTIONS (JAN 2023)

(a) *Definitions.* As used in this clause-

"Department of Defense Activity Address Code (DoDAAC)" is a six position code that uniquely identifies a unit, activity, or organization.

"Document type" means the type of payment request or receiving report available for creation in Wide Area WorkFlow (WAWF).

"Local processing office (LPO)" is the office responsible for payment certification when payment certification is done external to the entitlement system.

"Payment request" and "receiving report" are defined in the clause at 252.232-7003, Electronic Submission of Payment Requests and Receiving Reports.

(b) *Electronic invoicing.* The WAWF system provides the method to electronically process vendor payment requests and receiving reports, as authorized by Defense Federal Acquisition Regulation Supplement (DFARS) 252.232-7003, Electronic Submission of Payment Requests and Receiving Reports.

(c) *WAWF access.* To access WAWF, the Contractor shall-

(1) Have a designated electronic business point of contact in the System for Award Management at https://www.sam.gov; and

(2) Be registered to use WAWF at https://wawf.eb.mil/ following the step-by-step procedures for self-registration available at this web site.

(d) *WAWF training.* The Contractor should follow the training instructions of the WAWF Web-Based Training Course and use the Practice Training Site before submitting payment requests through WAWF. Both can be accessed by selecting the "Web Based Training" link on the WAWF home page at https://wawf.eb.mil/

(e) *WAWF methods of document submission.* Document submissions may be via web entry, Electronic Data Interchange, or File Transfer Protocol.

(f) *WAWF payment instructions.* The Contractor shall use the following information when submitting payment requests and receiving reports in WAWF for this contract or task or delivery order:

(1) *Document type.* The Contractor shall submit payment requests using the following document type(s):

(i) For cost-type line items, including labor-hour or time-and-materials, submit a cost voucher.

(ii) For fixed price line items-

(A) That require shipment of a deliverable, submit the invoice and receiving report specified by the Contracting Officer.

(Contracting Officer: Insert applicable invoice and receiving report document type(s) for fixed price line items that require shipment of a deliverable.)

(B) For services that do not require shipment of a deliverable, submit either the Invoice 2in1, which meets the requirements for the invoice and receiving report, or the applicable invoice and receiving report, as specified by the Contracting Officer.

(Contracting Officer: Insert either "Invoice 2in1" or the applicable invoice and receiving report document type(s) for fixed price line items for services.)

(iii) For customary progress payments based on costs incurred, submit a progress payment request.

(iv) For performance based payments, submit a performance based payment request.

(v) For commercial financing, submit a commercial financing request.

(2)) Fast Pay requests are only permitted when Federal Acquisition Regulation (FAR) 52.213-1 is included in the contract.

[Note: The Contractor may use a WAWF "combo" document type to create some combinations of invoice and receiving report in one step.]

(3) *Document routing.* The Contractor shall use the information in the Routing Data Table below only to fill in applicable fields in WAWF when creating payment requests and receiving reports in the system.

Routing Data Table*

Field Name in WAWF	*Data to be entered in WAWF*
Pay Official DoDAAC	____
Issue By DoDAAC	____
Admin DoDAAC	____
Inspect By DoDAAC	____
Ship To Code	____
Ship From Code	____
Mark For Code	____
Service Approver (DoDAAC)	____
Service Acceptor (DoDAAC)	____
Accept at Other DoDAAC	____
LPO DoDAAC	____
DCAA Auditor DoDAAC	____
Other DoDAAC(s)	____

*(*Contracting Officer: Insert applicable DoDAAC information. If multiple ship to/acceptance locations apply, insert "See Schedule" or "Not applicable.")*

*(**Contracting Officer: If the contract provides for progress payments or performance-based payments, insert the DoDAAC for the contract administration office assigned the functions under FAR 42.302(a)(13).)*

(4) *Payment request.* The Contractor shall ensure a payment request includes documentation appropriate to the type of payment request in accordance with the payment clause, contract financing clause, or Federal Acquisition Regulation 52.216-7, Allowable Cost and Payment, as applicable.

(5) *Receiving report.* The Contractor shall ensure a receiving report meets the requirements of DFARS Appendix F.

(g) *WAWF point of contact.*

(1) The Contractor may obtain clarification regarding invoicing in WAWF from the following contracting activity's WAWF point of contact.

___

(Contracting Officer: Insert applicable information or "Not applicable.")

(2) Contact the WAWF helpdesk at 866-618-5988, if assistance is needed.

(End of clause)

Additional Regulation or Supplemental Clauses Incorporated by Full Text

G-232-H005- SUPPLEMENTAL INSTRUCTIONS REGARDING INVOICING (NAVSEA) (JAN 2019) (Jan 2019)

(a) For other than firm fixed priced contract line item numbers (CLINs), the Contractor agrees to segregate costs incurred under this contract/task order (TO), as applicable, at the lowest level of performance, either at the sub line item number (SLIN) or CLIN level, rather than at the total contract/TO level, and to submit invoices reflecting costs incurred at that level. Supporting documentation in Wide Area Workflow (WAWF) for invoices shall include summaries of work charged during the period covered as well as overall cumulative summaries by individual labor categories, rates, and hours (both straight time and overtime) invoiced; as well as, a cost break down of other direct costs (ODCs), materials, and travel, by technical instruction (TI), SLIN, or CLIN level. For other than firm fixed price subcontracts, subcontractors are also required to provide labor categories, rates, and hours (both straight time and overtime) invoiced; as well as, a cost breakdown of ODCs, materials, and travel invoiced. Supporting documentation may be encrypted before submission to the prime contractor for WAWF invoice submittal. Subcontractors may email encryption code information directly to the Contracting Officer and Contracting Officer Representative (COR). Shouldthe subcontractor lack encryption capability, the subcontractor may also email detailed supporting cost information directly to the Contracting Officer and COR; or other method as agreed to by the Contracting Officer.

(b) Contractors submitting payment requests and receiving reports to WAWF using either Electronic Data Interchange (EDI) or Secure File Transfer Protocol (SFTP) shall separately send an email notification to the COR and Contracting Officer on the same date they submit the invoice in WAWF. No payments shall be due if the contractor does not provide the COR and Contracting Officer email notification as required herein.

(End of Text)

G-232-H002- H002 PAYMENT INSTRUCTIONS (NAVSEA) (FEB 2024) (Feb 2024)

Payment office allocation methods can be found in the table at DFARS PGI 204.7108(b)(2) (https://www.acq.osd.mil/dpap/dars/pgi/pgi_htm/current/PGI204_71.htm#payment_instructions).

(End of text)

G-242-H002 HOURS OF OPERATION AND HOLIDAY SCHEDULE (NAVSEA) (JUL 2021) (Jul 2021)

(a) The policy of this activity is to schedule periods of reduced operations or shutdown during holiday periods. Deliveries will not be accepted on Saturdays, Sundays or Holidays except as specifically requested by the [insert activity name]. All goods or services attempted to be delivered on a Saturday, Sunday or Holiday without specific instructions from the Contracting Officer or his duly appointed representative will be returned to the contractor at the contractor's expense with no cost or liability to the U. S. Government.

(b) The federal Government observes public Holidays that have been established under 5 U.S.C. 6103. The actual date of observance for each of the holidays, for a specific calendar year, may be obtained from the OPM website at OPM.GOV or by using the following direct link: https://www.opm.gov/policy-data-oversight/pay-leave/federal-holidays/.

(c) Delayed Opening, Early Dismissal and Closure of Government Facilities. When a Government facility has a delayed opening, is closed or Federal employees are dismissed early (due to severe weather, security threat, security exercise, or a

facility related problem) that prevents personnel from working, onsite contractor personnel regularly assigned to work at that facility shall follow the same reporting and/or departure directions given to Government personnel. The contractor shall not direct charge to the contract for such time off, but shall follow parent company policies regarding taking leave (administrative or other). Non-essential contractor personnel, who are not required to remain at or report to the facility, shall follow their parent company policy regarding whether they should go/stay home or report to another company facility. Subsequent to an early dismissal, delayed opening, or during periods of inclement weather, onsite contractors should monitor the OPM website as well as radio and television announcements before departing for work to determine if the facility is closed or operating on a delayed arrival basis.

(d) When Federal employees are excused from work due to a holiday or a special event (that is unrelated to severe weather, a security threat, or a facility related problem), on site contractors shall continue working established work hours or take leave in accordance with parent company policy. Those contractor employees who take leave shall not direct charge the non-working hours to the contract. Contractors are responsible for predetermining and disclosing their charging practices for early dismissal, delayed openings, or closings in accordance with the FAR, applicable cost accounting standards, and the company's established policy and procedures. Contractors shall follow their disclosed charging practices during the contract period of performance, and shall not follow any verbal directions to the contrary. The Contracting Officer will make the determination of cost allowability for time lost due to facility closure in accordance with FAR, applicable Cost Accounting Standards, and the Contractor's established accounting policy and procedures.

(e) If you intend to visit the Contracts Office, it is advised that you call for an appointment at least 24 hours in advance.

(f) The hours of operation are as follows:

AREA	FROM	TO
[*insert specific Departments*]	[*insert times*]	

(g) All deliveries to the Receiving Officer, ___ [*Negotiator insert delivery location*],shall be made Monday through Friday from ___ [*Negotiator enter beginning hour of operation*] to ___ [*Negotiator enter closing hour of operation*], local time. Deliveries will not be accepted after ___ [*Negotiator enter closing hour of operation*]. No deliveries will be accepted on federal government holidays.

(End of Text)

G-242-H001 - GOVERNMENT CONTRACTADMINISTRATION POINTS-OF-CONTACT AND RESPONSIBILITIES (NAVSEA) (OCT 2023) (Oct 2023)

(a) The Government reserves the right to administratively substitute any of the points of contact listed below at any time.

(b) The contracting officer is the only person authorized to change this contract or orders issued thereunder. The Contractor shall not comply with any order, direction or request of Government personnel - that would constitute a change - unless it is issued in writing and signed by the Contracting Officer or is pursuant to specific authority otherwise included as part of this contract. If, in the opinion of the contractor, an effort outside the existing scope of this contract is requested, the contractor shall promptly comply with the Notification of Changes clause of this contract.

(c) The points of contact are as follows:

(i) The Procuring Contracting Officer (PCO) is:

Name: [*]
Address:
[*Street]
[*City, State, Zip]
Phone: (Area Code) xxx- [xxxx]
E-mail: [*]

(ii) The Contract Specialist is:

Name: [*]
Address:
[*Street]
[*City, State, Zip]
Phone: (Area Code) xxx- [xxxx]
E-mail: [*]

(iii) The Administrative Contracting Officer (ACO) is:

Name: [*]
Address:
[*Street]
[*City, State, Zip]
Phone: (Area Code) xxx- [xxxx]
E-mail: [*]

(d) The Contracting Officer's Representative (COR) is the contracting officer's appointed representative for technical matters. The COR is not a contracting officer and does not have the authority to direct the accomplishment of effort which is beyond the scope of the contract or to otherwise change any contract requirements. An informational copy of the COR appointment letter, which provides a delineation of COR authority and responsibilities, will be provided upon award of this contract.

The Contracting Officer's Representative (COR) is:

Name: [*]
Address:
[*Street]
[*City, State, Zip]
Phone: (Area Code) xxx- [xxxx]
E-mail: [*]

(e) The Alternate Contracting Officer's Representative (ACOR) is responsible for COR responsibilities and functions in the event that the COR is unavailable due to leave, illness, or other official business. The ACOR is appointed by the contracting officer; a copy of the ACOR appointment will be provided upon award of this contract.

The Alternate Contracting Officer's Representative (ACOR) is:

Name: [*]
Address:
[*City, State, Zip]
Phone: (Area Code) xxx- [xxxx]
E-mail: [*]

(f) The Technical Point of Contact (TPOC) is the contracting officer's representative for technical matters when a COR is not appointed. The TPOC is responsible for technical issues of contract administration, such as providing all items of Government Furnished Information (GFI), Government Furnished Material (GFM) and Government Furnished Equipment (GFE) if specified in the contract as well as the inspection and acceptance of all contract deliverables.

The Technical Point of Contact (TPOC) is:

Name: [*]
Address: [*Street]
[*City, State, Zip]
Phone: (Area Code) xxx- [xxxx]
E-mail: [*]

(g) The Alternate Technical Point of Contact (ATPOC) is responsible for TPOC responsibilities and functions in the event that the TPOC is unavailable due to leave, illness, or other official business.

The Alternate Technical Point of Contact (ATPOC) is:

Name: [*]
Address:
[*City, State, Zip]
Phone: (Area Code) xxx- [xxxx]
E-mail: [*]

(h) The Authorized Ordering Person(s) for Per-Call Maintenance is responsible for issuing and maintaining records for any per-call orders for remedial maintenance placed under this contract. No per-call order shall be placed outside the scope of this contract and the cumulative total of all orders shall not be in excess of any not-to-exceed amount specified in the contract. Per-call orders shall not, in any way, modify any terms and conditions of the contract.

(i) The Authorized Ordering Person(s) for Per-Call Maintenance is:

Name: [*]
Address:
[*Street]
[*City, State, Zip]
Phone: (Area Code) xxx- [xxxx];
E-mail: [*]

(j) The Contractor's point of contact for performance under this contract is:

Name: [*]
Address:
[*Street]
[*City, State, Zip]
Phone: (Area Code) xxx- [xxxx]
E-mail: [*]

[*] To be completed at contract award

(End of Text)

Section H - Special Contract Requirements

Additional Regulation or Supplemental Clauses Incorporated by Full Text

H-209-H003 REQUIRED DISCLOSURE OF ORGANIZATIONAL CONFLICT OF INTEREST (NAVSEA) (NOV 2022) (Nov 2022)

(a) "Organizational Conflict of Interest" means that because of other activities or relationships with other persons, a person is unable or potentially unable to render impartial assistance or advice to the Government, or the person's objectivity in performing the contract work is or might be otherwise impaired, or a person has an unfair competitive advantage. "Person" as used herein includes Corporations, Partnerships, Joint Ventures, and other business enterprises.

(b) The Contractor warrants that to the best of its knowledge and belief, and except as otherwise set forth in the contract, at the time of execution of this contract the Contractor does not have any organizational conflict of interest(s) as defined in paragraph (a).

(c) The Contractor agrees that, if after award, it discovers an actual or potential organizational conflict of interest, it shall make immediate and full disclosure in writing to the Contracting Officer. The notification shall include a description of the actual or potential organizational conflict of interest, a description of the action which the Contractor has taken or proposes to take to avoid, mitigate, or neutralize the conflict, and any other relevant information that would assist the Contracting Officer in making a determination on this matter. Notwithstanding this notification, the Government may terminate the contract for the convenience of the Government if determined to be in the best interest of the Government.

(d) Notwithstanding paragraph (c) above, if the Contractor was aware, or should have been aware, of an organizational conflict of interest prior to the award of this contract or becomes, or should become, aware of an organizational conflict of interest after award of this contract and does not make an immediate and full disclosure in writing to the Contracting Officer, the Government may terminate this contract for default.

(e) If the Contractor fails to take action required by this requirement, or required by the Contracting Officer upon receipt of the Contractor's disclosure required by paragraph (c), the Government may terminate this contract for default.

(f) The Contracting Officer's decision as to the existence or nonexistence of an actual or potential organizational conflict of interest shall be final.

(g) The Contractor shall promptly notify the Contracting Officer, in writing, if it has been tasked to evaluate or advise the Government concerning its own products or activities, those of its subcontractors, those of one of its prime contractors (to which the contractor is a subcontractor), or those of a competitor in order to ensure proper safeguards exist to guarantee objectivity and to protect the Government's interest.

(h) The Contractor shall include this requirement in subcontracts of any tier which involve access to information or situations/conditions covered by the preceding paragraphs, substituting "subcontractor" for "contractor" where appropriate.

(i) The rights and remedies described herein shall not be exclusive and are in addition to other rights and remedies provided by law or elsewhere included in this contract.

(j) Compliance with this requirement is a material requirement of this contract.

(End of Text)

H-223-N001 INFORMATION ON EXPOSURE TO HAZARDOUS MATERIAL (NAVSEA) (JUL 2024) (Jul 2024)

Per 29 CFR 1910.1200, Hazard Communication, you, as a contractor employer with employees working at a Government facility, are hereby informed of the hazardous materials used at the Government facility which your employees may be exposed to while working here and also to suggest appropriate protective measures. Your own responsibilities as an employer, if any, are given in 29 CFR 1910.1200.

1. Hazardous materials your employees may be exposed to. Hazardous materials are materials which are cancer causing agents, toxic or highly toxic agents, reproductive toxins, irritants, corrosives, sensitizers, liver toxins, kidney toxins, agents which act on the blood forming system, and agents which damage the lungs, skins, eyes or mucous membranes. There are many potentially hazardous chemicals present at the Government facility which, unless controlled properly, could present a safety and health problem. The presence of many potentially hazardous materials may be apparent from the manufacturer's warning label on the hazardous material containers. The presence of many potentially hazardous materials may also be apparent due to their physical characteristics, such as the visual appearance of abrasive blasting dust or the distinctive smell of many solvents. These hazardous materials range in type and quantity. Typical hazardous materials include, but are not limited to:

a. Metals, e.g., mercury, lead, chromium

b. Paints and adhesives, e.g., varnishes and related products, sealing compounds, asphalt, deck and floor coverings, deck compounds

c. Corrosives, e.g., acids, alkalis

d. Compressed and liquefied gas, e.g., nitrogen, argon, oxygen, acetylene

e. Lubricants and oils, e.g., greases, cutting oils, hydraulic oils, miscellaneous waxes and fats

f. Fuels, e.g., liquid propellants, fuel oils, oxidizers, solid fuels

g. Particulates, e.g., asbestos fiberglass, dust, fumes, mist

Depending on the material involved, materials such as these can present physical hazards and or health hazards.

2. Labeling of Hazardous Material. Containers of potentially hazardous chemicals bear manufacturer's labeling, which identifies the chemical and it manufacturer, and provides appropriate hazard warnings. In addition, some materials may be labeled with the National Protection Association (NFPA) 704 label. This label uses a system of color coded symbols and numbers to convey the potential hazard of the material. The contractor should obtain information from NFPA concerning the interpretation of the 704 label.

3. Safety Data Sheets (SDS). The Safety Office maintains copies of manufacturers' SDS for potentially hazardous chemicals/materials that are known to be present in the Government facility. The contractor may, upon request to the Safety Office, review SDS for any specific materials to which contractor employees may be exposed while performing work in the Government facility. This information may be reviewed in the Safety Office.

4. Appropriate Protective Measures. Exposure to potentially hazardous material may occur from inhalation, ingestion or skin contact with the material: therefore, the following precautions should be taken:

a. Obey signs, directions and warning labels;

b. Do not use unknown or labeled materials;

c. Only operate equipment that you are authorized to operate, familiar with, and qualified to operate;

d. If any health effects (skin rash, trouble breathing, etc.) occur, which you feel are caused by exposure to hazardous material, contact the Safety Office.

5. The Safety Office points of contact are as follows: (*insert applicable name and code*).

(End of Text)

Section I - Contract Clauses

FAR Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate/ Deviation	Variation Effective Date
52.203-3	Gratuities.	Apr 1984		
52.203-6	Restrictions on Subcontractor Sales to the Government. (Alternate I)	Jun 2020	Alternate I	Nov 2021
52.203-19	Prohibition on Requiring Certain Internal Confidentiality Agreements or Statements.	Jan 2017		
52.204-13	System for Award Management-Maintenance. (Deviation 2026-O0038)	Feb 2026		
52.204-91	Contractor Identification. (Deviation 2026-O0038)	Feb 2026		
52.209-6	Protecting the Government's Interest When Subcontracting With Contractors Debarred, Suspended, Proposed for Debarment, or Voluntarily Excluded. (Deviation 2026-O0038)	Feb 2026		
52.209-10	Prohibition on Contracting With Inverted Domestic Corporations. (Deviation 2026-O0038)	Feb 2026		
52.211-15	Defense Priority and Allocation Requirements.	Apr 2008		
52.212-4	Terms and Conditions-Commercial Products and Commercial Services. (Deviation 2026-O0038)	Feb 2026		
52.219-8	Utilization of Small Business Concerns. (Deviation 2026-O0038)	Feb 2026		
52.222-3	Convict Labor. (Deviation 2026-O0038)	Feb 2026		
52.222-19	Child Labor-Cooperation with Authorities and Remedies. (Deviation 2026-O0038)	Mar 2026		
52.222-35	Equal Opportunity for Veterans. (Deviation 2026-O0038)	Feb 2026		
52.222-36	Equal Opportunity for Workers with Disabilities. (Deviation 2026-O0038)	Feb 2026		
52.222-37	Employment Reports on Veterans. (Deviation 2026-O0038)	Feb 2026		
52.222-40	Notification of Employee Rights Under the National Labor Relations Act. (Deviation 2026-O0038)	Feb 2026		
52.222-50	Combating Trafficking in Persons. (Deviation 2026-O0038)	Feb 2026		
52.222-90	Addressing DEI Discrimination by Federal Contractors. (Deviation 2026-O0040, Revision 1)	Apr 2026		
52.226-8	Encouraging Contractor Policies to Ban Text Messaging While Driving.	May 2024		
52.232-33	Payment by Electronic Funds Transfer-System for Award Management.	Oct 2018		
52.232-40	Providing Accelerated Payments to Small Business Subcontractors.	Mar 2023		
52.233-3	Protest after Award. (Deviation 2026-O0038)	Feb 2026		
52.233-4	Applicable Law for Breach of Contract Claim. (Deviation 2026-O0038)	Feb 2026		
52.240-91	Security Prohibitions and Exclusions. (Deviation 2026-O0038)	Feb 2026		
52.244-6	Subcontracts for Commercial Products and Commercial Services. (Deviation 2026-O0038)	Apr 2026		

DFARS Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate/ Deviation	Variation Effective Date
252.203-7000	Requirements Relating to Compensation of Former DoD Officials.	Sep 2011		
252.203-7002	Requirement to Inform Employees of Whistleblower Rights.	Dec 2022		
252.204-7012	Safeguarding Covered Defense Information and Cyber Incident Reporting.	May 2024		
252.204-7018	Prohibition on the Acquisition of Covered Defense Telecommunications Equipment or Services.	Jan 2023		
252.204-7022	Expediting Contract Closeout.	May 2021		
252.223-7008	Prohibition of Hexavalent Chromium.	Jan 2023		
252.225-7012	Preference for Certain Domestic Commodities.	Apr 2022		
252.225-7056	Prohibition Regarding Business Operations with the Maduro Regime.	Jan 2023		
252.225-7060	Prohibition on Certain Procurements from the Xinjiang Uyghur Autonomous Region.	Jun 2023		
252.226-7001	Utilization of Indian Organizations, Indian-Owned Economic Enterprises, and Native Hawaiian Small Business Concerns.	Jan 2023		
252.232-7010	Levies on Contract Payments.	Dec 2006		
252.237-7010	Prohibition on Interrogation of Detainees by Contractor Personnel.	Jan 2023		
252.243-7002	Requests for Equitable Adjustment.	Dec 2022		
252.247-7023	Transportation of Supplies by Sea.	Oct 2024		

FAR Clauses Incorporated by Full Text

52.217-7 Option for Increased Quantity-Separately Priced Line Item. (Tailored) (Mar 1989)

Option for Increased Quantity-Separately Priced Line Item (Mar 1989)

The Government may require the delivery of the numbered line item, identified in the Schedule as an option item, in the quantity and at the price stated in the Schedule. The Contracting Officer may exercise the option by written notice to the Contractor within 7 days before the contract expires. Delivery of added items shall continue at the same rate that like items are called for under the contract, unless the parties otherwise agree.

(End of clause)

52.217-8 Option to Extend Services. (Tailored) (Nov 1999)

Option to Extend Services (Nov 1999)

The Government may require continued performance of any services within the limits and at the rates specified in the contract. These rates may be adjusted only as a result of revisions to prevailing labor rates provided by the Secretary of Labor. The option provision may be exercised more than once, but the total extension of performance hereunder shall not exceed 6 months. The Contracting Officer may exercise the option by written notice to the Contractor within 7 days before contract expires.

(End of clause)

52.217-9 Option to Extend the Term of the Contract. (Tailored) (Mar 2000)

Option to Extend the Term of the Contract (Mar 2000)

(a) The Government may extend the term of this contract by written notice to the Contractor within 3 days; provided that the Government gives the Contractor a preliminary written notice of its intent to extend at least 7 days before the contract expires. The preliminary notice does not commit the Government to an extension.

(b) If the Government exercises this option, the extended contract shall be considered to include this option clause.

(c) The total duration of this contract, including the exercise of any options under this clause, shall not exceed 2 years.

(End of clause)

52.252-2 Clauses Incorporated by Reference. (Tailored) (Feb 1998)

Clauses Incorporated By Reference (Feb 1998)

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this/these address(es):

FAR: https://www.acquisition.gov/browse/index/far

DFARS: https://www.acquisition.gov/dfars

(End of clause)

52.252-6 Authorized Deviations in Clauses. (Tailored) (Nov 2020)

Authorized Deviations in Clauses (Nov 2020)

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of "(DEVIATION)" after the date of the clause.

(b) The use in this solicitation or contract of any Defense Federal Regulations Supplement (48 CFR Chapter 2) clause with an authorized deviation is indicated by the addition of "(DEVIATION)" after the name of the regulation.

(End of clause)

DFARS Clauses Incorporated by Full Text

252.211-7003 Item Unique Identification and Valuation. (Tailored) (Jan 2023)

ITEM UNIQUE IDENTIFICATION AND VALUATION (JAN 2023)

(a) *Definitions*. As used in this clause-

"Automatic identification device" means a device, such as a reader or interrogator, used to retrieve data encoded on machine-readable media.

"Concatenated unique item identifier" means-

(1) For items that are serialized within the enterprise identifier, the linking together of the unique identifier data elements in order of the issuing agency code, enterprise identifier, and unique serial number within the enterprise identifier; or

(2) For items that are serialized within the original part, lot, or batch number, the linking together of the unique identifier data elements in order of the issuing agency code; enterprise identifier; original part, lot, or batch number; and serial number within the original part, lot, or batch number.

"Data matrix" means a two-dimensional matrix symbology, which is made up of square or, in some cases, round modules arranged within a perimeter finder pattern and uses the Error Checking and Correction 200 (ECC200) specification found within International Standards Organization (ISO)/International Electrotechnical Commission (IEC) 16022.

"Data qualifier" means a specified character (or string of characters) that immediately precedes a data field that defines the general category or intended use of the data that follows.

"DoD recognized unique identification equivalent" means a unique identification method that is in commercial use and has been recognized by DoD. All DoD recognized unique identification equivalents are listed at *https://www.acq.osd.mil/asda/dpc/ce/ds/unique-id.html*.

"DoD item unique identification" means a system of marking items delivered to DoD with unique item identifiers that have machine-readable data elements to distinguish an item from all other like and unlike items. For items that are serialized within the enterprise identifier, the unique item identifier shall include the data elements of the enterprise identifier and a unique serial number. For items that are serialized within the part, lot, or batch number within the enterprise identifier, the unique item identifier shall include the data elements of the enterprise identifier; the original part, lot, or batch number; and the serial number.

" Enterprise " means the entity (e.g., a manufacturer or vendor) responsible for assigning unique item identifiers to items.

" Enterprise identifier" means a code that is uniquely assigned to an enterprise by an issuing agency.

"Government's unit acquisition cost" means-

(1) For fixed-price type line, subline, or exhibit line items, the unit price identified in the contract at the time of delivery;

(2) For cost-type or undefinitized line, subline, or exhibit line items, the Contractor's estimated fully burdened unit cost to the Government at the time of delivery; and

(3) For items produced under a time-and-materials contract, the Contractor's estimated fully burdened unit cost to the Government at the time of delivery.

"Issuing agency" means an organization responsible for assigning a globally unique identifier to an enterprise, as indicated in the Register of Issuing Agency Codes for ISO/IEC 15459, located at http://www.aimglobal.org/?Reg_Authority15459.

"Issuing agency code" means a code that designates the registration (or controlling) authority for the enterprise identifier.

"Item" means a single hardware article or a single unit formed by a grouping of subassemblies, components, or constituent parts.

" Lot or batch number" means an identifying number assigned by the enterprise to a designated group of items, usually referred to as either a lot or a batch, all of which were manufactured under identical conditions.

"Machine-readable" means an automatic identification technology media, such as bar codes, contact memory buttons, radio frequency identification, or optical memory cards.

"Original part number" means a combination of numbers or letters assigned by the enterprise at item creation to a class of items with the same form, fit, function, and interface.

"Parent item" means the item assembly, intermediate component, or subassembly that has an embedded item with a unique item identifier or DoD recognized unique identification equivalent.

"Serial number within the enterprise identifier" means a combination of numbers, letters, or symbols assigned by the enterprise to an item that provides for the differentiation of that item from any other like and unlike item and is never used again within the enterprise.

"Serial number within the part, lot, or batch number" means a combination of numbers or letters assigned by the enterprise to an item that provides for the differentiation of that item from any other like item within a part, lot, or batch number assignment.

"Serialization within the enterprise identifier" means each item produced is assigned a serial number that is unique among all the tangible items produced by the enterprise and is never used again. The enterprise is responsible for ensuring unique serialization within the enterprise identifier.

"Serialization within the part, lot, or batch number" means each item of a particular part, lot, or batch number is assigned a unique serial number within that part, lot, or batch number assignment. The enterprise is responsible for ensuring unique serialization within the part, lot, or batch number within the enterprise identifier.

"Type designation" means a combination of letters and numerals assigned by the Government to a major end item, assembly or subassembly, as appropriate, to provide a convenient means of differentiating between items having the same basic name and to indicate modifications and changes thereto.

"Unique item identifier" means a set of data elements marked on items that is globally unique and unambiguous. The term includes a concatenated unique item identifier or a DoD recognized unique identification equivalent.

"Unique item identifier type" means a designator to indicate which method of uniquely identifying a part has been used. The current list of accepted unique item identifier types is maintained at *https://www.acq.osd.mil/asda/dpc/ce/ds/unique-id.html*.

(b) The Contractor shall deliver all items under a contract line, subline, or exhibit line item.

(c) *Unique item identifier.*

(1) The Contractor shall provide a unique item identifier for the following:

(i) Delivered items for which the Government's unit acquisition cost is $5,000 or more, except for the following line items:

Contract Line, Subline, or Exhibit Line Item Number	Item Description
N/A	N/A

(ii) Items for which the Government's unit acquisition cost is less than $5,000 that are identified in the Schedule or the following table:

Contract Line, Subline, or Exhibit Line Item Number	Item Description
N/A	N/A

(iii) Subassemblies, components, and parts embedded within delivered items, items with warranty requirements, DoD serially managed reparables and DoD serially managed nonreparables as specified in Attachment Number ____.

(iv) Any item of special tooling or special test equipment as defined in FAR 2.101 that have been designated for preservation and storage for a Major Defense Acquisition Program as specified in Attachment Number ____.

(v) Any item not included in (i), (ii), (iii), or (iv) for which the contractor creates and marks a unique item identifier for traceability.

(2) The unique item identifier assignment and its component data element combination shall not be duplicated on any other item marked or registered in the DoD Item Unique Identification Registry by the contractor.

(3) The unique item identifier component data elements shall be marked on an item using two dimensional data matrix symbology that complies with ISO/IEC International Standard 16022, Information technology - International symbology specification - Data matrix; ECC200 data matrix specification.

(4) *Data syntax and semantics of unique item identifiers.* The Contractor shall ensure that-

(i) The data elements (except issuing agency code) of the unique item identifier are encoded within the data matrix symbol that is marked on the item using one of the following three types of data qualifiers, as determined by the Contractor:

(A) Application Identifiers (AIs) (Format Indicator 05 of ISO/IEC International Standard 15434), in accordance with ISO/IEC International Standard 15418, Information Technology - EAN/UCC Application Identifiers and Fact Data Identifiers and Maintenance and ANSI MH 10.8.2 Data Identifier and Application Identifier Standard.

(B) Data Identifiers (DIs) (Format Indicator 06 of ISO/IEC International Standard 15434), in accordance with ISO/IEC International Standard 15418, Information Technology - EAN/UCC Application Identifiers and Fact Data Identifiers and Maintenance and ANSI MH 10.8.2 Data Identifier and Application Identifier Standard.

(C) Text Element Identifiers (TEIs) (Format Indicator 12 of ISO/IEC International Standard 15434), in accordance with the Air Transport Association Common Support Data Dictionary; and

(ii) The encoded data elements of the unique item identifier conform to the transfer structure, syntax, and coding of messages and data formats specified for Format Indicators 05, 06, and 12 in ISO/IEC International Standard 15434, Information Technology - Transfer Syntax for High Capacity Automatic Data Capture Media.

(5) *Unique item identifier*.

(i) The Contractor shall-

(A) Determine whether to-

(1) Serialize within the enterprise identifier;

(2) Serialize within the part, lot, or batch number; or

(3) Use a DoD recognized unique identification equivalent (e.g. Vehicle Identification Number); and

(B) Place the data elements of the unique item identifier (enterprise identifier; serial number; DoD recognized unique identification equivalent; and for serialization within the part, lot, or batch number only: original part, lot, or batch number) on items requiring marking by paragraph (c)(1) of this clause, based on the criteria provided in MIL-STD-130, Identification Marking of U.S. Military Property, latest version;

(C) Label shipments, storage containers and packages that contain uniquely identified items in accordance with the requirements of MIL-STD-129, Military Marking for Shipment and Storage, latest version; and

(D) Verify that the marks on items and labels on shipments, storage containers, and packages are machine readable and conform to the applicable standards. The contractor shall use an automatic identification technology device for this verification that has been programmed to the requirements of Appendix A, MIL-STD-130, latest version.

(ii) The issuing agency code-

(A) Shall not be placed on the item; and

(B) Shall be derived from the data qualifier for the enterprise identifier.

(d) For each item that requires item unique identification under paragraph (c)(1)(i), (ii), or (iv) of this clause or when item unique identification is provided under paragraph (c)(1)(v), in addition to the information provided as part of the Material Inspection and Receiving Report specified elsewhere in this contract, the Contractor shall report at the time of delivery, as part of the Material Inspection and Receiving Report, the following information:

(1) Unique item identifier.

(2) Unique item identifier type.

(3) Issuing agency code (if concatenated unique item identifier is used).

(4) Enterprise identifier (if concatenated unique item identifier is used).

(5) Original part number (if there is serialization within the original part number).

(6) Lot or batch number (if there is serialization within the lot or batch number).

(7) Current part number (optional and only if not the same as the original part number).

(8) Current part number effective date (optional and only if current part number is used).

(9) Serial number (if concatenated unique item identifier is used).

(10) Government's unit acquisition cost.

(11) Unit of measure.

(12) Type designation of the item as specified in the contract schedule, if any.

(13) Whether the item is an item of Special Tooling or Special Test Equipment.

(14) Whether the item is covered by a warranty.

(e) For embedded subassemblies, components, and parts that require DoD item unique identification under paragraph (c)(1)(iii) of this clause or when item unique identification is provided under paragraph (c)(1)(v), the Contractor shall report as part of the Material Inspection and Receiving Report specified elsewhere in this contract, the following information:

(1) Unique item identifier of the parent item under paragraph (c)(1) of this clause that contains the embedded subassembly, component, or part.

(2) Unique item identifier of the embedded subassembly, component, or part.

(3) Unique item identifier type.**

(4) Issuing agency code (if concatenated unique item

identifier is used).**

(5) Enterprise identifier (if concatenated unique item identifier is used).**

(6) Original part number (if there is serialization within the original part number).**

(7) Lot or batch number (if there is serialization within the lot or batch number).**

(8) Current part number (optional and only if not the same as the original part number).**

(9) Current part number effective date (optional and only if current part number is used).**

(10) Serial number (if concatenated unique item identifier is used).**

(11) Description.

** Once per item.

(f) The Contractor shall submit the information required by paragraphs (d) and (e) of this clause as follows:

(1) End items shall be reported using the receiving report capability in Wide Area WorkFlow (WAWF) in accordance with the clause at 252.232-7003. If WAWF is not required by this contract, and the contractor is not using WAWF, follow the procedures at http://dodprocurementtoolbox.com/site/uidregistry/.

(2) Embedded items shall be reported by one of the following methods-

(i) Use of the embedded items capability in WAWF;

(ii) Direct data submission to the IUID Registry following the procedures and formats at http://dodprocurementtoolbox.com/site /uidregistry/; or

(iii) Via WAWF as a deliverable attachment for exhibit line item number (fill in) ____, Unique Item Identifier Report for Embedded Items, Contract Data Requirements List, DD Form 1423.

(g) *Subcontracts*. If the Contractor acquires by subcontract, any item(s) for which item unique identification is required in accordance with paragraph (c)(1) of this clause, the Contractor shall include this clause, including this paragraph (g), in the applicable subcontract(s), including subcontracts for commercial products or commercial services.

(End of clause)

Section J - List of Attachments

Exhibits:

Id	Exhibit Name	Exhibit Description	Reference Identifier	Date	Line Item
A	Exhibit A			07 Oct 2026	
B	Exhibit B			07 Oct 2026	
C	Exhibit C			07 Oct 2026	

Attachments:

Number	Attachment Name	Attachment Description	Reference Identifier	Date
01	Attachment 1 - OPSEC Enclosure 2			06 Oct 2026
02	Attachment 2 - QASP			06 Oct 2026
03	Attachment 3 - QASP Matrix			06 Oct 2026

Section K - Representations, Certification, & Other Statements

FAR Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate/ Deviation	Variation Effective Date
52.203-11	Certification and Disclosure Regarding Payments to Influence Certain Federal Transactions.	Sep 2024		

DFARS Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate/ Deviation	Variation Effective Date
252.203-7005	Representation Relating to Compensation of Former DoD Officials.	Sep 2022		
252.204-7008	Compliance with Safeguarding Covered Defense Information Controls.	Oct 2016		
252.225-7055	Representation Regarding Business Operations with the Maduro Regime.	May 2022		
252.225-7059	Prohibition on Certain Procurements from the Xinjiang Uyghur Autonomous Region-Representation.	Jun 2023		

FAR Clauses Incorporated by Full Text

52.204-90 Offeror Identification. (Deviation 2026-O0038) (Feb 2026)

OFFEROR IDENTIFICATION (FEB 2026) (DEVIATION 2026-O0038)

If the Offeror will not have an active Federal Government contracts registration in the System for Award Management (https://www.sam.gov) when submitting its offer, it shall complete paragraphs (c) and (d) of this provision and include its responses with its offer.

(a) *Definitions*. As used in this provision-

Commercial and Government Entity (CAGE) code has the meaning provided in the clause at FAR 52.204-91, Contractor Identification, of this solicitation.

Common parent means that corporate entity that owns or controls an affiliated group of corporations that files its Federal income tax returns on a consolidated basis, and of which the offeror is a member.

Electronic Funds Transfer (EFT) indicator means a bank account identifier to establish additional System for Award Management records for identifying alternative EFT accounts (see part 32) for the same entity.

Highest-level owner means the entity that owns or controls an immediate owner of the offeror, or that owns or controls one or more entities that control an immediate owner of the offeror. No entity owns or exercises control of the highest-level owner.

Immediate owner means an entity, other than the offeror, that has direct control of the offeror. Indicators of control include, but are not limited to, one or more of the following: ownership or interlocking management, identity of interests among family members, shared facilities and equipment, and the common use of employees. There may be more than one immediate owner (e.g., joint ventures).

Predecessor means an entity whose assets were acquired by the offeror or another entity (most often through merger or acquisition) and whose affairs are now carried out by the offeror or the other entity under a new name.

Taxpayer Identification Number means the number required by the Internal Revenue Service (IRS) to be used by the offeror to report income tax and other returns. It may be either a Social Security Number or an Employer Identification Number.

Unique entity identifier (UEI) has the meaning provided in the clause at FAR 52.204-91, Contractor Identification, of this solicitation.

(b) *Unique entity identifier (UEI).*

(1) The Offeror shall enter, in the block with its name and address on the cover page of its offer, the annotation "Unique Entity Identifier" followed by the UEI that identifies the Offeror's name and address exactly as stated in the offer. The Offeror shall also enter its EFT indicator, if applicable.

(2) If the Offeror does not have a UEI, it shall go to https://www.sam.gov to obtain one. The Government will independently validate the existence and uniqueness of the Offeror before assigning a UEI.

(c) *Taxpayer identification*. The Offeror shall provide with its offer the following information that is necessary to comply with debt collection requirements of 31 U.S.C. 7701(c) and 3325(d); reporting requirements of 26 U.S.C. 6041, 6041A, and 6050M; and the implementing IRS regulations:

(1) Taxpayer identification number (TIN)

☐ TIN: ____;

☐ TIN has been applied for; or

☐ TIN is not required because:

☐ Offeror is a nonresident alien, foreign corporation, or foreign partnership that does not have income effectively connected with the conduct of a trade or business in the United States and does not have an office or place of business or a fiscal paying agent in the United States;

☐ Offeror is an agency or instrumentality of a foreign government; or

☐ Offeror is an agency or instrumentality of the Federal Government.

(2) *Type of organization.*

☐ Sole proprietorship;

☐ Partnership;

☐ Corporate entity (not tax-exempt);

☐ Corporate entity (tax-exempt);

☐ Government entity (Federal, State, or local);

☐ Foreign government;

☐ International organization per 26 CFR 1.6049-4; or

☐ Other.

(3) *Common parent.*

☐ Offeror is not owned or controlled by a common parent as defined in paragraph (a) of this provision; or

☐ Name and TIN of common parent:

Name: ____

TIN: ____

(4) The TIN provided in paragraph (c)(1) of this provision may be matched with IRS records to verify the accuracy of the Offeror's TIN. The Government may use the TIN to collect and report on any delinquent amounts arising out of the Offeror's relationship with the Government (31 U.S. C. 7701(c)(3)).

(d) Commercial and Government Entity (CAGE) code.

(1) The Offeror shall provide its CAGE code with its offer with its name and location address or otherwise include it prominently in its offer. The CAGE code shall be for that name and location address. Insert the word "CAGE" before the code. The Offeror may obtain a CAGE code as indicated in the following table.

If the Offeror is…	**Then…**
Located in the United States or its outlying areas	Submit a request to the DLA CAGE Branch via https://cage.dla.mil
Located outside the United States and its	Contact the appropriate National

outlying areas and its country is a member of the North Atlantic Treaty Organization (NATO) or a sponsored nation	Codification Bureau (https://www.nato.int/structur/ac/135/about/contacts)
Located outside the United States and its outlying areas and its country is not a member of NATO or a sponsored nation	Contact the NATO Support and Procurement Agency (NSPA) (https://eportal.nspa.nato.int /AC135Public/scage/CageList.aspx)

(2) The Offeror shall provide the CAGE code and legal business name (Do not use a "doing business as" name) for-

(i) Its immediate owner(s), if any;

(ii) Its highest-level owner, if any; and

(iii) Any predecessor(s), or predecessor of an Offeror's predecessor, that held a Federal contract or grant within the last three years.

Owner Type	CAGE Code	Legal Business Name
Immediate owner	____	____
Highest-level owner	____	____
Predecessor*	____	____

* Predecessor CAGE code may be marked "Unknown."

(3) If the Offeror has more than one immediate owner (such as a joint venture), give the information for each owner (or joint venture participant). If the Offeror has more than one predecessor, provide information for each predecessor in reverse chronological order.

(End of provision)

DFARS Clauses Incorporated by Full Text

252.204-7017 Prohibition on the Acquisition of Covered Defense Telecommunications Equipment or Services-Representation. (Tailored) (May 2021)

PROHIBITION ON THE ACQUISITION OF COVERED DEFENSE TELECOMMUNICATIONS EQUIPMENT OR SERVICES-REPRESENTATION (MAY 2021)

The Offeror is not required to complete the representation in this provision if the Offeror has represented in the provision at 252.204-7016, Covered Defense Telecommunications Equipment or Services-Representation, that it "does not provide covered defense telecommunications equipment or services as a part of its offered products or services to the Government in the performance of any contract, subcontract, or other contractual instrument."

(a) *Definitions*. "Covered defense telecommunications equipment or services," "covered mission," "critical technology," and "substantial or essential component," as used in this provision, have the meanings given in the 252.204-7018 clause, Prohibition on the Acquisition of Covered Defense Telecommunications Equipment or Services, of this solicitation.

(b) *Prohibition*. Section 1656 of the National Defense Authorization Act for Fiscal Year 2018 (Pub. L. 115-91) prohibits agencies from procuring or obtaining, or extending or renewing a contract to procure or obtain, any equipment, system, or service to carry out covered missions that uses covered defense telecommunications equipment or services as a substantial or essential component of any system, or as critical technology as part of any system.

(c) *Procedures*. The Offeror shall review the list of excluded parties in the System for Award Management (SAM) at *https://www.sam.gov* for entities that are excluded when providing any equipment, system, or service to carry out covered missions that uses covered defense telecommunications equipment or services as a substantial or essential component of any system, or as critical technology as part of any system, unless a waiver is granted.

(d) *Representation*. If in its annual representations and certifications in SAM the Offeror has represented in paragraph (c) of the provision at 252.204-7016, Covered Defense Telecommunications Equipment or Services-Representation, that it "does" provide covered defense telecommunications equipment or services as a part of its offered products or services to the Government in the performance of any contract, subcontract, or other contractual instrument, then the Offeror shall complete the following additional representation:

> The Offeror represents that it [ ] will [ ] will not provide covered defense telecommunications equipment or services as a part of its offered products or services to DoD in the performance of any award resulting from this solicitation.

(e) *Disclosures*. If the Offeror has represented in paragraph (d) of this provision that it "will provide covered defense telecommunications equipment or services," the Offeror shall provide the following information as part of the offer:

(1) A description of all covered defense telecommunications equipment and services offered (include brand or manufacturer; product, such as model number, original equipment manufacturer (OEM) number, manufacturer part number, or wholesaler number; and item description, as applicable).

(2) An explanation of the proposed use of covered defense telecommunications equipment and services and any factors relevant to determining if such use would be permissible under the prohibition referenced in paragraph (b) of this provision.

(3) For services, the entity providing the covered defense telecommunications services (include entity name, unique entity identifier, and Commercial and Government Entity (CAGE) code, if known).

(4) For equipment, the entity that produced or provided the covered defense telecommunications equipment (include entity name, unique entity identifier, CAGE code, and whether the entity was the OEM or a distributor, if known).

(End of provision)

Section L - Instructions, Conditions, & Notices to Offerors or Quoters

FAR Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate/ Deviation	Variation Effective Date
52.203-18	Prohibition on Contracting with Entities that Require Certain Internal Confidentiality Agreements or Statements-Representation.	Jan 2017		
52.204-7	System for Award Management-Registration. (Deviation 2026-O0038)	Feb 2026		

DFARS Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate/ Deviation	Variation Effective Date
252.204-7024	Notice on the Use of the Supplier Performance Risk System.	Mar 2023		

FAR Clauses Incorporated by Full Text

52.211-14 Notice of Priority Rating for National Defense, Emergency Preparedness, and Energy Program Use. (Apr 2008)

NOTICE OF PRIORITY RATING FOR NATIONAL DEFENSE, EMERGENCY PREPAREDNESS, AND ENERGY PROGRAM USE (APR 2008)

Any contract awarded as a result of this solicitation will be ☑ DX rated order; ☐ DO rated order certified for national defense, emergency preparedness, and energy program use under the Defense Priorities and Allocations System (DPAS) (15 CFR700), and the Contractor will be required to follow all of the requirements of this regulation. [*Contracting Officer check appropriate box*.]

(End of provision)

52.212-1 Instructions to Offerors-Commercial Products and Commercial Services. (Deviation 2026-O0038) (Tailored) (Feb 2026)

Instructions to Offerors-Commercial Products and Commercial Services (Feb 2026) (Deviation 2026-O0038)

(a) *Submission of offers*. Submit signed and dated offers by email to David.m.ham7.civ@us.navy.mil at or before the exact time specified in this solicitation. As a minimum, offers shall include-

(1) The solicitation number;

(2) The name, address, telephone number of the Offeror;

(3) The Offeror's Unique Entity Identifier (UEI) and, if applicable, Electronic Funds Transfer (EFT) indicator;

(4) Information necessary to evaluate the factors contained in the provision at 52.212-2 or as described in the solicitation;

(5) Responses to provisions that require Offeror completion of information, representations, and certifications (other than those collected via the System for Award Management (SAM)); and

(6) A statement specifying the extent of agreement with all terms, conditions, and provisions included in the solicitation and any solicitation amendments.

Content of Quote

1) Point of Contact, Name, Email, Phone, CAGE Code

2) Technical Submission as noted below;

-Equipment Brochure(s) and Specification Sheet(s)

-SOW Compliance Checklist (Table E1)

-Ability to meet the Delivery Schedule

3) Pricing Submission as noted below;

-Vendors shall provide firm, fixed prices for each CLIN

-Vendors shall provide information requested in L-212-W002 Price Proposal - Specific Requirements - Commercial Items (NAVSEA)

4) Past Performance as noted below;

-Vendors shall submit one (1) project/contract that demonstrates recent and relevant experience with one (1) major task identified in the Statement of Work (SOW) .

(b) *Period for acceptance of offers*. The Offeror agrees to hold the prices in its offer firm for 60 calendar days from the date specified for receipt of offers, unless another time period is specified in an addendum to the solicitation.

(c) *Late submissions, modifications, revisions, and withdrawals of offers*.

(1) Offerors are responsible for submitting offers and any modifications or revisions to the Government office designated in the solicitation by the time specified in the solicitation.

(2) Any offer, modification, or revision received after the time specified for receipt of offers is "late" and will not be considered unless it is received before award is made and the Contracting Officer determines that accepting the late offer would not unduly delay the acquisition. However, a late modification of an otherwise successful offer that makes its terms more favorable to the Government will be considered at any time it is received and may be accepted.

(3) If an emergency or unanticipated event interrupts normal Government processes so that offers cannot be received at the Government office designated for receipt of offers by the exact time specified in the solicitation, and urgent Government requirements preclude amendment of the solicitation or other notice of an extension of the closing date, the time specified for receipt of offers will be deemed to be extended to the same time of day specified in the solicitation on the first work day on which normal Government processes resume.

(4) Offerors may withdraw their offers by written notice to the Government received at any time before award.

(d) *Contract award (not applicable to Invitation for Bids)*. The Government intends to evaluate offers and award a contract without discussions with Offerors. Therefore, the Offeror's initial offer should contain the Offeror's best terms. However, the Government reserves the right to conduct discussions, if necessary. The Government may reject any or all offers if such action is in the public interest, accept other than the lowest offer, and waive informalities and minor irregularities in offers received.

(e) *Debriefings*. If a postaward debriefing is given to requesting Offerors, the Government will disclose the following information, if applicable:

(1) The agency's evaluation of the significant weak or deficient factors in the debriefed Offeror's offer.

(2) The overall evaluated cost or price and technical rating of the successful Offeror and the debriefed Offeror and past performance information on the debriefed Offeror.

(3) The overall ranking of all Offerors when any ranking was developed by the agency during source selection.

(4) A summary of the rationale for award.

(5) For acquisitions of commercial products, the make and model of the product to be delivered by the successful Offeror.

(6) Reasonable responses to relevant questions posed by the debriefed Offeror as to whether the agency followed source-selection procedures set forth in the solicitation, applicable regulations, and other applicable authorities.

(End of provision)

52.219-4 Notice of Price Evaluation Preference for HUBZone Small Business Concerns. (Deviation 2026-O0038) (Feb 2026)

NOTICE OF PRICE EVALUATION PREFERENCE FOR HUBZONE SMALL BUSINESS CONCERNS (FEB 2026) (DEVIATION 2026-O0038)

(a) Evaluation preference.

(1) Offers will be evaluated by adding a factor of 10 percent to the price of all offers, except-

(i) Offers from HUBZone small business concerns that have not waived the evaluation preference; and

(ii) Otherwise successful offers from small business concerns.

(b) *Waiver of evaluation preference*. A HUBZone small business concern may choose to waive the evaluation preference. If the concern waives the preference, the factor will be added to its offer for evaluation purposes.

☐ Offeror chooses to waive the evaluation preference.

(c) *Joint venture.* A HUBZone joint venture agrees that, in the performance of the contract, at least 40 percent of the aggregate work performed by the joint venture shall be completed by the HUBZone small business parties to the joint venture. Work performed by the HUBZone small business parties to the joint venture must be more than administrative functions.

(End of provision)

52.252-1 Solicitation Provisions Incorporated by Reference. (Tailored) (Feb 1998)

Solicitation Provisions Incorporated by Reference (Feb 1998)

This solicitation incorporates one or more solicitation provisions by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. The offeror is cautioned that the listed provisions may include blocks that must be completed by the offeror and submitted with its quotation or offer. In lieu of submitting the full text of those provisions, the offeror may identify the provision by paragraph identifier and provide the appropriate information with its quotation or offer. Also, the full text of a solicitation provision may be accessed electronically at this/these address(es):

FAR: https://www.acquisition.gov/browse/index/far

(End of provision)

52.252-5 Authorized Deviations in Provisions. (Tailored) (Nov 2020)

Authorized Deviations in Provisions (Nov 2020)

(a) The use in this solicitation of any Federal Acquisition Regulation (48 CFR Chapter 1) provision with an authorized deviation is indicated by the addition of "(DEVIATION)" after the date of the provision.

(b) The use in this solicitation of any Defense Federal Regulations Supplement (48 CFR Chapter 2)provision with an authorized deviation is indicated by the addition of "(DEVIATION)" after the name of the regulation.

(End of provision)

DFARS Clauses Incorporated by Full Text

252.204-7025 Notice of Cybersecurity Maturity Model Certification Level Requirements. (Tailored) (Nov 2025)

NOTICE OF CYBERSECURITY MATURITY MODEL CERTIFICATION LEVEL REQUIREMENTS (NOV 2025)

(a) *Definitions*. As used in this provision, "controlled unclassified information (CUI)," "current," "Cybersecurity Maturity Model Certification (CMMC) status," "Cybersecurity Maturity Model Certification unique identifier (CMMC UID)," "Federal contract information (FCI)", and "plan of action and milestones" have the meaning given in the Defense Federal Acquisition Regulation Supplement 252.204-7021, Contractor Compliance With the Cybersecurity Maturity Model Certification Level Requirements, clause of this solicitation.

(b)(1) *Cybersecurity Maturity Model Certification (CMMC) level*. The CMMC level required by this solicitation is: Level 1, is required prior to award for each contractor information system that will process, store, or transmit Federal contract information (FCI) or controlled unclassified information (CUI) during performance of the contract.

(2) The Offeror will not be eligible for award of a contract, task order, or delivery order resulting from this solicitation if the Offeror does not have, for each of the contractor information systems that will process, store, or transmit FCI or CUI and that will be used in performance of a contract resulting from this solicitation-

(i) The current CMMC status entered in the Supplier Performance Risk System (SPRS) (*https://piee.eb.mil*) at the CMMC level required by paragraph (b)(1) of this provision; and

(ii) A current affirmation of continuous compliance with the security requirements identified at 32 CFR part 170 in SPRS.

(c) *Plan of action and milestones*. If the Offeror has a CMMC Status of Conditional, the Offeror shall successfully close out a valid plan of action and milestones (32 CFR 170.21) to achieve a CMMC Status of Final.

(d) *CMMC unique identifiers*. The Offeror shall provide, in the proposal, the CMMC unique identifier(s) (CMMC UIDs) issued by SPRS for each contractor information system that will process, store, or transmit FCI or CUI during performance of a contract, task order, or delivery order resulting from this solicitation. The Offeror also shall update the list when new CMMC UIDs are generated in SPRS. The CMMC UIDs are provided in SPRS after the Offeror enters the results of self-assessment(s) for each such information system.

(End of provision)

Additional Regulation or Supplemental Clauses Incorporated by Full Text

L-212-W001 TECHNICAL PROPOSAL – SPECIFIC REQUIREMENTS – COMMERCIAL ITEMS (Oct 2018) (NAVSEA) (OCT 2018)

(a) The technical proposal shall include responses to clearly demonstrate that all the requirements included in the specifications will be met. It may include brochures, specification sheets or other descriptive literature detailing the features of the items proposed. "Descriptive literature" means information (e.g., cuts, illustrations, drawings, and brochures) that is submitted as part of an offer. Descriptive literature is required to establish, for the purpose of evaluation and award, details of the product offered that are specified elsewhere in the solicitation and pertain to significant elements such as (1) design; (2) materials; (3) components; (4) performance characteristics; and (5) methods of manufacture, assembly, construction, or operation. The term includes only information required to determine the technical acceptability of the offered product. It does not include other information such as that used in determining the responsibility of a prospective Contractor or for operating or maintaining equipment.

(b) The offeror shall discuss clearly and completely how each requirement will be met and reference where the information supporting the statement can be found in the technical information/descriptive literature provided. A mere statement that the offeror understands the requirement and intends to comply IS NOT SUFFICIENT. The offeror must explicitly state how it intends to comply with each of the requirements and demonstrate a comprehensive understanding of the requirements.

(c) If the specification includes identification of a specific make and model on a "brand name or equal" basis, and the offeror states that it will provide the make and model specified, it need not address the salient characteristics included in the Description /Specification/Work Statement. The offeror need only include the following statement - "Requested Brand Name will be supplied."

(End of Provision)

L-212-W002 PRICE PROPOSAL – SPECIFIC REQUIREMENTS – COMMERCIAL ITEMS (Oct 2018) (NAVSEA) (OCT 2018)

The contracting officer must establish price reasonableness in accordance with FAR 13.106-3, 14.408-2, or Subpart 15.4, as applicable. To assist in determining whether the proposed prices are "fair and reasonable", the offeror shall submit the following information:

(a) The offeror shall submit the following pricing information on the three most recent sales of the items being procured or same or similar commercial items under comparable terms and conditions by commercial customers. If no pricing information is available on recent purchase prices paid by commercial customers, the offeror shall submit pricing information on recent purchase prices paid by the Government. Where the pricing information furnished is on similar items, the offeror shall indicate the differences. Pricing information furnished should be as current as possible, and should be on quantities similar to this solicitation. The offeror shall furnish copies of invoices to support the pricing information provided.

Reference Contract Line Item	Date of Sale	Quantity	Unit Price	Type of Customer (Government or Commercial)	Customer Contract Number	Customer Name /Phone No.	Same or Similar Item	For Similar Items, Lis Differenc

(b) A copy of the current catalog or established price list for the articles covered by the offer and information where the established price may be found.

(c) A statement that such catalog or established price list:

(1) Is regularly maintained.

(2) Is published or otherwise available for inspection by customers.

(3) States the prices at which sales are currently made to a number of buyers.

(d) A statement that such articles are commercial items sold in substantial quantities to the general public, at the prices listed in the above-mentioned catalog or established price list.

(e) A statement that the proposed prices, including consideration of any discount or rebate arrangement, do not exceed prices charged the offeror's most favored customer for like items in similar quantities under comparable conditions.

(End of Provision)

Section M - Evaluation Factors for Award

FAR Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate/ Deviation	Variation Effective Date
52.217-3	Evaluation Exclusive of Options.	Apr 1984		

FAR Clauses Incorporated by Full Text

52.212-2 Evaluation-Commercial Products and Commercial Services. (Deviation 2026-O0038) (Tailored) (Feb 2026)

Evaluation-Commercial Products and Commercial Services (Feb 2026) (Deviation 2026-O0038)

(a) Evaluation factors. The Government will award a contract resulting from this solicitation to the responsible Offeror whose offer is the Lowest-Priced, Technically Acceptable, price and other factors considered. The following factors will be used to evaluate offers:

Factor 1 - Technical Acceptability

Element 1 - Technical

Must meet specifications in the Statement of Work (SOW). The Government will evaluate the vendor's compliance with the Statement of Work (Element 1) and the delivery / ability to meet the performance schedule (Element 2), using the ratings in the table below.

Rating	Description
Acceptable	Submission clearly meets the minimum requirements of the solicitation
Unacceptable	Submission does not meet the minimum requirements of the solicitation

Element 2 - Delivery

The Government will evaluate the Vendor's ability to meet the delivery schedule.

Factor 2 - Price

The Government will evaluate Price for completeness and reasonableness.

Factor 3 - Past Performance

The Government will evaluate recent and relevant Past Performance provided by Vendors or available from Government or commercial sources (e.g., Past Performance Information Retrieval System, Contractors Performance Assessment Reporting Systems, Electronic Subcontract Reporting System, ETC.) to assess the Vendor's probability of successfully performing the required effort. Vendors shall submit documentation of one (1) project /contract that demonstrates recent and relevant experience with one (1) major task identified in the Statement of Work (SOW).

(a) The Government's evaluation will focus on the following areas:

1) Quality of Service, 2) Schedule, 3) Customer Satisfaction, 4) Management

(b) The following definitions apply to this solicitation:

1) Recency: to be recent, the effort must have been performed during the past three (3) years from the date of this solicitation. Information that fails to meet this condition or that has yet to be performed will not be evaluated.

2) Relevancy: To be relevant, the effort must be similar tin scope and magnitude to the services/supply being procured under this solicitation.

Scope: Measures similarity to the requirements defined in the SOW.

Magnitude: Measures similarity of the dollar values between the prior contract or project and the projected value of the future contract.

Note: In the case of an offeror without a record of relevant past performance or for whom the information on past performance is not available or is so sparse that no meaning past performance rating can be reasonably assigned the offeror may not be evaluated favorably or unfavorably on past performance. Therefore, the offeror shall be determined to have unknown past performance. In the context of the acceptable/unacceptable rating, "unknown" past performance shall be considered "acceptable."

Rating	**Description**
Acceptable	Based on the offeror's performance record, the Government has a reasonable expectation that the offeror will successfully perform the required effort, or the offeror's performance is unknown.
Unacceptable	Based on the offeror's performance record, the Government has no reasonable expectation that the offeror will successfully perform the required effort.

Vendors will be required to submit a quote that will be evaluated in accordance with the specifications provided in the solicitation, FAR 52.212-1 Instruction to Offerors. Failure to include pricing for all line items shall be cause for rejection of the quote for all line items.

(b) *Options (if applicable)*. The Government will evaluate offers for award purposes by adding the total price for all options to the total price for the basic requirement. The Government may determine that an offer is unacceptable if the option prices are significantly unbalanced. The evaluation of options does not obligate the Government to exercise the option(s).

(c) *Notice of award*. A written notice of award or acceptance of an offer furnished to the successful Offeror within the time for acceptance specified in the offer, shall result in a binding contract without further action by either party. Before the offer's specified expiration time, the Government may accept an offer (or part of an offer), whether or not there are negotiations after its receipt, unless a written notice of withdrawal is received before award.

(End of provision)