261019091233

Contract Quality Requirements Worksheet

Requisition/WBS Number	JO_PCN	End Item	Part Number	NSN/NIIN
EH25MRI027EHM5			1110700280-1RIA:5B5M3	

QA Specialist	Telephone	Date	Drawing Specification/Item
ROZKALNS	5565	10/19/2026	WASHER, ANTI-FRICTION

[ ] Qualified Products/Producers List

[X] Government Actions will be performed by ACO-authorized Representative at
- [ ] Source - FAR 46.202, 46.405
- [X] RIA-JMTC - FAR 46.403, 46.404

[X] Acceptance at [ ] Source [X] RIA-JMTC

[ ] Government Reliance on Inspection by Contractor - FAR 52.246-1

[X] Inspection by the Government - FAR 52.246-2

[ ] Higher-Level Contract Quality Requirements - FAR 52.246-11
- [ ] ANSI/ISO/ASQ Q9001-2015
- [ ] Other

[ ] Applicable Documents [ ] Below [ ] Attached

[X] Certificate of Conformance - FAR 52.246-15

[ ] Certified Test Report (CTR)

[ ] Product must be purchased from an AS9100 — *Please select*: Certified Vendor

[ ] Government Designed Acceptance Inspection and Test Equipment (Attached)

[ ] First Article Approval, Government Testing (Attached) - FAR 52.209-4

[ ] First Article Approval, Contractor Testing (Attached) - FAR 52.209-3

[ ] First Article Parts Required? [ ] No [ ] Yes - Quantity

[ ] First Article Parts will be:
- [ ] Accepted as Part of the Production Run
- [ ] Returned to Vendor

[ ] Preproduction Material Approval - Government Testing (Attached)

[ ] Ballistic Testing (Attached)

[ ] Shelf Life: FAR 46.706
DOD 4140.27M (not less than 85% shelf life remaining upon receipt)


[X] Other:

ITEMS MUST BE INSPECTED AND ACCEPTED BY RIA-JMTC INCOMING RECEIVING INSPECTION. WASHER, ANTI-FRICTION PURCHASE PER DRAWING 1110700280: 1110700280-1 MAKE FROM 1110700278 BEARING MATERIAL SUGGESTED SOURCE THE TIMKEN COMPANY VENDOR PART NO. S0594DU0500-S1 BEARING MATERIAL PER SPECIFICATIONS ON 1110700278 DRAWING


NOTES:

1. APPLICABLE STANDARDS/SPECIFICATIONS:
   A. ASME Y14.100-2017
   B. ASME Y14.5-2009
2. MAKE FROM 1110700278 - BEARING MATERIAL.
3. REMOVE BURRS AND BREAK ALL SHARP EDGES.


REVISIONS			
LTR	NOR NUMBER	DATE	APPROVED
P1	INITIAL RELEASE	2024-05-06	PMS



1110700280-1



1110700280-2



1110700280-3

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

NEXT ASSY: 1110700204	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: 2 PLACE DECIMALS ±.06 3 PLACE DECIMALS ±.010 FRACTIONS ± ANGLES ±	ORIGINAL DATE (YR-MO-DA): 2024-05-07 DRAWN BY: M. HERMAN CHECKER: J. DIETEL SUBMITTED DESIGN APPROVAL DRAWING APPROVAL CONTRACT NO.	U.S. ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND CHEMICAL BIOLOGICAL CENTER ROCK ISLAND ARSENAL, ROCK ISLAND, IL 61299
EQUIPMENT CODE NO.: B39	MATERIAL: SEE NOTE 2		WASHER, ANTI-FRICTION
			SIZE: D; DAI: 5B5M3; DWG NO.: 1110700280
			SCALE 2:1; Rev: P1; SHEET 1 OF 1

NOTES

1. APPLICABLE STANDARDS/SPECIFICATIONS:
   A. ASME Y14.100-2017
   B. ASME Y14.5-2009
2. IDENTIFICATION OF THE SUGGESTED SOURCE(S) OF SUPPLY HEREON IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENTOR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM DESCRIBED ON THE DRAWING.
3. VENDOR PART NUMBER(S) ARE FOR REFERENCE ONLY. DRAWING SPECIFICATIONS AND DIMENSIONAL REQUIREMENTS SUPERCEDE VENDOR PART NUMBER(S) AND/OR CATALOG CALLOUTS.

REVISIONS			
LTR	NOR NUMBER	DATE	APPROVED
P1	INITIAL RELEASE	2024-06-04	PMS
P2	ADD MIN MAX	2025-07-29	JPD

SPECIFICATIONS	
STYLE	BEARING MATERIAL
TYPE	SELF-LUBRICATING
THICKNESS (MIN/MAX)	.0585"/.0605"
USABLE WIDTH	5.00" MIN
BACKING	STEEL
INNER STRUCTURE	POROUS COPPER-TIN BRONZE
BEARING SURFACE	PTFE/Pb
LUBRICATION	NOT REQUIRED
COMPRESSIVE STRENGTH	44000 PSI
STATIC LOAD CAPACITY	36000 PSI
DYNAMIC LOAD CAPACITY	20000 PSI
SPEED	DRY: 1000 RPM LUBRICATED: 2000 RPM
PV LIMIT	CONTINUOUS: 50000 PSI-FPM INTERMITTENT: 100000 PSI FPM
TEMPERATURE RANGE	-328°F TO 536°F
STATIC COEFFICIANT OF FRICTION	.02 TO .20
DYNAMIC COEFFICIANT OF FRICTION	.02 TO .20

SUGGESTED SOURCE OF SUPPLY				
PART NUMBER	VENDOR DATA			
	NAME & ADDRESS	CAGE CODE	VENDOR PART NO.	DESCRIPTION
1110700278	THE TIMKEN COMPANY 4500 MOUNT PLEASANT ST NW NORTH CANTON, OH 44720 234-262-6953	0ZM09	S0594DU0500-S1	BEARING MATERIAL

VENDOR ITEM CONTROL DRAWING

NEXT ASSY
1110700280
EQUIPMENT CODE NO.
B39

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ON:
2 PLACE DECIMALS ±
3 PLACE DECIMALS ±
FRACTIONS ±
ANGLES ±

MATERIAL

ORIGINAL DATE (YR-MO-DA) 2024-06-04
DRAWN BY J. DIETEL
CHECKER J. DIETEL
SUBMITTED J. DIETEL
DESIGN APPROVAL K. JENSEN
DRAWING APPROVAL P. SCHLUE
CONTRACT NO.

U.S. ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND
CHEMICAL BIOLOGICAL CENTER
ROCK ISLAND ARSENAL, ROCK ISLAND, IL 61299

BEARING MATERIAL

SIZE	DAI	DWG NO.
C	5B5M3	1110700278

SCALE 1:1 | Rev: P2 | SHEET 1 OF 1

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

261019093510

Contract Quality Requirements Worksheet

Requisition/WBS Number	JO_PCN	End Item	Part Number	NSN/NIIN
EH25MRI027EHM5		M7A1	1110700280-2RIA:5B5M3	

QA Specialist	Telephone	Date	Drawing Specification/Item
ROZKALNS	5565	10/19/2026	WASHER, ANTI-FRICTION

[ ] Qualified Products/Producers List

[X] Government Actions will be performed by ACO-authorized Representative at
- [ ] Source - FAR 46.202, 46.405
- [X] RIA-JMTC - FAR 46.403, 46.404

[X] Acceptance at [ ] Source [X] RIA-JMTC

[ ] Government Reliance on Inspection by Contractor - FAR 52.246-1

[X] Inspection by the Government - FAR 52.246-2

[ ] Higher-Level Contract Quality Requirements - FAR 52.246-11
- [ ] ANSI/ISO/ASQ Q9001-2015
- [ ] Other

[ ] Applicable Documents [ ] Below [ ] Attached

[X] Certificate of Conformance - FAR 52.246-15

[ ] Certified Test Report (CTR)

[ ] Product must be purchased from an AS9100 — *Please select*: Certified Vendor

[ ] Government Designed Acceptance Inspection and Test Equipment (Attached)

[ ] First Article Approval, Government Testing (Attached) - FAR 52.209-4

[ ] First Article Approval, Contractor Testing (Attached) - FAR 52.209-3

[ ] First Article Parts Required? [ ] No [ ] Yes - Quantity [ ]

[ ] First Article Parts will be:
- [ ] Accepted as Part of the Production Run
- [ ] Returned to Vendor

[ ] Preproduction Material Approval - Government Testing (Attached)

[ ] Ballistic Testing (Attached)

[ ] Shelf Life: FAR 46.706
DOD 4140.27M (not less than 85% shelf life remaining upon receipt)

[X] Other:

ITEMS MUST BE INSPECTED AND ACCEPTED BY RIA-JMTC INCOMING RECEIVING INSPECTION. WASHER, ANTI-FRICTION

261019093904

Contract Quality Requirements Worksheet

Requisition/WBS Number	JO_PCN	End Item	Part Number	NSN/NIIN
EH25MRI027EHM5		M7A1	1110700280-3RIA:5B5M3	

QA Specialist	Telephone	Date	Drawing Specification/Item
ROZKALNS	5565	10/19/2026	WASHER, ANTI-FRICTION

[ ] Qualified Products/Producers List

[X] Government Actions will be performed by ACO-authorized Representative at
- [ ] Source - FAR 46.202, 46.405
- [X] RIA-JMTC - FAR 46.403, 46.404

[X] Acceptance at [ ] Source [X] RIA-JMTC

[ ] Government Reliance on Inspection by Contractor - FAR 52.246-1

[X] Inspection by the Government - FAR 52.246-2

[ ] Higher-Level Contract Quality Requirements - FAR 52.246-11
- [ ] ANSI/ISO/ASQ Q9001-2015
- [ ] Other

[ ] Applicable Documents [ ] Below [ ] Attached

[X] Certificate of Conformance - FAR 52.246-15

[ ] Certified Test Report (CTR)

[ ] Product must be purchased from an AS9100 — *Please select*: Certified Vendor

[ ] Government Designed Acceptance Inspection and Test Equipment (Attached)

[ ] First Article Approval, Government Testing (Attached) - FAR 52.209-4

[ ] First Article Approval, Contractor Testing (Attached) - FAR 52.209-3

[ ] First Article Parts Required? [ ] No [ ] Yes - Quantity

[ ] First Article Parts will be:
- [ ] Accepted as Part of the Production Run
- [ ] Returned to Vendor

[ ] Preproduction Material Approval - Government Testing (Attached)

[ ] Ballistic Testing (Attached)

[ ] Shelf Life: FAR 46.706
DOD 4140.27M (not less than 85% shelf life remaining upon receipt)

[X] Other:

ITEMS MUST BE INSPECTED AND ACCEPTED BY RIA-JMTC INCOMING RECEIVING INSPECTION. WASHER, ANTI-FRICTION PURCHASE PER DRAWING 1110700280: 1110700280-3 MAKE FROM 1110700278 BEARING MATERIAL SUGGESTED SOURCE THE TIMKEN COMPANY VENDOR PART NO. S0594DU0500-S1 BEARING MATERIAL PER SPECIFICATIONS ON 1110700278 DRAWING