SANITIZED GOVERNMENT RESPONSES TO INDUSTRY QUESTIONS
PORTABLE LATRINE AND HAND-WASH STATION SERVICES
(SOLICITATION W911SG27QA0030001)

Q#	Sanitized Industry Question	Clear & Concise Government Response
Q-001	May a small business prime offeror rely on the past performance, experience, and equipment inventory of a named first-tier subcontractor, and what is the required lookback period (2 years vs. 3 years)?	**Yes.** A small business prime may rely on a named first-tier subcontractor's experience, past performance, and committed equipment if the quote includes: (1) subcontractor name, CAGE, UEI, and size status; (2) a bilaterally signed Teaming Agreement or Letter of Commitment; and (3) compliance with FAR 52.219-14 (at least 50% of personnel contract cost performed by the small business prime or similarly situated small business entities). The lookback period across all solicitation documents is amended to a uniform **three (3) years** prior to solicitation release (Supersedes Q&A #1, #65, #98, #107).
Q-002	How will an offeror without a record of relevant past performance within the last three (3) years be evaluated under Past Performance?	Per RFO FAR Part 12 / FAR 15.305(a)(2)(iv), an offeror without relevant past performance in the last 3 years will not be evaluated favorably or unfavorably and will receive a **Neutral (Acceptable)** rating, provided the offeror is otherwise determined responsible under FAR Subpart 9.1 (Reconciles Q&A #2 and #83).
Q-003	What does the unit of issue for CLIN 0002 and CLIN 0004 represent, and how will scheduled servicing visits be ordered and billed on individual BPA calls?	Amendment 0001 changes the Unit of Issue for CLIN 0002 (Latrine Servicing) and CLIN 0004 (Hand-Wash Servicing) from "Job" to **"Each"**, defined as **1 scheduled service visit per 1 unit** (e.g., 10 units × 2 visits/week × 2 weeks = 40 Each; 10 units × 3 visits/week × 1 week = 30 Each) (Supersedes Q&A #3, #56, #79, #87).
Q-006	Please confirm whether in-field relocations are included in the daily rental rate (CLINs 0001/0003) or priced separately under CLINs 0005 and 0006.	Initial delivery, placement, setup, anchoring, and final post-event pickup are included in the daily rental rates (CLINs 0001 and 0003). Government-directed **in-field relocations** after initial placement are priced separately per unit, per move (**"Each"**) under **CLIN 0005** (Latrine) and **CLIN 0006** (Hand-Wash Station) (Confirms Q&A #6, #37, #48, #51, #80, #85).
Q-014	Please clarify the distinction between 24/7 unit availability and normal servicing hours (0800–1700 Monday–Friday), as well as Federal holiday observance.	Emplaced units remain in the field for Government use **24/7**, while normal contractor routine servicing and administrative hours are **0800–1700 Mountain Time, Monday–Friday**, excluding all observed Federal holidays (PWS 1.6.1 & 1.6.2; the phrase "on Mondays only" is deleted). Each call out trip per authorized emergency/after-hours/weekend/holiday event, inclusive of mobilization, labor, pumping, cleaning, restocking, and waste disposal (PWS 5.6; see also Q-060).
Q-022	Will individual BPA calls be competed among BPA holders via RFQ, or issued on a five-vendor rotational schedule (Vendor 1 through Vendor 5) using fixed BPA unit prices so that every BPA holder has an	BPA calls will be issued using a **Five-Vendor Rotational Schedule (Vendor 1 through Vendor 5)** (Combined Synopsis Sec 5.2 & 5.3; BPA Terms Sec 11): (1) Vendors 1–5 are initially ranked from lowest to fifth-lowest Total Extended Evaluation Price (TEP), and calls rotate continuously from Vendor 1

Q#	Sanitized Industry Question	Clear & Concise Government Response
	equitable opportunity to receive call awards?	through Vendor 5; (2) Calls are priced strictly at the holder's firm-fixed BPA SLIN unit prices (or voluntary downward discounts); and (3) Holders must accept or decline by the call deadline (as short as 72 hours for urgent calls). If a vendor declines, fails to respond, or lacks surge capacity, the KO advances the rotation to the next vendor (Vendor N+1). Failing to respond to 3 call notices may result in removal or BPA termination (Supersedes Q&A #22, #23, #49, #89).
Q-028	Please confirm all documents required with the quotation under Section 7.2 and identify which required submittals are excluded from the five (5) page Technical Capability Volume limit.	The **5-page limit** applies strictly to the Technical Capability Narrative addressing items 7.2(1)–7.2(8) (including the commitment statement to submit a Quality Control Plan within 30 calendar days [PWS 1.9.2] and written Spill Prevention and Spill Remediation Plans within 15 calendar days after BPA establishment [PWS 5.8.1]). **Excluded from the 5-page limit** (submitted as separate attachments per Section 7.2.1): (a) Draft Safety Plan (PWS 1.13 / Deliverable Item 1); (b) Chemical Safety Data Sheets (SDS) for cleaning, sanitizing, spill-remediation, and winterization chemicals (PWS 5.8.2 / Deliverable Item 2); (c) First-Tier Subcontractor Teaming Agreements/Commitment Letters (if applicable, Section 7.2(7)); and (d) Volume I (Admin) and Volume III (Price) (Consolidates Q&A #28, #66, #77, #84[a]).
Q-036	Please confirm the exact time zone for the quotation deadline and whether an SF 1449 and Pricing Schedule will be provided with the solicitation amendment.	The extended quotation deadline is **November 20, 2026 at 12:00 PM Mountain Standard Time (MST, UTC-7)**. A conformed **SF 1449** and **Attachment 3 (Pricing Schedule & Evaluation-Only Pricing Worksheet)** with the 28 geographic SLINs (`0001AA`–`0007AD`) and evaluation quantities are included with Amendment 0001 (Confirms Q&A #36, #44, #78).
Q-053	PWS Sections 5.1 and 5.3.2 reference 'Exhibit 1' for unit quantities and grid coordinates, but Technical Exhibit 1 is an Inspection Report. Where are quantities and grid coordinates provided?	Technical Exhibit 1 (PWS Part 6, Section 6.2) is the *Portable Latrines Inspection Report for Receipt and Turn-In* used for joint inspections (PWS 5.3.1 & 5.3.2). Erroneous references to Exhibit 1 for quantities/locations are removed; exact unit quantities, schedules, and 8-digit military grid coordinates (or building/site locations) will be specified in **each individual BPA Call** (Confirms Q&A #53 & #101).
Q-060	Please reconcile the response times and authorization rules for Relocations and Emergency Services between the PWS and PRS.	(1) **Relocations (PWS 5.4.1 & Part 7 PRS Item 6):** Complete within **24 hours** of notification (or the specific operational time stated in the BPA call). (2) **Emergency Services (PWS 5.6 & Part 7 PRS Item 7):** Notifications may be issued 24/7; Contractor must maintain a 24/7 POC and complete on-site emergency servicing within **24 hours** of notification. (3) **Fiscal Authorization (BPA Terms Sec 6):** Only a warranted Contracting Officer may obligate funds; the COR may direct relocations or emergency services **only** against funded CLIN 0005, 0006, or 0007 SLIN quantities already obligated on the active BPA call (Confirms Q&A #60 & #84[b]).
Q-061	How will the Government calculate the evaluated price across CLINs 0001 through 0007 to select five (5) BPA	(1) **Total Extended Evaluation Price (TEP):** Proposed unit prices for the 28 geographic SLINs (`0001AA`–`0007AD`) will be multiplied by the evaluation-only estimated annual quantities

Q#	Sanitized Industry Question	Clear & Concise Government Response
	holders and establish the initial rotational order?	published in Amended Section 6 / Attachment 3 (`CLIN 0001 = 10,000 Days`; `CLIN 0002 = 3,400 Each`; `CLIN 0003 = 5,000 Days`; `CLIN 0004 = 1,700 Each`; `CLIN 0005 = 900 Each`; `CLIN 0006 = 240 Each`; `CLIN 0007 = 240 Each`; **Total = 21,480 units**) and summed. (2) **Award Basis: Five (5)** BPAs will be established with the lowest-TEP responsible, technically acceptable small businesses with acceptable/neutral past performance (ranked Vendor 1–5; reserving the right to award fewer than five if fewer than five acceptable quotes are received). (3) **Deletions:** Legacy single-award text, the "Realism" evaluation paragraph, and the FAR 52.212-2(b) Options paragraph are deleted (Supersedes Q&A #38; fulfills Q&A #61, #83, #96).
Q-067	Must offerors have an active SAM.gov registration at the time of quotation submission, or only prior to award?	Per FAR 52.204-7 and Combined Synopsis Section 7.1(4) & 7.5, offerors **must have an active SAM.gov registration at the time of quotation submission** and maintain it through award and performance (Confirms Q&A #67).
Q-072	Please clarify the monthly reporting and WAWF/PIEE invoicing timeline in the PWS and BPA Terms.	(1) Document each delivery, service visit, relocation, and pickup with a signed Delivery/Service Ticket (BPA Terms Sec 10); (2) Submit the Monthly Service Summary Report to the COR **NLT the 5th calendar day** of the following month (PWS 5.8.3 / Deliverable Item 10); and (3) After COR acceptance of the report and tickets, submit the electronic invoice via **WAWF/PIEE** (per DFARS 252.232-7003 & 252.232-7006) **NLT the 10th calendar day** of the month (or upon BPA call completion, PWS 5.8.4 / Deliverable Item 11) (Confirms Q&A #72).
Q-081	How does FAR 52.219-14 (Limitations on Subcontracting) apply to this 100% Small Business Set-Aside services BPA, and does the Nonmanufacturer Rule (FAR 52.219-33) apply?	Amendment 0001 incorporates **FAR 52.219-14 (Limitations on Subcontracting)**—requiring the small business prime to pay no more than 50% of the amount paid by the Government for each BPA call period to non-similarly situated subcontractors—and **removes** inapplicable supply clauses FAR 52.219-33 (Nonmanufacturer Rule), FAR 52.247-34 (F.O.B. Destination), and DFARS 252.225-7001 (Buy American Act) (Confirms Q&A #75, #81, #99; resolves #120).
Q-096	How will prices be compared across offerors when selecting the five BPA holders (for example, a sum of unit prices or a weighted sample scenario)?	See Question 061 (correcting the prior cross-reference to Question 79). Proposed unit prices for the 28 priced SLINs (`0001AA`–`0007AD`) will be multiplied by the evaluation-only estimated quantities in Amended Section 6 / Attachment 3 to calculate a Total Extended Evaluation Price (TEP) for ranking Vendors 1 through 5.

Q#	Sanitized Industry Question	Clear & Concise Government Response
Q-031	Are the Service Contract Labor Standards (SCLS) wage determinations included in the solicitation applicable to all service locations, and how should contractors account for work performed across Texas and New Mexico?	**Yes.** SCLS (FAR 52.222-41) applies across all Texas and New Mexico performance zones (PWS 1.4, 1.7, & 6.1). Amendment 0001 attaches accessible PDFs of all three governing Wage Determinations and subdivides each CLIN into four geographic SLINs so offerors can price each county accurately: **SLIN AA** (Doña Ana Range, Doña Ana County, NM — **WD 2015-5447**), **SLIN AB** (McGregor Range, Otero County, NM — **WD 2015-5455**), **SLIN AC** (Oro Grande Range, Otero County, NM — **WD 2015-5455**), and **SLIN AD** (Fort Bliss Main Cantonment, Biggs AAF & El Paso County, TX Training Sites — **WD 2015-5229**) (Resolves Q&A #31 & #121).
Q-110	Will the Government extend the quotation submission deadline if the Q&A and solicitation amendment are posted close to November 13, 2026?	**Yes.** Solicitation Amendment 0001 extends the quotation response deadline to **November 20, 2026, at 12:00 PM Mountain Standard Time (MST, UTC-7)**.
Q-111	What is the maximum email attachment file size accepted by the Government's @army.mil email addresses?	Army (@army.mil) email gateways limit incoming emails to approximately **20 MB–25 MB**. Offerors should compress large files (such as SDSs) under **15 MB per email** or submit across multiple clearly numbered emails (e.g., "Email 1 of 2 — Solicitation W911SG27QA003 — [Company Name]") before the deadline.
Q-112	Are ADA-compliant accessible portable latrines required under this BPA, and if so, how are they priced?	**No.** Standard field-serviceable portable latrines and hand-wash stations (PWS 5.2.1 & 5.2.2) are required under CLINs 0001–0007. If a cantonment event requires an ADA-accessible unit, it will be addressed at the individual BPA Call level.
Q-113	Can hand-wash stations be integrated inside the portable latrines, or must they be standalone exterior portable hand-wash stations?	CLIN 0003 requires **standalone, self-contained portable hand-wash stations** with fresh-water and gray-water tanks, soap dispensers, and paper towel dispensers (PWS 5.2.2). Interior hand-sanitizer dispensers inside latrines do not substitute for standalone hand-wash stations.
Q-114	For CLIN 0007 (Emergency: After Hours; Weekend; Holiday Service), does the unit of issue 'Each' mean per call-out trip or per individual unit serviced?	For CLIN 0007, **"Each"** means **one (1) individual portable latrine or hand-wash station serviced or delivered** per authorized emergency/after-hours/weekend/holiday event, inclusive of mobilization, labor, pumping, cleaning, restocking, and waste disposal (PWS 5.6; see also Q-060).
Q-115	If fewer than five (5) offerors are determined technically acceptable, will the Government still establish BPAs with those acceptable offerors?	**Yes.** The Government intends to establish **five (5)** BPAs and reserves the right to award fewer than five if fewer than five technically acceptable, fair and reasonably priced quotes are received (Combined Synopsis Sec 1 & Sec 8.5; PWS 1.8).
Q-116	How should offerors acknowledge solicitation amendments in their Administrative Volume?	Acknowledge all amendments in Volume I (Section 7.1(6)) by either: (a) signing and returning a copy of each **SF 30 (Blocks 8 and 15)**, or (b) explicitly listing each Amendment number and date on the signed **SF 1449 / Quotation Cover Letter**.
Q-117	Does the Government provide a water source on Fort Bliss or the training ranges for refilling hand-wash stations, or must	**No Government water source is provided.** Per PWS Part 3 (Section 3.1) and PWS 5.2.2, the Contractor is 100% responsible for furnishing and transporting all fresh water from

Q#	Sanitized Industry Question	Clear & Concise Government Response
	the Contractor transport all water from off-post?	off-installation sources at no additional cost to the Government.
Q-118	What are the requirements for off-post waste and gray-water disposal facilities, Spill Prevention Plan, and Spill Remediation Plan?	All sewage and gray water must be transported off-post in sealed, leak-proof tank trucks and disposed of at state-approved/permitted wastewater facilities in compliance with Federal (40 CFR Part 503), Texas (TCEQ), New Mexico (NMED), and Fort Bliss (AR 200-1) regulations (no discharge into Fort Bliss sewers or storm drains; PWS 5.7.1–5.7.3). Waste disposal manifests/receipts must be kept in QC records for COR/KO inspection. Within **15 calendar days after BPA establishment**, the Contractor must submit both a written **Spill Prevention Plan** and a written **Spill Remediation Plan** (PWS 5.8.1 / Deliverable Item 8).
Q-119	Must an offeror own 100% of the required portable latrine and hand-wash station inventory at the time of quotation submission, or are leased fleets and committed first-tier subcontractor inventories acceptable?	100% outright ownership at quote submission is **not required**. However, under Section 7.2(2), the quote must demonstrate verifiable current inventory and surge capacity via owned fleet, binding commercial lease/supply agreements, or a bilaterally signed first-tier subcontractor commitment (subject to FAR 52.219-14) sufficient to mobilize immediately upon BPA establishment.
Q-120	Since this solicitation is for services under NAICS 562991, will the Government remove FAR 52.219-33 (Nonmanufacturer Rule) and incorporate FAR 52.219-14 (Limitations on Subcontracting)?	**Yes.** See Question 081. Amendment 0001 removes FAR 52.219-33, FAR 52.247-34, and DFARS 252.225-7001, and incorporates **FAR 52.219-14** into the Solicitation and BPA Terms.
Q-121	The New Mexico SCLS Wage Determination (WD 2015-5447) returned an access error. Will the Government provide an accessible copy with the solicitation amendment?	**Yes.** See Question 031. Amendment 0001 provides accessible copies of all three applicable SCLS Wage Determinations: **TX WD 2015-5229** (El Paso County), **NM WD 2015-5447** (Doña Ana County), and **NM WD 2015-5455** (Otero County), and incorporates FAR 52.222-41 and FAR 52.222-43.
Q-122	What is the approximate driving distance from Fort Bliss main cantonment to the training ranges in Texas and New Mexico, and what road conditions should offerors anticipate?	Approximate distances from Main Cantonment/Biggs AAF (PWS 1.7): **Doña Ana Range** (~25–35 miles north in NM), **McGregor Range** (~20–45 miles northeast in NM), and **Oro Grande Range** (~45–60 miles north in NM). Main range roads are paved or graded gravel, but bivouac and firing point coordinates require vehicles capable of safely operating on **unimproved, unpaved desert range terrain**.
Q-123	What anchoring methods are required to meet the high-wind resistance standard in the PWS?	Units must be securely staked or anchored (e.g., heavy-duty steel rebar stakes through base skids, or approved sandbag/ballast systems on paved surfaces where staking is restricted) to withstand desert winds up to **45 MPH** (PWS 5.2.1, 5.3.1, & 5.5.2; Part 7 PRS Item 4). Units tipped by wind/weather must be uprighted, cleaned, sanitized, restocked, and any ground spills remediated within **24–48 hours at no additional cost**.
Q-124	Who bears financial responsibility if a contractor unit is damaged by	The **Contractor** is responsible for normal wear and tear, weather/wind damage, or contractor negligence (PWS Part 4 &

Q#	Sanitized Industry Question	Clear & Concise Government Response
	weather/wind versus military training operations or vandalism?	5.5.2). If a unit is damaged or destroyed strictly due to **documented Government/military training negligence or willful misconduct** (verified by the COR with photos/incident reports), the Contractor may request an equitable adjustment/reimbursement from the KO under FAR 52.212-4 and DFARS 252.243-7002.
Q-125	Are proposed unit prices fixed for the entire five-year BPA ordering period, or are annual unit-price reviews/adjustments permitted?	Offerors propose firm-fixed SLIN unit prices (`0001AA`–`0007AD`) across the 5-year BPA ordering period. In accordance with BPA Terms Section 2, the Contracting Officer reviews the BPAs annually, and statutory price adjustments resulting from updated Department of Labor SCLS Wage Determinations (`WD 2015-5229`, `WD 2015-5447`, and `WD 2015-5455`) are processed in accordance with **FAR 52.222-41 and FAR 52.222-43**.
Q-126	What is the typical quantity of portable latrines and hand-wash stations ordered per BPA call and the typical call duration?	While not guaranteed, typical calls range from **small unit events** (5–25 latrines and 2–10 hand-wash stations for 3–14 days) to **large brigade/division exercises** (50–250+ latrines and 20–80+ hand-wash stations for 14–45 days). The 5-year aggregate BPA ceiling is **$6,500,000.00** (Combined Synopsis Sec 2).
Q-127	What is the minimum advance lead time provided prior to a BPA call delivery date, and what is the required removal window after call completion?	Routine rotational calls normally provide **5 to 14 calendar days** advance notice, while urgent calls may require mobilization within **72 hours** (Combined Synopsis Sec 5.3). Units must be delivered, anchored, inspected, and operational **NLT 0800 hours on the first day of the call period** (or at least 24 hours prior to event start as specified in the call, PWS 5.3.1) and pumped, cleaned, and removed within **48 hours after call completion** (PWS 5.3.2).
Q-128	Must offerors submit a full Quality Control Plan (QCP) with their quotation, or a commitment statement to deliver the QCP within 30 days after BPA establishment?	A full QCP is **not required with the quotation**. Offerors only need an explicit commitment statement in their 5-page Technical Narrative (Section 7.2(4)) confirming they will submit a complete **QCP within 30 calendar days** (PWS 1.9.2 / Deliverable Item 6) and written **Spill Prevention and Spill Remediation Plans within 15 calendar days** after BPA establishment (PWS 5.8.1 / Deliverable Item 8). *(Note: The Draft Safety Plan and Chemical SDSs ARE required with the quote as separate excluded attachments per Section 7.2.1.)*
Q-129	What are the installation access, vetting, and badge requirements for contractor personnel at Fort Bliss?	**No security clearance (DD Form 254) is required.** All contractor/subcontractor personnel must pass **NCIC-III and TSDB background vetting** at the Fort Bliss Visitor Control Center (VCC) to obtain an installation access pass/badge, and commercial service vehicles must hold current registration and commercial insurance and pass inspection at designated commercial gates (PWS 1.11, 1.12, & 1.14.3; BPA Terms Sec 14.2).
Q-130	Will a Government representative escort contractor drivers to remote training range grid coordinates, or must drivers navigate	The COR or unit POC coordinates Range Control access clearance and conducts joint receipt/turn-in inspections (Technical Exhibit 1), but contractor drivers **must be equipped**

Q#	Sanitized Industry Question	Clear & Concise Government Response
	independently using 8-digit military grid coordinates?	**and trained to navigate independently** using **8-digit Military Grid Reference System (MGRS) coordinates** (or GPS equivalents provided on the BPA call, PWS 5.3.1).
Q-131	Are non-toxic antifreeze / winterization measures required during overnight freezing temperatures at Fort Bliss and New Mexico desert ranges?	**Yes.** During freezing temperatures, the Contractor must use environmentally safe, **non-toxic biodegradable winterization/antifreeze solutions** in holding tanks to maintain serviceability, and must include the corresponding **Safety Data Sheets (SDS)** with its quotation submission under PWS 5.8.2 (Deliverable Item 2).
Q-132	What consumable supplies must the Contractor furnish and restock during each scheduled servicing visit?	All consumables are included in the fixed unit prices. At initial placement and every service visit, the Contractor must pump and clean each unit, recharge latrine tanks with approved **non-formaldehyde deodorant/bactericide solution**, and restock **biodegradable toilet paper (minimum 3 full rolls per latrine)**, **hand soap/sanitizer**, **paper towels**, and **fresh water** in all hand-wash stations (PWS 5.2.1, 5.2.2, & 5.5.1).
Q-133	How should the Contractor document routine service ticket completion (BPA Terms Section 10) if a Government representative is not present at an unmanned range site at the exact time of cleaning?	When a Government representative is present (delivery, turn-in, or manned sites), obtain their printed name and signature on the service ticket (BPA Terms Sec 10j & Tech Exh 1). At **unmanned range coordinates**, the technician must **sign and date/time-stamp the interior service log sticker** (Attachment 1, PWS 6.3), record **GPS/date-stamped service ticket documentation**, and submit the tickets with the Monthly Service Summary Report (PWS 5.8.3) for COR verification.
Q-134	May a Small Business Joint Venture (JV) submit a quotation, and what SAM.gov and past performance rules apply?	**Yes.** A Small Business JV may quote if the **JV itself is actively registered in SAM.gov** with its own CAGE and UEI prior to quote submission and qualifies as small under NAICS 562991 ($9.0M) per 13 CFR 121.103(h) and FAR 52.219-6. Per RFO FAR Part 12 / FAR 15.305(a)(2)(vi), the Government will evaluate past performance and work performed by each JV partner individually as well as by the JV itself.
Q-135	How are billable rental 'Days' calculated under CLIN 0001 and CLIN 0003 with respect to delivery and pickup days?	Billable rental **"Days"** under CLINs 0001 and 0003 are calculated strictly from the **active performance start date through end date (inclusive)** specified on the funded BPA Call. Advance delivery/setup (up to 24 hours prior / NLT 0800 on Day 1, PWS 5.3.1) and post-call pickup (within 48 hours after call completion, PWS 5.3.2) are included in the daily rental rate and are **not billed as extra rental days**.
Q-136	Does the per-unit relocation price under CLIN 0005 and CLIN 0006 include pumping, cleaning, and restocking the unit upon relocation?	**Yes.** To prevent spills during range transit (PWS 5.4.1 & 5.8.1), the per-unit relocation price (**"Each"**) under CLINs 0005 and 0006 includes pumping/securing the unit before movement, transporting to the new grid coordinate, re-anchoring, recharging, and ensuring the unit is clean, restocked, and serviceable at the new location.
Q-137	What minimum commercial liability and automobile insurance coverages are required for performance on Fort Bliss?	Contractors must maintain Workers' Compensation/Employer's Liability (**minimum $100,000**) and Commercial General Liability and Commercial Automobile Liability covering waste transport

Q#	Sanitized Industry Question	Clear & Concise Government Response
		vehicles on post and ranges (**minimum $100,000/$300,000 bodily injury and $50,000 property damage per occurrence**; PWS 1.14.9 & BPA Terms Sec 14.1). Proof of insurance is required within 10 calendar days after BPA establishment prior to performance (PWS Deliverable Item 7).
Q-138	Must the designated Program Manager and Alternate Program Manager be located locally, and are resumes required with the quotation?	**Resumes are not required with the quotation.** Written designation of the Contract Manager / Program Manager (PM) and Alternate PM (with phone numbers and emails) is due within **5 calendar days after BPA award** (PWS 1.14.11 & Deliverable Item 5). The PM or Alternate must be reachable during normal duty hours (0800–1700 Mon–Fri) and maintain a **24/7 emergency contact** capable of meeting on-site inspection and 24-hour emergency/relocation response timelines.
Q-139	If an offeror's representations and certifications are current in SAM.gov, is a confirmation statement sufficient for Section 7.1(8)?	**Yes.** Per FAR 52.204-7 and FAR 52.204-19, if an offeror's annual representations and certifications (including NAICS 562991 small business size representation) are current, complete, and active in SAM.gov, the offeror may satisfy Section 7.1(8) by stating so in Volume I (Administrative) and noting any solicitation-specific fill-in exceptions.
Q-140	Should offerors submit the Administrative Volume, Technical Capability Volume, and Price Volume as separate PDF files or a single combined PDF?	**Either format is acceptable**, provided Volume I (Administrative), Volume II (Technical Capability — max 5 narrative pages plus excluded attachments: Draft Safety Plan, Chemical SDSs, and Teaming Agreements), and Volume III (Price / SF 1449 & Attachment 3 Pricing Schedule) are clearly labeled and distinguishable, and the complete quote is received at **both designated @army.mil email addresses** in Section 7.4 before the deadline.