SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL PRODUCTS AND COMMERCIAL SERVICES

NOTE: OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, AND 30.

1. REQUISITION NUMBER	PAGE 1 OF
0044049036	40

2. CONTRACT NUMBER	3. AWARD/EFFECTIVE DATE	4. ORDER NUMBER	5. SOLICITATION NUMBER	6. SOLICITATION ISSUE DATE
			140L4326Q0126	09/22/2026

7. FOR SOLICITATION INFORMATION CALL:	a. NAME	b. TELEPHONE NUMBER *(No collect calls)*	8. OFFER DUE DATE/ LOCAL TIME
	Matthew Duane	5038086317	10/21/2026 1700 PD

9. ISSUED BY CODE LHA

BLM OR-ST OFC PROC MGMT BR(OR952)
1220 SW 3rd Avenue, 12th Floor
PORTLAND OR 97204

10. THIS ACQUISITION IS ☐ UNRESTRICTED OR ☒ SET ASIDE: 100.00 % FOR:

- ☒ SMALL BUSINESS
- ☐ HUBZONE SMALL BUSINESS
- ☐ SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS (SDVOSB)
- ☐ WOMEN-OWNED SMALL BUSINESS (WOSB)
- ☐ ECONOMICALLY DISADVANTAGED WOMEN-OWNED SMALL BUSINESS (EDWOSB)
- ☐ 8(A)

NORTH AMERICAN INDUSTRY CLASSIFICATION STANDARD (NAICS): 334310

SIZE STANDARD: 750

11. DELIVERY FOR FREE ON BOARD (FOB) DESTINATION UNLESS BLOCK IS MARKED
☒ SEE SCHEDULE

12. DISCOUNT TERMS

☐ 13a. THIS CONTRACT IS A RATED ORDER UNDER THE DEFENSE PRIORITIES AND ALLOCATIONS SYSTEM - DPAS (15 CFR 700)

13b. RATING

14. METHOD OF SOLICITATION
☒ REQUEST FOR QUOTE (RFQ) ☐ INVITATION FOR BID (IFB) ☐ REQUEST FOR PROPOSAL (RFP)

15. DELIVER TO CODE 0011276572
See Schedule

16. ADMINISTERED BY CODE LHA
See Schedule

17a. CONTRACTOR/ OFFEROR CODE ____ FACILITY CODE ____

TELEPHONE NUMBER

18a. PAYMENT WILL BE MADE BY CODE ____

☐ 17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER

18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED ☐ SEE ADDENDUM

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	ADMINISTERED BY: BLM OR-ST OFC PROC MGMT BR(OR952) 1220 SW 3rd Avenue, 12th Floor PORTLAND OR 97204 US DELIVER TO: BLM-OR NHOTIC - FLAGSTAFF HILL Continued... *(Use Reverse and/or Attach Additional Sheets as Necessary)*				

25. ACCOUNTING AND APPROPRIATION DATA

26. TOTAL AWARD AMOUNT *(For Government Use Only)*

☒ 27a. SOLICITATION INCORPORATES BY REFERENCE (FEDERAL ACQUISITION REGULATION) FAR 52.212-1, 52.212-4. FAR 52.212-3 AND 52.212-5 ARE ATTACHED. ADDENDA ☐ ARE ☒ ARE NOT ATTACHED

☐ 27b. CONTRACT/PURCHASE ORDER INCORPORATES BY REFERENCE FAR 52.212-4. FAR 52.212-5 IS ATTACHED. ADDENDA ☐ ARE ☐ ARE NOT ATTACHED

☐ 28. CONTRACTOR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN ____ COPIES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED

☐ 29. AWARD OF CONTRACT: REFERENCE ____ OFFER DATED. ____. YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS:

30a. SIGNATURE OF OFFEROR/CONTRACTOR

31a. UNITED STATES OF AMERICA *(SIGNATURE OF CONTRACTING OFFICER)*

30b. NAME AND TITLE OF SIGNER *(Type or print)*	30c. DATE SIGNED	31b. NAME OF CONTRACTING OFFICER *(Type or print)*	31c. DATE SIGNED
		Matthew Duane	

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	HWY 86 - FLAGSTAFF HILL BAKER CITY OR 97814 US NHOTIC AC SYSTEM REPLACEMENT Delivery: 12/31/2028 Period of Performance: 12/01/2026 to 11/30/2028				
00010	NHOTIC Audio/Visual update Product/Service Code: T016 Product/Service Description: PHOTO/MAP/PRINT/PUBLICATION- AUDIO/VISUAL				

32a. QUANTITY IN COLUMN 21 HAS BEEN

☐ RECEIVED ☐ INSPECTED ☐ ACCEPTED, AND CONFORMS TO THE CONTRACT, EXCEPT AS NOTED: _____

32b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32c. DATE	32d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE

32e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32f. TELEPHONE NUMBER OF AUTHORIZED GOVERNMENT REPRESENTATIVE 32g. EMAIL OF AUTHORIZED GOVERNMENT REPRESENTATIVE

33. SHIP NUMBER ☐ PARTIAL ☐ FINAL	34. VOUCHER NUMBER	35. AMOUNT VERIFIED CORRECT FOR	36. PAYMENT ☐ COMPLETE ☐ PARTIAL ☐ FINAL	37. CHECK NUMBER

STOCK RECORD (S/R)		40. PAID BY
38. S/R ACCOUNT NUMBER	39. S/R VOUCHER NUMBER	

41a. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT		42a. RECEIVED BY *(Print)*	
41b. SIGNATURE AND TITLE OF CERTIFYING OFFICER	41c. DATE	42b. RECEIVED AT *(Location)*	
		42c. DATE RECEIVED *(MM/DD/YYYY)*	42d. TOTAL CONTAINERS

SECTION B – SERVICES AND PRICES

This requirement is for one (1) Firm Fixed Price Commercial Service Contract for NHOTIC AV System Replacement, Vale, Oregon.

Items	Description	Quantity	Unit	Price
	AV System replacement			
0010	Item 1 – AV System for Exhibits	LS	1	
0020	Item 2 – Touch Screen Interactive	LS	1	
0030	Item 3 – Leo Adler Projector and sound	LS	1	
0040	Item 4 – Leo Adler Theater lights	LS	1	
0050	Item 5 – Green Screen studio	LS	1	
			Total	

Definitions:

LS – Lump Sum

(End of Section B)

SECTION C – STATEMENT OF WORK

C.1.0 GENERAL

The National Historic Oregon Trail Interpretive Center (NHOTIC) requires a complete replacement for the existing audio-visual (AV) systems in their facility. This will replace the original 1992 AV system and subsequent repairs and upgrades. The replacement system will improve the visual-aesthetic, functionality, and safety of the National Historic Oregon Trail Interpretive Center.

The National Historic Oregon Trail Interpretive Center (NHOTIC) is Eastern Oregon's premier Oregon Trail museum, operated by the Bureau of Land Management since 1992. NHOTIC serves as an educational center along the National Historic Oregon Trail System. The center provides educational and interpretive programs, showcasing the unique cultural and natural history of the region. The center features exhibits focused on life of those that embarked on the Oregon Trail, exhibits with interactive components, and hiking trails that access the preserved wagon ruts. The center includes a curation facility for associated museum collections and archaeological collections.

NHOTIC is located at 22267 OR-86, Baker City, OR 97814, approximately 6 miles north-east of Baker City, Oregon atop Flagstaff Hill. This building is a 23,000 square foot, with approximately 10,400 square feet of exhibit halls.

C.1.1 Description/Specifications/Statement of Work

The contract is comprised of five items:

1. Replacement of AV system in the exhibit halls, lobby, and administrative offices
2. Touch screen interactive kiosk, displays, and reader rails
3. Replacement of AV system in the Leo Addler theater – Sound system, projector, video control system
4. Replacement of AV system Leo Adler Theater – Stage Lights and light control
5. Small scale greenscreen studio for tele-learning

The contract shall be awarded as a firm fixed price contract. Contractor may request a payment schedule to pay out smaller lump sums as timeline milestones are achieved, the total of the payments shall not exceed the firm fixed price of the contract.

C.1.2 Contractor and Government Responsabilities

The Contractor shall be responsible for providing all equipment, supervision, transportation, labor, materials, supplies, and incidentals necessary for the completion of this project.

The Contractor shall be responsible for removal of any debris and excess materials resulting from this project.

> The Contractor shall adhere to all applicable Federal and State Safety regulations, and all applicable codes and standards including but not limited to OSHA regulations, building codes, and ABA compliance.

The contractor shall:

- Provide a description of how the work will be completed including, timeline, documentation, and warranty.
- Provide an itemized list of equipment
- The Contractor will be responsible for providing their won tools and equipment

- Provide a list of any subcontractors and role
- Provide documentation showing equivalency of selected equipment
- Provide documentation, user manuals, quick start guides, and operational manuals for new equipment.
- The contractor shall be reasonable for replacement of all AV-related low and medium voltage wiring and data and communication cabling necessary to obtain a complete and functional AV System for NHOTIC.
- AV Cabling and System Integration Services
    - The AV Service Provider shall be responsible for furnishing all labor, materials, and expertise necessary to replace and install AV-related low-voltage and medium-voltage signal wiring, data cabling, and communication cabling required to deliver a complete, operational, and fully integrated AV system for NHOTIC. All work shall be performed as part of technology system installation services.
- Electrical Support Services
  To support the AV system installation, the Service Provider shall coordinate and manage all required electrical service–related tasks through subcontracting or by engaging a qualified local electrician. These services are limited to the electrical work necessary to power and support the AV system function and operation. Required services include:

    - Electrical distribution support — Activities such as mounting and terminating line-voltage connections strictly for AV equipment operation.
    - Conduit pathway services — Providing conduit pathways, including materials, placement within existing wall cavities, and pulling of wiring through those pathways.
    - Line-voltage connection services — Supplying materials, pulling line-voltage wiring through existing conduit, and performing terminations required for AV system functionality.
    - Branch circuit support — Providing branch circuit breakers, feeder cables, installation, and terminations solely for powering AV equipment.
- All final designs are contingent upon COR approval.
- Shall be responsible for disposal of any debris created during the installation.

C.1.3 Government Furnished Items

The Government will furnish the following items:

1. Carpet squares for the installation and repair of missing/damaged carpet due to Construction shall be provided by the Government to the Construction Contractor.
2. NHOTIC Plans: NHOTIC Sustainability Improvements Project drawings from Jacobs, April 2021
3. Proposed renovation plan set and conceptual drawings.

The Contractor shall employ such records for informational purposes only and as such the Contractor shall perform the necessary due diligence to ensure that the design is compliant with all applicable building codes and standards. The Contractor is responsible for verifying all necessary site information.

The Contractor shall promptly notify the COR of any additional information items required as to not delay the progress of the work.

C.2 Component 1 – AV system for Exhibit Halls, lobby, and administrative Offices

The contractor shall supply and install AV systemin the in the following locations: (see attached diagrams for location names)

- 121 – Flagstaff Gallery
- 138 – Orientation Gallery
- 142 – Theater 1
- 146 – Trading Camp
- 150 – Theater 2
- 152 – Camp life
- 155– Theater 3
- Public Address System

Due to limitations of the facility and infrastructure at the site and leading to the site. NHOTIC seeks a submittal for an AV system that is comprised of commercially available components that may be purchased on the open market, can be repaired or replaced in house, and is not interconnected on WIFI or network. Design submittals should allow for each section to function independently and be shut down for repairs without impacting the rest of the AV system.

The submittal shall not include proprietary software, hardware, or components.

This contract does not include maintenance and service of the AV system, systems that require annual payments for subscriptions, reprograming fees, or software updates fees shall not be considered.

The government will consider submittals that integrate the AV system onto a single control network if the submittal can be shown to be best value for the government.

The submittal shall detail components and actions necessary to perform complete replacement of the existing audio and visual system; including but not limited to media players, projectors, lighting and visual aide controls, speakers, and the control system.

The following sections describe the minimum AV system requirements. Equivalent or superior design should be considered by the Contractor.

NHOTIC staff will remove existing AV components and dispose them through US Government surplus property process.

C.2.1 First Theater

The Contractor shall provide a fully functional AV system in the first theater (areas 142). The minimum requirements listed can be met with equivalent or superior components.

AV System Requirements

- The control system shall power on and off the system. The display is required to auto turn on with power such that the user does not need to manually turn on/off the TV with a remote. An auto/manual button will be installed to manually play movies, or automatically play movies on repeat.
- Minimum of two ceiling speakers and a power amplifier with volume control will be required for audio. The HDMI audio will need to be extracted from the media player to provide audio to the speakers. Speakers shall be directional or designed to contain sound with in the theater. A separate hearing assist transmitter and an audio description transmitter will be located at this exhibit.
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.

AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.

Item	Component	Requirements
001	TV	82” Samsung, LG, Sony TV with tilting wall mount.
002	Remote Media Player	Brightsign Media Player (No Brightauthor programming).
003	Speaker & Amplifier	JBL control 65P/T pendant speaker and 30w amplifier (Minimum Qty: 2)
004	Control System Power Sequencer	Power sequencer controlled by Crestron system
005	Extender sets	Extenders for remote media player (Crestron TX101/RX101)
006	Button	One auto/manual button will be installed to manually play movies, or automatically play movies on repeat
007	Hardware	Cable, connectors, fasteners, as required
008	Hearing assist	Listen LT800 hearing assist transmitter

C.2.2 Second Theater

The Contractor shall provide a fully functional AV system in the first theater (areas 150). The minimum requirements listed can be met with equivalent or superior components.

AV System Requirements

- The control system shall power on and off the system. The display is required to auto turn on with power such that the user does not need to manually turn on/off the TV with a remote. An auto/manual button will be installed to manually play movies, or automatically play movies on repeat.
- Minimum of two ceiling speakers and a power amplifier with volume control will be required for audio. The HDMI audio will need to be extracted from the media player to provide audio to the speakers. Speakers shall be directional or designed to contain sound with in the theater. A separate hearing assist transmitter and an audio description transmitter will be located at this exhibit.
- System components may deviate AV from system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.

AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.

Item	Component	Requirements
001	TV	82” Samsung, LG, Sony TV with tilting wall mount.
002	Remote Media Player	Brightsign Media Player (No Brightauthor programming).
003	Speaker & Amplifier	JBL control 65P/T pendant speaker and 30w amplifier (Minimum Qty: 2)
004	Control System Power Sequencer	Power sequencer controlled by Crestron system
005	Extender sets	Extenders for remote media player (Crestron TX101/RX101)
006	Button	One auto/manual button will be installed to manually play movies, or automatically play movies on repeat
007	Hardware	Cable, connectors, fasteners, as required
008	Hearing assist	Listen LT800 hearing assist transmitter

C.2.3 Third Theater

The Contractor shall provide a fully functional AV system in the first theater (areas 155). The minimum requirements listed can be met with equivalent or superior components.

AV System Requirements

- The control system shall power on and off the system. The display is required to auto turn on with power such that the user does not need to manually turn on/off the TV with a remote. An auto/manual button will be installed to manually play movies, or automatically play movies on repeat.
- Minimum of two ceiling speakers and a power amplifier with volume control will be required for audio. The HDMI audio will need to be extracted from the media player to provide audio to the speakers. Speakers shall be directional or designed to contain sound with in the theater. A separate hearing assist transmitter and an audio description transmitter will be located at this exhibit.
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.

AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.

Item	Component	Requirements
001	TV	82” Samsung, LG, Sony TV with tilting wall mount.
002	Remote Media Player	Brightsign Media Player (No Brightauthor programming).
003	Speaker & Amplifier	JBL control 65P/T pendant speaker and 30w amplifier (Minimum Qty: 2)
004	Control System Power Sequencer	Power sequencer controlled by Crestron system
005	Extender sets	Extenders for remote media player (Crestron TX101/RX101)
006	Button	One auto/manual button will be installed to manually play movies, or automatically play movies on repeat
007	Hardware	Cable, connectors, fasteners, as required
008	Hearing assist	Listen LT800 hearing assist transmitter

C.2.4 Flagstaff Gallery

The Contractor shall provide a fully functional AV system in the Flagstaff Gallery. The minimum requirements listed can be met with equivalent or superior components.

AV System Requirements

- Twelve 70v speakers will be installed with a 70v amplifier. A media player will play background audio through the facility.
- Control system will power on and off the system. Lighting fixtures will be provided and turned over to the Government for installation.
- The Government will have the ability to control the volume, start, stop and mute the media from the player through the control system.
- Control panel shall be installed in the Leo Addler Theater control Booth room 116 or Info desk.
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.
- Speakers shall be directional or designed to contain sound with in the theater. A separate hearing assist transmitter and an audio description transmitter will be located at this exhibit.

AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.

Item	Component	Requirements
001	Light Fixtures	ETC- 706A1353 - Source four mini LED fixture (Qty 12). With mounting bracket, c-clamp, and Edison plug. They will be provided to the Government for installation.
002	Speakers	70V ceiling mounted speakers (Qty 12). Dayton audio IO525B
003	Amplifiers	70V amplifier. Crown CDI10000.
004	HD Media Player	Brightsign Media Player (No Brightauthor programming).
005	Power Sequencer	Power sequencer controlled by Crestron system

C.2.5 NHOTIC PA System

The Contractor shall provide a fully functional PA system for the NHOTIC Interpretive Center. The minimum requirements listed can be met with equivalent or superior components.

AV System Requirements

- The existing PA system wiring should be utilized again.
- A push to talk mic will be installed at the proposed front information/fee collection desk and an interface for the existing paging system will be wired to provide paging throughout the facility.
- Must be compatible with phone system
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.

AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.

Item	Component	Requirements
001	Amplifiers	70V amplifier. Crown CDI10000.
002	Audio Mixer	Audio Mixer for Line and Mic
003	Push to Talk Mic	70V amplifier. Crown CDI10000.
004	Speakers	Replacement ceiling speakers up to 20 as needed.

C.2.6 Orientation Gallery

The Contractor shall provide a fully functional AV system in the Orientation Gallery (138). The minimum requirements listed can be met with equivalent or superior components.

AV System Requirements

- The Contractor shall provide ten touch panels either with integrated speaker or 10 individual speaker compatible with touch screen panels for exhibits located in the exhibit hall.
- The panels shall be programable to play the exhibit dialog and display closed caption in English and be programable to display captions in additional languages.
- The contractor may use existing hollow mounting hardware to install the panels, run CAT6E cable and power cables, see attached diagram.
- The BLM shall provide composite laminate panels with text and cut out for installation of touch screen panel.
- All exhibit panels will play ambient tracks until interacted with.
- Speakers shall be directional or designed to contain sound with in the theater. A separate hearing assist transmitter and an audio description transmitter will be located at this exhibit.
- Exhibit panels will be power controlled by power sequencer controller and may be controlled from a canter point or the info desk. that controls the Theater.
- Each exhibit will require a CAT6E cable to be run to it for control.
- Power sequencer or control may be placed in theater control booth (room 116) or placed in the hollow space under the exhibits
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.

AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.

Item	Component	Requirements
001	Touch Panel	Elo Touch 2402L touch panel with speakers (Qty 10) minimum size 10 inch
002	Power Sequencer	Controlled by Crestron System
003	HD Media Player	Brightsign Media Player (No Brightauthor programming). (Qty 10)
004	Hardware	Cable, connectors, fasteners, as required

C.2.8 Trading Encampment

The Contractor shall provide a fully functional AV system in the Trading Encampment. The minimum requirements listed can be met with equivalent or superior components.

AV System Requirements

- The power sequence control system will power on and off the system.
- The system will play an ambient track when the button has not been pressed. At the end of the audio track, the ambient file will play again.
- Touch panel may be used to provide closed captioning to the exhibit.
- If a touch panel is included for closed captioning, the BLM shall provide a composite laminate panel with cut out for touch screen.
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.
- Speakers shall be directional or designed to contain sound with in the theater. A separate hearing assist transmitter and an audio description transmitter will be located at this exhibit.

AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.

Item	Component	Requirements
001	Speaker	JBL Control 65P/T pendant speaker or similar (Qty: 2)
002	Push Button	Surface mounted box with illuminated push button
003	Power Sequencer	Crestron control system power sequencer
004	Hardware	Cables, connectors, and fasteners as required.
005	Power Amplifier	30W Power Amplifier
006	HD Media Player	Brightsign Media Player (No Brightauthor programming).
007	Touch Panel	Elo Touch 2402L touch panel with speakers (Qty 10) minimum size 10 inch

C.2.9 Blue Mountain Encampment

The Contractor shall provide a fully functional AV system in the Blue Mountain Encampment. The minimum requirements listed can be met with equivalent or superior components.

AV System Requirements

- The power sequence control system will power on and off the system.
- Ambient audio will play when exhibit is not triggered. Separate user adjustable audio levels (via Brightscript) will be required.
- A lighting flicker effect will be installed in four locations in the two wagons and two tents.
- Touch panel may be used to provide closed captioning to the exhibit
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality
- Speakers shall be directional or designed to contain sound with in the theater. A separate hearing assist transmitter and an audio description transmitter will be located at this exhibit.

AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.

Item	Component	Requirements
001	Push Buttons	Illuminated push buttons will start each exhibit audio file for each exhibit. (Qty 4)
002	Audio Players	Brightsign Media Player (No Brightauthor programming). (Qty 4)
003	Speakers	JBL Control 25 speakers with power amplifier (Qty 4)
004	LED	Flicker 3.0 LED controller or equal. With four small LED light fixture to create silhouette through tent and wagon exhibit material.
005	Power Sequencer	Power sequencer controlled by Crestron system
006	Hardware	Cable, connectors, fasteners, as required.
007	Touch Panel	Elo Touch 2402L touch panel with speakers (Qty 10) minimum size 10 inch

C.3 Touch Screen Interactive Exhibits

The Contractor shall provide a fully functional touch screens system to be used for interactive exhibits, information kiosk, fee schedule, and general information. The minimum requirements listed can be met with equivalent or superior components.

C.3.1 Reader Rails

The contractor shall provide six touch screen reader rails that will be installed throughout the exhibit gallery. The reader rails shall function independent of each other. NHOTIC will develop and furnish content for the reader rails under a sperate contract.

C.3.2 Kiosk

The contractor shall provide one touch screen portrait Kiosk to be installed near the lobby and used for a local attraction's information kiosk. The kiosk shall function independently. NHOTIC will develop and furnish content for the kiosk under a sperate contract.

C.3.3 Touch Screen Table

The contractor shall provide one large touch screen table to be used in the Native American Gallery and be capable of displaying an interactive map. The table shall function independently. NHOTIC will develop and furnish content for the table under a sperate contract.

C.3.4 Monitors

The contractor shall two touch screen monitors that will be installed in the fee desk and info desk. The monitors shall function independent of each other. NHOTIC will develop and furnish content for the monitors under a sperate contract.

AV System Requirements

- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality
- NHOTIC must be able to update information in house

AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.

Item	Component	Requirements
001	Touch Screen Reader Rail	Ideum 34 inch reader rail (Qty. 6)
002	Touch screen Kiosk	Idieum all-in-one multitouch and motion-based touchscreen kiosk 55" 4K Ultra HD display.
003	Touch screen Table	Ideum Colossus II is an 86” 4K Ultra High Definition (UHD) large touchscreen table
004	Touch screen Monitors	Presenter touch screen display 43 inch
005	Hardware	Cable, connectors, fasteners, wall mounts as required

C.4 Leo Adler Theater AV System – Projector, video control, and sound system

The Contractor shall provide a fully functional AV system in the Leo Adler Theater room 118. The minimum requirements listed can be met with equivalent or superior components.

The contractor shall be responsible for installation of electrical service, subcontracting, or hiring a local electrician to preform electrical work including but not limited to:

- Electrical distribution, including mounting and termination of line voltage wiring.
- All conduit systems including materials, installation in walls and wiring pulls.
- Line voltage wiring, including materials, pulls through conduit and terminations.
- Branch circuit breakers and feeder cable including materials, installation and terminations.

AV System Requirements

An AV System that is a 5.1 surround audio system with video projection, wireless microphones, Blu-ray and DVD playback, HD Movie playback with synchronized audio description files, light control, and a control system with tablet interface. All video, audio and lighting functions shall be controlled by the touchscreen tablets. The system shall be designed to be operated by non-technical staff year-round. Two identical tablet touchscreens shall be provided. One tablet shall be mounted in a holder on the equipment rack that provides continuous power and allows it to be released. The second tablet shall be provided to the Government to be located at the information or fee desk. System shall be controllable from the theater control booth or remotely via the table or other equivalent system. The system shall be able to function operating the site film and be able to transition to traditional theater sound system with sound control board for live performances and musical shows, lectors, and programs.

The control system provided shall meet the following capabilities at a minimum:

1. All user interactions shall be via the touchscreen tablets (Quantity 2)
2. Screens on touchscreen tablets shall include:
    a. A home page with system power on and off and lighting control
    b. A subpage to select auto or manual control of 12 video programs each with a corresponding synchronized Audio Description mp3 file. In auto mode, each show shall have a start time with light dimming that can be varied to reach a preset (fade down) to coincide with show start, credits start (partial fade up) and end of show (fade up.) Resolution shall be one second
3. A subpage for manual mode that provide start and stop icons for each show
4. A subpage to select video source
5. A subpage to select and control the Blu-ray player, including Play, Pause, Stop, Scan Back, Scan Forward, Skip Back, Skip Forward, Top Menu, Pop-Up Menu, Return, Options, home, Enter, and Up, Down, Left and Right Arrows
6. A subpage to provide projector controls including Power On, Power Off, Picture Mute On, Picture Mute Off
7. A subpage for manual control of each of twelve shows, that includes show selection, start, and stop with light dimming, identifies which show is currently playing, a counter with the elapsed time with feedback from the media player for light control cues, and pause functionality of the show which stops the timer.
8. A subpage with light dimmer control.
9. A subpage with PA volume controls. For each of two microphone systems, control shall include microphone volume and mute, overall program volume, volume default preset, and mute.
10. A subpage with show volume controls. For each of twelve programs, control shall include adjustable volume, with the last volume stored in memory.
11. A subpage or subpages to schedule each show to play at any time of day. Schedule shall be identical for every day of the week.

12. A subpage to set the system clock. Resolution shall be one second.

System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality. Contractor may propose a alternative course of control through fixed panel, touch screen, or other control; device as long as above listed functionality is retained.

AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.

Item	Component	Requirements
001	Projector	Video projector 6400 lumen 16:9(10), laser, WUXGA, or 1080p. Sony, Panasonic, NEC, Epson are acceptable.
002	Screen	16:9 permanent tensioned screen with matte white surface 4:3 screen. 11' tall matte white surface. Hidden screen fasteners. (Draper or DaLite).
003	HD Media Player	Brightsign Media Player (No Brightauthor programming).
004	Bluray Player	Bluray
005	Front L.C.R Speakers	JBL Control 28-1 black speakers with U Bracket (min. Qty 3)
006	Surround Speakers	JBL Control 23-1 speakers with U Bracket (min. Qty 3)
007	Subwoofer	KSI Ceiling Subwoofer
008	HDMI Wall Plate	Crestron EXT3-KIT HDMI wall plate transmitter
009	Receiver	Marantz SR5015 receiver with preamp out, controllable.

010	Audio Processor	BSS Blu100 Audio Processor (BSS, Biamp)
011	Amplifiers	Crown XLI800 amplifiers (min. Qty 3)
012	Rack	Middle Atlantic ERK4025LRD rack with rear rack rails, vertical power, rear tie bars, rack screws, blanks necessary to fill all holes.
013	UPS	UPS for rack Furman and Juice goos RX30 or equal projector.
014	Hearing Assist. Tx	Listen LT800 hearing assist transmitter.
015	Audio Des. Tx	Listen LT800 hearing assist transmitter.
016	HA and HD Receivers	Listen LR4200 receivers (4 with earset, charger and 2 neck loops)
017	Control	Crestron CP4 with network, (2) iPads, iPad docking/charging stations rack mounted all RS232, and NET peripherals required.
018	Wireless Mics	Shure Wireless mics. GLXD4R+ or equivalent. 6 lapel system, 2 Hand held mics
019	Light Control, Lighting Console	Light control from control processor, DMX with DMX join unit
020	Lighting Controller	Separate DMX lighting controller (physical unit with faders). 32 channel dmx programmable unit.

021	Tablet	IPad Pro 13 inch
022	Sounds board	Yamaha MGX12 B 18ch Digital Mixer, dual USB-C audio interface or equivalent
023	Head phones	Compatible headphones for monitoring sound levels
024	Floor mics	2 floor mics with xlr cable

C.5 Leo Adler Theater AV System – Theater lights

The Contractor shall provide a fully functional AV system in the Leo Adler Theater Room 118. The minimum requirements listed can be met with equivalent or superior components.

AV System Requirements

The Contractor shall replace the exiting halogen light system from 1992 with a o an LED based system. The LED system shall include color mixing capabilities, any fixture can instantly change to any color, eliminating the need for multiple fixtures with different color gels. LED lights shall have a life expectancy of 50,000 hours,

The contractor shall be responsible for installation of electrical service, subcontracting, or hiring a local electrician to preform electrical work including but not limited to:

- Disconnecting Radia Dimmer packs and providing constant power to required outlets at existing lighting positions.
- Electrical distribution, including mounting and termination of line voltage wiring.
- All conduit systems including materials, installation in walls and wiring pulls.
- Line voltage wiring, including materials, pulls through conduit and terminations.
- Branch circuit breakers and feeder cable including materials, installation and terminations.

- The contractor shall replace the existing lights with ETC ColorSource line or equivalent or superior lighting system.
- The contractor shall provide (6), ColorSource Jr Spot fixtures installed on the existing main front of house, (FOH), lighting position. This will allow three, (3), areas of the stage to be isolated at any given time - Left, Center and Right. Each area will have two, (2), fixtures focused on it from opposing angles to eliminate shadows and create more visual depth.
- The contractor shall provide four, (4), ColorSource PAR fixtures at this lighting position to provide a general wash of the stage. These can be used either in conjunction with the spots or independently, depending on the requirements of any specific presentation.
- The Contractor shall provide four, (4), ColorSource PAR fixtures at the existing side light positions, with two, (2), fixtures on either side of the stage. These will provide added color and depth to the stage.
- Control will be provided by the user friendly ColorSource 20 console, along with the ColorSource wireless DMX relays. The relays provide both power and low voltage DMX control to the fixtures. When the console is powered up, the relays automatically power up the fixtures. When the console is turned off, the relays shut down the fixtures, thus reducing the hours on the processors and increasing the life expectancy of the fixtures.
- The contractor shall unpack, hang and focus all fixtures, test the system and provide training on programming and operation.
- The contractor shall preform, subcontract, or hire electrical work for any modifications the new system will require. Modifications may be done by a local electrical company to provide constant power to the relays and hired by the Contractor.
- Existing wall wash fixtures will may be incorporated into the new system or may remain independent.
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality. Contractor may propose an alternative design, lighting system, and number of lights as long as above listed functionality is retained.

AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.

Item	Component	Requirements
001	Front Lights Spot	ColorSource Spot jr, Deep Blue, black CSSPOTJRDB2550 Qty. 6
002	Front Lights PAR	ColorSource PAR Deep Blue, Black Body CSPARDB Qty. 4
003	Front Lights Narrow Diffusion Frame	7.5" Narrow Round Diffusion Frame SELRN-7.5 Qty. 4
004	Front Lights C- Clamp	400CC C-Clamp Qty. 10
005	Front Lights Safety Cable	Safety Sliver Safety cable Qty. 10
006	Front Lights Power Con Pass Through Jumper and stage pin connector	DPJ-5 5' Powercon to Pass Through Jumper Qty. 7 DPJ-10 10' Powercon to Pass Through Jumper Qty. 2 ZSJO143TNAC5 5' Powercon to Pass Through Jumper Qty. 1 DPA-B 5' PowerCon™ to Stagepin connector Qty. 1
007	Side Lights PAR	CSPARDB ColorSource PAR Deep Blue, Black Body Qty. 4
008	Side lights Round diffusion frame	SELRVN-7.5 7.5" Very Narrow Round Diffusion Frame Qty. 2 SELRN-7.5 7.5" Narrow Round Diffusion Frame Qty 2.
009	Side Lights C- Clamp	400CC C-Clamp Qty. 4
010	Front Lights Safety Cable	Safety Sliver Safety cable Qty. 4

011	Side Lights Power Con Pass Through Jumper and stage pin connector	DPJ-5 5' Powercon to Pass Through Jumper Qty. 2 DPJ-10 10' Powercon to Pass Through Jumper Qty. 2 ZSJO143TNAC5 5' Powercon to Pass Through Jumper Qty. 2 DPA-B 5' PowerCon™ to Stagepin connector Qty. 2
012	Lighting Control	CS20 ColorSource 20 console- Qty.1 Control console to include: (20) Faders (80) Control Channels (4) Configurable Sliders (5) Configurable Control Channels " multi-touch screen for information display,control of moving lights parameters and data entry (1) 5-pin XLR DMX/RDM port (1) USB Port
013	Lighting control	CS20DC Dust cover for CS20 and CS20AV console
014	Lighting control	CSR-W ColorSource Relay with Wireless Receiver antenna included Qty 3
015	Lighting Control	5900 Multiverse® SHoW BABY (Includes Power Supply and Hanging Bracket
016	Lighting Control	400CC C-Clamp
017	Lighting Control	CSR-PMT ColorSource Relay Pipe Mount Kit with (2) bolts
018	DMX Cable	ZDP45NS2.5 2.5' - 5-pin XLR DMX cable Qty 1 ZDP45NS5 5' - 5-pin XLR DMX cable Qty 1 ZDP45NS10 10' - 5-pin XLR DMX cable Qty 1 ZDMXTERMS 5-pin DMX Terminator Qty 1

19	LED Gobo Rotator	Vender shall recommend a stand alone or attachment gobo rotator (2) to allow for multiple gobos to be cycled through in the theater.

C.6 Greenscreen Tele-Learning Studio

The Contractor shall provide a fully functional Greenscreen studio for staff to use for tele-learning at the Interpretive Center. The designated office to be turned into a tele-learnings studio is proximity 9 foot by 9 foot The minimum requirements listed can be met with equivalent or superior components.

AV System Requirements

- Existing data ports and outlets should be utilized for the studio.
- System shall be compatible with DOI network
- System shall be capable of live streaming for telelearning over teams, zoom, or similar platforms.
- Vendor shall propose industry standard system for a functional tele-learning studio.
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.

AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.

Item	Component	Requirements
001	Camera	High resolution, Lense for small space.
002	Mic	Lepel and desk mic
003	Screen	Industry standard screen, Blue/Green Screen
004	Lights	1 Ring light 2 soft box lights, 2 reflector lights
005	Backdrops	1 set of 3 to 5 printed pull down back drops related to the Oregon trail.

C.5 system maintenance and warranty

The Contractor shall provide a written estimate for annual maintenance and repairs as part of the submittal. This will be used in the evaluation of Best Value to Government.

The contractor shall provide a warranty on parts, labor, and installation for 24 months after the completion of the project.

C.6.0 Proposed Location

Bureau of Land Management

National Historic Oregon Trail Interpretive Center

22267 OR HWY 86


Baker City, Oregon 87814

C.7.0 AS builts and diagarams

C.7.1 Diagram of Center



C.7.2 Diagram of Diorama



(End of Section C)

SECTION F – DELIVERIES OR PERFORMANCE

F.1.0 PERIOD OF PERFORMANCE

12/01/2026 to 11/30/2028

F.2.0 PROGRESS PLAN

At the prework conference, the Contractor shall provide to the COR a written "work progress plan" that details its proposed work force and schedule to provide for orderly completion of the work within the contract performance time. This work schedule must be acceptable to the Government. At a minimum, the schedule must reflect a work progress rate equal to the available amount of contract performance time.

F.3.0 STOP WORK ORDER

The Contracting Officer may, at any time, by written order to the Contractor, require the Contractor to stop all, or any part, of the work called for by this contract for a period of 90 days after the order is delivered to the Contractor, and for any further period to which the parties may agree. The order shall be specifically identified as a stop-work order issued under this clause. Upon receipt of the order, the Contractor shall immediately comply with its terms and take all reasonable steps to minimize the incurrence of costs allocable to the work covered by the order during the period of work stoppage.

Within a period of 90 days after a stop-work is delivered to the Contractor, or within any extension of that period to which the parties shall have agreed, the Contracting Officer shall either-
(1) Cancel the stop-work order; or
(2) Terminate the work covered by the order as provided in contract clause 52.212-4.

If a stop-work order is canceled or the period of the order or any extension thereof expires, the Contractor shall resume work.

The Contracting Officer shall make an equitable adjustment in the delivery schedule or contract price, or both, and the contract shall be modified, in writing, accordingly, if-
(1) The stop-work order results in an increase in the time required for, or in the Contractor's cost properly allocable to, the performance of any part of this contract; and
(2) The Contractor asserts its right to the adjustment within 30 days after the end of the period of work stoppage; provided, that, if the Contracting Officer decides the facts justify the action, the Contracting Officer may receive and act upon the claim submitted at any time before final payment under this contract.

If a stop-work order is not canceled and the work covered by the order is terminated for the convenience of the Government, the Contracting Officer shall allow reasonable costs resulting from the stop-work order in arriving at the termination settlement.

If a stop-work order is not canceled and the work covered by the order is terminated for default, the Contracting Officer shall allow, by equitable adjustment or otherwise, reasonable costs resulting from the stop-work order.

(End of Section F)

SECTION G – CONTRACT ADMINISTRATION DATA

The following local clauses are provided in full text:

CONTRACTOR PERFORMANCE ASSESSMENT REPORTING SYSTEM (JULY 2010)

(a) FAR 42.1502 directs all Federal agencies to collect past performance information on contracts. The Department of the Interior (DOI) has implemented the Contractor Performance Assessment Reporting System (CPARS) to comply with this regulation. One or more past performance evaluations will be conducted in order to record your contract performance as required by FAR42.15.

(b) The past performance evaluation process is a totally paperless process using CPARS. CPARS is a web-based system that allows for electronic processing of the performance evaluation report. Once the report is processed, it is available for Government use in evaluating past performance as part of a source selection action.

(c) We request that you furnish the Contracting Officer with the name, position title, phone number, and email address for each person designated to have access to your firm's past performance evaluation(s) for the contract no later than **30 days after award.** Each person granted access will have the ability to provide comments in the Contractor portion of the report and state whether or not the Contractor agrees with the evaluation, before returning the report to the Assessing Official. The report information must be protected as source selection sensitive information not releasable to the public.

(d) When your Contractor Representative(s) (Past Performance Points of Contact) are registered in CPARS, they will receive an automatically-generated email with detailed login instructions. Further details, systems requirements, and training information for CPARS is available at https://www.cpars.gov/. The CPARS User Manual, registration for On Line Training for Contractor Representatives, and a practice application may be found at this site.

(e) Within 60 days after the end of a performance period, the Contracting Officer will complete an interim or final past performance evaluation, and the report will be accessible at https://www.cpars.gov/. Contractor Representatives may then provide comments in response to the evaluation, or return the evaluation without comment. Comments are limited to the space provided in Block 22. Your comments should focus on objective facts in the Assessing Official's narrative and should provide your views on the causes and ramifications of the assessed performance. In addition to the ratings and supporting narratives, blocks 1 - 17 should be reviewed for accuracy, as these include key fields that will be used by the Government to identify your firm in future source selection actions. If you elect not to provide comments, please acknowledge receipt of the evaluation by indicating "No comment" in Block 22, and then signing and dating Block 23 of the form. Without a statement in Block 22, you will be unable to sign and submit the evaluation back to the Government. If you do not sign and submit the CPAR within 30 days, it will automatically be returned to the Government and will be annotated: "The report was delivered/received by the contractor on (date). The contractor neither signed nor offered comment in response to this assessment." Your response is due within 30 calendar days after receipt of the CPAR.

(f) The following guidelines apply concerning your use of the past performance evaluation:

(1) Protect the evaluation as "source selection information." After review, transmit the evaluation by completing and submitting the form through CPARS. If for some reason you are unable to view and/or submit the form through CPARS, contact the Contracting Officer for instructions.

(2) Strictly control access to the evaluation within your organization. Ensure the evaluation is never released to persons or entities outside of your control.

(3) Prohibit the use of or reference to evaluation data for advertising, promotional material, preaward surveys, responsibility determinations, production readiness reviews, or other similar purposes.

(g) If you wish to discuss a past performance evaluation, you should request a meeting in writing to the Contracting Officer no later than seven days following your receipt of the evaluation. The meeting will be held in person or via telephone or other means during your 30- day review period.

(h) A copy of the completed past performance evaluation will be available in CPARS for your viewing and for Government use supporting source selection actions after it has been finalized.

(End of clause)

ELECTRONIC INVOICING AND PAYMENT REQUIREMENTS – INVOICE PROCESSING PLATFORM (IPP) (FEB 2021)

Payment requests must be submitted electronically through the U.S. Department of the Treasury's Invoice Processing Platform System (IPP).

"Payment request" means any request for contract financing payment or invoice payment by the Contractor. To constitute a proper invoice, the payment request must comply with the requirements identified in the applicable Prompt Payment clause included in the contract, or the clause 52.212-4 Contract Terms and Conditions – Commercial Products or Commercial Services included in commercial products or commercial services contracts. The IPP website address is: https://www.ipp.gov.

Under this contract, the following documents are required to be submitted as an attachment to the IPP invoice

1. Invoice billed according to contract line items and rates.

The Contractor must use the IPP website to register access and use IPP for submitting requests for payment. The Contractor Government Business Point of Contract (as listed in SAM) will receive enrollment instructions via email from the Federal Reserve Bank of St. Louis (FRBSTL) within 3 – 5 business days of the contract award date. Contractor assistance with enrollment can be obtained by contacting the IPP Production Helpdesk via email IPPCustomerSupport@fiscal.treasury.gov or phone (866) 973-3131.

If the Contractor is unable to comply with the requirement to use IPP for submitting invoices for payment, the Contractor must submit a waiver request in writing to the Contracting Officer with its proposal or quotation.

(End of Local Clause)

(End of Section G)

SECTION H – SPECIAL CONTRACT REQUIREMENTS

H.2.0 ACCESS

In the event of a site/facility closure, the Contractor shall not perform or make deliveries to the site/facility until it is reopened by the Government, unless otherwise instructed by the Contracting Officer or their designated representative.

H.3.0 WORK HOURS

Unless otherwise specified in Section C, Specifications, work hours under this contract shall be limited to the time between one-half hour before sunrise to one-half hour after sunset each day. No work will be done on Saturday, Sunday, or Federal holidays unless authorized by the COR.

H.4.0 ENVIRONMENTAL INTERRUPTION OF WORK

H.4.1 Environmental - The Contracting Officer, by issuance of a suspend work order, may direct the Contractor to shut down any work that may be subject to damage due to weather conditions, fire danger, or because it is impracticable to work during the winter season. The Contractor will be given a resume work order which will document the date the work suspension ends. An allowance has been included in the contract time for all environmental delays. The count of contract time will therefore continue during all periods of suspension due to normal weather conditions, including fire danger. The Contractor will not be entitled to additional contract time for any suspensions except to the extent that they are due to unusually severe weather conditions. The Contractor will not be entitled to additional monetary compensation for such suspensions regardless of duration.

H.4.2 Endangered Species - The Government may direct the Contractor to discontinue all operations in the event that listed or proposed threatened or endangered plants or animals protected under the Endangered Species Act of 1973, as amended, or Federal candidate (Category 1 and 2), sensitive or state listed species, identified under BLM Manual 6840, are discovered to be present in or adjacent to the project area.

H.5.0 PRESERVATION OF HISTORICAL AND ARCHEOLOGICAL DATA

H.5.1 Public Law 93-291, May 24, 1974, provides for the preservation of scientific, prehistorical, and archeological data (including relics and specimens) which might otherwise be lost due to alteration of the terrain as a result of any Federal construction project.

H.5.2 The Contractor agrees that should any contractor employee, in the performance of this contract, discover evidence of possible scientific, prehistorical, historical, or archeological data the contractor will notify the Contracting Officer immediately in writing giving the location and nature of the findings.

H.5.3 Where appropriate by reason of discovery, the Contracting Officer may order delays in the time of performance and/or changes in the work. If such delays and/or changes are ordered, the time of performance and contract price shall be adjusted in accordance with the applicable clauses in the Contract Clauses Section of this contract.

H.5.4 The Contractor agrees to insert this requirement in all subcontracts which involve the performance of work on the terrain of the site.

H.6.0 ENVIRONMENTAL IMPACT

All waste materials generated by any work under the contract performed on a Government installation shall at all times be handled, transported, stored, and disposed of by the contractor and by his subcontractors in accordance with all applicable Federal, state, and local laws, ordinances, regulations, court orders, and other types of rulings having the effect of the law, including, but not limited to Executive Order 12088, 13 October 1978, Federal Compliance with Pollution Control Standards; the Federal Water Pollution Control

Act, as amended (33 U.S.C. 1251 ET SEQ); the Clean Air Act as amended (42 U.S.C. Sec 7401 ET SEQ); the Endangered Species Act, as amended (16 U.S.C. Sec 1531, ET SEQ); the Toxic Substances Control Act, as amended (15 U.S.C. Sec 2601, ET SEQ); the National Historic Preservation Act, as amended (16 U.S.C. Sec 470, ET SEQ); the Solid Waste Disposal Act, as amended (42 U.S.C. 6901 ET SEQ); and the Archaeological and Historic Preservation Act, as amended (16 U.S.C. Sec 469, ET SEQ). Should the United States Government be held liable for any neglect or improper actions by the contractor or any subcontractor regarding removal or disposal of any hazardous waste, the contractor shall reimburse the Government for all such liability.

H.7.0 HAZARDOUS MATERIALS

Any material suspected of being hazardous that is encountered during performance of a project shall immediately be brought to the attention of the Contracting Officer, at which time a determination will be made as to whether hazardous material testing shall be performed. If the Contracting Officer directs the contractor to perform tests, and/or the material is found to be of a hazardous nature requiring additional protective measures, a contract modification may be required, subject to equitable adjustment under the terms of the contract. The contractor is advised that friable and/or non-friable asbestos-containing material may be encountered in project areas. Friable asbestos-containing material is any material that contains more than one percent asbestos by weight, and that hand pressure can crumble, pulverize or reduce to powder when dry. Non-friable asbestos containing materials are materials in which asbestos fibers are bound by a matrix material, saturation, impregnation or coating.

Non-friable asbestos-containing materials do not normally release airborne asbestos fiber during routine handling and end-use. However, excessive fiber concentrations may be produced during uncontrolled abrading, sanding, drilling, cutting, machining, removal, demolition, or other similar activities. 29 CFR 1910.1001 shall be referenced in the event asbestos-containing materials are encountered. Friable asbestos-containing materials are not authorized for use in new construction or maintenance projects.

H.8.0 GREEN PROCUREMENT REQUIREMENTS

In the performance of this service or construction contract, the Contractor shall make maximum use of products identified on the mandatory environmental purchasing list at the following links, if applicable:

- USDA Biobased product listings published at *www.biopreferred.gov*.

H.9.0 RESTORATION OF RESOURCES

H.9.1 Cleanup - The Contractor is responsible for cleaning up all camp and worksites before leaving the area. Final payment or other alternative deemed feasible may be withheld until the Contractor has complied with this requirement.

H.9.2 Site and Access Roads – Site and public or private access roads negligently damaged by the Contractor shall be restored to the same condition they were in at the commencement of work, at the expense of the Contractor.

H.10.0 UNAUTHORIZED PERSONNEL

The contractor shall inform all personnel working under his jurisdiction (including subcontractor and visiting supplier personnel) that access to restricted areas outside of the immediate work area; excluding direct haul and access routes, contracting and Civil Engineering offices and points of supply and storage; is prohibited. Circulation of said personnel will be limited to official business only. Persons in violation of the above will be apprehended and appropriately disciplined.

(End of Special Contract Requirements)

SECTION I – CONTRACT CLAUSES

The following clauses are incorporated by reference:

Number	Date	Title
52.212-4	Mar-26	Terms and Conditions—Commercial Products and Commercial Services
52.203-17	Nov-23	Contractor Employee Whistleblower Rights
52.203-19	Jan-17	Prohibition on Requiring Certain Internal Confidentiality Agreements or Statements
52.204-13	Mar-26	System for Award Management—Maintenance
52.209-6	Jan-25	Protecting the Government's Interest When Subcontracting with Contractors Debarred, Suspended, or Proposed for Debarment
52.209-10	Nov-15	Prohibition on Contracting with Inverted Domestic Corporations
52.219-6	Jan-26	Notice of Total Small Business Set-Aside
52.222-3	Jul-03	Convict Labor
52.222-19	Mar-26	Child Labor—Cooperation with Authorities and Remedies
52.222-36	Jun-20	Equal Opportunity for Workers with Disabilities
52.222-41	Aug-18	Service Contract Labor Standards
52.222-42	May-14	Statement of Equivalent Rates for Federal Hires
52.222-43	Aug-18	Fair Labor Standards Act and Service Contract Labor Standards-Price Adjustment (Multiple Year and Option Contracts)
52.222-50	Oct-25	Combating Trafficking in Persons
52.222-62	Jan-22	Paid Sick Leave Under Executive Order 13706
52.222-90	Apr-26	Addressing DEI Discrimination by Federal Contractors.
52.226-8	May-24	Encouraging Contractor Policies to Ban Text Messaging While Driving
52.232-33	Oct-18	Payment by Electronic Funds Transfer—System for Award Management
52.232-40	Mar-23	Providing Accelerated Payments to Small Business Subcontractors
52.233-3	Aug-96	Protest After Award
52.233-4	Oct-04	Applicable Law for Breach of Contract Claim
52.240-91	Mar-26	Security Prohibitions and Exclusions
52.240-93	Mar-26	Basic Safeguarding of Covered Contractor Information Systems
52.244-6	Oct-26	Subcontracts for Commercial Products and Commercial Services

The following clauses are provided in full text:

52.252-2 CLAUSES INCORPORATED BY REFERENCE (FEB 1998)

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this/these address(es):

https://acquisition.gov/

(End of Clause)

52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES (APR 1984)

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of "(DEVIATION)" after the date of the clause.

(b) The use in this solicitation or contract of any Department of the Interior Acquisition Regulation (48 CFR Chapter 14) clause with an authorized deviation is indicated by the addition of "(DEVIATION)" after the name of the regulation.

(End of Clause)

1452.201-70 AUTHORITIES AND DELEGATIONS (SEP 2011)

(a) The Contracting Officer is the only individual authorized to enter into or terminate this contract, modify any term or condition of this contract, waive any requirement of this contract, or accept nonconforming work.

(b) The Contracting Officer will designate a Contracting Officer's Representative (COR) at time of award. The COR will be responsible for technical monitoring of the contractor's performance and deliveries. The COR will be appointed in writing, and a copy of the appointment will be furnished to the Contractor. Changes to this delegation will be made by written changes to the existing appointment or by issuance of a new appointment.

(c) The COR is not authorized to perform, formally or informally, any of the following actions:

(1) Promise, award, agree to award, or execute any contract, contract modification, or notice of intent that changes or may change this contract;

(2) Waive or agree to modification of the delivery schedule;

(3) Make any final decision on any contract matter subject to the Disputes Clause;

(4) Terminate, for any reason, the Contractor's right to proceed;

(5) Obligate in any way, the payment of money by the Government.

(d) The Contractor shall comply with the written or oral direction of the Contracting Officer or authorized representative(s) acting within the scope and authority of the appointment memorandum. The Contractor need not proceed with direction that it considers to have been issued without proper authority. The Contractor shall notify the Contracting Officer in writing, with as much detail as possible, when the COR has taken an action or has issued direction (written or oral) that the Contractor considers to exceed the COR's appointment, within 3 days of the occurrence. Unless otherwise provided in this contract, the Contractor assumes all costs, risks, liabilities, and consequences of performing any work it is directed to perform that falls within any of the categories defined in paragraph (c) prior to receipt of the Contracting Officer's response issued under paragraph (e) of this clause.

(e) The Contracting Officer shall respond in writing within 30 days to any notice made under paragraph (d) of this clause. A failure of the parties to agree upon the nature of a direction, or upon the contract action to be taken with respect thereto, shall be subject to the provisions of the Disputes clause of this contract.

(f) The Contractor shall provide copies of all correspondence to the Contracting Officer and the COR.

(g) Any action(s) taken by the Contractor, in response to any direction given by any person acting on behalf of the Government or any Government official other than the Contracting Officer or the COR acting within his or her appointment, shall be at the Contractor's risk.

(End of clause)

1452.203-70 RESTRICTIONS ON ENDORSEMENTS—DEPARTMENT OF THE INTERIOR (JUL 1996)

The Contractor shall not refer to contracts awarded by the Department of the Interior in commercial advertising, as defined in FAR 31.205-1, in a manner which states or implies that the product or service provided is approved or endorsed by the Government, or is considered by the Government to be superior to other products or services. This restriction is intended to avoid the appearance of preference by the Government toward any product or service. The Contractor may request the Contracting Officer to make a determination as to the propriety of promotional material.

(End of clause)

(End of Section I)

SECTION J – LIST OF ATTACHMENTS

Attachment No.	Title	Pages
1	Service Contract Act Wage Determination	7

(End of Section J)

SECTION K – REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS OF OFFERORS

K.1.0 SIGNATURE EXTENSION

If the Offeror is a partnership or a joint venture, all partners or joint venture representatives are required to sign as contractors. Signatures shall be provided below:

Name:_____ Name:_____

Title:_____ Title:_____

The following provisions are incorporated by reference:

Number	Date	Title
52.203-18	Jan-27	Prohibition on Contracting with Entities that Require Certain Internal Confidentiality Agreements or Statements-Representation
52.225-20	Aug-09	Prohibition on Conducting Restricted Business Operations in Sudan-Certification
52.225-25	Jun-20	Prohibition on Contracting with Entities Engaging in Certain Activities or Transactions Relating to Iran-Representation and Certifications

(End of Section K)

SECTION L – INSTRUCTIONS, CONDITIONS AND NOTICES TO OFFERORS OR RESPONDENTS

L.1.0 GENERAL. This is a Request For Quotation (RFQ). An award notice will be posted on the Contract Opportunities website located at www.sam.gov upon award. The award notice will include the awardee's name and address and total award amount.

L.1.1 Electronic Response. The quotation shall be electronically submitted via email to matthew_duane@ios.doi.gov.

L.1.2 Requests for Information. Questions regarding this solicitation must be submitted in writing to via e-mail to matthew_duane@ios.doi.gov two business days before solicitation close.

L.2.0 QUOTATION INSTRUCTIONS. The quotation shall be submitted in two parts consisting of a (1) non-price and (2) price section.

L.2.1 FORMAT AND CONTENT OF NON-PRICE SECTION. The non-price section shall be organized by evaluation factor and sequenced in the below order. The respondent shall address the following factors in sufficient narrative and qualitative detail to be evaluated.

Evaluation Factor 1, Technical

Describe how you plan to meet the Government's requirements.

Evaluation Factor 2, Past performance

Provide information on your recent contracts of similar scope.

L.2.2 FORMAT AND CONTENT OF PRICE SECTION

L.2.2.1 Evaluation Factor 3, Price. The Offeror shall remit a completed price schedule (Section B). The Respondent shall enter unit price and extended total for each item listed in Section B. The price shall include all necessary supervision, management, labor, transportation, equipment, materials, any other direct incidental costs, overhead and profit, unless the cost is identified as a separately priced contract line item.

L.2.2.2 The Respondent shall complete and submit all applicable Representations, Certifications and Other Statements of Offerors. In accordance with FAR 4.1201, representations and certifications shall be submitted to the System for Award Management (www.sam.gov) and updated at least annually to ensure they are kept current, accurate, and complete.

The following provisions are incorporated by reference:

Number	Date	Title
52.212-1	Mar-26	Instructions to Offerors—Commercial Products and Commercial Services
52.204-7	Mar-26	System for Award Management—Registration.

52.216-1 TYPE OF CONTRACT (APR 1984)

The Government contemplates award of a firm fixed-price type of contract resulting from this solicitation.

(End of provision)

52.252-1 SOLICITATION PROVISIONS INCORPORATED BY REFERENCE (FEB 1998)

This solicitation incorporates one or more solicitation provisions by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. The offeror is cautioned that the listed provisions may include blocks that must be completed by the offeror and submitted with its quotation or offer. In lieu of submitting the full text of those provisions, the offeror may identify the provision by paragraph identifier and provide the appropriate information with its quotation or offer. Also, the full text of a solicitation provision may be accessed electronically at this/these address(es):

Federal Acquisition Regulation: https://acquisition.gov/
Department of the Interior Acquisition Regulation (CFR, Title 48, Chapter 14): https://acquisition.gov/diar

(End of provision)

52.252-5 AUTHORIZED DEVIATIONS IN PROVISIONS (APR 1984)

(a) The use in this solicitation of any Federal Acquisition Regulation (48 CFR Chapter 1) provision with an authorized deviation is indicated by the addition of "(DEVIATION)" after the date of the provision.

(b) The use in this solicitation of any Department of the Interior Acquisition Regulation (48 CFR Chapter 14) provision with an authorized deviation is indicated by the addition of "(DEVIATION)" after the name of the regulation.

(End of Provision)

(End of Section L)

SECTION M – EVALUATION FACTORS FOR AWARD

M.1.0 BASIS OF AWARD

This solicitation will result in the award of a Firm Fixed-Price Commercial Service Purchase Order in accordance with the provisions herein this section. Price shall be fair and reasonable.

The following provisions are provided in full text:

52.212-2 – EVALUATION – COMMERCIAL PRODUCTS AND COMMERCIAL SERVICES (MAR 2026)

(a) Evaluation factors. The Government will award a contract resulting from this solicitation to the responsible Offeror whose offer conforming to the solicitation will be most advantageous to the Government, price and other factors considered. The following factors will be used to evaluate offers:

Technical

Past Performance

Price

(b) *Options (if applicable)*. The Government will evaluate offers for award purposes by adding the total price for all options to the total price for the basic requirement. The Government may determine that an offer is unacceptable if the option prices are significantly unbalanced. The evaluation of options does not obligate the Government to exercise the option(s).

(c) *Notice of award*. A written notice of award or acceptance of an offer furnished to the successful Offeror within the time for acceptance specified in the offer, shall result in a binding contract without further action by either party. Before the offer's specified expiration time, the Government may accept an offer (or part of an offer), whether or not there are negotiations after its receipt, unless a written notice of withdrawal is received before award.

(End of provision)

1510-52.213-70 – EVALUATION OF QUOTATIONS

Award will be made to the responsible firm whose quote is most advantageous to the Government, price and other factors considered. Other factors for this solicitation include past performance of the quoter. Past performance information may be based on the Government's knowledge of and previous experience with the quoter, or other reasonable basis.

(End of provision)

(End of Section M)