# AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

| 1. CONTRACT ID CODE | PAGE | OF | PAGES |
|---|---|---|---|
| | 1 | | 43 |

| 2. AMENDMENT/MODIFICATION NUMBER | 3. EFFECTIVE DATE | 4. REQUISITION/PURCHASE REQUISITION NUMBER | 5. PROJECT NUMBER *(If applicable)* |
|---|---|---|---|
| 0002 | 09/22/2026 | | |

6. ISSUED BY CODE LHA

BLM OR-ST OFC PROC MGMT BR(OR952)
1220 SW 3rd Avenue, 12th Floor
PORTLAND OR 97204

7.ADMINISTERED BY *(If other than Item 6)* CODE

8. NAME AND ADDRESS OF CONTRACTOR *(Number, street, county, State and ZIP Code)*

CODE FACILITY CODE

(X) 9A. AMENDMENT OF SOLICITATION NUMBER 140L4326Q0126

☒ 9B. DATED *(SEE ITEM 11)* 09/22/2026

10A. MODIFICATION OF CONTRACT/ORDER NUMBER

☐

10B. DATED *(SEE ITEM 13)*

## 11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☒ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☒ is extended. ☐ is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA *(If required)*

## 13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NUMBER AS DESCRIBED IN ITEM 14.

CHECK ONE

☐ A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: *(Specify authority)* THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NUMBER IN ITEM 10A.

☐ B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES *(such as changes in paying office, appropriation data, etc.)* SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).

☐ C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:

☐ D. OTHER *(Specify type of modification and authority)*

**E. IMPORTANT:** Contractor ☐ is not ☐ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (*Organized by UCF section headings, including solicitation/contract subject matter where feasible.)*

See continuation page

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

| 15A. NAME AND TITLE OF SIGNER *(Type or print)* | | 16A. NAME AND TITLE OF CONTRACTING OFFICER *(Type or print)* | |
|---|---|---|---|
| | | Matthew Duane | |
| 15B. CONTRACTOR/OFFEROR | 15C. DATE SIGNED | 16B. UNITED STATES OF AMERICA | 16C. DATE SIGNED |
| *(Signature of person authorized to sign)* | | *(Signature of Contracting Officer)* | |

*Previous edition unusable*

**STANDARD FORM 30 (REV. 11/2016)**
Prescribed by GSA FAR (48 CFR) 53.243

| ITEM NO. (A) | SUPPLIES/SERVICES (B) | QUANTITY (C) | UNIT (D) | UNIT PRICE (E) | AMOUNT (F) |
|---|---|---|---|---|---|
| | NHOTIC AC SYSTEM REPLACEMENT<br><br>Amendment 0002 made the following changes-<br><br>A. Corrected NAICS to 238210 Audio visual equipment installation.<br>B. Corrected clauses in Section I.<br>C. Corrected provisions in Section K.<br>D. Attached pictures.<br>E. Attached Questions and Answers dated 7 October.<br>F. Extended due date to 30 October.<br><br>Quoters are urged and expected to inspect the site where services are to be performed and to satisfy themselves regarding all general and local conditions that may affect the cost of contract performance, to the extent that the information is reasonably obtainable. In no event shall failure to inspect the site constitute grounds for a claim after contract award.<br><br>Please contact the following to schedule a site visit:<br><br>Robert (Bobby) Reis<br><br>(541) 523-1842<br><br>rreis@blm.gov<br><br>Period of Performance: 12/01/2026 to 11/30/2028 | | | | |

**SECTION B – SERVICES AND PRICES**

This requirement is for one (1) Firm Fixed Price Commercial Service Contract for NHOTIC AV System Replacement, Vale, Oregon.

| Items | Description | Quantity | Unit | Price |
|---|---|---|---|---|
| | AV System replacement | | | |
| 0010 | Item 1 – AV System for Exhibits | LS | 1 | |
| 0020 | Item 2 – Touch Screen Interactive | LS | 1 | |
| 0030 | Item 3 – Leo Adler Projector and sound | LS | 1 | |
| 0040 | Item 4 – Leo Adler Theater lights | LS | 1 | |
| 0050 | Item 5 – Green Screen studio | LS | 1 | |
| | | | Total | |

Definitions:

LS – Lump Sum

(End of Section B)

## SECTION C – STATEMENT OF WORK

### C.1.0 GENERAL

The National Historic Oregon Trail Interpretive Center (NHOTIC) requires a complete replacement for the existing audio-visual (AV) systems in their facility. This will replace the original 1992 AV system and subsequent repairs and upgrades. The replacement system will improve the visual-aesthetic, functionality, and safety of the National Historic Oregon Trail Interpretive Center.

The National Historic Oregon Trail Interpretive Center (NHOTIC) is Eastern Oregon's premier Oregon Trail museum, operated by the Bureau of Land Management since 1992. NHOTIC serves as an educational center along the National Historic Oregon Trail System. The center provides educational and interpretive programs, showcasing the unique cultural and natural history of the region. The center features exhibits focused on life of those that embarked on the Oregon Trail, exhibits with interactive components, and hiking trails that access the preserved wagon ruts. The center includes a curation facility for associated museum collections and archaeological collections.

NHOTIC is located at 22267 OR-86, Baker City, OR 97814, approximately 6 miles north-east of Baker City, Oregon atop Flagstaff Hill. This building is a 23,000 square foot, with approximately 10,400 square feet of exhibit halls.

### C.1.1 Description/Specifications/Statement of Work

The contract is comprised of five items:

1. Replacement of AV system in the exhibit halls, lobby, and administrative offices
2. Touch screen interactive kiosk, displays, and reader rails
3. Replacement of AV system in the Leo Addler theater – Sound system, projector, video control system
4. Replacement of AV system Leo Adler Theater – Stage Lights and light control
5. Small scale greenscreen studio for tele-learning

The contract shall be awarded as a firm fixed price contract. Contractor may request a payment schedule to pay out smaller lump sums as timeline milestones are achieved, the total of the payments shall not exceed the firm fixed price of the contract.

### C.1.2 Contractor and Government Responsibilities

The Contractor shall be responsible for providing all equipment, supervision, transportation, labor, materials, supplies, and incidentals necessary for the completion of this project.

The Contractor shall be responsible for removal of any debris and excess materials resulting from this project.

> The Contractor shall adhere to all applicable Federal and State Safety regulations, and all applicable codes and standards including but not limited to OSHA regulations, building codes, and ABA compliance.

The contractor shall:

- Provide a description of how the work will be completed including, timeline, documentation, and warranty.
- Provide an itemized list of equipment
- The Contractor will be responsible for providing their won tools and equipment

- Provide a list of any subcontractors and role
- Provide documentation showing equivalency of selected equipment
- Provide documentation, user manuals, quick start guides, and operational manuals for new equipment.
- The contractor shall be reasonable for replacement of all AV-related low and medium voltage wiring and data and communication cabling necessary to obtain a complete and functional AV System for NHOTIC.
- AV Cabling and System Integration Services
    - The AV Service Provider shall be responsible for furnishing all labor, materials, and expertise necessary to replace and install AV-related low-voltage and medium-voltage signal wiring, data cabling, and communication cabling required to deliver a complete, operational, and fully integrated AV system for NHOTIC. All work shall be performed as part of technology system installation services.
- Electrical Support Services
  To support the AV system installation, the Service Provider shall coordinate and manage all required electrical service–related tasks through subcontracting or by engaging a qualified local electrician. These services are limited to the electrical work necessary to power and support the AV system function and operation. Required services include:

    - Electrical distribution support — Activities such as mounting and terminating line-voltage connections strictly for AV equipment operation.
    - Conduit pathway services — Providing conduit pathways, including materials, placement within existing wall cavities, and pulling of wiring through those pathways.
    - Line-voltage connection services — Supplying materials, pulling line-voltage wiring through existing conduit, and performing terminations required for AV system functionality.
    - Branch circuit support — Providing branch circuit breakers, feeder cables, installation, and terminations solely for powering AV equipment.
- All final designs are contingent upon COR approval.
- Shall be responsible for disposal of any debris created during the installation.

### C.1.3 Government Furnished Items

The Government will furnish the following items:

1. Carpet squares for the installation and repair of missing/damaged carpet due to Construction shall be provided by the Government to the Construction Contractor.
2. NHOTIC Plans: NHOTIC Sustainability Improvements Project drawings from Jacobs, April 2021
3. Proposed renovation plan set and conceptual drawings.

The Contractor shall employ such records for informational purposes only and as such the Contractor shall perform the necessary due diligence to ensure that the design is compliant with all applicable building codes and standards. The Contractor is responsible for verifying all necessary site information.

The Contractor shall promptly notify the COR of any additional information items required as to not delay the progress of the work.

### C.2 Component 1 – AV system for Exhibit Halls, lobby, and administrative Offices

The contractor shall supply and install AV systemin the in the following locations: ( see attached diagrams for location names)

- 121 – Flagstaff Gallery
- 138 – Orientation Gallery
- 142 – Theater 1
- 146 – Trading Camp
- 150 – Theater 2
- 152 – Camp life
- 155– Theater 3
- Public Address System

Due to limitations of the facility and infrastructure at the site and leading to the site. NHOTIC seeks a submittal for an AV system that is comprised of commercially available components that may be purchased on the open market, can be repaired or replaced in house, and is not interconnected on WIFI or network. Design submittals should allow for each section to function independently and be shut down for repairs without impacting the rest of the AV system.

The submittal shall not include proprietary software, hardware, or components.

This contract does not include maintenance and service of the AV system, systems that require annual payments for subscriptions, reprograming fees, or software updates fees shall not be considered.

The government will consider submittals that integrate the AV system onto a single control network if the submittal can be shown to be best value for the government.

The submittal shall detail components and actions necessary to perform complete replacement of the existing audio and visual system; including but not limited to media players, projectors, lighting and visual aide controls, speakers, and the control system.

The following sections describe the minimum AV system requirements. Equivalent or superior design should be considered by the Contractor.

NHOTIC staff will remove existing AV components and dispose them through US Government surplus property process.

### C.2.1 First Theater

The Contractor shall provide a fully functional AV system in the first theater (areas 142). The minimum requirements listed can be met with equivalent or superior components.

**AV System Requirements**

- The control system shall power on and off the system. The display is required to auto turn on with power such that the user does not need to manually turn on/off the TV with a remote. An auto/manual button will be installed to manually play movies, or automatically play movies on repeat.
- Minimum of two ceiling speakers and a power amplifier with volume control will be required for audio. The HDMI audio will need to be extracted from the media player to provide audio to the speakers. Speakers shall be directional or designed to contain sound with in the theater. A separate hearing assist transmitter and an audio description transmitter will be located at this exhibit.
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.

**AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.**

| Item | Component | Requirements |
|---|---|---|
| 001 | TV | 82” Samsung, LG, Sony TV with tilting wall mount. |
| 002 | Remote Media Player | Brightsign Media Player (No Brightauthor programming). |
| 003 | Speaker & Amplifier | JBL control 65P/T pendant speaker and 30w amplifier (Minimum Qty: 2) |
| 004 | Control System Power Sequencer | Power sequencer controlled by Crestron system |
| 005 | Extender sets | Extenders for remote media player (Crestron TX101/RX101) |
| 006 | Button | One auto/manual button will be installed to manually play movies, or automatically play movies on repeat |
| 007 | Hardware | Cable, connectors, fasteners, as required |
| 008 | Hearing assist | Listen LT800 hearing assist transmitter |

### C.2.2 Second Theater

The Contractor shall provide a fully functional AV system in the first theater (areas 150). The minimum requirements listed can be met with equivalent or superior components.

**AV System Requirements**

- The control system shall power on and off the system. The display is required to auto turn on with power such that the user does not need to manually turn on/off the TV with a remote. An auto/manual button will be installed to manually play movies, or automatically play movies on repeat.
- Minimum of two ceiling speakers and a power amplifier with volume control will be required for audio. The HDMI audio will need to be extracted from the media player to provide audio to the speakers. Speakers shall be directional or designed to contain sound with in the theater. A separate hearing assist transmitter and an audio description transmitter will be located at this exhibit.
- System components may deviate AV from system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.

**AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.**

| Item | Component | Requirements |
|---|---|---|
| 001 | TV | 82” Samsung, LG, Sony TV with tilting wall mount. |
| 002 | Remote Media Player | Brightsign Media Player (No Brightauthor programming). |
| 003 | Speaker & Amplifier | JBL control 65P/T pendant speaker and 30w amplifier (Minimum Qty: 2) |
| 004 | Control System Power Sequencer | Power sequencer controlled by Crestron system |
| 005 | Extender sets | Extenders for remote media player (Crestron TX101/RX101) |
| 006 | Button | One auto/manual button will be installed to manually play movies, or automatically play movies on repeat |
| 007 | Hardware | Cable, connectors, fasteners, as required |
| 008 | Hearing assist | Listen LT800 hearing assist transmitter |

### C.2.3 Third Theater

The Contractor shall provide a fully functional AV system in the first theater (areas 155). The minimum requirements listed can be met with equivalent or superior components.

**AV System Requirements**

- The control system shall power on and off the system. The display is required to auto turn on with power such that the user does not need to manually turn on/off the TV with a remote. An auto/manual button will be installed to manually play movies, or automatically play movies on repeat.
- Minimum of two ceiling speakers and a power amplifier with volume control will be required for audio. The HDMI audio will need to be extracted from the media player to provide audio to the speakers. Speakers shall be directional or designed to contain sound with in the theater. A separate hearing assist transmitter and an audio description transmitter will be located at this exhibit.
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.

**AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.**

| Item | Component | Requirements |
|---|---|---|
| 001 | TV | 82” Samsung, LG, Sony TV with tilting wall mount. |
| 002 | Remote Media Player | Brightsign Media Player (No Brightauthor programming). |
| 003 | Speaker & Amplifier | JBL control 65P/T pendant speaker and 30w amplifier (Minimum Qty: 2) |
| 004 | Control System Power Sequencer | Power sequencer controlled by Crestron system |
| 005 | Extender sets | Extenders for remote media player (Crestron TX101/RX101) |
| 006 | Button | One auto/manual button will be installed to manually play movies, or automatically play movies on repeat |
| 007 | Hardware | Cable, connectors, fasteners, as required |
| 008 | Hearing assist | Listen LT800 hearing assist transmitter |

### C.2.4 Flagstaff Gallery

The Contractor shall provide a fully functional AV system in the Flagstaff Gallery. The minimum requirements listed can be met with equivalent or superior components.

**AV System Requirements**

- Twelve 70v speakers will be installed with a 70v amplifier. A media player will play background audio through the facility.
- Control system will power on and off the system. Lighting fixtures will be provided and turned over to the Government for installation.
- The Government will have the ability to control the volume, start, stop and mute the media from the player through the control system.
- Control panel shall be installed in the Leo Addler Theater control Booth room 116 or Info desk.
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.
- Speakers shall be directional or designed to contain sound with in the theater. A separate hearing assist transmitter and an audio description transmitter will be located at this exhibit.

**AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.**

| Item | Component | Requirements |
|---|---|---|
| 001 | Light Fixtures | ETC- 706A1353 - Source four mini LED fixture (Qty 12). With mounting bracket, c-clamp, and Edison plug. They will be provided to the Government for installation. |
| 002 | Speakers | 70V ceiling mounted speakers (Qty 12). Dayton audio IO525B |
| 003 | Amplifiers | 70V amplifier. Crown CDI10000. |
| 004 | HD Media Player | Brightsign Media Player (No Brightauthor programming). |
| 005 | Power Sequencer | Power sequencer controlled by Crestron system |

### C.2.5 NHOTIC PA System

The Contractor shall provide a fully functional PA system for the NHOTIC Interpretive Center. The minimum requirements listed can be met with equivalent or superior components.

**AV System Requirements**

- The existing PA system wiring should be utilized again.
- A push to talk mic will be installed at the proposed front information/fee collection desk and an interface for the existing paging system will be wired to provide paging throughout the facility.
- Must be compatible with phone system
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.

**AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.**

| Item | Component | Requirements |
|---|---|---|
| 001 | Amplifiers | 70V amplifier. Crown CDI10000. |
| 002 | Audio Mixer | Audio Mixer for Line and Mic |
| 003 | Push to Talk Mic | 70V amplifier. Crown CDI10000. |
| 004 | Speakers | Replacement ceiling speakers up to 20 as needed. |

### C.2.6 Orientation Gallery

The Contractor shall provide a fully functional AV system in the Orientation Gallery (138). The minimum requirements listed can be met with equivalent or superior components.

**AV System Requirements**

- The Contractor shall provide ten touch panels either with integrated speaker or 10 individual speaker compatible with touch screen panels for exhibits located in the exhibit hall.
- The panels shall be programable to play the exhibit dialog and display closed caption in English and be programable to display captions in additional languages.
- The contractor may use existing hollow mounting hardware to install the panels, run CAT6E cable and power cables, see attached diagram.
- The BLM shall provide composite laminate panels with text and cut out for installation of touch screen panel.
- All exhibit panels will play ambient tracks until interacted with.
- Speakers shall be directional or designed to contain sound with in the theater. A separate hearing assist transmitter and an audio description transmitter will be located at this exhibit.
- Exhibit panels will be power controlled by power sequencer controller and may be controlled from a canter point or the info desk. that controls the Theater.
- Each exhibit will require a CAT6E cable to be run to it for control.
- Power sequencer or control may be placed in theater control booth (room 116) or placed in the hollow space under the exhibits
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.

**AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.**

| Item | Component | Requirements |
|---|---|---|
| 001 | Touch Panel | Elo Touch 2402L touch panel with speakers (Qty 10) minimum size 10 inch |
| 002 | Power Sequencer | Controlled by Crestron System |
| 003 | HD Media Player | Brightsign Media Player (No Brightauthor programming). (Qty 10) |
| 004 | Hardware | Cable, connectors, fasteners, as required |

### C.2.8 Trading Encampment

The Contractor shall provide a fully functional AV system in the Trading Encampment. The minimum requirements listed can be met with equivalent or superior components.

**AV System Requirements**

- The power sequence control system will power on and off the system.
- The system will play an ambient track when the button has not been pressed. At the end of the audio track, the ambient file will play again.
- Touch panel may be used to provide closed captioning to the exhibit.
- If a touch panel is included for closed captioning, the BLM shall provide a composite laminate panel with cut out for touch screen.
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.
- Speakers shall be directional or designed to contain sound with in the theater. A separate hearing assist transmitter and an audio description transmitter will be located at this exhibit.

**AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.**

| Item | Component | Requirements |
|---|---|---|
| 001 | Speaker | JBL Control 65P/T pendant speaker or similar (Qty: 2) |
| 002 | Push Button | Surface mounted box with illuminated push button |
| 003 | Power Sequencer | Crestron control system power sequencer |
| 004 | Hardware | Cables, connectors, and fasteners as required. |
| 005 | Power Amplifier | 30W Power Amplifier |
| 006 | HD Media Player | Brightsign Media Player (No Brightauthor programming). |
| 007 | Touch Panel | Elo Touch 2402L touch panel with speakers (Qty 1) minimum size 10 inch |

### C.2.9 Blue Mountain Encampment

The Contractor shall provide a fully functional AV system in the Blue Mountain Encampment. The minimum requirements listed can be met with equivalent or superior components.

**AV System Requirements**

- The power sequence control system will power on and off the system.
- Ambient audio will play when exhibit is not triggered. Separate user adjustable audio levels (via Brightscript) will be required.
- A lighting flicker effect will be installed in four locations in the two wagons and two tents.
- Touch panel may be used to provide closed captioning to the exhibit
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality
- Speakers shall be directional or designed to contain sound with in the theater. A separate hearing assist transmitter and an audio description transmitter will be located at this exhibit.

**AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.**

| Item | Component | Requirements |
|---|---|---|
| 001 | Push Buttons | Illuminated push buttons will start each exhibit audio file for each exhibit. (Qty 4) |
| 002 | Audio Players | Brightsign Media Player (No Brightauthor programming). (Qty 4) |
| 003 | Speakers | JBL Control 25 speakers with power amplifier (Qty 4) |
| 004 | LED | Flicker 3.0 LED controller or equal. With four small LED light fixture to create silhouette through tent and wagon exhibit material. |
| 005 | Power Sequencer | Power sequencer controlled by Crestron system |
| 006 | Hardware | Cable, connectors, fasteners, as required. |
| 007 | Touch Panel | Elo Touch 2402L touch panel with speakers (Qty 4) minimum size 10 inch |

### C.3 Touch Screen Interactive Exhibits

The Contractor shall provide a fully functional touch screens system to be used for interactive exhibits, information kiosk, fee schedule, and general information. The minimum requirements listed can be met with equivalent or superior components.

#### C.3.1 Reader Rails

The contractor shall provide six touch screen reader rails that will be installed throughout the exhibit gallery. The reader rails shall function independent of each other. NHOTIC will develop and furnish content for the reader rails under a sperate contract.

#### C.3.2 Kiosk

The contractor shall provide one touch screen portrait Kiosk to be installed near the lobby and used for a local attraction's information kiosk. The kiosk shall function independently. NHOTIC will develop and furnish content for the kiosk under a sperate contract.

#### C.3.3 Touch Screen Table

The contractor shall provide one large touch screen table to be used in the Native American Gallery and be capable of displaying an interactive map. The table shall function independently. NHOTIC will develop and furnish content for the table under a sperate contract.

#### C.3.4 Monitors

The contractor shall two touch screen monitors that will be installed in the fee desk and info desk. The monitors shall function independent of each other. NHOTIC will develop and furnish content for the monitors under a sperate contract.

**AV System Requirements**

- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality
- NHOTIC must be able to update information in house

**AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.**

| Item | Component | Requirements |
|---|---|---|
| 001 | Touch Screen Reader Rail | Ideum 34 inch reader rail (Qty. 6) |
| 002 | Touch screen Kiosk | Idieum all-in-one multitouch and motion-based touchscreen kiosk 55" 4K Ultra HD display. |
| 003 | Touch screen Table | Ideum Colossus II is an 86” 4K Ultra High Definition (UHD) large touchscreen table |
| 004 | Touch screen Monitors | Presenter touch screen display 43 inch |
| 005 | Hardware | Cable, connectors, fasteners, wall mounts as required |

## C.4 Leo Adler Theater AV System – Projector, video control, and sound system

The Contractor shall provide a fully functional AV system in the Leo Adler Theater room 118. The minimum requirements listed can be met with equivalent or superior components.

The contractor shall be responsible for installation of electrical service, subcontracting, or hiring a local electrician to preform electrical work including but not limited to:

- Electrical distribution, including mounting and termination of line voltage wiring.
- All conduit systems including materials, installation in walls and wiring pulls.
- Line voltage wiring, including materials, pulls through conduit and terminations.
- Branch circuit breakers and feeder cable including materials, installation and terminations.

**AV System Requirements**

An AV System that is a 5.1 surround audio system with video projection, wireless microphones, Blu-ray and DVD playback, HD Movie playback with synchronized audio description files, light control, and a control system with tablet interface. All video, audio and lighting functions shall be controlled by the touchscreen tablets. The system shall be designed to be operated by non-technical staff year-round. Two identical tablet touchscreens shall be provided. One tablet shall be mounted in a holder on the equipment rack that provides continuous power and allows it to be released. The second tablet shall be provided to the Government to be located at the information or fee desk. System shall be controllable from the theater control booth or remotely via the table or other equivalent system. The system shall be able to function operating the site film and be able to transition to traditional theater sound system with sound control board for live performances and musical shows, lectors, and programs.

The control system provided shall meet the following capabilities at a minimum:

1. All user interactions shall be via the touchscreen tablets (Quantity 2)
2. Screens on touchscreen tablets shall include:
    a. A home page with system power on and off and lighting control
    b. A subpage to select auto or manual control of 12 video programs each with a corresponding synchronized Audio Description mp3 file. In auto mode, each show shall have a start time with light dimming that can be varied to reach a preset (fade down) to coincide with show start, credits start (partial fade up) and end of show (fade up.) Resolution shall be one second
3. A subpage for manual mode that provide start and stop icons for each show
4. A subpage to select video source
5. A subpage to select and control the Blu-ray player, including Play, Pause, Stop, Scan Back, Scan Forward, Skip Back, Skip Forward, Top Menu, Pop-Up Menu, Return, Options, home, Enter, and Up, Down, Left and Right Arrows
6. A subpage to provide projector controls including Power On, Power Off, Picture Mute On, Picture Mute Off
7. A subpage for manual control of each of twelve shows, that includes show selection, start, and stop with light dimming, identifies which show is currently playing, a counter with the elapsed time with feedback from the media player for light control cues, and pause functionality of the show which stops the timer.
8. A subpage with light dimmer control.
9. A subpage with PA volume controls. For each of two microphone systems, control shall include microphone volume and mute, overall program volume, volume default preset, and mute.
10. A subpage with show volume controls. For each of twelve programs, control shall include adjustable volume, with the last volume stored in memory.
11. A subpage or subpages to schedule each show to play at any time of day. Schedule shall be identical for every day of the week.

12. A subpage to set the system clock. Resolution shall be one second.

System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality. Contractor may propose a alternative course of control through fixed panel, touch screen, or other control; device as long as above listed functionality is retained.

**AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.**

| Item | Component | Requirements |
|---|---|---|
| 001 | Projector | Video projector 6400 lumen 16:9(10), laser, WUXGA, or 1080p. Sony, Panasonic, NEC, Epson are acceptable. |
| 002 | Screen | 16:9 permanent tensioned screen with matte white surface 4:3 screen. 11' tall matte white surface. Hidden screen fasteners. (Draper or DaLite). |
| 003 | HD Media Player | Brightsign Media Player (No Brightauthor programming). |
| 004 | Bluray Player | Bluray |
| 005 | Front L.C.R Speakers | JBL Control 28-1 black speakers with U Bracket (min. Qty 3) |
| 006 | Surround Speakers | JBL Control 23-1 speakers with U Bracket (min. Qty 3) |
| 007 | Subwoofer | KSI Ceiling Subwoofer |
| 008 | HDMI Wall Plate | Crestron EXT3-KIT HDMI wall plate transmitter |
| 009 | Receiver | Marantz SR5015 receiver with preamp out, controllable. |

| | | |
|---|---|---|
| 010 | Audio Processor | BSS Blu100 Audio Processor (BSS, Biamp) |
| 011 | Amplifiers | Crown XLI800 amplifiers (min. Qty 3) |
| 012 | Rack | Middle Atlantic ERK4025LRD rack with rear rack rails, vertical power, rear tie bars, rack screws, blanks necessary to fill all holes. |
| 013 | UPS | UPS for rack Furman and Juice goos RX30 or equal projector. |
| 014 | Hearing Assist. Tx | Listen LT800 hearing assist transmitter. |
| 015 | Audio Des. Tx | Listen LT800 hearing assist transmitter. |
| 016 | HA and HD Receivers | Listen LR4200 receivers (4 with earset, charger and 2 neck loops) |
| 017 | Control | Crestron CP4 with network, (2) iPads, iPad docking/charging stations rack mounted all RS232, and NET peripherals required. |
| 018 | Wireless Mics | Shure Wireless mics. GLXD4R+ or equivalent. 6 lapel system, 2 Hand held mics |
| 019 | Light Control, Lighting Console | Light control from control processor, DMX with DMX join unit |
| 020 | Lighting Controller | Separate DMX lighting controller (physical unit with faders). 32 channel dmx programmable unit. |

| | | |
|---|---|---|
| 021 | Tablet | IPad Pro 13 inch |
| 022 | Sounds board | Yamaha MGX12 B 18ch Digital Mixer, dual USB-C audio interface or equivalent |
| 023 | Head phones | Compatible headphones for monitoring sound levels |
| 024 | Floor mics | 2 floor mics with xlr cable |

## C.5 Leo Adler Theater AV System – Theater lights

The Contractor shall provide a fully functional AV system in the Leo Adler Theater Room 118. The minimum requirements listed can be met with equivalent or superior components.

**AV System Requirements**

The Contractor shall replace the exiting halogen light system from 1992 with a o an LED based system. The LED system shall include color mixing capabilities, any fixture can instantly change to any color, eliminating the need for multiple fixtures with different color gels. LED lights shall have a life expectancy of 50,000 hours,

The contractor shall be responsible for installation of electrical service, subcontracting, or hiring a local electrician to preform electrical work including but not limited to:

- Disconnecting Radia Dimmer packs and providing constant power to required outlets at existing lighting positions.
- Electrical distribution, including mounting and termination of line voltage wiring.
- All conduit systems including materials, installation in walls and wiring pulls.
- Line voltage wiring, including materials, pulls through conduit and terminations.
- Branch circuit breakers and feeder cable including materials, installation and terminations.

- The contractor shall replace the existing lights with ETC ColorSource line or equivalent or superior lighting system.
- The contractor shall provide (6), ColorSource Jr Spot fixtures installed on the existing main front of house, (FOH), lighting position. This will allow three, (3), areas of the stage to be isolated at any given time - Left, Center and Right. Each area will have two, (2), fixtures focused on it from opposing angles to eliminate shadows and create more visual depth.
- The contractor shall provide four, (4), ColorSource PAR fixtures at this lighting position to provide a general wash of the stage. These can be used either in conjunction with the spots or independently, depending on the requirements of any specific presentation.
- The Contractor shall provide four, (4), ColorSource PAR fixtures at the existing side light positions, with two, (2), fixtures on either side of the stage. These will provide added color and depth to the stage.
- Control will be provided by the user friendly ColorSource 20 console, along with the ColorSource wireless DMX relays. The relays provide both power and low voltage DMX control to the fixtures. When the console is powered up, the relays automatically power up the fixtures. When the console is turned off, the relays shut down the fixtures, thus reducing the hours on the processors and increasing the life expectancy of the fixtures.
- The contractor shall unpack, hang and focus all fixtures, test the system and provide training on programming and operation.
- The contractor shall preform, subcontract, or hire electrical work for any modifications the new system will require. Modifications may be done by a local electrical company to provide constant power to the relays and hired by the Contractor.
- Existing wall wash fixtures will may be incorporated into the new system or may remain independent.
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality. Contractor may propose an alternative design, lighting system, and number of lights as long as above listed functionality is retained.

**AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.**

| Item | Component | Requirements |
|---|---|---|
| 001 | Front Lights<br>Spot | ColorSource Spot jr, Deep Blue, black CSSPOTJRDB2550 Qty. 6 |
| 002 | Front Lights<br>PAR | ColorSource PAR Deep Blue, Black Body CSPARDB Qty. 4 |
| 003 | Front Lights<br>Narrow Diffusion Frame | 7.5" Narrow Round Diffusion Frame SELRN-7.5 Qty. 4 |
| 004 | Front Lights<br>C- Clamp | 400CC C-Clamp Qty. 10 |
| 005 | Front Lights<br>Safety Cable | Safety Sliver Safety cable Qty. 10 |
| 006 | Front Lights<br>Power Con Pass Through Jumper and stage pin connector | DPJ-5 5' Powercon to Pass Through Jumper Qty. 7<br>DPJ-10 10' Powercon to Pass Through Jumper Qty. 2<br>ZSJO143TNAC5 5' Powercon to Pass Through Jumper Qty. 1<br>DPA-B 5' PowerCon™ to Stagepin connector Qty. 1 |
| 007 | Side Lights<br>PAR | CSPARDB ColorSource PAR Deep Blue, Black Body Qty. 4 |
| 008 | Side lights<br>Round diffusion frame | SELRVN-7.5 7.5" Very Narrow Round Diffusion Frame Qty. 2<br>SELRN-7.5 7.5" Narrow Round Diffusion Frame Qty 2. |
| 009 | Side Lights<br>C- Clamp | 400CC C-Clamp Qty. 4 |
| 010 | Front Lights<br>Safety Cable | Safety Sliver Safety cable Qty. 4 |

| | | |
|---|---|---|
| 011 | Side Lights<br><br>Power Con Pass Through Jumper and stage pin connector | DPJ-5 5' Powercon to Pass Through Jumper Qty. 2<br><br>DPJ-10 10' Powercon to Pass Through Jumper Qty. 2<br><br>ZSJO143TNAC5 5' Powercon to Pass Through Jumper Qty. 2<br><br>DPA-B 5' PowerCon™ to Stagepin connector Qty. 2 |
| 012 | Lighting Control | CS20 ColorSource 20 console- Qty.1<br><br>Control console to include:<br><br>(20) Faders<br><br>(80) Control Channels<br><br>(4) Configurable Sliders<br><br>(5) Configurable Control Channels<br><br>" multi-touch screen for information display,control of moving lights parameters and data entry<br><br>(1) 5-pin XLR DMX/RDM port<br><br>(1) USB Port |
| 013 | Lighting control | CS20DC Dust cover for CS20 and CS20AV console |
| 014 | Lighting control | CSR-W ColorSource Relay with Wireless Receiver antenna included Qty 3 |
| 015 | Lighting Control | 5900 Multiverse® SHoW BABY (Includes Power Supply and Hanging Bracket |
| 016 | Lighting Control | 400CC C-Clamp |
| 017 | Lighting Control | CSR-PMT ColorSource Relay Pipe Mount Kit with (2) bolts |
| 018 | DMX Cable | ZDP45NS2.5 2.5' - 5-pin XLR DMX cable Qty 1<br><br>ZDP45NS5 5' - 5-pin XLR DMX cable Qty 1<br><br>ZDP45NS10 10' - 5-pin XLR DMX cable Qty 1<br><br>ZDMXTERMS 5-pin DMX Terminator Qty 1 |

| | | |
|---|---|---|
| 19 | LED Gobo Rotator | Vender shall recommend a stand alone or attachment gobo rotator (2) to allow for multiple gobos to be cycled through in the theater. |

## C.6 Greenscreen Tele-Learning Studio

The Contractor shall provide a fully functional Greenscreen studio for staff to use for tele-learning at the Interpretive Center. The designated office to be turned into a tele-learnings studio is proximity 9 foot by 9 foot  The minimum requirements listed can be met with equivalent or superior components.

**AV System Requirements**

- Existing data ports and outlets should be utilized for the studio.
- System shall be compatible with DOI network
- System shall be capable of  live streaming for telelearning over teams, zoom, or similar platforms.
- Vendor shall propose industry standard system for a functional tele-learning studio.
- System components may deviate from AV system Component Minimums in quantity or be eliminated as long as proposed equipment provided equivalent or superior functionality.

**AV System Components Minimums shall be equivalent or superior, the vendor may recommend additional components to improve performance and functionality.**

| Item | Component | Requirements |
|---|---|---|
| 001 | Camera | High resolution, Lense for small space. |
| 002 | Mic | Lepel and desk mic |
| 003 | Screen | Industry standard screen, Blue/Green Screen |
| 004 | Lights | 1 Ring light 2 soft box lights, 2 reflector lights |
| 005 | Backdrops | 1 set of 3 to 5 printed pull down back drops related to the Oregon trail. |

**C.5 system maintenance and warranty**

The Contractor shall provide a written estimate for annual maintenance and repairs as part of the submittal. This will be used in the evaluation of Best Value to Government.

The contractor shall provide a warranty on parts, labor, and installation for 24 months after the completion of the project.

**C.6.0 Proposed Location**

Bureau of Land Management

National Historic Oregon Trail Interpretive Center

22267 OR HWY 86


Baker City, Oregon 87814

**C.7.0 AS builts and diagarams**

## C.7.1 Diagram of Center



## C.7.2 Diagram of Diorama




(End of Section C)

## SECTION F – DELIVERIES OR PERFORMANCE

F.1.0 PERIOD OF PERFORMANCE

12/01/2026 to 11/30/2028

F.2.0 PROGRESS PLAN

At the prework conference, the Contractor shall provide to the COR a written "work progress plan" that details its proposed work force and schedule to provide for orderly completion of the work within the contract performance time. This work schedule must be acceptable to the Government. At a minimum, the schedule must reflect a work progress rate equal to the available amount of contract performance time.

F.3.0 STOP WORK ORDER

The Contracting Officer may, at any time, by written order to the Contractor, require the Contractor to stop all, or any part, of the work called for by this contract for a period of 90 days after the order is delivered to the Contractor, and for any further period to which the parties may agree. The order shall be specifically identified as a stop-work order issued under this clause. Upon receipt of the order, the Contractor shall immediately comply with its terms and take all reasonable steps to minimize the incurrence of costs allocable to the work covered by the order during the period of work stoppage.

Within a period of 90 days after a stop-work is delivered to the Contractor, or within any extension of that period to which the parties shall have agreed, the Contracting Officer shall either-
(1) Cancel the stop-work order; or
(2) Terminate the work covered by the order as provided in contract clause 52.212-4.

If a stop-work order is canceled or the period of the order or any extension thereof expires, the Contractor shall resume work.

The Contracting Officer shall make an equitable adjustment in the delivery schedule or contract price, or both, and the contract shall be modified, in writing, accordingly, if-
(1) The stop-work order results in an increase in the time required for, or in the Contractor's cost properly allocable to, the performance of any part of this contract; and
(2) The Contractor asserts its right to the adjustment within 30 days after the end of the period of work stoppage; provided, that, if the Contracting Officer decides the facts justify the action, the Contracting Officer may receive and act upon the claim submitted at any time before final payment under this contract.

If a stop-work order is not canceled and the work covered by the order is terminated for the convenience of the Government, the Contracting Officer shall allow reasonable costs resulting from the stop-work order in arriving at the termination settlement.

If a stop-work order is not canceled and the work covered by the order is terminated for default, the Contracting Officer shall allow, by equitable adjustment or otherwise, reasonable costs resulting from the stop-work order.

(End of Section F)

**SECTION G – CONTRACT ADMINISTRATION DATA**

The following local clauses are provided in full text:

CONTRACTOR PERFORMANCE ASSESSMENT REPORTING SYSTEM (JULY 2010)

(a) FAR 42.1502 directs all Federal agencies to collect past performance information on contracts. The Department of the Interior (DOI) has implemented the Contractor Performance Assessment Reporting System (CPARS) to comply with this regulation. One or more past performance evaluations will be conducted in order to record your contract performance as required by FAR42.15.

(b) The past performance evaluation process is a totally paperless process using CPARS. CPARS is a web-based system that allows for electronic processing of the performance evaluation report. Once the report is processed, it is available for Government use in evaluating past performance as part of a source selection action.

(c) We request that you furnish the Contracting Officer with the name, position title, phone number, and email address for each person designated to have access to your firm's past performance evaluation(s) for the contract no later than **30 days after award.** Each person granted access will have the ability to provide comments in the Contractor portion of the report and state whether or not the Contractor agrees with the evaluation, before returning the report to the Assessing Official. The report information must be protected as source selection sensitive information not releasable to the public.

(d) When your Contractor Representative(s) (Past Performance Points of Contact) are registered in CPARS, they will receive an automatically-generated email with detailed login instructions. Further details, systems requirements, and training information for CPARS is available at https://www.cpars.gov/. The CPARS User Manual, registration for On Line Training for Contractor Representatives, and a practice application may be found at this site.

(e) Within 60 days after the end of a performance period, the Contracting Officer will complete an interim or final past performance evaluation, and the report will be accessible at https://www.cpars.gov/. Contractor Representatives may then provide comments in response to the evaluation, or return the evaluation without comment. Comments are limited to the space provided in Block 22. Your comments should focus on objective facts in the Assessing Official's narrative and should provide your views on the causes and ramifications of the assessed performance. In addition to the ratings and supporting narratives, blocks 1 - 17 should be reviewed for accuracy, as these include key fields that will be used by the Government to identify your firm in future source selection actions. If you elect not to provide comments, please acknowledge receipt of the evaluation by indicating "No comment" in Block 22, and then signing and dating Block 23 of the form. Without a statement in Block 22, you will be unable to sign and submit the evaluation back to the Government. If you do not sign and submit the CPAR within 30 days, it will automatically be returned to the Government and will be annotated: "The report was delivered/received by the contractor on (date). The contractor neither signed nor offered comment in response to this assessment." Your response is due within 30 calendar days after receipt of the CPAR.

(f) The following guidelines apply concerning your use of the past performance evaluation:

(1) Protect the evaluation as "source selection information." After review, transmit the evaluation by completing and submitting the form through CPARS. If for some reason you are unable to view and/or submit the form through CPARS, contact the Contracting Officer for instructions.

(2) Strictly control access to the evaluation within your organization. Ensure the evaluation is never released to persons or entities outside of your control.

(3) Prohibit the use of or reference to evaluation data for advertising, promotional material, preaward surveys, responsibility determinations, production readiness reviews, or other similar purposes.

(g) If you wish to discuss a past performance evaluation, you should request a meeting in writing to the Contracting Officer no later than seven days following your receipt of the evaluation. The meeting will be held in person or via telephone or other means during your 30- day review period.

(h) A copy of the completed past performance evaluation will be available in CPARS for your viewing and for Government use supporting source selection actions after it has been finalized.

(End of clause)

ELECTRONIC INVOICING AND PAYMENT REQUIREMENTS – INVOICE PROCESSING PLATFORM (IPP) (FEB 2021)

Payment requests must be submitted electronically through the U.S. Department of the Treasury's Invoice Processing Platform System (IPP).

"Payment request" means any request for contract financing payment or invoice payment by the Contractor. To constitute a proper invoice, the payment request must comply with the requirements identified in the applicable Prompt Payment clause included in the contract, or the clause 52.212-4 Contract Terms and Conditions – Commercial Products or Commercial Services included in commercial products or commercial services contracts. The IPP website address is: https://www.ipp.gov.

Under this contract, the following documents are required to be submitted as an attachment to the IPP invoice

1. Invoice billed according to contract line items and rates.

The Contractor must use the IPP website to register access and use IPP for submitting requests for payment. The Contractor Government Business Point of Contract (as listed in SAM) will receive enrollment instructions via email from the Federal Reserve Bank of St. Louis (FRBSTL) within 3 – 5 business days of the contract award date. Contractor assistance with enrollment can be obtained by contacting the IPP Production Helpdesk via email IPPCustomerSupport@fiscal.treasury.gov or phone (866) 973-3131.

If the Contractor is unable to comply with the requirement to use IPP for submitting invoices for payment, the Contractor must submit a waiver request in writing to the Contracting Officer with its proposal or quotation.

(End of Local Clause)

(End of Section G)

**SECTION H – SPECIAL CONTRACT REQUIREMENTS**

H.1.0 ACCESS

In the event of a site/facility closure, the Contractor shall not perform or make deliveries to the site/facility until it is reopened by the Government, unless otherwise instructed by the Contracting Officer or their designated representative.

H.2.0 WORK HOURS

Unless otherwise specified in Section C, Specifications, work hours under this contract shall be limited to the time between one-half hour before sunrise to one-half hour after sunset each day. No work will be done on Saturday, Sunday, or Federal holidays unless authorized by the COR.

H.3.0 ENVIRONMENTAL INTERRUPTION OF WORK

H.3.1 Environmental - The Contracting Officer, by issuance of a suspend work order, may direct the Contractor to shut down any work that may be subject to damage due to weather conditions, fire danger, or because it is impracticable to work during the winter season. The Contractor will be given a resume work order which will document the date the work suspension ends. An allowance has been included in the contract time for all environmental delays. The count of contract time will therefore continue during all periods of suspension due to normal weather conditions, including fire danger. The Contractor will not be entitled to additional contract time for any suspensions except to the extent that they are due to unusually severe weather conditions. The Contractor will not be entitled to additional monetary compensation for such suspensions regardless of duration.

H.3.2 Endangered Species - The Government may direct the Contractor to discontinue all operations in the event that listed or proposed threatened or endangered plants or animals protected under the Endangered Species Act of 1973, as amended, or Federal candidate (Category 1 and 2), sensitive or state listed species, identified under BLM Manual 6840, are discovered to be present in or adjacent to the project area.

H.4.0 PRESERVATION OF HISTORICAL AND ARCHEOLOGICAL DATA

H.4.1 Public Law 93-291, May 24, 1974, provides for the preservation of scientific, prehistorical, and archeological data (including relics and specimens) which might otherwise be lost due to alteration of the terrain as a result of any Federal construction project.

H.4.2 The Contractor agrees that should any contractor employee, in the performance of this contract, discover evidence of possible scientific, prehistorical, historical, or archeological data the contractor will notify the Contracting Officer immediately in writing giving the location and nature of the findings.

H.4.3 Where appropriate by reason of discovery, the Contracting Officer may order delays in the time of performance and/or changes in the work. If such delays and/or changes are ordered, the time of performance and contract price shall be adjusted in accordance with the applicable clauses in the Contract Clauses Section of this contract.

H.4.4 The Contractor agrees to insert this requirement in all subcontracts which involve the performance of work on the terrain of the site.

H.5.0 ENVIRONMENTAL IMPACT

All waste materials generated by any work under the contract performed on a Government installation shall at all times be handled, transported, stored, and disposed of by the contractor and by his subcontractors in accordance with all applicable Federal, state, and local laws, ordinances, regulations, court orders, and other types of rulings having the effect of the law, including, but not limited to Executive Order 12088, 13 October 1978, Federal Compliance with Pollution Control Standards; the Federal Water Pollution Control

Act, as amended (33 U.S.C. 1251 ET SEQ); the Clean Air Act as amended (42 U.S.C. Sec 7401 ET SEQ); the Endangered Species Act, as amended (16 U.S.C. Sec 1531, ET SEQ); the Toxic Substances Control Act, as amended (15 U.S.C. Sec 2601, ET SEQ); the National Historic Preservation Act, as amended (16 U.S.C. Sec 470, ET SEQ); the Solid Waste Disposal Act, as amended (42 U.S.C. 6901 ET SEQ); and the Archaeological and Historic Preservation Act, as amended (16 U.S.C. Sec 469, ET SEQ). Should the United States Government be held liable for any neglect or improper actions by the contractor or any subcontractor regarding removal or disposal of any hazardous waste, the contractor shall reimburse the Government for all such liability.

H.6.0 HAZARDOUS MATERIALS

Any material suspected of being hazardous that is encountered during performance of a project shall immediately be brought to the attention of the Contracting Officer, at which time a determination will be made as to whether hazardous material testing shall be performed. If the Contracting Officer directs the contractor to perform tests, and/or the material is found to be of a hazardous nature requiring additional protective measures, a contract modification may be required, subject to equitable adjustment under the terms of the contract. The contractor is advised that friable and/or non-friable asbestos-containing material may be encountered in project areas. Friable asbestos-containing material is any material that contains more than one percent asbestos by weight, and that hand pressure can crumble, pulverize or reduce to powder when dry. Non-friable asbestos containing materials are materials in which asbestos fibers are bound by a matrix material, saturation, impregnation or coating.

Non-friable asbestos-containing materials do not normally release airborne asbestos fiber during routine handling and end-use. However, excessive fiber concentrations may be produced during uncontrolled abrading, sanding, drilling, cutting, machining, removal, demolition, or other similar activities. 29 CFR 1910.1001 shall be referenced in the event asbestos-containing materials are encountered. Friable asbestos-containing materials are not authorized for use in new construction or maintenance projects.

H.7.0 GREEN PROCUREMENT REQUIREMENTS

In the performance of this service or construction contract, the Contractor shall make maximum use of products identified on the mandatory environmental purchasing list at the following links, if applicable:

- USDA Biobased product listings published at *www.biopreferred.gov*.

H.8.0 RESTORATION OF RESOURCES

H.8.1 Cleanup - The Contractor is responsible for cleaning up all camp and worksites before leaving the area. Final payment or other alternative deemed feasible may be withheld until the Contractor has complied with this requirement.

H.8.2 Site and Access Roads – Site and public or private access roads negligently damaged by the Contractor shall be restored to the same condition they were in at the commencement of work, at the expense of the Contractor.

H.9.0 UNAUTHORIZED PERSONNEL

The contractor shall inform all personnel working under his jurisdiction (including subcontractor and visiting supplier personnel) that access to restricted areas outside of the immediate work area; excluding direct haul and access routes, contracting and Civil Engineering offices and points of supply and storage; is prohibited. Circulation of said personnel will be limited to official business only. Persons in violation of the above will be apprehended and appropriately disciplined.

(End of Special Contract Requirements)

**SECTION I – CONTRACT CLAUSES**

The following clauses are incorporated by reference:

| Number | Date | Title |
|---|---|---|
| 52.212-4 | Mar-26 | Terms and Conditions—Commercial Products and Commercial Services |
| 52.203-6 Alt I | Jun-20 | Restrictions on Subcontractor Sales to the Government |
| 52.203-17 | Nov-23 | Contractor Employee Whistleblower Rights |
| 52.203-19 | Jan-17 | Prohibition on Requiring Certain Internal Confidentiality Agreements or Statements |
| 52.204-13 | Mar-26 | System for Award Management—Maintenance |
| 52.209-6 | Jan-25 | Protecting the Government's Interest When Subcontracting with Contractors Debarred, Suspended, or Proposed for Debarment |
| 52.209-10 | Nov-15 | Prohibition on Contracting with Inverted Domestic Corporations |
| 52.219-6 | Jan-26 | Notice of Total Small Business Set-Aside |
| 52.219-8 | Oct-22 | Utilization of Small Business Concerns |
| 52.222-3 | Jul-03 | Convict Labor |
| 52.222-19 | Mar-26 | Child Labor—Cooperation with Authorities and Remedies |
| 52.222-35 | Jun-20 | Equal Opportunity for Veterans |
| 52.222-36 | Jun-20 | Equal Opportunity for Workers with Disabilities |
| 52.222-37 | Jun-20 | Employment Reports on Veterans |
| 52.222-40 | Dec-10 | Notification of Employee Rights Under the National Labor Relations Act |
| 52.222-41 | Aug-18 | Service Contract Labor Standards |
| 52.222-42 | May-14 | Statement of Equivalent Rates for Federal Hires |
| 52.222-50 | Oct-25 | Combating Trafficking in Persons |
| 52.222-54 | Jan-25 | Employment Eligibility Verification |
| 52.222-62 | Jan-22 | Paid Sick Leave Under Executive Order 13706 |
| 52.222-90 | Apr-26 | Addressing DEI Discrimination by Federal Contractors. |
| 52.225-1 | Oct-22 | Buy American-Supplies |
| 52.226-8 | May-24 | Encouraging Contractor Policies to Ban Text Messaging While Driving |
| 52.232-33 | Oct-18 | Payment by Electronic Funds Transfer—System for Award Management |
| 52.232-40 | Mar-23 | Providing Accelerated Payments to Small Business Subcontractors |
| 52.233-3 | Aug-96 | Protest After Award |
| 52.233-4 | Oct-04 | Applicable Law for Breach of Contract Claim |
| 52.240-91 | Mar-26 | Security Prohibitions and Exclusions |
| 52.240-93 | Mar-26 | Basic Safeguarding of Covered Contractor Information Systems |
| 52.244-6 | Oct-26 | Subcontracts for Commercial Products and Commercial Services |

The following clauses are provided in full text:

52.219-14 - LIMITATIONS ON SUBCONTRACTING (JAN 2026)

a) This clause does not apply to the unrestricted portion of a partial set-aside.

(b) *Definition. Similarly situated entity*, as used in this clause, means a first-tier subcontractor, including an independent contractor, that—

(1) Has the same small business program status as that which qualified the prime contractor for the award (*e.g.*, for a small business set-aside contract, any small business concern, without regard to its socioeconomic status); and

(2) Is considered small for the size standard under the North American Industry Classification System (NAICS) code the prime contractor assigned to the subcontract.

(c) *Applicability.* This clause applies only to—

(1) Contracts that have been set aside for any of the small business concerns identified in 19.000(a)(3);

(2) Part or parts of a multiple-award contract that have been set aside for any of the small business concerns identified in 19.000(a)(3);

(3) Contracts that have been awarded on a sole-source basis in accordance with sections 19.105, 19.106, 19.107, and 19.108;

(4) Orders expected to exceed the simplified acquisition threshold and that are set aside for small business concerns under multiple-award contracts, as described in 8.4 and 16.5;

(5) Orders, regardless of dollar value, that are set aside in accordance with sections 19.105, 19.106, 19.107, and 19.108 under multiple-award contracts, as described in 8.4 and 16.5; and

(6) Contracts using the HUBZone price evaluation preference to award to a HUBZone small business concern unless the concern waived the evaluation preference.

(d) *Independent contractors.* An independent contractor shall be considered a subcontractor.

(e) By submission of an offer and execution of a contract, the Contractor agrees that in performance of a contract assigned a North American Industry Classification System (NAICS) code for—

(1) Services (except construction), it will not pay more than 50 percent of the amount paid by the Government for contract performance to subcontractors that are not similarly situated entities. Any work that a similarly situated entity further subcontracts will count towards the prime contractor's 50 percent subcontract amount that cannot be exceeded. When a contract includes both services and supplies, the 50 percent limitation shall apply only to the service portion of the contract;

(2) Supplies (other than procurement from a nonmanufacturer of such supplies), it will not pay more than 50 percent of the amount paid by the Government for contract performance, excluding the cost of materials, to subcontractors that are not similarly situated entities. Any work that a similarly situated entity further subcontracts will count towards the prime contractor's 50 percent subcontract amount that cannot be exceeded. When a contract includes both supplies and services, the 50 percent limitation shall apply only to the supply portion of the contract;

(3) General construction, it will not pay more than 85 percent of the amount paid by the Government for contract performance, excluding the cost of materials, to subcontractors that are not similarly situated entities. Any work that a similarly situated entity further subcontracts will count towards the prime contractor's 85 percent subcontract amount that cannot be exceeded; or

(4) Construction by special trade contractors, it will not pay more than 75 percent of the amount paid by the Government for contract performance, excluding the cost of materials, to subcontractors that are not similarly situated entities. Any work that a similarly situated entity further subcontracts will count towards the prime contractor's 75 percent subcontract amount that cannot be exceeded.

(f) The Contractor shall comply with the limitations on subcontracting as follows:

(1) For contracts, in accordance with paragraphs (c)(1), (2), (3) and (6) of this clause—

[*Contracting Officer check as appropriate.*]

□ By the end of the base term of the contract and then by the end of each subsequent option period; or

*X* By the end of the performance period for each order issued under the contract.

(2) For orders, in accordance with paragraphs (c)(4) and (5) of this clause, by the end of the performance period for the order.

(g) A joint venture agrees that, in the performance of the contract, the applicable percentage specified in paragraph (e) of this clause will be performed by the aggregate of the joint venture participants.

(1) In a joint venture comprised of a small business protégé and its mentor approved by the Small Business Administration, the small business protégé shall perform at least 40 percent of the work performed by the joint venture. Work performed by the small business protégé in the joint venture must be more than administrative functions.

(2) In an 8(a) joint venture, the 8(a) participant(s) shall perform at least 40 percent of the work performed by the joint venture. Work performed by the 8(a) participants in the joint venture must be more than administrative functions.

(End of clause)

52.252-2 CLAUSES INCORPORATED BY REFERENCE (FEB 1998)

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this/these address(es):

https://acquisition.gov/

(End of Clause)

52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES (APR 1984)

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of "(DEVIATION)" after the date of the clause.

(b) The use in this solicitation or contract of any Department of the Interior Acquisition Regulation (48 CFR Chapter 14) clause with an authorized deviation is indicated by the addition of "(DEVIATION)" after the name of the regulation.

(End of Clause)

1452.201-70 AUTHORITIES AND DELEGATIONS (SEP 2011)

(a) The Contracting Officer is the only individual authorized to enter into or terminate this contract, modify any term or condition of this contract, waive any requirement of this contract, or accept nonconforming work.

(b) The Contracting Officer will designate a Contracting Officer's Representative (COR) at time of award. The COR will be responsible for technical monitoring of the contractor's performance and deliveries. The COR will be appointed in writing, and a copy of the appointment will be furnished to the Contractor. Changes to this delegation will be made by written changes to the existing appointment or by issuance of a new appointment.

(c) The COR is not authorized to perform, formally or informally, any of the following actions:

(1) Promise, award, agree to award, or execute any contract, contract modification, or notice of intent that changes or may change this contract;

(2) Waive or agree to modification of the delivery schedule;

(3) Make any final decision on any contract matter subject to the Disputes Clause;

(4) Terminate, for any reason, the Contractor's right to proceed;

(5) Obligate in any way, the payment of money by the Government.

(d) The Contractor shall comply with the written or oral direction of the Contracting Officer or authorized representative(s) acting within the scope and authority of the appointment memorandum. The Contractor need not proceed with direction that it considers to have been issued without proper authority. The Contractor shall notify the Contracting Officer in writing, with as much detail as possible, when the COR has taken an action or has issued direction (written or oral) that the Contractor considers to exceed the COR's appointment, within 3 days of the occurrence. Unless otherwise provided in this contract, the Contractor assumes all costs, risks, liabilities, and consequences of performing any work it is directed to perform that falls within any of the categories defined in paragraph (c) prior to receipt of the Contracting Officer's response issued under paragraph (e) of this clause.

(e) The Contracting Officer shall respond in writing within 30 days to any notice made under paragraph (d) of this clause. A failure of the parties to agree upon the nature of a direction, or upon the contract action to be taken with respect thereto, shall be subject to the provisions of the Disputes clause of this contract.

(f) The Contractor shall provide copies of all correspondence to the Contracting Officer and the COR.

(g) Any action(s) taken by the Contractor, in response to any direction given by any person acting on behalf of the Government or any Government official other than the Contracting Officer or the COR acting within his or her appointment, shall be at the Contractor's risk.

(End of clause)

1452.203-70 RESTRICTIONS ON ENDORSEMENTS—DEPARTMENT OF THE INTERIOR (JUL 1996)

The Contractor shall not refer to contracts awarded by the Department of the Interior in commercial advertising, as defined in FAR 31.205-1, in a manner which states or implies that the product or service provided is approved or endorsed by the Government, or is considered by the Government to be superior to other products or services. This restriction is intended to avoid the appearance of preference by the Government toward any product or service. The Contractor may request the Contracting Officer to make a determination as to the propriety of promotional material.

(End of clause)

(End of Section I)

**SECTION J – LIST OF ATTACHMENTS**

| Attachment No. | Title | Pages |
|---|---|---|
| 1 | Service Contract Act Wage Determination | 7 |

(End of Section J)

**SECTION K – REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS OF OFFERORS**

K.1.0 SIGNATURE EXTENSION

If the Offeror is a partnership or a joint venture, all partners or joint venture representatives are required to sign as contractors. Signatures shall be provided below:

Name:_____ Name:_____

Title:_____ Title:_____

The following provisions are incorporated by reference:

| Number | Date | Title |
|---|---|---|
| 52.203-11 | Sep-24 | Certification and Disclosure Regarding Payments to Influence Certain Federal Transactions |
| 52.203-18 | Jan-27 | Prohibition on Contracting with Entities that Require Certain Internal Confidentiality Agreements or Statements-Representation |
| 52.225-20 | Aug-09 | Prohibition on Conducting Restricted Business Operations in Sudan-Certification |
| 52.225-25 | Jun-20 | Prohibition on Contracting with Entities Engaging in Certain Activities or Transactions Relating to Iran-Representation and Certifications |

52.225-2 BUY AMERICAN CERTIFICATE (Oct 2022)

(a)(1) The Offeror certifies that each end product, except those listed in paragraph (b) of this provision, is a domestic end product and that each domestic end product listed in paragraph (c) of this provision contains a critical component.
(2) The Offeror shall list as foreign end products those end products manufactured in the United States that do not qualify as domestic end products. For those foreign end products that do not consist wholly or predominantly of iron or steel or a combination of both, the Offeror shall also indicate whether these foreign end products exceed 55 percent domestic content, except for those that are COTS items. If the percentage of the domestic content is unknown, select “no”.

(3) The Offeror shall separately list the line item numbers of domestic end products that contain a critical component (see FAR 25.105).

(4) The terms “commercially available off-the-shelf (COTS) item,” “critical component,” "domestic end product," "end product," and "foreign end product" are defined in the clause of this solicitation entitled "Buy American-Supplies."

(b) Foreign End Products:

| Line Item No. | Country of origin | Exceeds 55% domestic content (yes/no) |
|---|---|---|
| _____ | _____ | _____ |
| _____ | _____ | _____ |
| _____ | _____ | _____ |
| _____ | _____ | _____ |

(b)[List as necessary]

(c) Domestic end products containing a critical component:

Line Item No. ___

[List as necessary]

(d) The Government will evaluate offers in accordance with the policies and procedures of part 25 of the Federal Acquisition Regulation.

(End of provision)

(End of Section K)

## SECTION L – INSTRUCTIONS, CONDITIONS AND NOTICES TO OFFERORS OR RESPONDENTS

L.1.0 GENERAL. This is a Request For Quotation (RFQ). An award notice will be posted on the Contract Opportunities website located at www.sam.gov upon award. The award notice will include the awardee's name and address and total award amount.

L.1.1 Electronic Response. The quotation shall be electronically submitted via email to matthew_duane@ios.doi.gov.

L.1.2 Requests for Information. Questions regarding this solicitation must be submitted in writing to via e-mail to matthew_duane@ios.doi.gov two business days before solicitation close.

L.2.0 QUOTATION INSTRUCTIONS. The quotation shall be submitted in two parts consisting of a (1) non-price and (2) price section.

L.2.1 FORMAT AND CONTENT OF NON-PRICE SECTION. The non-price section shall be organized by evaluation factor and sequenced in the below order. The respondent shall address the following factors in sufficient narrative and qualitative detail to be evaluated.

Evaluation Factor 1, Technical

Describe how you plan to meet the Government's requirements.

Evaluation Factor 2, Past performance

Provide information on your recent contracts of similar scope.

L.2.2 FORMAT AND CONTENT OF PRICE SECTION

L.2.2.1 Evaluation Factor 3, Price. The Offeror shall remit a completed price schedule (Section B). The Respondent shall enter unit price and extended total for each item listed in Section B. The price shall include all necessary supervision, management, labor, transportation, equipment, materials, any other direct incidental costs, overhead and profit, unless the cost is identified as a separately priced contract line item.

L.2.2.2 The Respondent shall complete and submit all applicable Representations, Certifications and Other Statements of Offerors. In accordance with FAR 4.1201, representations and certifications shall be submitted to the System for Award Management (www.sam.gov) and updated at least annually to ensure they are kept current, accurate, and complete.

The following provisions are incorporated by reference:

| Number | Date | Title |
|---|---|---|
| 52.212-1 | Mar-26 | Instructions to Offerors—Commercial Products and Commercial Services |
| 52.204-7 | Mar-26 | System for Award Management—Registration. |

52.216-1 TYPE OF CONTRACT (APR 1984)

The Government contemplates award of a firm fixed-price type of contract resulting from this solicitation.

(End of provision)

52.252-1 SOLICITATION PROVISIONS INCORPORATED BY REFERENCE (FEB 1998)

This solicitation incorporates one or more solicitation provisions by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. The offeror is cautioned that the listed provisions may include blocks that must be completed by the offeror and submitted with its quotation or offer. In lieu of submitting the full text of those provisions, the offeror may identify the provision by paragraph identifier and provide the appropriate information with its quotation or offer. Also, the full text of a solicitation provision may be accessed electronically at this/these address(es):

Federal Acquisition Regulation: https://acquisition.gov/
Department of the Interior Acquisition Regulation (CFR, Title 48, Chapter 14): https://acquisition.gov/diar

(End of provision)

52.252-5 AUTHORIZED DEVIATIONS IN PROVISIONS (APR 1984)

(a) The use in this solicitation of any Federal Acquisition Regulation (48 CFR Chapter 1) provision with an authorized deviation is indicated by the addition of "(DEVIATION)" after the date of the provision.

(b) The use in this solicitation of any Department of the Interior Acquisition Regulation (48 CFR Chapter 14) provision with an authorized deviation is indicated by the addition of "(DEVIATION)" after the name of the regulation.

(End of Provision)

(End of Section L)

**SECTION M – EVALUATION FACTORS FOR AWARD**

M.1.0 BASIS OF AWARD

This solicitation will result in the award of a Firm Fixed-Price Commercial Service Purchase Order in accordance with the provisions herein this section. Price shall be fair and reasonable.

The following provisions are provided in full text:

52.212-2 – EVALUATION – COMMERCIAL PRODUCTS AND COMMERCIAL SERVICES (MAR 2026)

(a) Evaluation factors. The Government will award a contract resulting from this solicitation to the responsible Offeror whose offer conforming to the solicitation will be most advantageous to the Government, price and other factors considered. The following factors will be used to evaluate offers:

Technical

Past Performance

Price

(b) *Options (if applicable)*. The Government will evaluate offers for award purposes by adding the total price for all options to the total price for the basic requirement. The Government may determine that an offer is unacceptable if the option prices are significantly unbalanced. The evaluation of options does not obligate the Government to exercise the option(s).

(c) *Notice of award*. A written notice of award or acceptance of an offer furnished to the successful Offeror within the time for acceptance specified in the offer, shall result in a binding contract without further action by either party. Before the offer's specified expiration time, the Government may accept an offer (or part of an offer), whether or not there are negotiations after its receipt, unless a written notice of withdrawal is received before award.

(End of provision)

1510-52.213-70 – EVALUATION OF QUOTATIONS

Award will be made to the responsible firm whose quote is most advantageous to the Government, price and other factors considered. Other factors for this solicitation include past performance of the quoter. Past performance information may be based on the Government's knowledge of and previous experience with the quoter, or other reasonable basis.

(End of provision)

(End of Section M)