AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. CONTRACT ID CODE	PAGE	OF	PAGES
J	1		6

2. AMENDMENT/MODIFICATION NUMBER	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQUISITION NUMBER	5. PROJECT NUMBER *(If applicable)*
0002	12 NOV 2026		

6. ISSUED BY	CODE	7. ADMINISTERED BY *(If other than Item 6)*	CODE
W912WJ			

W2SD ENDIST NEW ENGLAND
KO CONTRACTING DIVISION, 696 VIRGINIA ROAD
CONCORD, MA 01742-2751
UNITED STATES
ALICIA LACROSSE, EMAIL: ALICIA.N.LACROSSE@USACE.ARMY.MIL TELEPHONE: 978-318-8902

SCD: PAS:

8. NAME AND ADDRESS OF CONTRACTOR *(Number, street, county, State and ZIP Code)*

CODE | FACILITY CODE

(X)

☒ 9A. AMENDMENT OF SOLICITATION NUMBER: W912WJ27QA004

9B. DATED *(SEE ITEM 11)*: 06 NOV 2026

☐ 10A. MODIFICATION OF CONTRACT/ORDER NUMBER

10B. DATED *(SEE ITEM 13)*

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☒ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☐ is extended. ☒ is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA *(If required)*

SEE SECTION G - CONTRACT ADMINISTRATION DATA

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NUMBER AS DESCRIBED IN ITEM 14.

CHECK ONE	
☐	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: *(Specify authority)* THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NUMBER IN ITEM 10A.
☐	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES *(such as changes in paying office, appropriation data, etc.)* SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
☐	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
☐	D. OTHER *(Specify type of modification and authority)*

E. IMPORTANT: Contractor ☐ is not ☐ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (*Organized by UCF section headings, including solicitation/contract subject matter where feasible.)*

Amendment is necessary to provide responses to additional questions from industry and remove FAR clauses 252.204-7012 (Deviation) and 252.240-7997 (Deviation) as they are not applicable to this solicitation. Questions #16 - #20 are applicable to this amendment.

Solicitation closing remains November 20, 2026 at 2:00 PM Eastern.

All other terms and conditions remain unchanged.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER *(Type or print)*		16A. NAME AND TITLE OF CONTRACTING OFFICER *(Type or print)*	
		SHEILA WINSTON-VINCUILLA	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
(Signature of person authorized to sign)		*(Signature of Contracting Officer)*	12 NOV 2026

Previous edition unusable

STANDARD FORM 30 (REV. 11/2016)
Prescribed by GSA FAR (48 CFR) 53.243

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

Solicitation/Contract Form

The following changes have been made:

Miscellaneous text in this section has been added to:

REQUEST FOR INFORMATION:

QUESTION 1: May our proposed local subcontractor attend the November 12 site visit on our behalf? If so, is advance registration required, and what information should they provide?

RESPONSE 1: Yes, a subcontractor is permitted to attend the site visit on your behalf, however, the prime Contractor is responsible for understanding all service requirements in the Performance Work Statement. Advanced registration is not required.

QUESTION 2: Can we serve as the prime Contractor and oversee scheduling, quality control, and reporting while a local small-business subcontractor performs the on-site plowing, shoveling, sanding, and snowbank clearing with its own crews and equipment? Which subcontracting clause applies, and how should we show compliance in our quote?

RESPONSE 2: Yes, a subcontractor is permitted to perform the on-site services, with oversight and quality control maintained by the prime Contractor. There is not a specific clause associated with subcontractor performance. Quote submission compliance regarding subcontractor information must be met on the mandatory Solicitation Survey.

QUESTION 3: May we include the proposed subcontractor's comparable projects and references in our past performance submission if we clearly identify the work they would perform?

RESPONSE 3: As stated on the solicitation survey, "Only when a suitable teaming arrangement with a subcontractor is provided will past performance of the subcontractor be considered."

QUESTION 4: What is the deadline for submitting written questions, including questions that come up during the site visit?

RESPONSE 4: The deadline for submission of questions for response by the Government is November 19, 2026 at 2:00 PM Eastern.

QUESTION 5: The survey and Section M allow subcontractor past performance with a suitable teaming arrangement. For this small-business set-aside, please confirm any applicable limitation on subcontracting/self-performance and whether the proposed local subcontractor's personnel may serve as the onsite Level 3 SSHO, project manager and quality-control personnel, with us retaining prime responsibility? May the SSHO also operate equipment when qualified and able to fulfill the safety role?

RESPONSE 5: There are no limitations on subcontracting. Yes, the subcontractor's personnel may serve as the onsite Level 3 SSHO, project manager and quality-control personnel if they meet the requirements of those positions and accept the designation. The subcontractor would also have to have the authority to act on behalf of the prime Contractor, and the prime Contractor is responsible for overseeing all work and coordination with the Government. Yes, the SSHO may operate equipment when qualified and able to fulfill the role.

QUESTION 6: Section L permits $0/NSP entries, while Section M says $0/NSP entries will be rejected. Should each of the twelve task/year price lines carry a separate positive unit price?

RESPONSE 6: Each task item in the bid schedule must have associated pricing or indicate $0 or Not Separately Priced (NSP). Section M states that quotes that fail to price all items or fail to indicate $0 pr NSP will be rejected as nonconforming to this solicitation.

QUESTION 7: The PWS lists the second option as November 1, 2028 through June 30, 2029, with the same maximum quantities as the other periods. Please confirm that end date and that the unit-price schedule is intended to cover this shorter period. No guaranteed minimum quantity is stated; please confirm that no seasonal minimum is guaranteed.

RESPONSE 7: Yes, the Government confirms that the end date and the unit-price schedule are intended to cover the shorter period. Confirmed that there is no guaranteed minimum quantity and no seasonal minimum guaranteed.

QUESTION 8: May a proposed subcontractor attend the November 12 or November 18 optional site visit on behalf of a prime? Are advance registration or attendee details required?

RESPONSE 8: Please refer to the response to Question 1 of this amendment.

QUESTION 9: The PWS directs monthly invoices to the TPOC, while Section G contains WAWF instructions. Please confirm the required payment-request route and whether TPOC acceptance must precede submission through WAWF.

RESPONSE 9: WAWF is not applicable, and invoices must be submitted to the TPOC as specified in the Performance Work Statement.

QUESTION 10: Is the $38,400 prior award one season or the full term, and can you share how many services were actually performed per season?

RESPONSE 10: The only information regarding the previous award that can be provided is the awardee and the total contract awarded amount, which has been provided in the solicitation.

QUESTION 11: May the project manager and quality-control person attend the pre-work conference through the subcontractor's on-site supervisor, or remotely for the prime?

RESPONSE 11: Attendance at the pre-work conference shall be in person only. Reference the Performance Work Statement. The Project Manager and Quality Control Personnel shall have the authority to act on behalf of the Contractor. A subcontractor would need to meet the requirements of these positions and accept the designation. The subcontractor would also have to have the authority to act on behalf of the prime Contractor. The prime Contractor is responsible for overseeing all work and coordination with the Government.

QUESTION 12: Given the award timing, what start date is expected, and would the government consider relief or an interim arrangement for storms before the pre-work submittals are accepted?

RESPONSE 12: An expected start date is unknown and will not be provided. The Contractor is not responsible for any snow removal services prior to the acceptance of pre-work submittals.

QUESTION 13: Please confirm the insurance minimums, if any, and whether a performance bond is required.

RESPONSE 13: There are no insurance minimums, and a performance bond is not required.

QUESTION 14: Is there a deadline for questions?

RESPONSE 14: Please refer to the response to Question 4 of this amendment.

QUESTION 15: Please confirm the WAWF document type and DoDAAC routing.

RESPONSE 15: Please refer to the response to Question 9 of this amendment.

QUESTION 16: Are there any posted vehicle weight or width limits on the service bridge or dam crest roadway that we should account for when selecting a plow truck or loader?

RESPONSE 16: There are no posted weight or width limits for the dam crest roadway. The load ratings for the service bridge limit any 2-axle truck to 20 Tons (Gross Vehicle Weight) and any 3-axle truck to 30 Tons (Gross Vehicle Weight). The service bridge was constructed in 1943. The bridge superstructure consists of a 141'-5" deck truss main span (140'-0" center to center of bearings) with a 39'-6 1/8" multi-girder approach span (37'-11" center to center of bearings) and a 5'-11 11/16" reinforced concrete span at the center pier which is monolithically poured with the upper pier stem. The slab cantilevers out on either side of the pier stem to the expansion joints of both the main truss span and the approach span. The total bridge length is 186'-10 13/16". The bridge substructure consists of one reinforced concrete abutment at the approach span, one reinforced concrete pier and two reinforced concrete corbels that are integral with the Intake Control Tower / Gatehouse.

QUESTION 17: Are there designated snow storage areas or areas where snow cannot be piled beyond the restrictions described in the work statement? Are there any curbs, drains, or other features you recommend bidders look for during the site visit?

RESPONSE 17: There are no designated snow storage areas. Snow should be removed as described in the Performance Work Statement. There are parking spot curbs, split rail fencing, etc. on site. These items can be observed during the site visit.

QUESTION 18: How will project staff typically communicate the site's measured snowfall and requests for additional service after hours? Is there a preferred way for the contractor to acknowledge those requests and confirm completion?

RESPONSE 18: Project staff at Franklin Falls Dam will communicate with the contractor via cell phone or email. Whatever is agreed upon between the TPOC and Contractor. The preferred way to acknowledge request and completion of work items is with a text message to the TPOC.

QUESTION 19: The work statement calls for sanding icy shoveled areas as part of shoveling and also lists a separate sanding task. If project staff request sanding only at the walkways or entrances, with no plowing or shoveling on that visit, should we bill it under the sanding line item? If so, how should we document the quantity?

RESPONSE 19: Sanding of shoveling areas is not a bid item, and therefore not included in the sanding service bid item. Sanding of icy shoveling areas is a task associated with the shoveling bid item. The sanding service bid item is for plowable areas as outlined in the Performance Work Statement.

QUESTION 20: Is there a preferred service log or completion report to support the monthly invoice? For example, would project staff like arrival and departure times, areas serviced, or photos?

RESPONSE 20: It is preferred that the Contractor verify completion of services after they have been completed with the TPOC. The TPOC will perform Government inspections to verify the work meets the standard of the Contract. What needs to be included on the monthly invoice is outlined in the Performance Work Statement.

Contract Clauses

Additional Information/Notes

The following clauses were deleted:

DFARS Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate/ Deviation	Variation Effective Date
252.204-7012	Safeguarding Covered Defense Information and Cyber Incident Reporting. (DEVIATION 2024-O0013 REVISION 1)	May 2024	Deviation 2024-O0013	May 2024
252.240-7997	NIST SP 800-171 DoD Assessment Requirements. (DEVIATION 2026-O0025)	Feb 2026	Deviation 2026-O0025	Feb 2026