70ZL9527QDL950002 Base Cape Cod & Harwich Housing Refuse & Recycling Services			
RFQ Questions & Answers			
Question 1	Could you post the final PWS? The RFQ says it controls the work, but the 11 posted files appear to contain the RFQ and PWS attachments only.	**Answer 1**	Yes, the PWS is now uploaded to the SAM.gov posting.
Question 2	PWS Attachment 1 says 21 containers but lists 18 rows with one each. Should we price 18 or 21? If 21, please provide the sizes and locations of the other three.	**Answer 2**	Attachment 1 incorrectly referenced 21 containers. The correct amount is 18. Attachment 1 is updated to reflect this correction.
Question 3	Attachment 10, Schedule B, downloads as an encrypted workbook and will not open. Could you post an accessible copy so we can complete the required prices?	**Answer 3**	Attachment 10, Schedule B, is reuploaded with the encryption removed. It should now be accessible for viewing and editing.
Question 4	Submission route — The quote submission channel was not clearly stated in the RFQ text read. Please confirm how quotes should be submitted, by email, through SAM.gov, or by another channel, and to what address or portal, for quotes due November 24, 2026, 12:00 PM Eastern.	**Answer 4**	Please see quote submission information in Section 3. Subsection 3.1 provides the requested information.
Question 5	Schedule B pricing sheet — Attachment 10, Schedule B, downloaded as a legacy Excel format file that could not be opened in standard spreadsheet software. Please provide the pricing line items in a current, readable format, or confirm the required pricing structure for the base period and options.	**Answer 5**	Attachment 10, Schedule B, is reuploaded with the encryption removed. It should now be accessible for viewing and editing.
Question 6	Wage Determination — Wage Determination No. 2015-4045, Revision 37, is attached as a scanned PDF, and the rates could not be extracted from the file. Please confirm the applicable occupation rates, or provide the wage determination in a readable format.	**Answer 6**	Wage Determination No. 2015-4045, Rev. 37, was downloaded from SAM.gov. and uploaded as a PDF with this RFQ. All rates are included in the PDF.
Question 7	Questions and site visit — Please confirm questions are due in writing by email to you, copy Lauren Suchy, by November 18, 2026, 12:00 PM Eastern, answered by amendment, and the optional site visit is November 16, 2026, 9:00 AM Eastern, RSVP by November 9, 2026, 12:00 PM Eastern, limit 2 personnel per company.	**Answer 7**	RFQ Section 1, subsection 1.4 provides all site visit information. RFQ Section 1, subsection 1.5 provides all information about submitting questions.
Question 8	For the 7 Harwich housing units on Driftwood Circle, what is the pickup day and frequency, and is it one trash and one recycling tote per unit like the Base Cape Cod housing?	**Answer 8**	The pickup day and frequency is each Friday. Yes, one trash and one recycling container per unit. Attachment 2 is revised to include this information.
Question 9	Is this a new requirement or is there a current contractor? If there is one, could you share the current contract number and contractor name?	**Answer 9**	This is a follow-on requirement to contract 70Z08422CCCOD0001. The current contractor is Cavossa Disposal.
Question 10	For the on-call 30-yard containers, about how many pulls per year should we plan on, and what is the expected response time from request to delivery?	**Answer 10**	Over the past two years the average number of pulls per year has been 36. The expected response time for removal and replacement of the 30 yd containers is specified in PWS Section 5.5.2.
Question 11	Is the insurance requirement firm as written?	**Answer 11**	Yes, HSAR 3052.228-70 specifies the minimum amounts of insurance required.
Question 12	What minimum coverage amounts apply to the prime contractor?	**Answer 12**	The minimum coverage that applies is specified in HSAR 3052.228-70.
Question 13	When must certificates of insurance be demonstrated: with the quote, at award, or before performance begins?	**Answer 13**	PWS Section 6.0 Deliverables states that certificate of insurance are due with quote submission if available but no later than fifteen (15) days after award.

Question 14	Can the performing subcontractor's insurance coverage satisfy the requirement, in whole or in part?	**Answer 14**	No. The prime contractor is responsible for providing and maintaining all insurance required by FAR 52.228-5 and HSAR 3052.228-70. The subcontractor's insurance does not replace or reduce the prime contractor's required insurance coverage. The prime contractor is also responsible for ensuring any subcontractor working on a Government installation has the minimum required insurance per HSAR 3052.228-70. FAR 52.228-5 paragraph (c) states, "The Contractor shall insert the substance of this clause, including this paragraph (c), in subcontracts under this contract that require work on a Government installation and shall require subcontractors to provide and maintain the insurance required in the Schedule or elsewhere in the contract. The Contractor shall maintain a copy of all subcontractors' proofs of required insurance, and shall make copies available to the Contracting Officer upon request.
Question 15	Revised Attachment 1 lists 18 support building containers, while PWS paragraph 5.2.6 states there are twenty two commercial containers. Should quoters price 18 containers?	**Answer 15**	Quoters should price 18 containers for support buildings. PWS 5.2.6 is updated to reflect this change.
Question 16	CLIN 0005 covers support building refuse and recycling collection, but Attachment 1 lists only refuse containers. Is recycling or cardboard collection required at any support buildings, and if so, how many containers, of what size, and on what day?	**Answer 16**	Recycling is not required for support buildings. CLIN 0005 is updated to reflect just refuse collection for support buildings.
Question 17	Attachment 4 provides refuse tonnage only. Can the Government provide estimated monthly tonnage for residential single stream recycling?	**Answer 17**	Residential monthly single stream recycling averaged 5,416lbs for fiscal year 26
Question 18	PWS paragraph 5.6.2 requires collection vehicles to arrive at BCC empty and not collect other waste until BCC waste is weighed. Does this apply to recycling trucks and roll off trucks as well, and may the seven Harwich homes be collected on the same trip as BCC housing before weighing?	**Answer 18**	This does apply to BCC residential single stream and roll off containers. Empty and tared containers allow for BCC to track overall waste and recycle diversion for the fiscal year. Currently due to proximity from base, Harwich housing is not being weighed before/after service. Weight guidelines currently only apply to within the Base Cape Cod fenceline.
Question 19	PWS paragraph 5.4.1 requires disposal at a waste to energy facility. Does this apply to the 30 cubic yard bulk containers, which may contain construction debris, furniture, and scrap that waste to energy facilities often do not accept, or may bulk loads go to a licensed landfill or construction and demolition facility?	**Answer 19**	Bulk loads (30 yard roll offs) may go to any fully licensed facility that is capable and equipped to dispose of the materials collected (construction and demolition)
Question 20	For CLINs 0006 through 0008, should the per container price include all disposal fees regardless of weight, and what has been the average tonnage per 30 cubic yard pull? For mattresses and tires, is there an approximate count per container? CLIN 0006 (C&D) should be per container including all fees.	**Answer 20**	FY26 we averaged 9.16 tons of construction and demolition per month. CLIN 0007 (mattresses) should be per container including all fees. We estimate a minimum of 2 full 30-yard containers of mattresses per FY, not to exceed 3 full containers per FY. CLIN 0008 (tires) we shipped out 1 full 30-yard container during FY26 that weighed 6,500lbs
Question 21	Will 30 cubic yard containers requested for special events such as spring and fall cleanups under PWS paragraph 5.3.3 be ordered and paid under CLIN 0006?	**Answer 21**	Yes, these 30 yard containers will count toward our NTE 45 container request
Question 22	PWS paragraph 5.2.6 refers to Government provided containers. Are any containers on BCC Government owned, and will the incumbent's containers remain in place until January 31, 2027 so that new containers can be staged for a February 1, 2027 start?	**Answer 22**	There are currently no government owed containers in residential housing. The incumbent's bins will be on station until the end of the contract January 31st, 2027. A government representative will have the ability to request new containers if one is not found to meet the standard mentioned in PWS section 5.2.6.1. The only government owned containers on Base Cape Cod are industrial sized single stream recycling and cardboard which is managed by the Town of Bourne and are not in any way associated with this RFQ.

Question 23	In Attachment 4, are the 117 tons from the 30-yard containers part of the 690 tons, or in addition to them? Does the 690 tons include single-stream recycling, or refuse only?	**Answer 23**	690 tons of refuse is an annual average for residential & support building collection. That number does NOT include the 117 ton average for 30yd roll-off containers. The 690 tons is the average for refuse only.
Question 24	PWS 4.6 includes construction debris (pipes, concrete block, lumber) in the materials to be collected, while the "Refuse" definition in PWS 3.0 excludes concrete and construction waste. Is construction debris expected in the scheduled support-building containers, or only in the on-call 30 CY containers?	**Answer 24**	Construction materials are limited only to the 30-yd containers, and are not included in the scheduled support building containers.
Question 25	PWS 5.4.1 requires MSW to be disposed of at a "certified off-site commercial waste to energy facility." Is disposal at a licensed Massachusetts landfill acceptable? Is delivery to a licensed transfer station acceptable if the waste is ultimately sent to a waste-to-energy facility?	**Answer 25**	PWS 5.4.1 is revised to state, "at a certified disposal facility that complies with all applicable federal, state, and local laws, statutes and regulations."
Question 26	Vehicles must arrive empty and may not collect other waste until BCC waste has been weighed. Please confirm whether the following are permitted: (a) Harwich collection on the same truck and trip as Base Cape Cod residential collection; (b) residential and support-building refuse combined in the same vehicle load; and (c) whether a separate weigh ticket is required for Harwich.	**Answer 26**	Currently due to proximity from base, Harwich housing is not being weighed before/after service. Weight guidelines currently only apply within the Base Cape Cod fenceline. Residential and support-building refuse could be combined in the same vehicle load.
Question 27	PWS 5.5.2 requires the swap before noon on the second working day, with an empty container placed within 4 hours. Amendment 0001 states no longer than 48 hours. Which standard governs?	**Answer 27**	PWS Section 5.5.2 governs the container collection and turnaround time. The answer for Amendment 0001 (question 10) has been updated to reflect the same information.
Question 28	Q&A 10 states removal and replacement within 48 hours, and PWS 5.5.2 states two working days, with the empty container placed within four hours of the pickup. Please confirm the clock starts at the COR's notice and runs in working days.	**Answer 28**	PWS section 5.5.2 specifies the required timeline.
Question 29	Please confirm that the "EA" unit price covers delivery, removal, transport, disposal, and replacement of one container. Is there a tonnage cap per pull, and may contractors include overweight or per-ton charges above a set weight? Are daily rental or demurrage charges permitted?	**Answer 29**	The EA unit price is all inclusive. There is no tonnage cap per pull and no overweight/per-ton charge.
Question 30	PWS 5.3.3 refers to 30 CY "bulk refuse collection stations." Are any 30 CY containers kept on base permanently, or are all 30 CY containers placed only on request?	**Answer 30**	The Contractor shall provide thirty (30) cubic yard containers at the location and in the quantities as directed by the COR. The bulk refuse collection stations may change periodically to accommodate the needs of the Government.
Question 31	Because Massachusetts bans disposal of mattresses and tires, these must be recycled. Please provide the typical number of mattresses or tires per container and the historical number of pulls per year for CLINs x007 and x008.	**Answer 31**	Please refer to Attachment 10 for the 30 yd container NTE amounts anticipated by the Government for these CLINs
Question 32	For CLINs x007 and x008, should the per-pull price include all disposal or recycling fees for mattresses and tires, regardless of the number of items in the container?	**Answer 32**	Yes, all fees should be included in the unit price.
Question 33	PWS 5.3.3 requires the Contractor to provide additional 30 CY containers for special events such as spring cleanups, fall cleanups, and construction projects. Please confirm that these additional containers will be ordered and paid per pull under CLINs x006–x008, and that only relocation of 30 CY containers is to be performed at no additional cost to the Government.	**Answer 33**	The 30 yd containers for special events will be ordered and paid off CLIN x006
Question 34	Are disposal facility tipping fees and recycling facility processing fees excluded from the FAR 52.219-14 limitations-on-subcontracting calculation as "other direct costs" under paragraph (e)(1)(i)(A)?	**Answer 34**	No. All fees are included in the unit prices and are not exempt from the 50% limitation

Question 35	RFQ Section 1.2 describes the limitation as "50% of the cost of contract performance incurred for personnel," while the full-text clause 52.219-14 (Class Deviation 22-02, Rev. 1) uses "50 percent of the amount paid by the Government." Please confirm that the clause language governs.	**Answer 35**	RFQ Section 1.2 is updated to reflect the language in 52.219-14.
Question 36	RFQ Section 1.2 summarizes FAR 52.219-14 as 50% of the cost of personnel, while the current clause measures amounts paid to subcontractors that are not similarly situated entities. Please confirm that the clause as incorporated in Section 6 governs, and that amounts paid to a first-tier similarly situated small business subcontractor under NAICS 562111 are not counted toward the 50% limitation.	**Answer 36**	RFQ Section 1.2 is updated to reflect the language in 52.219-14.
Question 37	Will the Government consider past performance of a quoter's proposed subcontractors or teaming partners under Volume II? If so, what documentation is required (e.g., consent letter or teaming agreement)?	**Answer 37**	Yes. The Government will consider relevant past performance of the quoter and of a proposed first-tier subcontractor that the quoter identifies to perform a major or critical aspect of this requirement. Please see the revised RFQ quote submission and evaluation language for all details.
Question 38	The period of performance begins February 1, 2027. Will the Government coordinate removal of the incumbent's containers? May the new contractor place its totes and containers before February 1 to avoid a gap in service?	**Answer 38**	All containers required under this contract must be placed at the start of the Period of Performance, on February 1st.
Question 39	Will the incumbent's totes and commercial containers be removed at the end of the current contract, so the new contractor should price a full set of 214 totes and 18 containers delivered before February 1, 2027?	**Answer 39**	All containers must be provided by the contractor at the start of the Period of Performance, on February 1st.
Question 40	How should collection be handled when Thursday or Friday falls on a federal holiday (e.g., Thanksgiving, Christmas, New Year's Day)? Should collection move to the next working day, move to the prior working day, or be skipped?	**Answer 40**	If a holiday conflicts with the scheduled pick-up day, the COR will coordinate an alternate pickup time.
Question 41	Attachment 8 is a Joint Base Cape Cod roster submitted to CJIS-JFHQ 3–5 working days before arrival. Please confirm the typical NCIC approval turnaround; whether the roster is submitted once or must be resubmitted periodically or per access event; and whether drivers may access the base with a day pass while approval is pending.	**Answer 41**	PWS Section 8.3 requires the Attachment 8 to be submitted within 15 calendar days after contract award. The turnaround is typically no longer than 3 days. The roster must be submitted periodically at the COR's direction.
Question 42	Please specify the page size, minimum font size, and margins for the 10-page Volume I narrative limit.	**Answer 42**	The RFQ quote submission information is revised to provide these details.
Question 43	Section 3.3 lists "Volume II – Price." Please confirm that the price volume is Volume III, as referenced elsewhere in the RFQ.	**Answer 43**	Section 3.3 is revised to show it as Volume III - Price
Question 44	Are separate 30 CY containers for mattresses and for tires kept on base year-round and swapped when full, or are these materials staged by the Government and a container delivered only when a load is ready? If containers are kept on site: 1) Please identify their locations (e.g., the Recycle Center, Bldg 3424). 2) Are they currently covered or sheltered? Should the Contractor provide lidded or tarped containers to protect the contents from rain and wind while they sit on site?	**Answer 44**	The 30 yd containers for mattresses and tires are kept year-round and swapped when full. Their location is the Recycle Center, Bldg 3424. The location is uncovered. The Government does not require them to be covered.

Question 45	The waste-to-energy requirement in PWS 5.4.1 is titled "Refuse Disposal – Residential and Support Buildings," and PWS 5.5 does not specify a disposal destination for bulk refuse. May bulk items and construction debris from the 30 CY containers be taken to a licensed construction and demolition processing facility or landfill, or must they also go to a waste-to-energy facility? PWS 2.0, the "Disposal" definition in PWS 3.0, and the Quality Control Plan requirements in PWS 9.1(a)(iii) also reference landfills; please confirm which disposal standard governs.	**Answer 45**	PWS Section 5.5.3 is added to provide Bulk Refuse Disposal information
Question 46	Which disposal facility does the current contractor use, and which facility issues the weigh tickets provided to the COR under PWS 5.6.2?	**Answer 46**	Each quoter is responsible for proposing its own refuse disposal and recycling facility or facilities and for demonstrating compliance with the solicitation and PWS requirements, including applicable disposal documentation and weigh ticket
Question 47	For CLINs x007 and x008, should the per-pull price include all disposal or recycling fees for mattresses and tires, regardless of the number of items in the container?	**Answer 47**	Yes, all fees should be included in the unit price.
Question 48	Q&A 10 states removal and replacement within 48 hours, and PWS 5.5.2 states two working days, with the empty container placed within four hours of the pickup. Please confirm the clock starts at the COR's notice and runs in working days.	**Answer 48**	The answer to question 10 has been updated. PWS 5.5.2 is updated to provide clarification.
Question 49	RFQ Section 1.2 summarizes FAR 52.219-14 as 50% of the cost of personnel, while the current clause measures amounts paid to subcontractors that are not similarly situated entities. Please confirm that the clause as incorporated in Section 6 governs, and that amounts paid to a first-tier similarly situated small business subcontractor under NAICS 562111 are not counted toward the 50% limitation.	**Answer 49**	RFQ Section 1.2 is updated to reflect the language in 52.219-14.
Question 50	Will the incumbent's totes and commercial containers be removed at the end of the current contract, so the new contractor should price a full set of 214 totes and 18 containers delivered before February 1, 2027?	**Answer 50**	All containers must be provided by the contractor at the start of the Period of Performance, on February 1st.
Question 51	May an eligible small-business prime contractor use a qualified local small-business waste-hauling subcontractor to perform collection, container placement, and disposal services, while the prime manages contract administration and quality oversight? Are there any specific documentation or limitations-on-subcontracting requirements we should address in our technical proposal?	**Answer 51**	Please review the updated RFQ quote submission requirements and FAR 52.219-14 Limitations on Subcontracting (Class Deviation 22-02, Rev. 1) (JUL 2023)
Question 52	May the technical capability volume identify the subcontractor’s vehicles, permits, equipment, and relevant prior projects to demonstrate our proposed team’s ability to perform the work?	**Answer 52**	See revised RFQ Section 3 for the required information for quote submission
Question 53	For Volume II - Past Performance, may the up-to-three references be those of the subcontractor that will actually perform the service, rather than references held in the prime contractor's own name?	**Answer 53**	See revised RFQ Section 3 for the required information for quote submission
Question 54	Is the Coast Guard still accepting follow-up questions after Amendment 0001? If so, when are they due?	**Answer 54**	RFQ Section 1.5 provides the questions deadline
Question 55	Can the prime contractor manage scheduling, quality control, and reporting while a local small-business subcontractor performs collection, hauling, recycling, and disposal with its own crews and equipment? Which subcontracting clause applies, and how should we show compliance in our quote?	**Answer 55**	Please review RFQ Section 3 and FAR 52.219-14 Limitations on Subcontracting (Class Deviation 22-02, Rev. 1) (JUL 2023)
Question 56	For the technical volume, may the contractor submit the proposed hauler’s permits and disposal or recycling facility agreements, along with a signed letter of commitment? Are any permits or agreements required in the contractors name at quote submission?	**Answer 56**	See revised RFQ Section 3, Volume I. Supporting permits and facility agreements may be in the name of the quoter, proposed hauler/subcontractor, or facility, as applicable, and need not be in the quoter’s name at quote submission.

Question 57	May we include the proposed hauler's comparable projects and references in the past performance volume if we clearly identify the hauler's role?	**Answer 57**	See revised RFQ Section 3 for the required information for quote submission
Question 58	Whether the solicitation imposes any prime-contractor self-performance or licensing requirements beyond the applicable FAR clauses.	**Answer 58**	The prime quoter remains responsible for overall contract performance and must comply with FAR 52.219-14, Limitations on Subcontracting. Quoters may rely on named proposed first-tier subcontractors as provided in revised RFQ Section 3, provided the entity performing a particular function holds, or obtains before performance begins, all permits, licenses, and authorizations required for that function.
Question 59	Whether the Government requires specific evidence of subcontractor resources, equipment, personnel, or financial commitments with the quotation.	**Answer 59**	Revised RFQ Section 3 specifies all required information for quote submission.
Question 60	Whether any additional technical documentation is required when a prime contractor proposes to perform the requirement through a qualifying similarly situated small-business subcontractor.	**Answer 60**	Revised RFQ Section 3 specifies all required information for quote submission.
Question 61	Can you confirm the current container count and sizes at the base support buildings and at the Harwich housing, and the pickup frequency for each location?	**Answer 61**	Attachments 1 and 2 provide this information
Question 62	How many housing units are served in Harwich, and how often are the on call 30 yard bulk containers requested in a typical year?	**Answer 62**	Attachment 2 provides the housing units for Harwich. Over the past two years the average number of pulls per year for the 30 yd containers has been 36.
Question 63	Award records show the current contract held by Cavossa Disposal at $624,655. Is that figure the full base period price the new quote should be compared against, or does it cover a different period?	**Answer 63**	Quotes must determine their proposed pricing independently based strictly on the requirements, terms, and conditions set forth in the current solicitation and Performance Work Statement (PWS). The Government will evaluate quotes solely in accordance with the evaluation criteria identified in the solicitation.
Question 64	Can you confirm Wage Determination 2015 4045 Revision 37 for Barnstable County is the current determination for this requirement?	**Answer 64**	RFQ Section 5 provides the applicable Wage Determination
Question 65	Since the optional site visit has passed, can photos or a container location list be shared with offerors who did not attend?	**Answer 65**	Container lists and maps are provided in the attachments.