Quality Assurance Surveillance Plan

For

Cooling Tower, Roofing and Structural Construction

1. Overview.

1.1. Purpose. The purpose of this Quality Assurance Surveillance Plan (QASP) is to identify the methods and procedures the Government will use to ensure it receives the services under this contract as identified in the Statement of Work (SOW).

1.2. Intent. The intent of this QASP is to: 1) ensure Contractor performance meets or exceeds contract terms, conditions and specifications; 2) hold the Contractor accountable for quality control; and 3) encourage the Contractor to take appropriate steps to control and improve quality. Accordingly, the Government will perform surveillance on the contract in accordance with this QASP, but reserves the right to monitor the contract in any manner necessary, at any times necessary, and at all places necessary to ensure that the rendered services conform to contract requirements. The Government also reserves the right to perform quality assurance at the Subcontractor level and perform quality assurance at the contractor's place of business, if applicable. Resolution of non-conforming services discovered at the Subcontractor level will be addressed with the prime Contractor.

2. Description of Services.

2.1. Scope of Work. The purpose of this solicitation is to obtain construction services for the assessment, demolition, replacement and disposal, including, but not limited to, two existing Evapco cooling towers (Model: AT 424-936) **(BRAND NAME OR EQUAL)**, and replacement of one BAC cooling tower (model number is VXT-800CR from Baltimore air coil company, Serial number is 84-5979) **(BRAND NAME OR EQUAL)** associated structural steel platform, roofing replacement, associated structural components, associated mechanical components, associated electrical components, pump, motors, piping, chemical feed, fire/smoke detector system, condenser water motor/pumps, electrical circuit breaker, piping insulation, SCADA integration, and associated control systems.

The contractor shall provide As-built drawings and updated schematics for this project. The contractor shall provide an integration and SCADA commissioning, demolition, and disposal report. The contractor should provide equipment submittals and cut sheets for all replacement components. The work shall be performed by a qualified HVAC/mechanical contractor with demonstrated experience in large-scale condenser water system installations, including cooling tower integration with SCADA systems. The As-built drawing needs to be accepted before the start of construction.

2.2. Type of Contract. The specific contract type is a Firm-Fixed-Price, in which the Contractor has full responsibility for the performance costs and resulting profit or loss. A Firm-Fixed-Price contract is appropriate because the requirement is for commercial items, there is adequate price competition, performance uncertainties can be identified, reasonable estimates of their cost impact can be made, and the Government anticipates that the Contractor is willing to accept a firm fixed price representing assumption of the risks involved.

3. Roles and Responsibilities.

3.1. Government.

3.1.1. Contracting Officer (CO). The CO is the only person with the authority to enter into, administer, and or terminate contracts, and make related determinations and findings on behalf of the Government. Note: The only individual who can legally bind the Government.

3.1.2. Contracting Officer's Representative (COR). The COR will be identified by separate letter. The COR monitors all technical aspects of the contract and assists in contract administration. The COR is authorized to perform the following functions: assure that the Contractor performs the technical requirements of the contract: perform inspections necessary in connection with contract performance: maintain written and oral communications with the Contractor concerning technical aspects of the contract: issue written interpretations of technical requirements, including Government drawings, designs, specifications: monitor Contractor's performance and notifies both the Contracting Officer and Contractor of any deficiencies; coordinate availability of Government furnished property, and provide site entry of Contractor personnel. A letter of designation issued to the COR, states the responsibilities and limitations of the COR, especially with regard to changes in cost or price, estimates or changes in delivery dates. The COR is not authorized to change any of the terms and conditions of the resulting order.

3.1.3. Contract Specialist (CS). The CS is the person responsible for soliciting and acquiring the contract, evaluating proposals, negotiating terms, drafting contracts, reviewing drafted contracts, overseeing execution of contracts, extending contracts and keeping the contracts funded.

3.1.4. Property Administrator. To be determined after contract has been awarded.

3.2. Contractor.

3.2.1. Contract Manager. To be determined after contract has been awarded.

3.2.2. Project Manager. To be determined after contract has been awarded.

3.2.3. Quality Manager. To be determined after contract has been awarded.

4. Contract Quality Requirements.

4.1. Contractor's Quality Control Program. The Contractor's quality control program is the means by which he assures himself that his work complies with the requirement of the contract. The Contractor shall ensure services are performed in accordance with this SOW. The Contractor shall identify, prevent, and ensure non-recurrence of defective services.

4.2. Government Quality Assurance. The Government shall evaluate the Contractor's performance under this contract in accordance with this QASP. This plan is primarily focused on what the Government must do to ensure that the Contractor has performed in accordance with the performance standards. It defines how the performance standards will be applied, the frequency of surveillance and minimum acceptable defect rate(s).

5. Government Surveillance.

5.1. Methods of Surveillance. The following Methods of Surveillance will be utilized in monitoring the Contractors' performance: Periodic Inspection

5.2. Surveillance Schedule. A Surveillance Schedule will be created each month utilizing the COR Surveillance Schedule, Attachment 3. The schedule is "FOR OFFICIAL USE ONLY" and is not releasable to anyone other than authorized Government personnel. A copy of the Surveillance Schedule will be filed and will become part of the CORs file.

5.3. Surveillance Instructions/Checklists. Surveillance Checklists, Attachment 4, will be utilized and completed when surveillances are conducted.

5.4. Surveillance Documentation. The applicable Surveillance Checklist(s) will be completed when/as Surveillances are conducted. Completed Surveillance Checklist(s) will be filed in CORs file. The file will have ready access to the BEP Office of Acquisition.

6. Non-Conforming Performance. Non-conformance occurs when a Contractor fails to meet Contract or Task Order terms, conditions and/or specifications. All instances of non-conformance will be documented and the Contractor will be notified. Resolution of non-conformance discovered at the Subcontractor level will be addressed with the prime Contractor. Non-conformance is classified as either: Level I (Minor); Level II (Major); or Level III (Critical).

6.1. Level I (Minor). Level I non-conformance is not likely to materially reduce the usability of services for their intended purpose or is a departure from established standards having little bearing on completing the contract requirement. Minor non-conformances can usually be corrected on the spot and can be issued to the Contractor through either a verbal or written Contract Discrepancy Report (CDR). However, the Government is still required to document verbal Level I CDRs. The COR may issue verbal Level I CDRs directly to the appropriate level of Contractor management. The COR will notify the CO as soon as practical when a verbal Level I CDR is issued and document them in their Monthly Reports. If the non-conformance cannot be corrected on the spot, the Contractor shall be given a suspense date to correct the deficiency. The CO will issue and sign written Level I CDRs, Attachment 5.

6.2. Level II (Major). Level II non-conformance is likely to result in failure of the services to meet contract requirements. Also, repeated discrepancies, a large number of documented Level I CDRs and trends indicating failure of the Contractor's quality control program can be classified as Level II CDRs. The CO issues all Level II CDRs in writing, Attachment 5. The COR will notify the CO as soon as practical when a major non-conformance is identified.

6.3. Level III (Critical). Level III non-conformances result in hazardous or unsafe conditions due to the manner in which the services are performed; prevent or impact a vital agency mission as a result of performance; or are for repeated or uncorrected Level II CDRs. The Contracting Office Director or Deputy Director issues written Level III CDRs. The COR is responsible for notifying the CO immediately upon discovery of a critical non-conformance.

6.4. Documenting CDRs. Documentation, as a minimum, will include: the Contract or Task Order number; reference to the specific contract requirement; the specific discrepancy to the requirement; where it was discovered; the date and time it was discovered; Contractor representative who was notified; and the suspense date for Contractor response/corrective action.

6.5. Tracking and Resolving CDRs. All CDRs, verbal and written, regardless of issuer will be included in the COR's Monthly Report. The COR and CO shall track CDRs to ensure the Contractor identifies and takes appropriate corrective action to the root cause and the specific non-conformance is corrected within the required timeline. The CO will make a final written determination of the Government's remedies if the non-conformance is not corrected by the Contractor after receiving notice and a reasonable opportunity to correct the work.

7. Data Analysis. Data Analysis will be performed to identify trends in cost, schedule and/or performance risks. The results of Data Analysis will be documented in COR Status Reports and may be used to make adjustments to surveillance schedules, increase or decrease surveillance, if deemed appropriate. Negative trends noted using Government data/observations could result in issuing the Contractor a Contract Discrepancy Report. Trends noted using Contractor data will not result in a CDR unless the Contractor is not addressing the negative trend.

8. Acceptance of Services. When all services have been deemed acceptable and there is documented objective quality evidence to support acceptable performance the COR will accept the services provided and authorize payment of the Contractor. This is accomplished by approving the Contractor's Receiving Reports via IPP.

9. COR Status Report. COR Status Reports will be submitted on a Monthly basis to the Contracting Officer. COR Status Reports will provide a synopsis of the Contractors performance for the inclusive dates of the report. The synopsis will contain a summary of: surveillances performed; Customer Feedback, if any; CDRs, if any; an analysis of the Contractors performance; recommended adjustments to surveillance schedules; and any other pertinent contract information. Completed Surveillance Checklists and CDRs, if any, will be included as attachments to COR Status Reports or uploaded separately in the Miscellaneous Documents Section of the CORs' Online file.

10. Contractor Performance Assessment Reporting System (CPARS). Documented surveillance data (COR Status Reports, Completed Surveillance Checklists, Customer Feedback and CDRs, if any) will be used to support CPARS ratings.

11. COR/Quality Assurance Surveillance Files. The official COR/Quality Assurance Surveillance File will be maintained by the COR

12. QASP Changes. This QASP is a living document and, as such, may be changed as needed based on Data Analysis (trends), contract modifications, etc. The COR will send any recommended changes to the Contracting Officer for approval and the Contracting Officer must approve all changes.

Attachments:

1. Statement of Work (SOW)
2. Customer Complaint Record
3. Surveillance Schedule
4. Surveillance Checklist(s)
5. Contract Discrepancy Report

Attachment 1

Performance Requirements Summary (PRS)


A PRS is not required because the project requires the use of an SOW as opposed to a SOW.

The contractor services requirements are summarized into performance objectives that relate directly to mission essential items. The performance threshold describes the minimum acceptable levels of service required for each requirement. These thresholds are critical to mission success. Government surveillance of contractor performance is not limited to the Performance Objectives as outlined in this PRS. The Government reserves the right to conduct compliance surveillance of any contractual requirement of this acquisition.

Performance Objective	Performance Standard	Performance Threshold	Method of Surveillance	Incentives (Positive or Negative)
Surveys	Conduct walk-throughs during all phases of construction	100%	Period Inspection	Results will dictate CPARS rating
Test Results	Compare results with design and code requirements along with industry standards	100%	Periodic Inspection	Results will dictate CPARS rating
As-Built Drawings	Verify that the drawings are being updated as work progresses	100%	Periodic Inspection	Results will dictate CPARS rating

Attachment 2

Customer Complaint Record



Customer Complaint Record

DATE OF COMPLAINT	TIME OF COMPLAINT

SOURCE OF COMPLAINT

ORGANIZATION

INDIVIDUAL

NATURE OF COMPLAINT

CONTRACT REFERENCE

VALIDATION

DATE CONTRACTOR INFORMED OF COMPLAINT	TIME CONTRACTOR INFORMED OF COMPLAINT

RECEIVED AND VALIDATED BY

BEP_QA_CCR Rev#1_1-24-18

Customer
Complaint Record _.

Attachment 3

Surveillance Schedule

COR SURVEILLANCE SCHEDULE									
1. Contract:					2. Contractor:				
3. Surveillance Month:					4. COR:				
5. Planned Date for Surveillance									
Week 1									
Week 2									
Week 3									
Week 4									

BEP_OA_SS Rev#1_1-24-18

Surveillance Schedule _.pdf

Attachment 4

Surveillance Checklist(s)

COR Inspection Checklist	Meeting Contract Requirements		
Contractor:			
Contract Number:			
Service Provided:			
COR Name:			
Date:	YES	No	N/A
1.			
Comments:			
2.			
Comments:			
3.			
Comments:			
4.			
Comments:			
5.			
Comments:			
6.			
Comments:			
7.			
Comments:			
8.			
Comments:			
9.			
Comments:			
10.			

BEP_OA_IC_Rev#1_1-24-18


COR Inspection Checklist.pdf

SURVEILLANCE ACTIVITY CHECKLIST					Date
CONTRACT REQUIREMENT	CONTRACT PARAGRAPH NUMBER	METHOD OF SURVEILLANCE	DATE ACCOMPLISHED	WHERE ACCOMPLISHED	COMPLIANCE

BEP SAC_Rev #1_1_23_18



SURVEILLANCE
ACTIVITY CHECKLIST.|



TALLY CHECKLIST
CONTRACT NUMBER:


ITEM INSPECTED	TYPE OF SERVICE	DATE REC'D	DATE DEL'D	DATE INSPT'D	SAT	UNSAT	REMARKS

BEP_OA_TC_Rev#1_1-24-18

PDF
TALLY CHECKLIST.pdf

Attachment 5

Contract Discrepancy Report



CONTRACT DISCREPANCY REPORT

1. CONTRACT NUMBER
2. REPORT NUMBER FOR THIS DISCREPANCY
3. TO (Contractor and Manager's Name)
4. FROM (Name of COR)
5. DATES (YYYYMMDD)
a. DATE PREPARED
b. COR DATE RETURNED BY CONTRACTOR
c. ACTION COMPLETE DATE
6. DISCREPANCY OR PROBLEM (Describe in detail. Include reference to PWS Directive; attach continuation sheet if necessary.)
7. SIGNATURE OF CONTRACTING OFFICER
8a. TO (Contracting Officer)
b. FROM (Contractor)
9. CONTRACTOR RESPONSE FOR ADDRESSING ROOT CAUSE OF DEFICIENCY, ACTION TAKEN TO CORRECT THE SPECIFIC DEFICIENCY; ACTION TAKEN TO CORRECT AND PREVENT THE RECURRENCE OF THE ROOT CAUSE OF DEFICIENCY AND TARGET DATES FOR IMPLEMENATION OF IDENTIFIED CORRECTIVE ACTION. (Cite applicable Q.C. program procedures or new Q.C. procedures. Attach continuation sheet(s) if necessary.)
10. SIGNATURE OF CONTRACTOR REPRESENTATIVE
b. DATE (YYYYMMDD)
11. GOVERNMENT EVALUATION (Acceptance, partial acceptance, rejected. Attach continuation sheet(s) if necessary)
12. GOVERNMENT ACTIONS (Reduced payment, cure notice, show cause, other)
13. CLOSE OUT

	NAME (1)	TITLE (2)	SIGNATURE (3)	DATE (YYYYMMDD) (4)
a. CONTRACTOR				
b. COR				
c. CO				

BEP_OA_CDR_Rev#1_1-24-18

BEP_OA_CDR.pdf