January 27, 2026

WI1713ZZ Dane County Airport Custodial Specification

SOLICITATION NUMBER: 47PF5327R0001

SERVICE: Custodial and Related Services

LOCATION: Dane County Airport (WI1713ZZ)
TSA Location
4000 International LN
Madison, WI 53704

PERIOD OF PERFORMANCE: Base Year: February 1, 2027 - January 31, 2028

Option Year 1: February 1, 2028 - January 31, 2029
Option Year 2: February 1, 2029 - January 31, 2030
Option Year 3: February 1, 2030 - January 31, 2031
Option Year 4: February 1, 2031 - January 31, 2032
Six-Month Extension: February 1, 2032 - July 31, 2032

SOLICITATION ISSUE DATE: November 12, 2026

OFFER RECEIPT DATE/TIME: December 14, 2026, 5:00 P.M. Central Time

ATTACHMENT A

Table of Contents

DESCRIPTION/SPECIFICATIONS/STATEMENT OF WORK 9

1 Objectives and Scope 9

1.1 Cleaning Schedule 10

1.2 Staffing Plan 10

1.3 Cleaning Plan 11

1.4 Quality Control Plan (QCP) 11

1.5 Service Calls 12

1.6 Communication Approach 13

1.6.1 Meeting Requirements 13

1.6.2 Joint Service Inspections 13

2 Performance Standards 13

2.1 Interior Services 14

2.1.1 Area Types (Not all-inclusive) 14

2.1.1.1 Disinfection/Sanitization Areas 14

2.1.1.1.1 Restrooms 14

2.1.1.1.1.1 Shower Rooms 14

2.1.1.1.2 Concession/Cafeteria/Breakroom 14

2.1.1.1.3 Fitness Center 15

2.1.1.1.4 Child Care 15

2.1.1.1.5 Holding Cells 15

2.1.1.1.6 Labs/Health/Lactation Rooms 16

2.1.1.2 Computer Rooms 16

2.1.1.3 Courtrooms/Jury Rooms and Assembly Rooms/Conference Rooms 16

2.1.1.4 Entrances/Lobbies 16

2.1.1.5 Offices/Cubicles/Chambers/Robing Rooms 16

2.1.1.6 Stairs, Stairways, Treads, Risers, Railings and Landings 16

2.1.1.7 Mail/Copy/Storage 16

2.1.1.8 Vertical Transportation 17

2.1.1.9 Fine Arts 17

2.1.1.10 United States Postal Space 17

2.1.2 Specific Tasks (Not all-inclusive) 17

2.1.2.1 Hard Floors 17

2.1.2.1.1 Floor Mats and Runners 18

2.1.2.1.2 Vacuuming 18

2.1.2.1.3 Extraction 19
2.1.2.2 Dusting 19
2.1.2.3 Policing Interior Areas 19
2.1.2.4 Trash, Wastebaskets, and Receptacles 19
2.1.2.5 Dispensers 19
2.1.3 Finishes 20
2.1.3.1 Fixtures 20
2.1.3.2 Surfaces 20
2.1.3.2.1 Vertical Surfaces/Walls 20
2.1.3.3 Historic Features 20
2.1.4 Interior Graffiti Removal 20
2.2 Exterior Services 21
2.2.1 Specific Tasks (Not all-inclusive) 21
2.2.1.1 Surfaces 21
2.2.1.2 Hard Surface Areas 21
2.2.1.3 Stairs, Stairways, Treads, Risers, Railings and Landings 21
2.2.1.4 Canopies/Overhangs 22
2.2.1.5 Exterior Graffiti Removal 22
2.2.1.6 Excrement Removal (Human, Bird and Animal) 22
2.2.1.7 Policing Outside Areas 22
2.3 Supplemental Services 22
2.3.1 Solid Waste Management 23
2.3.2 Integrated Pest Management 24
2.3.3 Grounds Maintenance 26
2.3.4 Snow and Ice Removal 28
2.3.5 Window Washing 30
2.3.5.1 Interior Window Washing 30
2.3.5.2 Exterior Window Washing 30
2.3.6 Child Care Center 30
2.3.6.1 Products 31
2.3.6.2 Standards 32
2.3.6.3 Safety 32
2.3.6.4 Cleaning Requirements 33
2.3.6.5 Quality Standards for Child Care 35
2.3.7 Interior and Atrium Plants (Government Furnished Plants) 36
2.4 Above Standard Services 37
2.4.1 Interior Above Standard Services 37

2.4.1.1 Labor Services 37
2.4.1.1.1 Laborer 37
2.4.1.1.2 Laborer Supervisor 37
2.4.1.1.3 Janitor 37
2.4.1.2 Interior Window Washing 37
2.4.1.3 High Cleaning 37
2.4.1.4 Washing Blinds and Coverings (Not Including Drapes, Curtains and Unique Coverings) 38
2.4.1.5 Carpet Extraction (Private Areas) 38
2.4.1.6 Machine Strip and Wax Resilient Office Floors 38
2.4.1.7 Holding Cell Interiors 38
2.4.1.8 Fitness Center Equipment Cleaning 38
2.4.2 Exterior Above Standard Services 38
2.4.2.1 Additional Solid Waste and Recycling Pickups 38
2.4.2.1.1 Trash 38
2.4.2.1.2 Recycling 38
2.4.2.2 Exterior Window Washing 38
2.4.2.3 Pressure Washing and Steam Cleaning 38
2.4.2.4 Cleaning/Polishing of Exterior Metals 39
2.4.2.5 Exterior Graffiti Removal 39
2.4.2.6 Planting Government Furnished Trees and Plants 39
2.4.2.7 Erosion Control 39
2.4.2.8 Tree Thinning 39
2.4.2.9 Snow and Ice Removal for Areas Requiring Heavy Equipment 39
2.4.2.10 Deicer Chemical Calcium Magnesium Acetate 40
2.4.2.11 Snow Hauling 40
3 Contractor Responsibilities 40
3.1 Standards of Conduct 40
3.2 Supervisors 40
3.3 Training 40
3.3.1 Supervisor Training 40
3.3.2 Asbestos Awareness Training 41
3.4 Uniforms 41
3.5 Key Control 41
3.6 Personnel Qualifications 41
3.6.1 Supervisory Personnel 41
3.6.2 Non-Supervisory Personnel 41
3.7 Protection and Damage 41

3.8 Miscellaneous Requirements 42
3.9 Safety, Health, and Accessibility 42
3.10 Exposure Control Plan 42
3.11 Contractor Pandemic Plan 43
3.12 Hazard Communication Plan 44
3.13 Safety Data Sheets 44
3.14 Strike Contingency Plan (SCP) 44
3.15 Occupant Emergency Plan (OEP) Training 45
4 Provided By The Government (Not Identified Elsewhere in the Specification) 45
4.1 Use of Government Information Technology 46
4.2 Safeguarding Sensitive Data and Information Technology Resources 46
4.3 Government Forms 47
5 Security Requirements and Personal Identity Verification Procedures (Non-Classified Contract) 47
5.1 Fitness Determinations 47
5.2 Compliance with Security Requirements 48
5.3 Identification Responsibility 48
5.4 Escort Requirements 48
5.5 Removal From Contract Work 49
5.6 Safeguarding and Dissemination of Controlled Unclassified Information 50
5.7 Prohibited Telecommunications Equipment 52
5.8 Recording Presence 52
6 Administrative Requirements 52
6.1 Other Contractors 52
6.2 Ordinances, Taxes, Permits and Licenses 52
6.3 Discrepancy in the Specifications 53
6.4 Federal Requirements 53
6.5 Space Change Methodology 53
6.6 Suspension of Work 54
7. Exhibits 55
EXHIBIT 1: Building Information Sheet 56
EXHIBIT 2: Quality Assurance Surveillance Plan (QASP) Overview & Acceptable Quality Levels (AQLs) 57
EXHIBIT 3: Solid Waste and Recycling Report (Reserved) 61
EXHIBIT 4: Contractor Submittals/Deliverables Chart 62
EXHIBIT 5: Exposure Control Plan (ECP) EXAMPLE 64
EXHIBIT 6: Snow and Ice Removal Plan EXAMPLE 67
EXHIBIT 7: Definitions 70
EXHIBIT 8: Asbestos Notification Letter (Reserved)

DESCRIPTION/SPECIFICATIONS/STATEMENT OF WORK

1 Objectives and Scope,

This is a Performance Work Statement (PWS) for Custodial and Related Services defined under the scope of this contract for

WI1713ZZ
Dane County Airport
4000 International Lane
Madison, WI 53704

This PWS describes the requirements of the U.S. General Services Administration (GSA) and acceptable outcomes to be performed by the Custodial Contractor (known from here on as Contractor).

Custodial and related services provided by the Contractor are arranged by, and contract administration is provided through, one or more of the following entities: GSA's Central Office, Zone Office, Field Offices, or Local Offices. These entities represent the Facility Management organizations that have been adopted by GSA's organizational leadership.

GSA seeks to establish a partnering relationship with the Contractor to accomplish the program objectives in this contract. The objective of the partnering process is to provide an effective problem-finding/problem- solving management team composed of personnel from all parties responsible for maintaining the quality of our facilities, thus creating a single culture with one set of goals and objectives. Partnering requires that all parties recognize and address those opportunities and challenges that shall be confronted to help maintain the health of the Contractor/GSA relationship. The relationship is based on trust, dedication to common goals, and an understanding of each other's individual expectations and values. The outcome of this initiative is for GSA to leverage Contractor expertise to assist GSA in accomplishing these goals and objectives. The Contractor shall identify efficiencies, opportunities for savings and be overall cost conscious while developing their schedules, proposals, and staffing levels to ensure the best value for the taxpayer

All references incorporated herein as Web sites (URLs) are accurate as of 2025 and may be subject to change by their web publisher. Web pages are provided to the Contractor for additional clarity. A change to any Web site specified in this contract does not change or alter the contract requirements and objectives identified herein.

The Contractor shall perform custodial services in a manner that will maintain the condition and cleanliness of the facility/facilities in accordance with the standards and regulations outlined within this PWS. Facility specific population and traffic shall be considered for the different area types and locations on this contract. Custodial services herein apply to different property and area types and outline requirements for maintaining the cleanliness and condition of varied environments. Specific property types covered by this contract include Airport and Office spaces.

1.1 Cleaning Schedules

The operating hours of the facility are 4am to midnight, the cleaning schedule shall include cleaning between 8am and 11am and between 2pm and 5pm. The Contractor shall submit an initial cleaning schedule with proposal submission that details when each cleaning activity will be performed and what equipment will be used to perform

the activity. The performance of disruptive services, which could include, but are not limited to: carpet shampooing, floor waxing, vacuuming, may be scheduled with GSA and, if applicable, the tenant, for a time when the space is vacant or after building operating hours. If the Contractor is unsure as to whether an activity will be disruptive they should check with the COR before proceeding.

The cleaning schedule is considered the Contractor's efficient approach to the work. Changes necessary for achieving the contract PWS requirements shall be the responsibility of the Contractor and implemented at no additional cost to the government. Cleaning schedules and any revisions are to be submitted to the CO or their designee for approval prior to implementation.

This finalized cleaning schedule shall include the dates and Contractor to be used for all subcontracted services. **The Contractor shall adhere to the approved cleaning schedule. The Contractor's cleaning schedule will be utilized by the Government in conjunction with the Quality Assurance Surveillance Plan (QASP) to effectively assess the Contractor's performance to ensure that the services performed meet contract standards.**

The Contractor's cleaning schedule shall include all standard services as described in this specification. The Contractor shall submit a separate cleaning schedule for each facility under the scope of the contract. The Contractor's cleaning schedule shall, at a minimum, identify the cleaning activities, locations, times and associated staffing to accomplish the work at the specified frequencies, inclusive of daily and periodic recurring and non recurring tasks.

The Cleaning Schedule is a living document and may be subject to change for the Contractor to better meet the needs of the contract requirement. If the contract is modified to the extent where a change in the Cleaning Schedule is necessary, the Contractor is required to provide an updated Cleaning Schedule to the CO or their designee for approval.

1.2 Staffing Plan

The Contractor's staffing plan shall include a detailed description of how the Contractor intends to accomplish the requirements of the contract using in-house, corporate or subcontracted resources. The staffing plan shall include: A. Types of positions, their titles, responsibilities, and physical locations (including corporate resources). B. Minimum qualifications and descriptions associated with each position identified.

C. Description of how the Contractor plans to recruit and retain personnel, particularly key personnel.
D. Resumes and references for individuals who will serve in management and supervisory capacities.
E. General approach to accomplishing work given the geographic dispersion of facilities and proposed physical locations of employees.
F. The subcontracted resources to be used, and the work subcontractors will accomplish.
G. Approach to staffing coverage due to employee absences and staffing changes.

The Contractor shall submit a separate staffing plan for each facility under the scope of the contract. **The Contractor's staffing plan will be utilized by the Government in conjunction with the QASP to effectively assess the Contractor's performance to ensure that the services performed meet the contract standards.** If

the contract is modified to the extent where a change in the Staffing Plan is necessary, the Contractor is required to submit a revised Staffing Plan for approval by the CO or their designee. Any staffing level changes or vacancies are expected to be communicated to the Government in real time. The Contractor or Government may determine

staffing levels should be reconsidered to better meet the contract's performance obligations, and the frequency of this review may vary. Deductions for failure to adhere to a staffing plan shall be issued if there is also nonperformance or unsatisfactory contract performance.

1.3 Cleaning Plan

The Contractor shall submit a cleaning plan that sets forth the procedures, products and equipment that will be used to ensure exposure of building occupants and other facility personnel to potentially hazardous chemical, biological and particulate contaminants is reduced. The plan shall include: ways to minimize chemical use; practices for cleaning entryways; practices for the handling and storage of cleaning chemicals to minimize spills, leaks, and other mismanagement; practices related to the use of chemical concentrates and dilutions systems; personnel training; and cleaning quality control processes; proper use of disinfectant products per manufacturer recommendations. The Cleaning Plan is due to the CO or their designee within the timeframe noted in Exhibit 4.**The Contractor shall adhere to the cleaning plan but the plan is a living document and may be subject to change if needed by the Contractor to accomplish the work.**

1.4 Quality Control Plan (QCP)

A Quality Control Plan (QCP) is a written document that the Contractor is required to establish and implement. The QCP specifies a system for determining whether or not cleaning service requirements of the contract are met and to self-identify and correct any deficiencies in the quality of services before the level of performance becomes unacceptable or recurring. The QCP also identifies opportunities where the Contractor can make improvements on how services are provided.

The Contractor shall adhere to the QCP but the QCP is a living document and may be subject to change if needed. The QCP will be utilized by the Government in conjunction with the QASP to effectively assess the Contractor's performance to ensure that the services performed meet contract standards.

The QCP shall at a minimum include the following:

A. Organization and Responsibilities
    a. Communication approach
B. Inspection System
    a. Procedures for inspecting work at key points (e.g., before, during, and after)
    b. Service calls
    c. Description of inspection methods, frequencies, and documentation
    d. Dates, locations and descriptions of action(s) taken (if necessary) of inspections performed
C. Deficiency Identification and Correction Process
D. Submittals Management
E. Documentation and Records
F. Ongoing training program to ensure staff competency
G. Coordination with Government Oversight

The QCP shall be submitted by the Contractor to the CO or their designee for review and acceptance. The Contractor is not authorized to start work until the QCP is accepted and the proper fitness determinations are obtained. Refer to Section 5 of the solicitation, in regard to security requirements.

Evaluations of the Contractors work shall be based on the standards in this section and conducted in accordance with the Government's Quality Assurance Surveillance Plan (QASP).

1.5 Service Calls

Contractor shall respond to emergency service calls during building(s) operating hours (Reference Exhibit 1) and during the Contractor's regular cleaning schedule. Routine service calls should be responded to while in the space or during the next regularly scheduled cleaning time in the space. Once the Contractor leaves the space, returning to perform a routine service call is not expected. However, service calls due to incomplete service provided during the regularly scheduled time must be corrected immediately. Contractors shall detail in their QCP how they will monitor and respond to service calls. Minimization of repeat service calls due to incomplete or unsatisfactory performance is expected.

Service calls shall be monitored and satisfactorily responded to. The Contractor shall include a method of recording customer calls, the time to complete the service call, and the corrective action taken. These records shall be made available for review by the CO or their designee.

At this location, the use of the Government's National Computerized Maintenance Management System (NCMMS) is not a viable option, the Contractor shall include a method of recording customer calls, the time to complete the service call, and the corrective action taken. These records shall be made available for review by the CO or their designee.

The Contractor shall provide a means to receive custodial related service requests twenty four (24) hours a day by means of telephone or email. The Contractor shall respond to emergency service requests upon notification, and routine service call requests as noted above. Upon receiving a service request (either from the COR or their designee) the Contractor must document the following:

A. Time the request was received.
B. Requesting person's name and phone number.
C. Location of the service.
D. Time the service was completed.
E. Corrective action taken.
F. Reason for any deferred requests.

The Contractor shall respond to all service call requests using building specific service call procedures. If a service call is deemed an emergency, the Contractor shall respond to the site of the emergency within 1 hour from notification during the Contractor's normal working hours, and within 1 hour after hours. Service calls that the COR determines to require an immediate response (such as spilled water in traffic areas or lack of toilet supplies) shall be handled immediately. Contractor shall detail in its QCP how it will monitor, respond to, and follow up on service calls.The Custodial Contractor shall respond to service requests from the time the request is received through to completion and closeout.

For emergency service requests, the costs shall only be reimbursed to the Contractor if the request is between the hours of 8pm and 6am.

At the close of each business day, the Contractor must report via email to the COR (or designee) the status of all service requests received regardless of the method. In addition to the daily reporting requirement, these records

must be made available for review by the COR at any time and must be kept for the duration of the contract. The Custodial Contractor shall fully cooperate and work in conjunction with the COR or their designee to ensure seamless and timely resolution of service requests.

1.6 Communication Approach

The Contractor shall prepare and provide to the CO or their designee a communication approach in their QCP, detailing how the Contractor plans to provide 'clear and effective' communications with GSA using technology (two way digital communication) to achieve all the requirements of this PWS. Contractor personnel shall be identified by name and number as noted in Section 3.2. The escalation of issues should also be considered and detailed when the need arises.

1.6.1 Meeting Requirements

The Contractor shall participate in GSA meetings, tenant meetings, quality control meetings, partnering meetings or any other meetings when requested by the CO or their designee. The meetings may be scheduled with the objective of communicating program specific information, including but not limited to: performance, quality control, quality assurance, staffing level changes, and work that will impact the tenants.

1.6.2 Joint Service Inspections

The Contractor shall accommodate all requests by the Government to participate in inspections of work performed by Contractor personnel. Scheduling for these joint inspections shall be coordinated through the CO or their designee. This inspection shall be used with other measures of performance in discussions on Contractor performance.

2 Performance Standards

Frequencies have been identified for certain tasks in this section. Where a frequency is not stated and/or a specific task is not identified, it is the responsibility of the Contractor to determine how to meet the performance standards of this specification in accordance with Performance Based Service Contracting.

2.1 Interior Services

The Contractor shall provide interior standard services for the work items listed below. This section is organized by building area types and specific cleaning tasks. While neither the area types nor the task lists are all-inclusive, together they are intended to convey the overall custodial service performance standards for which the Contractor will be held responsible. Some area types in Section 2.1.1 may list specific cleaning tasks, but where none are listed, refer to Section 2.1.2 for a list of cleaning tasks that may be required. Any and all papers, equipment, and personal items shall not be disturbed in these areas.

2.1.1 Area Types (Not all-inclusive)

2.1.1.1 Disinfection/Sanitization Areas
These areas require specific cleaning protocols (such as involving the use of chemicals) to kill or inactivate pathogenic microorganisms (such as bacteria, viruses, and fungi) on surfaces. These are spaces, surfaces, or environments where the risk of germ transmission is elevated due to the nature of their use or occupants. These areas and surfaces shall be cleaned, sanitized, or disinfected using disinfectants or another product containing the same active ingredient(s) at the same or greater concentration. When disinfectants are used in this specification the Contractor should allow all disinfected surfaces to air dry.

2.1.1.1.1 Restrooms - RESERVED

2.1.1.1.2 Concession/Cafeteria/Breakroom
Public Area Cleaning: The Contractor shall be responsible for cleaning and sanitizing the concession areas (cafeterias, snack bars, coffee bars, and vending machine rooms [not vending machines]) that are accessible by the public. The Contractor is responsible for trash and recycling collection and removal. The Contractor shall clean, sanitize and ensure the areas are free of spillages, food crumbs, spots, smudges, marks, and soil build-up. These areas include: 1) serving area floors that are considered "public", 2) floors in the dining area 3) exterior/interior windows (including ledges and frames) and 4) cleaning of dining room equipment (tables, table tops and bases, chairs, booths, counters, tray carts, furniture, water stations, and trash/recycling collection stations). Also, food contact surfaces such as public area service counters and dining tables shall be cleaned and sanitized with products safe for food contact. (Microwaves are included). Floors shall be maintained using the floor care standard requirements in Section 2.1.2.

Breakrooms are to follow this same standard noted above.

2.1.1.1.3 Fitness Center - RESERVED

2.1.1.1.4 Child Care - RESERVED

2.1.1.1.5 Holding Cells - RESERVED

2.1.1.1.6 Labs/Health/Lactation Rooms - RESERVED

2.1.1.2 Computer Rooms - RESERVED

2.1.1.3 Courtrooms/Jury Rooms and Assembly Rooms/Conference Rooms - RESERVED 2.1.1.4

Entrances/Lobbies - RESERVED

2.1.1.5 Offices/Cubicles
General, open office areas that consist of cubicles shall be maintained to support a productive and comfortable work environment for occupants. Private offices shall be maintained to this same standard.

2.1.1.6 Stairs, Stairways, Treads, Risers, Railings and Landings - RESERVED

2.1.1.7 Mail/Copy/Storage - RESERVED

2.1.1.8 Vertical Transportation - RESERVED

2.1.1.9 Fine Arts - RESERVED

2.1.1.10 United States Postal Space - RESERVED

2.1.2 Specific Tasks (Not all-inclusive)
This section includes cleaning tasks that are applicable to multiple area types in Section 2.1.1. It is not intended to be an all inclusive list of the cleaning tasks that may be required to meet the standards in the specification.

2.1.2.1 Hard Floors
Hard Floors include, but are not limited to, materials such as wood, vinyl, terrazzo, ceramic, porcelain, granite, rubber, concrete, marble, vinyl plank. Additionally, the definition encompasses floor grout, intersecting wall edges, corners, kickplates, thresholds, and baseboards.

Floors and coverings shall be free of dirt, film, dust and debris, scum, mildew, foreign residue, spots, smudges, streaks, fungus, rust, soiled traffic patterns, gum, crusted materials, mineral deposits, marks from cleaning equipment, and free of foul odor. All floors shall be free of trip, slip, and fall hazards. Seasonal considerations may require an adjustment.

A. **Daily** - High Traffic Floors such as breakrooms, locker rooms, entrances, lobbies, aisles and hallways.

All hard floors shall be maintained in accordance with the manufacturer's recommendations and shall maintain their natural, uniform luster and not have a dull appearance.

Asbestos Containing Material (ACM) Floors, such as Vinyl Asbestos Tile (VAT), shall comply with the methods prescribed in the National Institute of Building Sciences (NIBS) Guidance Manual, 'Asbestos Operations and Maintenance Work Practices as well as follow the requirements in Section 3.9 Upon request, the Government shall make available to the Contractor any asbestos sampling results. **UNDER NO CIRCUMSTANCES SHALL BURNISHING OR DRY STRIPPING METHODS BE USED ON ACM FLOORING.**

Asphalt Tile: Damp mopping shall be the only method of wet cleaning.

Wood Floors: Water solutions and dry stripping methods shall not be used.

ADP/Data Center Floors: Damp mopping shall be the only method of wet cleaning for floors in Automated Data Processing (ADP)/Data Center spaces.

The old finish or wax shall be removed/stripped in accordance with standard commercial practices to ensure a

consistent appearance. Spots shall be eliminated.

A. Finishing Floors: Walls, baseboards, and other surfaces shall be free of residue and marks from equipment. Floors shall have no streaks, mop strand marks, or skipped areas.
B. Sealing/Waxing Floors: Sealant/wax must adhere to the floor. Floor areas must be coated with a slip resistant seal.

The CO or their designee may consider approving alternative solutions to the refinishing noted above, such as: A. Top Scrub and recoat of flooring (or other cost saving measures) as a maintenance standard.

2.1.2.1.1 Floor Mats and Runners

The Government shall furnish all mats and runners.

Daily - Mats and runners shall be free of spots, soiled traffic patterns, gum, and crusted materials. The

Contractor shall lay out mats and runners as specified by the CO or their designee at main entrances, main lobbies, main corridors and secondary corridors. In the event of inclement weather, the Contractor shall place mats and runners specific for this purpose at entrances and at other areas identified by the CO or their designee prior to the building occupants reporting to work and shall remove and store them when they are no longer required. Any Government provided mats and runners that are found to be non-repairable or cannot be cleaned shall be brought to the attention of the CO or their designee so they can be replaced. Mats and runners shall be stored in accordance with the ANSI/ASSP A1264.2-2006 'Provision of Slip Resistance on Walking/Working Surfaces Guidelines.

2.1.2.1.2 Vacuuming

Dailly - Carpet surfaces for Locker Room and adjoining corridor shall be fully vacuumed to remove dirt, dust, and other debris.

Weekly - All carpet surfaces shall be fully vacuumed to remove dirt, dust, and other debris. Spot

vacuuming shall be performed, if necessary, to meet the above identified standards.

2.1.2.1.3 Extraction

Bi-Annually - Carpet shall be extracted. Spills, crusted materials and removable spots shall be removed. Harsh brushing or scrubbing shall not be used to minimize deterioration or fuzzing to the carpets and rugs.

Cleaned areas of carpets and rugs shall be reasonably blended with surrounding carpets. The Contractor shall coordinate with the CO or their designee the times when carpet shall be cleaned. The Contractor shall take measures to prevent the growth of mold and is responsible for any remediation that may be required.

2.1.2.2 Dusting

All dusting shall be performed on surfaces that are accessible by hand or with an extension, without the use of a ladder.

Quarterly - Dusting of Blinds and Coverings: All blinds, coverings, cord tapes, and valances shall be wiped clean. Blinds and coverings that are not operating properly shall be reported to the CO or their designee for repair.

Monthly - All horizontal surfaces shall be wiped clean and free of dust (including, but not limited to: countertops, table tops, window sills, ledges, diffusers).

2.1.2.3 Policing Interior Areas

Daily - All building areas shall be policed and be free of papers, trash, and other discarded materials.

2.1.2.4 Trash, Wastebaskets, and Receptacles

The Government shall provide desk side and common area receptacles, as well as composting receptacles where applicable.

Private offices shall be provided desk side trash and recycling collection as a standard service. Open office areas (such as training rooms, conference rooms, and breakrooms) shall be provided a common area for trash and recycling collection.

Daily - All trash and recycling shall be collected and removed to a location designated by the CO or their designee. (The Contractor is responsible to collect and transport this material in accordance with Section 2.3.1 (Solid Waste). All areas shall be free of discarded material. Desk side and common area trash and recycling receptacles, as outlined above, shall be emptied, kept clean, and odor-free. Plastic liners for all trash receptacles shall not be torn, worn, or contain residue and are the responsibility of the Contractor. Sanitary napkin disposal containers shall be lined with new receptacle bags.

2.1.2.5 Dispensers

Contractor shall provide dispensers, including dispensers for tenant break rooms. Contractor provided dispensers must be approved by the CO or their designee prior to installation.

The Contractor shall perform routine cleaning, replenish supplies, and fill dispensers. The supplies for the provided dispensers shall be compatible with the dispenser's manufacturer's requirements. The Contractor shall provide dispenser batteries. Contractor is responsible for dispenser installation or battery replacement. Contractor shall ensure dispensers are installed in the proper location. All dispensers installed at accessible lavatories and those serving the general space must meet the requirements for operable parts in the Architectural Barriers Act Accessibility Standards (ABAAS section F205) to ensure use by people with disabilities.

2.1.3 Finishes

2.1.3.1 Fixtures

Daily - Clean and sanitize all fixtures (Including, but are not limited to: washbasins, water faucets and handles).

Daily - All drinking fountains and bottle filling stations shall be cleaned and sanitized.

2.1.3.2 Surfaces

Cleaning shall be performed on surfaces that are accessible by hand or with an extension, without the use of a ladder. Surface cleaning involves the removal of visible dirt, dust, debris, and other contaminants from all vertical and horizontal hard surfaces. Surfaces shall be wiped clean and free of dust, dirt, streaks, residue, buildup,

cobwebs or smudges and encompasses a wide range of building materials, including but not limited to: porcelain, brass, brick, concrete, stone, wood, drywall, acoustical panels, laminate, metal, paneling, glass, and stainless steel.

Personal and agency property that is not affixed to the building, furniture, cabinets or desks such as papers, computers, and keyboards shall not be disturbed or cleaned.

Metal, Brass, Woodwork, and Stainless Steel: Surfaces (including, but are not limited to: corners, crevices, moldings, ledges, handrails, grills, doors, door knobs, door handles, door frames, push plates, kick plates, access control panels, light switches).

Interior Glass Cleaning: All glass, clear partitions, mirror surfaces, bookcases, shall be cleaned. All interior plate glass (to include glass over and in vestibule doors, all plate glass around entrances, lobbies, and

vestibules) shall be cleaned and free of dust, discoloration, dirt, streaks, buildup and shall not be cloudy.

2.1.3.2.1 Vertical Surfaces/Walls

All vertical surfaces (such as mirrors) and wall surfaces shall be cleaned and free of dirt, spots, smudges, water spots, and marks. Cleaning shall not cause discoloration.

2.1.3.3 Historic Features - RESERVED

2.1.4 Interior Graffiti Removal

Remove graffiti using normal cleaning methods (e.g., normal graffiti removal cleansers or solvents). Graffiti that cannot be removed with such methods shall be reported to the CO or their designee. In cases involving historical buildings, all cleaning methods shall be coordinated with the CO or their designee and the Historic Building Preservation Officer.

2.2 Exterior Services - RESERVED

2.2.1 Specific Tasks (Not all-inclusive)

2.2.1.1 Surfaces - RESERVED
2.2.1.2 Hard Surface Areas - RESERVED
2.2.1.3 Stairs, Stairways, Treads, Risers, Railings and Landings - RESERVED
2.2.1.4 Canopies/Overhangs - RESERVED
2.2.1.5 Exterior Graffiti Removal - RESERVED
2.2.1.6 Excrement Removal (Human, Bird and Animal) - RESERVED
2.2.1.7 Policing Outside Areas - RESERVED

2.3 Supplemental Services

Supplemental Services are other services the Government is including on this contract. Any service included below and not marked as **RESERVED** shall be included as a standard service for pricing purposes.

2.3.1 Solid Waste Management

The solid waste management program includes the collection and disposal of non-hazardous solid waste (trash), segregated recyclables, and segregated compostable organic waste (where applicable). The Contractor shall deliver a waste management program that complies with federal, state, and local solid waste and recycling requirements and maximizes waste diversion to the extent practicable. Recycling, composting, and other alternatives to landfills and incineration are the preferred methods for disposal of solid waste.

A. The Contractor shall notify the CO or their designee of any prohibited or unauthorized items observed in the trash receptacles. Typical prohibited wastes include hazardous or universal waste as identified by EPA, state, and local regulatory agencies such as but not limited to: fluorescent light bulbs, thermostats, thermometers, most chemicals, and batteries (nickel-cadmium and small, sealed lead acid batteries in electronic equipment, mobile phones, computers, printers and emergency lighting). In addition, electronic equipment such as computers and printers shall not be discarded in the trash containers.

B. The Contractor shall collect and remove all trash and recycling to a location designated by the CO or their designee.

C. The Contractor shall collect and transport all solid waste and debris to designated locations or holding areas for removal from the premises. Holding areas for solid waste accumulation shall be identified by the CO or their designee.

D. The Government will provide waste, recycling, and compost collection containers throughout the building. The Government will provide a sufficient number of removal containers to accommodate all trash generated between pick-up dates. The CO or their designee shall approve all collection container styles, types, and storage locations prior to placement.

E. Containers must be kept free of holes, pests, grease, oils, and odors. All Contractor-supplied equipment and materials shall remain the property of the Contractor during and subsequent to the contract period. F. The Contractor shall report any pest infestation in or around the containers to the CO or their designee.

2.3.2 Integrated Pest Management

The Contractor shall develop an Integrated Pest Management (IPM) Program. An IPM Plan is a component of the IPM program.The plan coordinates many different aspects of the program to reduce sources of pests on a long term basis for both interior and exterior areas of a facility. The Contractor's plan and approach shall employ practices and techniques in and around the building (as they relate to cleaning, trash, and materials handling) that reduce the sources of food,water, harborage, and access routes used by pests and comply with escort requirements (see Section 5.4). Pest Control requirements are specified in 7 U.S.C. § 136r-1.

A. Pests refer to rats, mice, cockroaches, ants, flies, arachnids, any other arthropod pests not specifically excluded in this requirement, nests of stinging insects and outdoor populations of potentially indoor infesting species that are within the property boundaries of the specified facility(s).

B. The Contractor shall identify and correct conditions that contribute to pest infestation. Historically, conditions that have contributed to pest infestation have included dumpsters or stationary dumpsters, unclean storage areas, unclean food preparation areas, uncovered receptacles for food waste indoors, dense ground cover, and the presence of debris.

   a. Application of chemical and non-chemical pesticides and trapping methods to address current pest

infestations (pest populations) is not a part of standard services.

i. The Contractor shall submit an assessment of practices that may contribute to pest infestations (pest populations) as noted below in C. The report shall also include recommendations for getting rid of current pest infestations where applicable.

1. Each control recommendation noted in the report shall include a price the Contractor would charge separately to provide this service.

C. The Contractor shall develop the IPM Plan which consists of a preventative maintenance process. a. The plan should include at a minimum integrated methods, routine site inspections and maintenance, pest population monitoring, evaluation of the need for pest control and one or more pest control methods.

b. The plan shall also include a specification of the circumstances under which an emergency application of pesticides can be applied and a communications strategy directed to building occupants.

D. The Contractor shall notify the CO or their designee, in writing, of any sanitary or procedural modifications deemed necessary to eliminate pest infestation.

a. Should the pest population increase at any point throughout the contract due to the inadequacy of the Contractor's IPM Plan, the Contractor is responsible to suppress the levels at no additional cost to the Government.

E. The contractor shall monitor, trap, and apply pesticide removal components of the IPM. a. Pesticides used by the Contractor must be registered with the U.S. Environmental Protection Agency, States and/or local jurisdiction. Transport, handling, and use of all pesticides shall be in strict accordance with the manufacturer's label instructions and all applicable Federal, State, and local laws and regulations.

i. The Contractor shall not store any pesticide products on Government property. Use of any chemical pesticides must be approved by the CO or their designee prior to application.

ii. The application of pesticides shall not be used in areas that promote and support habitats for pollinators, including honey bees, native bees, birds, bats, and butterflies.

F. The Contractor shall suppress indoor populations of rats, mice, cockroaches, ants, flies, and any other arthropod pests.

a. This includes populations of these pests that are located on the exterior of the facilities and within the property boundaries of the facilities.

b. Remediation of the following pests are excluded from core services, however the Government may request remediation as an ordered service. (Note: Initial response and identification shall be included with core services at no additional cost to the Government):

i. Birds
ii. Mosquitos
iii. Snakes
iv. Vertebrates that are not commensal rodents
v. Bats
vi. Termites
vii. Bed Bugs
viii. Other wood-destroying organisms .

G. The Contractor shall be responsible for maintaining an onsite pest control logbook for each facility or site on this contract. Each log book shall contain at least the following items:

a. A copy of the Pesticide Control Plan. The plan shall provide labels and SDS for all chemical pesticides used and purchase price, brand names of all pest control devices and equipment used, and the Contractor's service schedule for the inspection and/or treatment of the building.
b. Completed copies of GSA Form 3638, Pest Control Work and Inspection Report, or an equivalent form such as another Contractor service report form that is approved by the CO or their designee. The report form shall be used to advise the Contractor of routine service requests and to document the performance of all work. The Contractor shall also document on the GSA Form 3638 or equivalent all information on pesticide application that is required by statute in the jurisdiction where service is actually performed. Upon completion of a service visit to a facility, the Contractor's representative performing the service shall complete, sign, and date the GSA Form 3638 or equivalent form.

2.3.3 Grounds Maintenance - RESERVED

2.3.4 Snow and Ice Removal - RESERVED

2.3.5 Window Washing

Annually - Glass shall be cleaned and free of dirt, streaks, hard water stains, and shall not be cloudy. Window sashes, sills, woodwork, and other surroundings of glass shall be wiped clean and free of drippings. Cleaning frequencies requested by a tenant that are above the 'once per year' standard shall be completed on a reimbursable basis and be approved by the CO or their designee. Interior (Section 2.3.5.1) and exterior (Section 2.3.5.2) window washing shall be coordinated to maximize cost effective operations as directed by the CO or their designee. In the event there is blast protection film, the Contractor shall follow the manufacturer's recommendations for appropriate window cleaning methods.

The Contractor shall submit to the CO or their designee a written Window Washing Safety Plan prior to performing these services as noted in Exhibit 4.

2.3.5.1 Interior Window Washing
The Contractor shall comply with ANSI/IWCA I-14.1, and all Federal, State and local regulations.

2.3.5.2 Exterior Window Washing - RESERVED

2.3.6 Child Care Center - RESERVED

2.3.7 Interior and Atrium Plants (Government Furnished Plants)
Plants shall be wiped to remove dust. Contractor shall properly hydrate plants, remove dead leaves, and properly fertilize, prune, and treat for infestation. Any dead or withered plants, due to the Contractor's neglect, shall be replaced by the Contractor at no additional expense to the Government. Plants that are the personal property of tenants are excluded.

2.4 Above Standard Services
The Contractor shall provide interior and exterior above standard services to fulfill the Government's intermittent

need for work. These services are in addition to the services specified as a standard service. The Contractor shall not divert workforce to accomplish above standard services.

Submit as part of your initial proposal the pricing for the following above standard services. When requested to provide these services, the Contractor will be compensated at the quantity rate specified on the electronic offer sheet.

The Government reserves the right to obtain supplies and services from other sources if prices are found not to be fair and reasonable, based on competitive fair market prices.

2.4.1 Interior Above Standard Services

2.4.1.1 Labor Services

Hourly rate for additional labor services requested that are otherwise not included under the standard requirements of this contract. Labor services may include loading/unloading supplies and carpet, moving furniture, set-up and breakdown of conference spaces and other similar functions and tasks performed on premises. Ensure these additional labor hours are not already being performed under base services.

2.4.1.1.1 Laborer

2.4.1.1.2 Laborer Supervisor

2.4.1.1.3 Janitor

2.4.1.1.4 Janitor Supervisor

2.4.1.2 Interior Window Washing

The quality standard for providing above standard service is the same as that described in 2.3.5 Window Washing.

2.4.1.3 High Cleaning

The Contractor shall utilize stepping stools, ladders and other equipment necessary to clean areas not accessible by hand or with an extension such as return air ducts, high lobby surfaces, signage, and sills. The intent of above standard high cleaning is to clean the high areas not accessible or thoroughly cleaned by regular Contractor employees on a daily basis. The high surfaces shall be cleaned free of dirt, dust, and cobwebs. Where glass is present, both sides shall be clean and free of streaks. This does not include removal of vents, tiles, or fixtures.

2.4.1.4 Washing Blinds and Coverings (Not Including Drapes, Curtains and Unique Coverings) Contractor shall wash both sides of the blinds and coverings. Blinds and coverings that are not operating properly shall be reported to the CO or their designee for repair. The Contractor shall coordinate this requirement with the CO or their designee.

2.4.1.5 Carpet Extraction (Private Areas)
When ordered, the Contractor shall provide carpet extraction priced per square foot as outlined in Section 2.1.2.1.3.

2.4.1.6 Machine Strip and Wax Resilient Office Floors
When ordered, the Contractor shall provide pricing per square foot. Floors shall be machine stripped and sealed with 4 coats of finish.

2.4.1.7 Holding Cell Interiors - RESERVED

2.4.1.8 Fitness Center Equipment Cleaning - RESERVED

2.4.2 Exterior Above Standard Services

2.4.2.1 Additional Solid Waste and Recycling Pickups - RESERVED
Irregularly scheduled pickups of solid waste or recyclables may occur upon request. Pick-ups shall be accomplished within 24 hours of notification by the CO or their designee. Payment for these pick-ups shall be based on a price per pick-up.

2.4.2.1.1 Trash - RESERVED

Additional solid waste pickups shall be performed.

2.4.2.1.2 Recycling - RESERVED

Additional recycling pickups shall be performed.

2.4.2.2 Exterior Window Washing - RESERVED

The quality standard for providing above standard service is the same as that described in Section.2.3.5. Window Washing.

2.4.2.3 Pressure Washing and Steam Cleaning - RESERVED

Cleaning: The Contractor shall remove all dirt, debris, residue, gum, grease, and tar from the exterior areas (including parking garages) of the building(s) with the approval of the CO or their designee. The Contractor shall use best management practices to protect water quality and must comply with federal, state, and local requirements to prevent pressure washing generated wastewater from discharging into the storm drain system. The Contractor is responsible for identifying and complying with state and local environmental regulations for the proper collection and disposal of pressure washing wastewater.

2.4.2.4 Cleaning/Polishing of Exterior Metals - RESERVED

2.4.2.5 Exterior Graffiti Removal - RESERVED
When ordered by the Government, the Contractor shall use a subcontractor who specializes in the task of removing graffiti. In cases involving historic buildings, all cleaning methods shall be coordinated with the CO or designee and the National Historic Building Preservation Officer. Graffiti that cannot be removed with such methods shall be reported to the CO or their designee.

2.4.2.6 Government Furnished Trees and Plants - RESERVED
Government furnished trees and plants shall be planted in the ground or in planters as approved by the CO or their designee. The contractor shall water plants per directions per CO or designee.

2.4.2.7 Erosion Control - RESERVED

2.4.2.8 Tree Thinning - RESERVED

2.4.2.9 Snow and Ice Removal for Areas Requiring Heavy Equipment - RESERVED

2.4.2.10 Deicer Chemical Calcium Magnesium Acetate - RESERVED

2.4.2.11 Snow Hauling - RESERVED

3 Contractor Responsibilities

Along with fulfilling all the requirements in this PWS, additional contractor responsibilities are provided below to

highlight contractor obligations under this contract. The following list is not all inclusive but rather general duties.

3.1 Standards of Conduct

The Contractor shall be responsible for maintaining satisfactory standards of employee competency, conduct, appearance, and integrity and shall be responsible for taking such disciplinary action with respect to its employees as may be necessary. Smoking (including vaping, and e-cigarettes) is not allowed in the building per GSA's 'No Smoking Policy.' Each employee is expected to adhere to standards of behavior that reflect favorably on their employer, and the Federal Government.

3.2 Supervisors

A supervisor shall be available at all times when the contract work is in progress to receive notices, reports, or requests from the CO or their designee. The Contractor shall provide the CO or their designee with a list of telephone numbers where an authorized representative may be contacted at any hour to provide required services. The list of contact information shall be provided in accordance with the timeframe in Exhibit 4.

3.3 Training

The Contractor shall provide employees with training to broaden their technical skills, improve customer service, and to promote personal development. Training provided shall embrace the concepts of providing and maintaining

quality cleaning that is safe, and healthy. The website www.issa.com as well as other cleaning groups offer their members educational materials on these items. The Contractor shall submit written certification to the CO or designee in accordance with the timeframe in Exhibit 4.

3.3.1 Supervisor Training

Each supervisory employee must maintain a current Advanced Custodial Technician certification from the Cleaning Management Institute (CMI) or equivalent. The CO or their designee will approve any equivalent course. The training shall be conducted, at no additional expense to the Government, with written certifications submitted to the CO or their designee in accordance with the timeframe in Exhibit 4.

3.3.2 Asbestos Awareness Training - RESERVED

3.4 Uniforms

All employees shall wear distinctive, uniform clothing for ready identification. Uniforms shall be neat, clean, in good repair, and have a badge or monogram with the Contractor's name on it.

3.5 Key Control

The Contractor shall follow the building's key control program. The Contractor shall maintain a current and accurate key control log documenting what keys were given to which Contractor's personnel or subcontractors. The Contractor is financially liable for the cost of impacted locks rekeying if keys are lost or not recovered from employees or subcontractors.

3.6 Personnel Qualifications

3.6.1 Supervisory Personnel

Supervisory contract employees shall have a minimum of 3 years of experience managing similar services in

building(s) of similar size and complexity. At the discretion of the CO or their designee formal training may be accepted in place of experience. The on-site supervisor is required to be fully conversant in English.

3.6.2 Non-Supervisory Personnel

The Contractor shall provide appropriate continuous training to their employees. The personnel employed by the Contractor shall be capable employees, who are trained and qualified in one or more related type service requirements. The personnel must understand basic directions in English and currently airport authority sight of training is only offered in English.

The building(s) shall be fully staffed, beginning the first day of work under the contract, unless authorized by the CO or their designee. The Contractor's staff shall be familiar with the building's Occupancy Emergency Plan, which includes the shelter in place program. Further information on the program shall be provided by the CO or their designee and is noted in Section 3.15.

3.7 Protection and Damage

The Contractor shall make reasonable efforts to assist the Government to prevent hazardous conditions and property damage. To the extent that relevant conditions or activities are noted but are not associated with the

Contractor's scope, the Contractor shall promptly report such conditions or activities to the CO or their designee, or to security personnel.

The Contractor shall protect the Government's property, buildings, materials, equipment, supplies, records and data that are within the Contractor's control against unauthorized access, loss or damage. The Contractor shall be held liable for any damages incurred to Government property during the performance of all services - standard, supplemental and above standard. Contractor must repair, restore, or replace any damaged government property within 60 days of when damage occurred. Repaired damaged areas shall be warrantied for 1 year from time of accepted repair. All locally prescribed safety regulations, laws, and practices shall be carefully observed in performance of the work.

The Contractor shall establish a system for on-site workforce personnel to report potentially hazardous conditions, fires, and items in need of repair (e.g. inoperative lights, broken windows or doors, torn carpets, leaking sinks, urinals or commodes, dead trees or shrubs) in or around the building to the CO or their designee or other designated Government representatives, regardless of whether the condition is within the Contractor's responsibility.

The Contractor and Contractor's employees and subcontractors shall comply with Regulations Governing Conduct on Federal Property (as posted in the building), and shall promptly report violations by employees, or as otherwise observed, to the CO or their designee, or security personnel.

3.8 Miscellaneous Requirements

The Custodial Contractor shall, at a minimum:
A. Ensure that the Contractor's employees participate in building fire and civil defense drills. B. Ensure, if applicable, rooms are locked after cleaning and that keys are returned to the designated office. C. Ensure that lost and found articles by the Contractor's employees are turned in to the CO or their designee. D. Ensure that the Contractor employees notify the security officer on duty when unauthorized or suspicious person(s), vehicle(s), or package(s) are seen on premises.

3.9 Safety, Health, and Accessibility

Work shall comply with the applicable requirements of OSHA, 29 C.F.R. § 1910 and State and local safety and health requirements. Where there is a conflict between applicable regulations, the most stringent shall apply. The contractor shall adhere to Architectural Barriers Act Accessibility Standards (ABAAS) requirements for all new procurements and installations related to this SOW.The Contractor shall ensure subcontractors comply with the requirements included herein, and shall promptly report violations by such subcontractors, or as otherwise observed, to the CO or their designee, or security personnel.

3.10 Exposure Control Plan

The Contractor shall establish and implement an Exposure Control Plan (ECP) to protect Contractor staff, building occupants and visitors from contamination, illness or injury by bacteria, viruses and other infectious agents during custodial tasks. The ECP is a written document that specifies the processes and procedures to be used by the Contractor when working with or around infectious materials. The ECP is a living document and may be subject to change depending on the needs of the contract, and changes in staff or building conditions. The ECP shall include the following, at a minimum:

A. Whether the Contractor proposes to use staff or subcontract support to perform cleaning of various biological materials or waste in various circumstances including, but not limited to the following: a. Blood on any surface
    b. Blood, vomit or feces in restrooms
    c. Blood or vomit on carpet structures
    d. Flooding that includes sewage
    e. Animal, pigeon and other avian excrement outside the building
    f. Minor flooding or drain water backups that may contain black water.
B. Documentation of training in the OSHA bloodborne pathogens act (29 C.F.R. § 1910.1030) and CDC guidelines for any staff designated to perform the aforementioned cleaning.
C. A list of the personal protective equipment to be used by staff in performing cleaning and disposal of biological materials or waste.
D. A description of the procedures to be followed by staff when encountering blood, vomit, sewage, or excrement in the course of their duties. Procedures for cleaning up black water or gray water (i.e. Category 2 or 3) and impacted building materials shall be in accordance with *ANSI/IICRC S- 500 Standard and Reference for Professional Water Damage Restoration.*
E. A description of the procedures to be followed by staff when encountering mold in the course of their duties, in accordance with the USEPA Mold Remediation in Schools and Commercial Buildings (EPA-402-K-01-001).

The Contractor shall submit their ECP for approval by the CO or their designee. An example ECP and timeframe for submittal can be found in Exhibit 5.

3.11 Contractor Pandemic Plan

The Contractor shall provide a 'Contractor Pandemic Plan'. The Government must identify and plan for safeguards for its employees, contractors and visitors, and provide for continued operations in the event of a pandemic. The Contractor shall prepare an action plan on how they will protect building occupants and help prevent and reduce the spread and mitigate the potential effects of a pandemic event on custodial and related services. Given the unpredictable length and severity of a pandemic, the Contractor's plan shall link their planned actions to the periods

and phases established by the World Health Organization for a pandemic cycle and to the guidance provided by CDC.

The Contractor shall submit the pandemic plan to the CO or their designee by the deadline in Exhibit 4. During a declared pandemic the Government reserves the right to substitute disinfectant cleaners for non-disinfectant cleaners and to change cleaning protocols when required by the CDC.

The Contractor's Pandemic Plan shall include the following, at a minimum:

A. Identify key Contractor personnel and their credentials for such an event
B. Specify, require and provide Contractor employees with appropriate training to fully address cleaning requirements during pandemic events
C. Explain how Contractor staff will communicate with and provide reporting and status updates to the Government
D. Provide a contingency (backup personnel) to continue services if Contractor staff get sick and are unable to work

E. Identify those procedures that ensure compliant, timely, effective, and safe disinfectant cleaning practices

F. Specify the type of PPE and how it will be used by Contractor staff

G. Provide protocols to ensure that the Contractor has sufficient supplies of cleaners, PPE, and disinfectants

Reference material can be found at the links below:

1. For information on the phases of a pandemic cycle see https://www.ncbi.nlm.nih.gov/books/NBK143061/.
2. For CDC guidance see https://www.cdc.gov/.
3. See components of Pandemic Planning at https://www.cdc.gov/pandemic-flu/php/fed-gov planning/index.html
4. A template for developing a Pandemic Plan is located at https://www.fema.gov/media-library data/1396880633531-35405f61d483668155492a7cccd1600b/Pandemic_Influenza_Template.pdf.

3.12 Hazard Communication Plan

The Contractor shall submit a hazard communication plan in accordance with the OSHA requirements in 29 C.F.R. § 1910.1200. The plan shall list all chemical products proposed to be used in the performance of the contract, and include current Safety Data Sheets (SDS requirements noted in Section 3.13) for each product. The plan shall include documentation of training for all Contractor staff in the plan and the hazard communication standard. The plan shall also identify the method of labeling the Contractor will use for all chemical product containers, including secondary dispensing containers used on site. The standard requires the Contractor to maintain a copy of their written Hazard Communication Plan onsite and it must be readily available to employees. The Hazard Communication Plan is due to the CO or their designee by the deadline in Exhibit 4. The cleaning plan (Section 1.3) and hazard communication plan may be combined into a single document at the discretion of the Contractor.

3.13 Safety Data Sheets

All products used during the life of the contract must have Safety Data Sheets (SDS) provided to the CO or their designee prior to bringing and/or using these products on site. The Contractor shall use only commercially available products that meet Federal, State, and local codes.

The Contractor shall maintain the SDS in a location accessible to all employees and shall advise the CO or their designee of its location. The SDS shall be available for inspection by the CO or their designee upon request. Information can be obtained from Federal, State, and local agencies concerning safe chemical cleaning materials. An inventory list of products to be used under this contract shall be provided to the CO or their designee. This list

shall be updated as necessary, with a copy provided to the CO or their designee, throughout the term of the contract. The CO or their designee shall contact the Contractor immediately if any item is deemed inappropriate for use under this contract.

3.14 Strike Contingency Plan (SCP)

The Contractor shall prepare a Strike Contingency Plan to be used in the event of a strike by their employees. The Strike Contingency Plan (SCP) shall be submitted to the CO or their designee by the deadline in Exhibit 4. At a minimum, the SCP shall include the following information:

A. Support Personnel: The SCP shall describe in detail how the Contractor shall staff the building to provide the services defined in this specification in the event of strikes by his employees. The Contractor shall keep HSPD-12 requirements and time frames in mind when preparing this plan.

B. Training and Certifications: The SCP shall describe in detail how the Contractor shall provide personnel that

meet experience requirements, assuring the Government that all temporary or replacement employees (including the sub-contractor's employees) shall meet the experience and certification requirements defined in this contract.

3.15 Occupant Emergency Plan (OEP) Training

The Government develops the facility(s) Occupant Emergency Plan (OEP) which is implemented during building emergencies. Designated Contractor personnel, including the supervisor(s), shall be thoroughly familiar with the Government's OEP. All of the Contractor's employees shall be trained by the Contractor to fully understand their responsibilities relative to the OEP. The Contractor shall be required to perform the services required by the contract and as identified by the CO or their designee to the extent allowed during all emergency situations.

4 Provided By The Government (Not Identified Elsewhere in the Specification) Provided by the Government is:

A. Electrical power at existing outlets for the Contractor to operate equipment which is necessary to perform their work.

B. Hot and cold water as necessary is limited to the normal supply provided in the building. No special heating or cooling of the water shall be provided.

C. Space in the building including locker rooms, if available. Any existing equipment in space authorized for use by the Contractor such as lockers, tables, benches, or chairs that was placed within the building by the Government may be used by the Contractor during the term of the contract, provided authorization is received from the CO or their designee. This space and equipment shall be kept neat and clean. Upon contract completion, the space shall be returned to the Government in reasonably the same condition as at the time of award.

D. Space in the building for the storage of supplies and equipment inventories that are used in the performance of work under this contract. The Contractor shall maintain this space in a clean, neat and orderly condition. Under no circumstances shall the Contractor store flammable or explosive liquids (e.g. naphtha, gasoline) in the building.

E. The Government is not responsible in any way for damage or loss to the Contractor's stored supplies, materials, replacement parts or equipment.

F. Custodial closets, where available, at various points throughout the building, for storing equipment, including mops, brooms, dust cloths, and other items. These closets and the stored equipment shall be kept clean and organized by the Contractor. Sinks and buckets shall be kept clean and free of standing water and hoses shall not be left connected to faucets when not in use.

G. Heating and air conditioning of the space to be cleaned will be provided only during normal building operating hours.

4.1 Use of Government Information Technology - RESERVED

4.2 Safeguarding Sensitive Data and Information Technology Resources NOTE: THE CONTRACTOR MUST INCLUDE THIS SECTION IN ALL SUBCONTRACTS. In accordance with OMB Circular A-130, this section applies to all users of sensitive data and information technology (IT) resources, including awardees, contractors, subcontractors, lessors, suppliers and manufacturers. The following GSA policies must be followed. These

policies can be found at http://www.gsa.gov/directives

A. All of the GSA policies listed in this paragraph shall be followed.
   a. CIO P 1878.3 Conducting Privacy Impact Assessments (PIAs) in GSA
   b. CIO P 2100.1N GSA Information Technology (IT) Security Policy
   c. CIO P 2180.2 GSA Rules of Behavior for Handling Personally Identifiable
   d. Information (PII)
   e. 2231.1 CIO GSA Data Release Policy
   f. CIO 9297.2C CHGE 1 GSA Information Breach Notification Policy

B. All of the GSA policies listed in this paragraph shall be followed, when inside a GSA building or inside a GSA firewall.
   a. CIO P 2100.2B GSA Wireless Local Area Network (LAN) Security
   b. CIO 2104.1B GSA Information Technology IT General Rules of Behavior
   c. ADM 2181.1 Homeland Security Presidential Directive-12, Personal Identity
   d. Verification and Credentialing, and Background Investigations for Contractors
   e. ADM P 9732.1 E Suitability and Personnel Security

C. The GSA Policies listed in this paragraph shall be followed. The contractor shall assume that all policies are applicable unless otherwise stipulated by the GSA Office of the Chief Information Security Officer. a. CIO 2101.2 GSA Enterprise Information Technology Management (ITM) Policy
   b. CIO 2105.1 D GSA Section 508: Managing Electronic and Information Technology for Individuals with Disabilities
   c. OSC 2106.2 GSA Social Media Policy
   d. CIO 2107.1 Implementation of the Online Resource Reservation Software
   e. CIO 2108.2 Software License Management
   f. CIO 2160.2B CHGE 2 GSA Electronic Messaging and Related Services
   g. CIO 2160.4A CIO Provisioning of Information Technology (IT) Devices
   h. CIO 2162.2 GSA Digital Signature Policy
   i. CIO P 2165.2 GSA Telecommunications Policy

4.3 Government Forms

The various Government forms mentioned in this solicitation (such as personal history forms, sign out forms, and inspection forms) may be obtained from the CO or their designee.

5 Security Requirements and Personal Identity Verification Procedures (Non-

Classified Contract)

Contractor employees are required to meet all airport security screening requirements, which include criminal history, background, and fingerprint check. Additionally, Contractor employees working in this facility require a Secure Identification Display Area (SIDA) badge. In order to receive a SIDA badge Contractor employees must successfully pass the required test. The purpose of this test is to ensure proper behavior in restricted areas. These security requirements shall be met prior to the start of the contract and prior to start of work by new employees and maintained throughout the duration of the contract. The Contractor is responsible for all fees associated with security requirements.

5.4 Escort Requirements

Airport Authority only allows a minimal number of Contractor's supervisory level employees to have escort privileges. All subcontractors and/or company employees without regular routine duties on property will not be granted SIDA badge credentials and must be escorted by the designated Contractor's supervisory employees with escorting privileges. Contractors summoned for an emergency service call can be escorted by the on-site supervisor as they are considered a temporary contractor. All contract employees will need to obtain an appropriate favorable fitness determination before being allowed to work on a GSA contract and cannot be escorted prior to obtaining the appropriate favorable fitness determination. ALL temporary contractors shall be escorted in non-public spaces by the designated supervisory employee with escorting privileges. Also, in accordance with security requirements, violations of escort requirements by any contractors may be grounds for termination of the contract as well as be responsible for any related SIDA fines

5.5 Removal From Contract Work

Under the following conditions, the Contracting Officer or their designee may request the Contractor to immediately remove any employee(s) from the work site. When the Government determines an employee to be: incompetent, careless, insubordinate, unsuitable, or otherwise objectionable, or the Government deems an employee's continued employment is contrary to the public interest, inconsistent with the best interests of security, or is identified as a potential threat to the health, safety, security, general well being, or operational mission of the facility and its population.

The Contracting Officer or their designee may also request the Contractor to immediately remove any employee(s) from the work site(s) when it is determined that individuals are being assigned to duty who have been disqualified for either an unfavorable background investigation or security reasons, or who are found to be unfit for performing duties during their tour(s) of duty.

The Contractor employees who are removed from contract work shall be required to leave the work site immediately.

The Contractor shall comply with any removal request. For clarification, a determination to remove an employee will be made for, **but is not limited to**, incidents involving the most immediately identifiable types of misconduct or delinquency, as set forth below:

A. Failure to receive a suitability determination, temporary clearance, or clearance from GSA or a tenant agency.

B. Violation of Federal, State, or local laws

C. Conduct on Federal Property, 41 C.F.R. § 101-20.3. This includes the carrying or possession of explosives or items intended to be used to fabricate an explosive or incendiary device.

D. Neglect of duty, including sleeping while on duty, unreasonable delays, failure to carry out assigned tasks, conducting personal affairs during official time, refusing to render assistance, or cooperating in upholding the integrity of the security program at the work site.

E. Falsification or unlawful concealment, removal, mutilation, or destruction of any official documents or records, or concealment of material facts by willful omissions from official documents or records. F. Disorderly conduct, uses of abusive or offensive language, quarreling, intimidation by words or actions, fighting, or participation in disruptive activities that interfere with the normal efficient operations of the

Government.
G. Theft, vandalism, immoral conduct, or any other criminal action.
H. Selling, consuming, or being under the influence of intoxicants, drugs, or substances which produce similar effects while in or on Federally-controlled property.
I. Improper use of Government identification.
J. Unauthorized use of communication equipment on Government property.
K. Violation of security procedures or regulations.
L. Violation of Title 18, U.S.C., Section 930, which prohibits the knowing possession or the causing to be present firearms or other dangerous weapons in Federal facilities and Court facilities.

The Contracting Officer or their designee shall make all determinations regarding the removal of any employee(s) from the work site(s), except under certain conditions. The Contractor shall ensure that all cards and keys are returned to the government within 24 hours. When a Contracting Officer or their designee is not available (either during the day or after hours), in situations where a delay would not be in the best interest of the Government, or the employee is identified as a potential threat to the health, safety, security, general well being, or operational mission of the facility and its population, Federal Law enforcement officers of the Department of Homeland Security (DHS) /Immigrations and Customs Service (ICE)/Federal Protective Service (FPS)/U.S. Marshals Service (USMS) will have the authority to immediately remove any contract employee from the work site. The Contracting Officer or their designee shall be notified as soon after the incident as practical or at the beginning of the next business day if an action happened after hours. The Contracting Officer or their designee shall make all official notifications to the Contractor. In the event of a dispute, the Contracting Officer or their designee shall make a final determination. Specific reasons for removal of an employee(s) will be provided to the Contractor in writing.

The Contractor is responsible for providing replacement employees in cases where contract employees are removed from working at the work site or on the contract.

5.6 Safeguarding and Dissemination of Controlled Unclassified Information General
This subsection applies to all recipients of Controlled Unclassified Information (CUI), including offerors, bidders, awardees, contractors, subcontractors, lessors, suppliers and manufacturers. Dissemination of sensitive but unclassified paper and electronic building information shall be made on a need to know basis in accordance with GSA Order PBS P 3490.3 Security for Sensitive Building Information Related to Federal Buildings, Grounds, or Property.

Marking CUI
Contractor-generated documents that contain building information shall be reviewed by the CO/COR to identify any CUI content, before the original or any copies are disseminated to any other parties. If CUI content is identified the CO or designee shall direct the Contractor, as specified elsewhere in this Contract, to imprint or affix CUI document markings to the original documents and all copies, before any dissemination.

Authorized Recipients
Building information designated CUI shall be protected and controlled by strictly limiting access to those individuals having a legitimate business need to know such information. Those with a need to know shall include Federal, state and local Government entities, and non-Government entities engaged in the conduct of business on behalf of or with GSA. Non-Government entities shall include architects, engineers, consultants, contractors, subcontractors, suppliers, utilities, and others submitting an offer or bid to GSA, or performing work under a GSA contract or

subcontract. Recipient Contractors shall be registered as “active” in the System for Award Management (SAM) database. If a subcontractor is not registered in the SAM and has a need to possess CUI building information, the subcontractor shall provide to the Contractor its DUNS number or its tax ID number, a copy of its business license and a valid state driver’s license with photograph or other valid IDs with photograph. The Contractor shall keep this information related to the subcontractor for the duration of the Contract and subcontract. All GSA personnel and Contractors shall be provided CUI building information when needed for the performance of official Federal, state, and local Government functions, such as for code compliance reviews and for the issuance of building permits. Public safety entities such as fire and utility departments shall require access to CUI building information on a need to know basis. This clause shall not prevent or encumber the dissemination of CUI building information to public safety entities.

Dissemination of CUI Building Information

A. **By Electronic Transmission:** Electronic transmission of CUI information outside of the GSA network shall use session encryption (or alternatively, file encryption). Encryption shall be via an approved NIST algorithm with a valid certification, such as Advanced Encryption Standard (AES) or Triple Data Encryption Standard (3DES), in accordance with Federal Information Processing Standards Publication (FIPS PUB) 140-2, Security Requirements for Cryptographic Modules per GSA policy.

B. **By Non-electronic Form or on Portable Electronic Data Storage:** Portable electronic data storage devices include CDs, DVDs, and USB drives. Non-electronic forms of CUI building information include, among other formats, paper documents.

C. **By Mail:** Contractors shall use only methods of shipping that provide services for monitoring receipt such as track and confirm, proof of delivery, signature confirmation, or return receipt.

D. **In Person:** Contractors shall provide CUI building information only to authorized recipients with a need to know such information.

Record Keeping

Contractor shall maintain a list of all entities to which CUI is disseminated. This list shall include at a minimum: (1) the name of the state, Federal, or local Government entity, utility, or firm to which CUI has been disseminated; (2) the name of the individual at the entity or firm who is responsible for protecting the CUI building information, with access strictly controlled and limited to those individuals having a legitimate business need to know such information; (3) contact information for the named individual; and (4) a description of the CUI building information provided. Once “as built” drawings are submitted, the Contractor shall collect all lists maintained in accordance with this clause, including those maintained by any subcontractors and suppliers, and submit them to the CO. For Federal buildings, final payment shall be withheld until the lists are received.

Safeguarding CUI Documents

CUI building information (both electronic and paper formats) shall be protected. GSA Contractors and subcontractors shall not take CUI building information outside of GSA or their own facilities or network, except as necessary for the performance of that contract. Access to the information shall be limited to those with a legitimate business need to know.

Destroying CUI Building Information

When no longer needed, CUI building information shall be destroyed so that marked information is rendered

unreadable and incapable of being restored, in accordance with guidelines provided for media sanitization within GSA CIO 2103.1 Controlled Unclassified Information (CUI) Policy and Appendix A of NIST Special Publication 800-88, Guidelines for Media Sanitization. Alternatively, CUI building information may be returned to the CO.

Notice of Disposal
The Contractor shall notify the CO that all CUI building information has been returned or destroyed by the Contractor and its subcontractors or suppliers with the exception of the Contractor's record copy. This notice shall be submitted to the CO at the completion of the Contract to receive final payment. The Contractor may return the CUI documents to the CO rather than destroying them.

Incidents
All improper disclosures of CUI building information must be reported immediately to the CO. If the Contract provides for progress payments, the CO shall withhold approval of progress payments until the Contractor provides a corrective action plan explaining how the Contractor shall prevent future improper disclosures of CUI building information. Progress payments shall also be withheld for failure to comply with any provision in this clause until the Contractor provides a corrective action plan explaining how the Contractor shall rectify any noncompliance and comply with the clause in the future.

Subcontracts
The Contractor and subcontractors shall insert the substance of Section 24, Safeguarding and Dissemination of Controlled Unclassified Information Building Information, in all subcontracts.

5.7 Prohibited Telecommunications Equipment
The contractor shall comply with Section 889 of the John S. McCain National Defense Authorization Act (NDAA) for Fiscal Year 2019. Section 889 of the NDAA includes two prohibitions regarding certain telecommunications and video surveillance equipment and services (telecom).

5.8 Recording Presence
Each contract employee and subcontractor must sign-in when reporting for duty and sign out when leaving at the end of the workday. GSA Form 139 (Record of Time of Arrival and Departure from Building, which is only designated for use by the Contractor's personnel), or CO or designee approved custodial management software system shall be used for this purpose.

6 Administrative Requirements
The following administrative requirements include common, overarching policies and procedures that apply to this specification. This list below is not all inclusive.

6.1 Other Contractors
The Government may undertake or award other contracts for additional work, and the Contractor shall fully cooperate with the other Contractors or Government employees. The Contractor shall carefully schedule their own work, in conjunction with the additional work, which may be directed by the CO or their designee. In addition, the Contractor shall not commit or permit any act, which will interfere with the performance or work by another Contractor, or by Government employees.

6.2 Ordinances, Taxes, Permits and Licenses
Without additional expense to the Government, the Contractor shall fully comply with: (a) all Federal. State local, and city laws, and regulations and ordinances, (b) be liable for all applicable Federal, state and local taxes and (c) obtain and pay for all permits and licenses governing performance under the contract.

6.3 Discrepancy in the Specifications
In any case of discrepancy in the specifications, the matter shall be immediately submitted to the CO. The decision of the CO as to the proper interpretation of the specifications shall be final, in accordance with the Disputes Clause of this contract.

6.4 Federal Requirements
The Contractor shall comply with all applicable governance documents, including, but not limited to Federal, State and local laws, regulations, and codes. The Contractor is responsible for obtaining access to all referenced documents at their own expense. The Contractor shall obtain all applicable licenses, training, and permits. If a change in law and/or regulation requires the Contractor to implement an action that will result in an increase or decrease in contract price, the Contractor shall implement the required action and within 30 calendar days, submit to the CO a price proposal for such change. If the CO determines an equitable adjustment is substantiated, a modification to the contract shall be issued.
(This section does not apply to changes in local or state minimum wages and does not trigger a contractor entitlement to a price adjustment.)

6.5 Space Change Methodology
If cleanable square footage increases or decreases for more than 90 days, the **contract may be modified** using the table and formula below.

If cleanable square footage increases or decreases for less than 90 days, **additions/deductions may be made to the monthly payment** in accordance with the table and formula below.

The requirement to modify the contract or adjust the monthly payment is dictated by the table below. If the space change does not exceed the threshold for the corresponding size of the building, no action is required.

Building NCSF	**Threshold**
Buildings Under 75K	500 NCSF
Buildings between 75K and 150K	1,000 NCSF
Buildings between 150K and 500K	2,500 NCSF
Buildings over 500K	5,000 NCSF

The annual cost per net cleanable square foot will be determined as follows:

1. Current annual contract cost
2. Subtract grounds maintenance annual cost
3. Subtract trash removal & recycling (where applicable) annual cost
4. Subtract interior & exterior window washing annual cost (as proposed per the above standard services line items)
5. Divide adjusted annual contract cost by the total net cleanable square feet (NCSF), as shown on the building information sheet
6. Multiply the adjusted annual cost per NCSF by the amount of space to be added/deleted to derive the annual reduction amount
7. Divide the annual reduction amount by 12 to derive the monthly reduction amount
8. Divide the monthly reduction amount by the number of working days in the month to derive the daily reduction amount, if needed

The resulting annual, monthly and daily amounts will be used to add/delete cost from the contract accordingly, without the need for negotiation.

Example:

1. Annual cost of contract: $500,000
2. Annual grounds maintenance cost: $12,000
3. Annual trash removal cost: $15,000
4. Annual window washing cost (interior and exterior): $50,000
5. Adjusted annual cost of contract:
    a. $500,000 minus $12,000 minus $15,000 minus $50,000= $423,000
6. NCSF as listed on building information sheet: 363,000 NCSF
7. Annual adjusted cost per NCSF:
    a. $423,000 divided by 363,000= $1.17 annually per NCSF
8. NCSF to be deleted: 12,000
    a. 12,000 * $1.17= $14,040 to be deleted per year
    b. $14,040/12= $1,170 to be deleted per month
9. New contract price on effective date:
    a. $500,000 minus $14,040= $485,960 annually
    b. $485,960/12= $40,496.67 monthly

The COR shall notify the Contractor at least 30 days prior to the effective date of the change.

6.6 Suspension of Work

In the event services are not provided or required by the Government because the building(s) is closed due to unanticipated closures, reductions may be considered by the CO. If reductions are required for any unanticipated closures, they will be computed as follows:

A. The reduction rate in dollars per day shall be equal to the per month contract price for the building(s), divided by the number of working days per month.

B. The reduction rate in dollars per day multiplied by the number of days services are not provided or required.

In the case of an unanticipated holiday declared by the President, as long as the Contractor pays employees as if it were an anticipated Federal holiday, the Contractor will be paid for the unanticipated holiday as if it were a normal Federal Holiday.

7. Exhibits

Exhibit 1 - Building Information Sheet (BIS)
Exhibit 2 - Quality Assurance Surveillance Plan (QASP) Overview & Acceptable Quality Levels (AQLs)
Exhibit 3 - Solid Waste & Recycling Report (Reserved)
Exhibit 4 - Contractor Submittals / Deliverables Chart
Exhibit 5 - Exposure Control Plan
Exhibit 6 - Snow and Ice Removal Plan SAMPLE
Exhibit 7 - Definitions
Exhibit 8 - Asbestos Notification Letter (Reserved)

EXHIBIT 1: Building Information Sheet

The figures below are estimates only. If necessary, the CO or their designee can provide access to assignment drawings and blueprints.

1. BUILDING DATA:

Name and building number: Dane County Airport
Location: 4000 International Lane Madison, WI 53704
Normal Building Operating Hours: 24/7
Occupancy: 100
Number of stories: 3

2. BUILDING STATISTICS:

INTERIOR

Gross N/A SF
Cleanable Area 1,963 CSF
Rentable Area 1,978 SF

EXTERIOR

Outside area to be policed N/A SF
Paved and Parking lot area N/A SF

3. FLOOR RUNNERS

Sizes Types
Mats 3' X 5'
Runners 2' X 12'

4. CHILD CARE CENTERS - Reserved

5. TRASH AND RECYCLING PICKUP – Provided by Airport

6. COURTROOM SPACES – Reserved

EXHIBIT 2: Quality Assurance Surveillance Plan (QASP) Overview & Acceptable Quality Levels (AQLs)

QASP OVERVIEW

In accordance with Federal Acquisition Regulation (FAR) Part 37.102 (GSA Class Deviation RFO-2025-37), performance-based contracting methods are intended to ensure that the required performance quality levels are achieved. The QASP is the Government's living plan to monitor whether the Contractor is meeting the performance standards/quality levels identified in the PWS and to ensure that the government pays only for the level of services received.

As such the QASP will be updated and refined throughout the life of the contract to ensure that performance standards and surveillance methods remain effective, relevant, and aligned with evolving circumstances.

Methods of Surveillance

The method of surveillance is based on the performance criteria of the PWS and further informed by the Contractor's approved Quality Control Plan. GSA intends to monitor and evaluate the Contractor's performance based on any or all of the following surveillance methods, but all selected methods will align with the contractor's approved cleaning schedule and the contract AQLs:

1. 100 Percent Inspection

This method is usually most appropriate for infrequent tasks or tasks with stringent performance requirements, for example where health and life-safety is a concern. With this method, performance is inspected/evaluated at each occurrence.

2. Periodic Surveillance Inspections

This method consists of scheduled inspection (e.g. weekly, monthly).

3. Random Sampling

This method involves periodic inspection of a statistically valid sample of service outputs, rather than reviewing every single instance.

4. Remote Virtual Inspections

This method of surveillance can be used when onsite inspections are unable to be accomplished. Visual evidence shall be provided of non-sensitive areas to ensure services have been performed per the contract requirements. Visual evidence could be in the form of photographs, videos, and/or virtual technologies such as Google Meet™, Facetime™, Zoom™.

NOTE: Inspections using methods 1-4 will be conducted within two hours of when performance of the work has been completed per the approved cleaning schedule. If cleaning is conducted after the COR's working hours, inspections will occur within the first two hours of the following business day.

5. Tenant Interviews

This is a qualitative surveillance method that involves directly gathering feedback from the end users or occupants

(tenants).

6. Service Call Documentation
This method of surveillance involves a review of the types of service calls received, the frequencies of service calls, corrective action taken, timeliness of completion, and any other pertinent data.

7. Tenant Surveys
This method involves end-user reports and satisfaction surveys (which could include the Tenant Satisfaction Survey). These surveys gather important data in many areas, including specific categories pertaining to the operation and maintenance of GSA's buildings. The surveys provide the COR with satisfaction scores that can be further evaluated to determine if there are any weaknesses within the various programs. There are various measures that can be taken, such as reviewing the survey's comments, obtaining further feedback from the tenants, and GSA partnering with the Contractor to establish a plan of action.

ACCEPTABLE QUALITY LEVELS (AQLs)

Acceptable Quality Levels are the maximum number/rate of defects/errors that are acceptable under the contract before the contractor is considered to have failed to achieve contract requirements.

Category	Performance Area / Section Reference	Description / Performance Standard	AQL (Minimum Standard / Pass)	Inspection Method / Non Compliance Indicators
Baseline AQLs	Periodic Cleaning Schedule Adherence (1.1)	Verify completion of required periodic custodial services in accordance with the approved schedule.	≥ 98% of scheduled periodic tasks completed within the approved performance window.	Review schedule and completion logs; spot-check selected areas. **Non-Compliance:** Missed, skipped, or delayed services without COR approval.
Baseline AQLs	Staffing Plan Status (1.2)	Confirm the contractor maintains staffing levels sufficient to meet contract requirements.	100% compliance with approved staffing plan (excluding approved changes/vacancies).	Review staffing rosters and post orders; validate coverage. **Non Compliance:** Chronic understaffing; unapproved vacancies; service degradation.

Baseline AQLs	Service Call Adherence (1.5)	Measure responsiveness to unscheduled service requests and emergencies.	≥ 95% compliance as the minimum AQL for routine service calls. 100% compliance for emergency response time and documentation is accurate.	Review service call logs and timestamps; validate through observation or tenant feedback. **Non-Compliance:** Late or missed responses; recurring complaints.
Baseline AQLs	Contractor Deliverable Adherence (Exhibit 4)	Ensure timely and accurate submission of required contract deliverables.	100% of required deliverables submitted on time and complete.	Maintain deliverable tracking log; review submitted documentation. **Non-Compliance:** Late, incomplete, or inaccurate submissions; repeated resubmittals.

Inspection

Inspections should be conducted within two hours of when performance of the work has been completed per the approved cleaning schedule. If cleaning is conducted after the COR's working hours, inspections should occur within the first two hours of the following business day. Inspections will occur monthly, at a minimum, to ensure Contractor performance is adequate to process the monthly payment. Performance will be assessed in accordance with the standards in the PWS. Inspection documentation will be provided to the Contractor and for any performance deemed unacceptable the Contractor shall document corrective actions within the time frame allotted by the COR. Follow-up inspections will occur for all unacceptable performance and if corrections are not made by the timeframe identified, the COR shall forward the issue to the Contract Specialist / Contracting Officer for further action.

Deductions

It is the Government's intention that through partnership and open communication with the Contractor that all inspection findings are addressed before the need for deductions arise. It is the objective of the Government to obtain complete and satisfactory performance in accordance with the terms of specifications and requirements in this contract. Nonconforming services are recorded for each occurrence that either is not performed or is performed

unsatisfactorily and documented in the COR's contract file. For all methods of surveillance, deductions for only the inspected/observed and documented nonconforming services are appropriate. Appropriate specific inspection and performance documentation of each nonconforming service must be captured before deductions are executed. If

the Contractor disputes the QASP findings, the Contractor shall provide a written response documenting the rationale for disputing each of the nonconforming services. After taking into consideration the findings and any relevant and timely Contractor performance documentation, the CO will make a final determination and inform the Contractor and COR of the appropriate invoice amount that can be submitted for payment.

Should the Government decide that deductions are warranted, deductions may be made as stipulated in this section. Deductions for work performed improperly may be made as though the work has not been performed. The deduction amount or the actual cost to the Government for having the work performed by other means will be used by the Government in determining monetary reductions to contract price for nonperformance of work under this contract, or for deficiencies in the performance of work. The deduction amount may include administrative costs which are those time and material costs incurred by Government personnel to correct or respond to the unsatisfactory event. Administrative time costs shall be based on GS-12, Step 5 wage scale applicable to the area/location. Inadequate performance is just as undesirable as nonperformance; and the cost of correcting inadequate performance may equal or exceed the cost of initial performance. The deduction criteria in this section shall control in all cases, as distinguished from the Contractor's estimated cost to perform the work. In addition to administrative costs, the deduction amount will be based upon the Hourly Price for Additional Labor Services as stated in the contract. The rate to be used for deduction amounts will be the one in effect for the base or option period covered by the event. In certain instances, the Government may increase the amount of the deduction. An increase in deduction amount may be necessary for repeat nonperformance of a specific task, nonperformance in sensitive locations (locations include but are not limited to courtrooms, building entrances, health units, and child care centers), or nonperformance that impacts the Government's mission or public health and safety (examples include but are not limited to lack of snow or ice removal or improper use of personal protective equipment).

This PWS requires the Contractor to furnish certain plans, schedules, and reports for accomplishing and reporting work. If the deliverables are not deemed acceptable and provided by the timeframe specified, including any extension granted, the Government will withhold all payments until the required reports are satisfactorily completed and/or submitted to the COR.

EXHIBIT 3: Solid Waste and Recycling Report - RESERVED

EXHIBIT 4: Contractor Submittals/Deliverables Chart

SUBMITTAL DATES ARE IN CALENDAR DAYS.

SUBMISSION TIMING (Before/After Contract Start)	ITEM	PWS REFERENCE	DEADLINE TO SUBMIT TO CO OR DESIGNEE (Days = calendar days)	ACTUAL CONTRACTOR SUBMISSION DATE	ACTUAL GOVERNMENT APPROVAL DATE
Before & After	Cleaning Schedule	1.1	Initial - proposal/quote package Final - NLT 15 days prior to contract start & updated as needed. At a minimum the QCP shall be reviewed by the contractor prior to each Option Year for any appropriate updates and the Snow/Ice Plan updated NLT October 1 of each year.		
Before & After	Staffing Plan	1.2			
Before & After	Cleaning Plan	1.3			
Before & After	Quality Control Plan (QCP)	1.4			
Before & After	Snow and Ice Removal Plan with List of Chemical Products	Reserved			
Before	Fitness Determination or other Security Requirements	5.1	15 days prior to contract start		
Before	Exposure Control Plan	3.10	15 days prior to contract start		

Before & After	Communication Approach, including personnel contact info	1.6	15 days prior to contract start & updated as changes occur.	
Before	Child Care Health Certification	Reserved	5 days prior to contract start	
Before & After	Grounds Maintenance Plan, per season	Reserved	Final - NLT 15 days prior to contract start & updated as changes occur.	
Before	Initial Deficiency List (IDL) for Irrigation System	Reserved	5 days prior to contract start	
Before & After	Strike Contingency Plan	3.14	5 days prior to contract start and updated annually	

Before	Safety Data Sheets (SDS)	3.13	Prior to bringing and/or using these products onsite & shall be made available for inspection by CO or designee any time upon request.	
After	Hazard Communication Plan	3.12	15 days after contract start & updated as changes occur.	

After	Initial Pest Assessment	2.3.2	15 days after contract start	
After	Integrated Pest Management Plan	2.3.2	15 days after Assessment	
After	Pesticide Control Plan	2.3.2	15 days after Assessment or as required by the CO	
After	Pest Control logbook	3.2.9	As required by the CO	
After	Pandemic Plan	3.11	30 days after contract start	
After	Asbestos Awareness Certification -	RESEVERD	60 days after contract start & NLT 5 days after training completion	
After	Employee & Supervisor Training	3.3	90 days after contract start & NLT 5 days after training completion	
After	Waste / Recycling Reports	RESEVERD	Monthly	
After	Recycling Proceeds	RESEVERD	At the time obtained	

After	Window Washing Safety Plan	2.3.5	30 days prior to performing the service	
After	Pre-seasonal list of irrigation system damages	RESEVERD	Prior to each season	
After	Request for Controlled Unclassified Information (CUI)	5.6	As required by the CO	

EXHIBIT 5: Exposure Control Plan (ECP) EXAMPLE

***This document is provided to the Contractor as a guide to create an exposure control plan. The procedures below are not to be interpreted as GSA's prescribed procedures for dealing with biological or infectious materials.**

Building: (name and address)

Company: (name and address) Point of Contact: (company local site mgr) Introduction:

This document is intended to describe in detail how [company name] intends to perform custodial tasks at the [building name] involving biological or infectious materials such as: blood, vomit, excrement, sewage, or mold. These tasks will only be performed in-house by staff trained as indicated below. Otherwise, when requested through the contract, the tasks will be subcontracted to qualified and trained Contractors who follow these same procedures.

Training:

The following [company name] staff have completed the training indicated below and may be used to perform the tasks indicated:

Employee Name	Training Completed	Custodial Tasks
Jon Smith	Bloodborne pathogens, Care and use of Personal Protective Equipment, Mold remediation, CDC training on Infection Control	Cleanup of any infectious material or biological material in the building
Joy Jones	Bloodborne Pathogens	General restroom cleaning

Procedures:

1. General restroom cleaning
    a. Verify from building management or the supervisor whether the cleaning involves blood, feces, vomit or similar biological material.
    b. Isolate the room to prevent access by anyone during cleaning through the use of cones, caution tape, or similar method
    c. If biological material cleanup is needed, put on nitrile disposable gloves, and bring in a biological cleanup cart.
    d. Clean the biological material up, avoiding contact with skin, eyes or hair. Dispose of waste and disposable cleanup materials in plastic bags, seal and place in second bag for final disposal in waste dumpster.

Bio cleanup cart to contain: disinfectant wipes, box of nitrile gloves, paper towels, spray cleaner and disinfectant, disposable shoe coverings, mop and bucket, plastic kitchen or large size trash bags, disposable 3M facemask, roll of caution tape or rubber cones for marking off areas.

2. Building exterior excrement cleaning
    a. Mark off the immediate area with cones or tape to prevent people from stepping on the droppings and waste or getting in the way of cleaning
    b. Put on disposable shoe covers and protective facemask
    c. For bird droppings,
        i. connect garden hose to outlet,
        ii. spray down the droppings with disinfectant cleaner,
        iii. turn on the hose and gently wash the waste to the curb and into a drain
        iv. When finished, place gloves and shoe covers in plastic trash bag, close up and dispose as trash
3. Cleanup of vomit or blood spills in areas of the building
    a. Use the bio cleanup cart to isolate the immediate area with cones or tape
    b. Put on gloves, protective mask and shoe coverings as needed
    c. For solid floors (such as floor tile, linoleum, wood)
        i. Spray the spill with disinfectant cleaner
        ii. Using the mop, wetted with warm water, mop up the spill material
        iii. Rinse the mop into warm soapy water in the bucket, repeat until the spill is cleaned iv. Dump the bucket in a large double bagged plastic trash bag or dump down a nearby toilet (Preferred)
        v. Rinse the mop in clean warm soapy water in the bucket until the mop is clean
        vi. Dry the mop and spray with disinfectant.
        vii. Dump the rinsing water from the bucket into the bag or down a toilet
    d. For carpeted floors,
        i. Spray the spill area with carpet cleaner containing disinfectant
        ii. Either shampoo up the spill or vacuum up first with a wet-dry vacuum followed by shampooing
        iii. Empty vacuum contents down the toilet or into a double bagged large trash bag
        iv. Empty shampooer waste down a nearby toilet or into black trash bag
        v. Keep the cones or tape up until the carpet has dried
    e. Dispose of shoe coverings, protective mask and other disposables used in the cleaning in a plastic trash bag. Seal the bag and dispose of it as trash.
4. Cleanup of minor water backup or flooding, including greywater
    a. Similar to above, except wearing rubber boots or similar foot protection when water covers the floor area
5. Cleanup of water backup or flooding of blackwater

a. Subcontract this cleaning to a licensed environmental remediation contractor [contractor name]

6. Minor cleanup of standing water or moldy surfaces
    a. Subcontract this cleaning to a licensed environmental remediation contractor [contractor name]

The following materials will be kept on site to support ECP procedures:

- Plastic trash bags
- Large black plastic trash bags
- Box of disposable dust masks
- Box of latex or nitrile disposable gloves
- Disinfectant wipes
- Disinfectant cleaner (EPA permitted hospital grade)
- Disinfectant carpet shampoo soap
- Wet Dry vacuum
- Carpet shampooer
- Disposable shoe coverings (rubber preferred)
- Rubber boots

EXHIBIT 6: Snow and Ice Removal Plan EXAMPLE-RESERVED

EXHIBIT 7: Definitions

General Program
The work specified in this specification shall be in accordance with all Federal, State, county and city laws, codes, and ordinances and shall follow the more stringent of them. In addition to compliance with these laws, the Contractor shall follow all applicable standard industry practices including, but not limited to, the Occupational Safety and Health Act (OSHA) and National Institute of Building Sciences (NIBS).

Above Standard Services
Above Standard Services are services not covered in the monthly price of the contract. Contractor prices include all applicable labor, materials, supplies, training/certifications, equipment (except as otherwise provided), supervision, and management.

Acceptance
The term constitutes acknowledgment that the supplies or services required in the contact conform to applicable contract quality and quantity requirements.

Approval
'Approval' means the Government has reviewed the submittals, deliverables, or administrative documents [e.g., insurance certificates, Safety Data Sheets (SDS)], and has determined that the documents conform to contract requirements. Government approval shall not relieve the Contractor of responsibility for complying with Federal, State, and local laws and regulations.

Area Types
Area type refers to specific categories of spaces within the facility that require different approaches to cleaning and maintenance. These distinctions outline unique cleaning requirements, frequencies, and standards due to their respective functions, level of traffic, or other requirements.

Blackwater
Blackwater is contaminated wastewater from restroom toilets or restrooms that contain feces and urine.

Buffing
A method of gloss maintenance using a soft pad and a low speed (175 RPM) rotary floor machine.

Building
A reference to 'facility' and 'site' is interchangeable with 'building.' A man-made structure or edifice which services are performed within or on the exterior of the formation and is intended to support or shelter any use or continuous occupancy.

Burnishing
A method of high-speed gloss maintenance that uses various buffing/burnishing pads in conjunction with a high-speed (1500+ RPM) buffing machine. Also referred to as high-speed buffing.

Clean
The surface is visibly free from dust, dirt, fingerprints, grease, grime, rust, spots, stains or smudges. The surface must be free from all foreign substances. In restrooms, particularly, "clean" means all surfaces must be free of organic material, feces, urine and other soil.

Cleanable Square Feet

This is calculated by taking the Gross Square Feet minus walls (approx.1.5% of gross square feet) minus non-cleanable areas such as electrical closets, closets, mechanical rooms, storage rooms, and raised floor computer rooms.

Contracting Officer (CO)
A person with the authority to enter into, administer, and/or terminate contracts and make related determinations and findings.

Contracting Officer's Representative (COR)
An individual authorized in writing by the contracting officer to perform specific technical or administrative contract functions. The COR must receive a written designation of their authority to act on behalf of the contracting officer

Contractor
Reference to 'Contractor' throughout the PWS even for those references to subcontracted type tasks shall mean the responsibility of the contract service provider.

Custodial
A reference to 'custodial' is interchangeable with 'janitorial'. Custodial and related services can include cleaning, window washing, trash removal, recycling, snow and ice removal, landscaping, and maintaining a building or area.

Daily
Once a day.

Disinfect
To free from infection especially by destroying harmful microorganisms. Generally, refers to applying an agent or chemical to cleanse a surface of any existing bacteria, viruses, and other microbes.

Emergencies
An unforeseen circumstance or a sudden, unexpected occurrence that poses an immediate, real, and extreme threat to health, safety, property or essential services that require immediate action to prevent or mitigate loss, damage, or disruption. Emergencies include but are not limited to: fires, accidents and rescue operations; the Contractor's personnel strikes; other service contractors on strike; civil disturbances; natural and man-made disasters, and utility service outages.

Emergency Service Call
Emergency callback requests are service requests where the work consists of correcting failures that constitute an immediate danger to personnel or property or any work considered by the CO or designee to be of an emergent nature.

Exposure Control Plan (ECP)
The Exposure Control Plan is a set of processes and procedures to be followed by Contractor staff to avoid being exposed to blood-borne pathogens, raw sewage, biomedical waste and other infectious agents in the course of performing contract work. Preparation of this document is the responsibility of the Contractor.

Federal Holidays
Federal holidays are nationally recognized days where federal offices are closed to the public in accordance with Federal law. Federal holidays can be found on OPM.gov.

Federally Equipped Food Service
This is a facility in Federal Government space where the Government procures and maintains the inventory of food service storage, preparation, cooking and hot and cold holding equipment.

Greywater
Greywater is wastewater from sinks, showers, or washing machines that may or may not contain bacteria.

Grounds
Grounds refers to all Government maintained exterior areas including: lawns, plants, planting beds, landscaped areas and their

associated features, soil conditions, decorative installations, walkways, sidewalks, driveways, patios, paved areas, parking lots, and any other outdoor spaces under the control of the Government.

High Traffic
A high traffic designation for an area or floor indicates a significant amount of footfall or activity typically used by a large number of people such as a main entrance, lobby, corridor, or restroom. These areas typically require more frequent cleaning.

Low Traffic
A low traffic designation for an area or floor indicates minimal footfall or activity, which can include infrequently used spaces like unoccupied offices or remote corridors for interior spaces or unimproved grounds for exterior spaces. These areas typically require less frequent cleaning.

Modification
A modification is a change to the terms and conditions of a contract.

Operating Hours
Operating hours are defined as the timeframe the facility is typically open as defined by the Designated Official. Operating hours are identified on the Building Information sheet.

Ordering Official
Ordering Officials are appointed by letter from the CO. Ordering Officials shall be the Government's representative for the ordering of supplies and services.

Performance Based Service Contracting
This is a procurement strategy that seeks to issue technical requirements that set forth outcomes for performance instead of specific requirements on how to perform the service. This strategy shifts the risk of performance to the Contractor by allowing the Contractor to design the methods of achieving desired results as defined by the performance quality standards established by the Government.

Periodic Cleaning
Services performed on a regular basis within an annual time frame (e.g. monthly, quarterly, semi-annually) Can also be referred to as designated times per year (i.e. 2,3,4 times per year).

Quality Assurance Surveillance Plan (QASP)
The QASP is the Government's surveillance method for monitoring and evaluating the Contractor's performance under a Performance Work Statement (PWS).

Quality Control Plan (QCP)
The Quality Control Plan outlines how the Contractor will ensure that all work complies with the contract requirements, specifications, and standards.

Restorative Cleaning
Intense services that may be performed multiple times per year, but more likely performed annually or less (e.g. stripping and refinishing)

Routine Cleaning
Tasks performed at least once daily or multiple times a month (e.g. daily, weekly, two times per month, three times a month,)

Sanitize
The process of removing dirt and certain bacteria so that the number of germs is reduced to a level that the spread of disease

is unlikely.

Service Calls
Service calls are considered standard service requirements, such as nonrecurring requests for spills, and replenishing restroom supplies.

Spot Cleaning
Cleaning typically associated with addressing small areas or spills that occur during operating hours. Spot cleaning services (such as mopping or vacuuming) address noticeable soiled areas (instead of areas in the entirety) to reduce labor hours.

Standard Services
A standard service is defined as all the services that are included in the monthly price or are defined in the contract document. Prices are to include all applicable labor, materials, supplies, training/certifications, equipment (except as otherwise provided), supervision, and management.

Strip and Refinish
The restorative process of removal of all pre-existing coats of seal and/or finish (getting down to the bare floor), detailing all corners, edges and cove base followed by multiple applications of seal and/or finish to protect the floor and enhance appearance.

Stripping Chemicals
Aggressive chemicals designed to remove old floor finish. Stripping chemicals are generally high alkaline (sometimes bordering on caustic) and can be damaging to some floor coverings.

Storage Closet
A smaller, secured, more specialized space for material and equipment which generally does not include regular cleaning.

Storage Area
A broader category that may include larger rooms dedicated to storing various items which generally includes regular cleaning.

Wet Mopping
The process for removal of soil adhered to a hard flooring surface and includes; spot, damp, wet and aggressive mopping techniques.

Fair Market Price (FMP)
The term is used for the price established by the Commission for providing a service defined by the Government's Performance Work Statement at a specific location. As set forth in the Javits-Wagner-O'Day (JWOD) Act, the Committee has sole authority

and responsibility for determining the Fair Market Price to be paid by the Government for products and services on the Procurement List. To determine such prices, the Committee has developed procedures which can be found at www.AbilityOne.gov, that are intended to result in prices that are recommended as “fair and reasonable” in relation to the marketplace.

EXHIBIT 8: Asbestos Notification Letter – RESERVED