

BYOV Enrollment API

FleetScope Integration Spec

Prepared by: **Tyler Morgan** | April 2, 2026 | Version 1.0

Overview

This API provides real-time and on-demand access to approved BYOV enrollment data from the BYOV Enrollment App. It enables FleetScope to track which technicians have been approved for BYOV, which fleet vehicle they are leaving, and whether they are currently in a rental.

Two integration points are provided:

- **GET endpoint** — Query approved enrollments with filters (backfill, reconciliation, ad-hoc lookup)
- **Webhook push** — Real-time POST to your endpoint whenever an enrollment is approved

Authentication

Both directions use API key authentication via the x-api-key HTTP header. Two separate keys are used so either side can rotate independently.

Direction	Header	Description
FleetScope → BYOV	x-api-key: yEy6IWCVTXHXAG27dBXOHQfYIPfQ9I-NaoCYn-50sfQ	FleetScope sends this key when calling the GET endpoint.
BYOV → FleetScope	x-api-key: <key-from-Luca>	BYOV sends this key in webhook POSTs so FleetScope can verify the sender. Luca provides this key.

Keys to Exchange Before Go-Live

Who Provides	What	Purpose
Tyler → Luca	yEy6IWCVTXHXAG27dBXOHQfYIPfQ9I-NaoCYn-50sfQ	Luca sends as x-api-key when calling GET endpoint
Luca → Tyler	Webhook receiver URL	Where BYOV POSTs on approval
Luca → Tyler	Webhook verification key	BYOV sends as x-api-key so FleetScope can verify sender

Endpoint 1: Query Enrollments

GET /api/external/enrollments

Returns approved enrollments with optional filters. Use this for initial backfill of existing records and ongoing reconciliation.

Query Parameters (all optional)

Parameter	Type	Description
from_date	YYYY-MM-DD	Filter enrollments approved on or after this date
to_date	YYYY-MM-DD	Filter enrollments approved on or before this date
district	string	Exact match on district code (e.g. "08175")
page	integer	Page number, default: 1
limit	integer	Results per page, default: 100, max: 500

Example Request

```
GET /api/external/enrollments?from_date=2026-03-01&district=08175&limit=50
Headers:
x-api-key: yEy6lWCVTXHXAG27dBOX0HQfYlPfQ9I-NaoCYn-50sfQ
```

Response

```
{
  "data": [
    {
      "enterprise_id": "JMORGA1",
      "full_name": "James Morgan",
      "truck_number": "88047",
      "enrollment_type": "Permanent",
      "in_rental": true,
      "district": "08175",
      "status": "approved",
      "approved_date": "2026-04-02"
    }
  ],
  "pagination": {
    "page": 1,
    "limit": 50,
    "total": 12
  }
}
```

Payload Fields

Field	Type	Description
enterprise_id	string	Technician RACF / enterprise identifier
full_name	string	Technician full name
truck_number	string	Fleet vehicle number the tech enrolled with (the van being returned/reassigned)

enrollment_type	string	"Permanent" or "Trial"
in_rental	boolean	Whether the tech was in a rental vehicle at enrollment time
district	string	District code (e.g. "08175")
status	string	Always "approved" (only approved enrollments are returned)
approved_date	string	Date approved (YYYY-MM-DD). May be null for historical records approved before this field was added.

Endpoint 2: Approval Webhook

When an enrollment is approved, BYOV automatically POSTs to a URL that FleetScope provides. This gives FleetScope real-time awareness of new approvals without polling.

What FleetScope Needs to Build

An HTTP endpoint (POST) that:

- Accepts JSON body with Content-Type: application/json
- Validates the x-api-key header matches the key you provide to Tyler
- Returns any 2xx status code to acknowledge receipt
- Processes the enrollment record (create/update in FleetScope database)

What BYOV Sends

```
POST <your-webhook-url>
Content-Type: application/json
x-api-key: <key-you-provide-to-Tyler>

{
  "enterprise_id": "JMORGA1",
  "full_name": "James Morgan",
  "truck_number": "88047",
  "enrollment_type": "Permanent",
  "in_rental": true,
  "district": "08175",
  "status": "approved",
  "approved_date": "2026-04-02"
}
```

Behavior Notes

- **Fire-and-forget:** BYOV logs the response but does not retry on failure. Use the GET endpoint to reconcile any missed webhooks.
- **Scope:** Webhook fires for Permanent and Trial enrollments only (not Temporary or New Hire).
- **Idempotency:** The same enrollment may be sent more than once (e.g. if re-synced). FleetScope should upsert by enterprise_id to handle duplicates.
- **Payload:** Single object (not an array). Same field shape as the GET response items.

Base URL

```
https://byov-enrollment.replit.app
```

Full GET example: https://byov-enrollment.replit.app/api/external/enrollments?from_date=2026-01-01

Next Steps

#	Owner	Action
1	Luca	Provide webhook receiver URL and verification API key to Tyler
2	Tyler	Set API key in Replit Secrets (EXTERNAL_API_KEY) — key is listed above
3	Luca	Build webhook receiver endpoint on FleetScope side
4	Both	Test with a single approval and verify data arrives in FleetScope
5	Luca	Backfill historical enrollments via GET endpoint

Questions? Contact Tyler Morgan — Teams or BYOV hotline (762) 238-7377