

TMS Prior Authorization Template Kit

Pre-Built Templates & Scripts for Faster Insurance Approvals — 8 Payer Templates, Peer-to-Peer Scripts, and Denial Appeal Workflows

- ✓ Letter of Medical Necessity (LMN) — complete template with all required sections
- ✓ Prior Auth cover letter, medication trial form, and appeal letter templates
- ✓ Peer-to-peer review call script with objection responses
- ✓ Insurance-specific requirements matrix for 10 major payers
- ✓ PHQ-9/GAD-7 documentation best practices and appeal workflow

TMS List — tmslist.com • 2026 Edition



Table of Contents

1	Letter of Medical Necessity (LMN)	2	Prior Auth Cover Letter
3	Medication Trial Documentation Form	4	Peer-to-Peer Review Script
5	Denial Appeal Letter Template	6	Insurance Requirements Matrix
7	PHQ-9 & GAD-7 Documentation	8	Appeal Workflow

Why Prior Authorization Matters

70%

of TMS auth requests require peer review

5–14

days avg prior auth turnaround time

\$1,500+

avg revenue at risk per denied auth

80%

of denials overturned on first appeal

“ Our authorization approval rate went from 62% to 91% in six months after we standardized our LMN templates and trained our billing coordinator on the peer-to-peer call script. The difference was having a template that covered every clinical requirement — reviewers stopped asking for "one more thing" because it was already in the document.

Sandra Liu
Billing Manager, MindCare TMS, Chicago, IL

“ I used to dread peer-to-peer calls. Now I have a script with all the talking points and objection responses prepared before I dial. The insurance medical director's questions are predictable — once you know them, you can prepare compelling answers every time. Our average peer-to-peer approval rate is now 85%.

Dr. Robert Klein, MD
Medical Director, BrightWay TMS, Atlanta, GA

1. Letter of Medical Necessity (LMN)

The Letter of Medical Necessity is the cornerstone of every TMS authorization request. It tells the insurance company's medical director why this patient needs TMS — specifically, why they've failed other treatments and why TMS is the next appropriate step. A strong LMN is comprehensive, well-organized, and cites the clinical evidence.

● LETTER OF MEDICAL NECESSITY — FULL TEMPLATE

[CLINIC LETTERHEAD — Clinic Name | Address | Phone | Fax | Tax ID]

[DATE]

Medical Director Review Department

[INSURANCE COMPANY NAME]

[INSURANCE ADDRESS]

RE: Prior Authorization Request — Transcranial Magnetic Stimulation (TMS)

Patient: [PATIENT FIRST NAME] [LAST NAME]

Date of Birth: [MM/DD/YYYY]

Member ID: [MEMBER ID NUMBER]

Group Number: [GROUP NUMBER]

Provider: [PROVIDER NAME, MD/DO], NPI: [NPI NUMBER]

Dear Medical Director:

I am writing to request prior authorization for a course of Transcranial Magnetic Stimulation (TMS) for the above-named patient. I am the treating psychiatrist and have evaluated this patient in my clinical practice. Based on my clinical assessment and the patient's treatment history, I believe TMS is medically necessary and appropriate.

[SECTION A: PATIENT AND DIAGNOSIS — Briefly describe the patient, their diagnosis, duration of illness, and current symptom severity. Include most recent PHQ-9 score and date.]

Primary Diagnosis:

ICD-10: [CODE] — Major Depressive Disorder, Single Episode, Severe / Recurrent (circle one)

Most Recent PHQ-9 Score: [SCORE] /27, dated [DATE]

GAD-7 Score: [SCORE] /21, dated [DATE]

Current Symptoms: [Brief description: e.g., Anhedonia, depressed mood, insomnia, poor concentration, low energy, suicidal ideation (active/passive/absent)]

[SECTION B: TREATMENT HISTORY — Document all prior treatments with dates, doses, and outcomes. The table below must be completed in full.]

MEDICATION TRIAL HISTORY:

Medication	Dose	Start Date	End Date	Indication	PHQ-9 Before	PHQ-9 After	Outcome
[Drug Name]	[Dose]	[MM/YY]	[MM/YY or Ongoing]	Depression	[#]	[#]	[Partial/None/Works but discontinued due to side effects]
[Drug Name]	[Dose]	[MM/YY]	[MM/YY or Ongoing]	Depression	[#]	[#]	[Partial/None/Works but discontinued due to side effects]
[Drug Name]	[Dose]	[MM/YY]	[MM/YY or Ongoing]	Depression	[#]	[#]	[Partial/None/Works but discontinued due to side effects]

[SECTION C: PSYCHOTHERAPY HISTORY — Document all psychotherapy trials with dates, modalities, and outcomes.]

Modality	Provider	Start Date	End Date	Sessions	Outcome
[CBT/DBT/IPT/etc.]	[Provider Name]	[MM/YY]	[MM/YY]	[#]	[Response/No response/Discontinued due to...]

[SECTION D: CLINICAL RATIONALE FOR TMS — Explain why TMS is appropriate for this patient. Cite specific reasons: inadequate response to X medications at adequate doses and duration, intolerable side effects, patient preference for non-pharmacological treatment, functional impairment despite current treatment, etc.]

[Write 3–5 paragraphs explaining the clinical rationale. Reference any published guidelines or clinical evidence supporting TMS for this patient's condition.]

[SECTION E: PROPOSED TREATMENT PLAN — Describe the TMS protocol ordered.]

Treatment Protocol Ordered:

- TMS Device: [NeuroStar / BrainsWay / MagVenture / Nexstim]
- Target: [Left DLPFC / Right DLPFC / Bilateral]
- Frequency: [10 Hz / 1 Hz / iTBS]
- Sessions Requested: [36] sessions
- Treatment Duration: [6–9 weeks at 5 sessions/week]
- Expected Completion: [DATE]

[SECTION F: REQUEST — State the specific CPT codes being requested.]

CPT Codes Requested:

- 90867 — Therapeutic repetitive transcranial magnetic stimulation (TMS); initial, including cortical mapping, motor threshold determination, and trajectory calculation
- 90868 — ...subsequent delivery and management
- 90869 — ...subsequent motor threshold re-determination

I am available for a peer-to-peer review with your medical director at your convenience. Please contact my office at ([PHONE]) or ([EMAIL]) to schedule.

Thank you for your prompt review.

Sincerely,

([PROVIDER SIGNATURE])
 ([PROVIDER NAME, MD/DO])
 ([CLINIC NAME])
 NPI: ([NPI NUMBER])
 Phone: ([PHONE]) | Fax: ([FAX])

LMN CHECKLIST — SUBMIT ONLY WHEN ALL ITEMS ARE PRESENT:

- ☐ Patient demographics, insurance info, member ID, group #
- ☐ Primary diagnosis with ICD-10 code
- ☐ PHQ-9 score with date (within 30 days of submission)
- ☐ At least 4 medication trials documented with drug, dose, duration, and outcome
- ☐ Adequate dose documentation (must meet payer-specific minimums)
- ☐ Psychotherapy history documented
- ☐ Clear clinical rationale paragraph for why TMS is necessary
- ☐ Specific treatment protocol described (device, target, frequency, sessions)
- ☐ CPT codes clearly listed
- ☐ Peer-to-peer availability stated
- ☐ Provider signature, NPI, contact information

2. Prior Auth Request Cover Letter

A brief, professional cover letter accompanying the authorization request packet helps the reviewer's desk staff route the request correctly and ensures the medical director has context before reading the clinical documentation.

● PRIOR AUTHORIZATION COVER LETTER TEMPLATE

[CLINIC LETTERHEAD]

[DATE]

[INSURANCE COMPANY]

Prior Authorization / Medical Review Department

[ADDRESS]

RE: Prior Authorization — Transcranial Magnetic Stimulation (TMS)

Member: [PATIENT NAME]

Member ID: [MEMBER ID]

Group: [GROUP NUMBER]

Provider: [PROVIDER NAME, MD/DO], NPI: [NPI]

Dear Medical Review Team:

Please find enclosed a prior authorization request for Transcranial Magnetic Stimulation (TMS) for the above-named patient.

[PATIENT NAME] has been diagnosed with Major Depressive Disorder (ICD-10: [CODE]) and has failed multiple adequate trials of antidepressant medications. TMS is clinically indicated as the next appropriate step in treatment.

Enclosed with this cover letter:

- ☐ Letter of Medical Necessity (LOMN)
- ☐ Medication Trial Documentation Form
- ☐ Most recent clinical progress note
- ☐ PHQ-9 scores (baseline and most recent)
- ☐ Psychotherapy records (if applicable)

Requested Authorization: [36] sessions of TMS (CPT 90867, 90868, 90869)

I am available for an expedited peer-to-peer review at [PHONE] or [EMAIL].

Please fax your determination to [FAX] within the timeframe required by the member's plan.

Thank you for your prompt attention to this request.

[SIGNATURE]

[PROVIDER NAME, CREDENTIALS]

[CLINIC NAME]

3. Medication Trial Documentation Form

This form must accompany every LMN submission. Each medication trial must be documented with sufficient detail to demonstrate an adequate trial per the payer's criteria. Most payers require: (1) at least 4 antidepressant medications, (2) adequate dose for at least 6 weeks, (3) documentation of failure or intolerance.

#	Medication Name	Generic Name	Dose	Start Date	End Date	Indication	PHQ-9 Before	PHQ-9 After	Outcome	Prescriber
1	Prozac	Fluoxetine	40mg/day	01/2024	06/2024	MDD	22	16	Partial response; discontinued due to sexual dysfunction	Dr. Chen
2	Zoloft	Sertraline	150mg/day	07/2024	12/2024	MDD	18	14	Partial response; discontinued due to GI side effects	Dr. Klein
3	Effexor XR	Venlafaxine ER	225mg/day	01/2025	06/2025	MDD	16	15	No significant response at max dose x 8 weeks	Dr. Klein
4	Pristiq	Desvenlafaxine	100mg/day	07/2025	12/2025	MDD	18	17	No significant response	Dr. Chen
5	Lexapro	Escitalopram	20mg/day	[DATE]	[DATE]	MDD	[#]	[#]	[Response/Partial/None]	[Name]
6	[Augmentation Agent]	[Generic]	[Dose]	[DATE]	[DATE]	Augmentation	[#]	[#]	[Response/Partial/None]	[Name]

ADEQUATE TRIAL DEFINITION

An adequate medication trial requires: (1) Sufficient dose — typically at least the minimum FDA-approved dose for depression. (2) Sufficient duration — at least 6 weeks at therapeutic dose. (3) Adequate compliance — patient took medication as prescribed. Note any compliance issues in the outcome column. If a medication was discontinued early due to intolerable side effects (even at low doses), document this as a "failure due to intolerance" which counts toward the required number of trials.

4. Peer-to-Peer Review Call Script

The peer-to-peer (P2P) review is your opportunity to speak directly with the insurance company's medical director and make the clinical case for TMS. Most denials are overturned after a successful P2P. Preparation is everything.

Pre-Call Preparation Checklist

- ☐ Confirm the patient's chart is open and medication trial table is readily accessible
- ☐ Know the patient's most recent PHQ-9 score and date
- ☐ Know exactly how many medication trials failed and the specific reasons for failure
- ☐ Have the LMN and any clinical notes available for reference
- ☐ Have a pen and paper ready to note the reviewer's name, reference number, and questions
- ☐ Confirm payer-specific LCD/NCD requirements for this particular payer
- ☐ Test the phone number — call during business hours (9am–4pm local time works best)

Opening Script

THE OPENING

"Hi, this is Dr. [YOUR NAME], a board-certified psychiatrist at [CLINIC NAME]. I'm calling to do a peer-to-peer review for a patient of mine, [PATIENT NAME], who's been approved for transcranial magnetic stimulation. My reference number for this case is [AUTH/CLAIM NUMBER]. Who am I speaking with, and are you the medical director who'll be reviewing this case?"

[If transferred:] "Thank you. Dr. [NAME], I appreciate you taking the time. Can I confirm this peer-to-peer is being conducted under the member's plan, and that this review satisfies the requirement for a medical director consultation before a final determination is made?"

Key Talking Points — Have These Ready

TALKING POINT 1: DIAGNOSIS AND SEVERITY

"The patient has a confirmed diagnosis of Major Depressive Disorder, recurrent, severe. Their most recent PHQ-9 was [SCORE] — well above the threshold for severe depression. They have significant functional impairment across multiple domains."

TALKING POINT 2: TREATMENT HISTORY

"This patient has failed [NUMBER] adequate antidepressant medication trials at therapeutic doses for at least 6 weeks each. They've also completed a course of psychotherapy without adequate response. They meet the standard criteria for treatment-resistant depression."

TALKING POINT 3: WHY TMS SPECIFICALLY

"TMS is the appropriate next step because the patient has failed both pharmacotherapy and psychotherapy. They cannot tolerate higher or additional medications, and ECT is not indicated or is not acceptable to the patient. TMS is FDA-cleared for this indication and has strong clinical evidence supporting its efficacy."

TALKING POINT 4: SAFETY PROFILE

"TMS has an excellent safety profile. The most common side effect is mild headache, which resolves. Seizures occur in fewer than 0.1% of treatments. There are no systemic side effects, no drug interactions, and no sedation — unlike many antidepressants."

TALKING POINT 5: EVIDENCE BASE

"TMS is supported by over 50 randomized controlled trials and multiple meta-analyses. It has FDA clearance for treatment-resistant depression and is covered by Medicare and virtually all commercial payers. Clinical guidelines from the American Psychiatric Association support TMS as a standard of care option for TRD."

TALKING POINT 6: PROPOSED TREATMENT PLAN

"I'm requesting 36 sessions over 6–9 weeks using a standard 10Hz protocol targeting the left dorsolateral prefrontal cortex. This is the evidence-based dosing for major depression. I'll be monitoring with PHQ-9 at baseline, midpoint, and completion."

Common Objections and Responses

Objection	Suggested Response
"The patient hasn't tried enough medications."	"Which medications would you like to see documented that aren't already in the record? I'd be happy to provide additional records. Can you tell me specifically what's missing?"
"The trials weren't at adequate dose or duration."	"Let me address each trial individually: [go through each medication]. For [specific drug], the patient was at [dose] for [duration]. If that doesn't meet your threshold, what would be required?"

Objection	Suggested Response
"TMS is experimental."	"TMS received FDA clearance for treatment-resistant depression in 2008 and has been Medicare-covered since 2012. There are now over 50 RCTs and multiple APA guidelines supporting its use."
"The patient should try ECT first."	"ECT is an appropriate treatment for some patients, but it requires anesthesia, has significant cognitive side effects, and typically requires hospitalization. The patient has declined ECT and TMS is the next clinically appropriate step."
"The patient hasn't had adequate psychotherapy."	"The patient has completed [X] sessions of [type] therapy. Their therapist's notes document [findings]. They continue in maintenance therapy. Is there additional therapy you'd like documented?"
"We need more recent PHQ-9 scores."	"I can provide updated scores. Can I fax those to you today and have the review completed by [date]?"

THE CLOSE

"Dr. [NAME], I appreciate you taking the time to review this case. Based on what we've discussed, do you have enough information to approve TMS for this patient? If there are any remaining items I can address, I'm happy to do so. If this is approved, can I confirm the authorization number will be sent to our office via fax at [FAX]? And can I get your name for my records — you've been very helpful."

Always document: Reviewer's name, reference number, date and time of call, summary of discussion, and outcome (approved/denied/pending additional info).

5. Denial Appeal Letter Template

When a prior authorization is denied or when a claim is denied post-treatment, the appeal letter is your chance to overturn the decision. Always appeal — 80% of first-level appeals are successful. The key is to directly address the stated reason for denial and provide the missing information or correct the cited deficiency.

● LEVEL 1 APPEAL LETTER TEMPLATE

[CLINIC LETTERHEAD]

[DATE]

Appeals and Grievances Department

[INSURANCE COMPANY NAME]

[ADDRESS]

RE: Appeal of Prior Authorization Denial — Transcranial Magnetic Stimulation (TMS)

Member: [PATIENT NAME]

Member ID: [MEMBER ID]

Group: [GROUP NUMBER]

Original Denial Date: [DATE]

Original Denial Reason: [REASON STATED ON DENIAL LETTER]

Our Reference: [AUTH/CLAIM NUMBER]

Dear Appeals and Grievances Department:

I am writing to formally appeal the denial of prior authorization for Transcranial Magnetic Stimulation (TMS) for the above-named patient.

[SECTION 1: SUMMARY OF THE DECISION BEING APPEALED] — Briefly describe the denial and state your disagreement clearly.

[Example: On [DATE], your plan issued a denial for TMS for [PATIENT NAME], citing insufficient documentation of adequate medication trials. I respectfully disagree with this determination and am submitting additional documentation to address this concern.]

[SECTION 2: GROUNDS FOR APPEAL — State the specific grounds for your appeal. Choose the one that applies:]

- ☐ The denial was based on incomplete information — additional records are enclosed
- ☐ The denial contradicts the plan's own LCD/NCD criteria — see attached
- ☐ The patient meets all plan criteria for TMS as documented in the enclosed LMN
- ☐ The denial violates state mental health parity laws
- ☐ Other: [SPECIFY]

[SECTION 3: ADDITIONAL CLINICAL INFORMATION] — Address the specific reason for denial directly. If the denial cited insufficient medication trials, explain each trial in detail here. If the denial cited lack of adequate PHQ-9 scores, provide updated scores.]

[Write 2–4 paragraphs directly addressing the denial reason with additional clinical detail, attached records, or clarification.]

[SECTION 4: PEER-TO-PEER OUTCOME — If a peer-to-peer review was conducted, summarize the outcome here.]

[Example: A peer-to-peer review was conducted on [DATE] with Dr. [NAME] of your medical staff. During that review, I addressed concerns about medication trial documentation and provided additional details about [specific trials]. No resolution was reached, and this formal appeal is submitted for Level 1 review.]

[SECTION 5: REQUEST] — State clearly what you are requesting.

I respectfully request that the denial be overturned and authorization for TMS be approved. The patient meets medical necessity criteria for TMS therapy based on their diagnosis, treatment history, and current clinical status. The clinical documentation supporting this request is enclosed.

Please process this appeal within the timeframes required by state and federal law. I am available for a peer-to-peer review to discuss this case at [PHONE].

[SIGNATURE]

[PROVIDER NAME, MD/DO]

NPI: [NPI]

Enclosures:

- ☐ Letter of Medical Necessity (updated)
- ☐ Medication Trial Documentation Form
- ☐ PHQ-9 scores (most recent)
- ☐ Clinical progress notes
- ☐ Peer-to-peer call notes (if applicable)

6. Insurance-Specific Requirements Matrix

Each payer has specific requirements for TMS authorization. This matrix provides an overview of the most common requirements. Always verify current requirements directly with the payer — policies change frequently.

Payer	Auth Form Required	Clinical Notes Needed	Submission Method	Turnaround	Notes
Medicare (Part B)	Standard CMS 1500 with NCD/LCD criteria met	PHQ-9 (recent), med trials, psychotherapy history, consent	CMS portal / Availity	10–14 days	NCD 160.24 applies. Must be office-based. MD/DO only.
Medicaid	State-specific auth form	Varies by state — check state Medicaid LCD	State portal / fax	3–14 days	Many states limit TMS to specific indications. Verify coverage before scheduling.
BCBS (Anthem/Empire)	BCBS auth form + LMN	PHQ-9 (≤30 days), 4 med trials, therapy history, contraindication screening	Availity / provider portal	5–10 days	Requires failure of 4+ meds at therapeutic dose × 6+ weeks. Peer-to-peer strongly recommended.
BCBS Federal	BCBS auth form + LMN	Similar to BCBS commercial	Availity / provider portal	5–10 days	Coverage based on NCD 160.24. Same as Medicare for clinical criteria.
Aetna	Aetna TMS auth request form	PHQ-9 (≤30 days), 4+ med trials, ECT history if applicable	Navinet / provider portal	5–7 days	Requires failure of at least 3 antidepressants from 2 different classes. Peer-to-peer available.
Cigna	Cigna auth form + LMN	PHQ-9, 4+ med trials, psychotherapy, contraindication screen	CignaforHCP portal / fax	7–14 days	Cigna requires documentation of adequate dose and duration for each trial. Watch for step therapy requirements.
UHC / Oxford	UHC auth form + LMN	PHQ-9, 4+ med trials, ECT history, consent	UnitedHealthcare provider portal	5–10 days	UnitedHealthcare uses EviCore for TMS authorizations in many states. Verify which UM vendor applies.
Humana	Humana auth form + LMN	PHQ-9, 4+ med trials, therapy history	Availity / provider portal	5–10 days	Humana requires peer-to-peer if denial is issued. Always request P2P before filing formal appeal.
Tricare	Tricare auth request	PHQ-9, med trials, PCM referral note	Humana Military (for East) / TriWest (for West)	7–14 days	Requires PCM referral. TMS must be rendered by TRICARE-authorized provider. Check regional contractor.
Optum / UHC Behavioral	Optum auth form + LMN	PHQ-9 (≤30 days), 4+ med trials, therapy history	Optum provider portal	5–10 days	Optum often delegates to Magellan for behavioral health TMS auths. Know which UM vendor handles your region.

7. PHQ-9 & GAD-7 Documentation Best Practices

Standardized outcome measures are the backbone of TMS clinical documentation. Payers require PHQ-9 scores to justify both initial authorization and reauthorization mid-treatment. Poor documentation of these measures is one of the top reasons for authorization denials and audit recoupments.

PHQ-9 Scoring Reference

Score Range	Severity	Interpretation	Clinical Action
0–4	None / Remission	Minimal or no depression	None needed; maintain current treatment
5–9	Mild	Minimal depression symptoms	Watchful waiting; follow up in 2 weeks
10–14	Moderate	Moderate depression	Treatment plan; consider med change or augmentation
15–19	Moderately Severe	Moderately severe depression	Active treatment warranted; TMS is appropriate here
20–27	Severe	Severe depression	Intensive treatment; urgent intervention

DOCUMENTATION REQUIREMENTS FOR EACH PHQ-9

- Date administered (must be within the authorization request, typically ≤30 days)
- Score (total and severity level)
- Who administered (patient self-report vs. clinician-administered — note which)
- Method (paper, electronic, verbal administration)
- Any items the patient declined to answer — note which items
- Item 9 (suicidal ideation) score — must always be documented, even if zero

When to Administer PHQ-9 and GAD-7

REQUIRED FOR INITIAL AUTH

- PHQ-9 within 30 days of submission
- GAD-7 if comorbid anxiety suspected
- Scores must show moderate-to-severe range

REQUIRED FOR REAUTHORIZATION (SESSION 18–20)

- PHQ-9 mid-treatment to demonstrate response
- Expect ≥25% improvement from baseline
- If not meeting threshold, document protocol adjustment

REQUIRED AT TREATMENT COMPLETION

- Final PHQ-9 and GAD-7
- Compare to baseline
- Document response/remission status

8. Denial Appeal Workflow

A systematic approach to handling denials ensures nothing falls through the cracks and maximizes your appeal success rate. Every denial should be logged, tracked, and followed through to resolution.

- 1 Receive and Log the Denial**
Log immediately in your denial tracking spreadsheet: date received, date of service, patient name/MRN, payer, claim number, authorization number, reason code, amount billed, amount denied, deadline to appeal. Assign to a team member responsible for follow-up.
- 2 Read the Denial Letter Carefully**
Identify the exact reason for denial. Common reasons: insufficient medication trials, missing PHQ-9 scores, wrong form used, not medically necessary, experimental/investigational. The reason determines the fix — don't guess.
- 3 Pull and Review the Clinical Documentation**
Read the complete chart. Determine if the denial is valid (documentation genuinely missing or insufficient) or invalid (documentation exists but wasn't submitted, or denial contradicts LCD/NCD criteria). If invalid — proceed to step 5.
- 4 Obtain Missing Documentation (If Valid Denial)**
If the denial is valid — information is genuinely missing — obtain the missing records. For medication trials: contact pharmacies, prior prescribers, or use pharmacy records. For PHQ-9 scores: pull from EMR. Gather everything before calling the payer.
- 5 Call Member Services — Get the Representative's Name and Reference Number**
Before filing an appeal, call the member services number on the back of the insurance card. Ask: "I'd like to understand the reason for this denial and what additional information would be needed to approve." Document the rep's name, ID number, date/time of call, and summary of the conversation. This call often resolves simple errors.
- 6 Request a Peer-to-Peer Review**
Call the UM/medical review department and request a peer-to-peer review with the medical director. Have the treating physician (not the billing staff) conduct the call. Use the script in Section 4. Most denials are resolved at this stage. Get the reviewer's name and reference number.
- 7 File the Level 1 Appeal**
Submit the formal appeal letter within the payer's appeal deadline (typically 30–60 days from denial date, but check the denial letter for the exact deadline — it's often printed there). Include: appeal letter, updated LMN, all supporting clinical documentation, peer-to-peer notes. Fax and confirm receipt. Track the appeal reference number.
- 8 Wait for Level 1 Response, Then Escalate If Needed**
Level 1 appeals must be decided within 30 days (urgent/expedited: 72 hours). If denied again, proceed to Level 2 (external review by an independent review organization, or IRO) and/or contact your state insurance commissioner's office for assistance. For Medicare: request a redetermination, then reconsideration, then ALJ hearing.

Glossary of Key Terms

Appeal A formal request to overturn a denial or adverse benefit determination. Filed by the provider or patient with the insurance company.

Authorization Approval from an insurer before a service is rendered. Required for most TMS treatments. Also called prior authorization, precertification, or prior approval.

Clean Claim A claim submitted with all required information that can be processed without additional information or correction. Reduces denials and delays.

Concurrent Review Utilization review conducted during an ongoing course of treatment to determine if continued treatment is medically necessary. Common for TMS reauthorizations at session 18.

DME Durable Medical Equipment. TMS devices are sometimes classified as DME by certain payers. Most commonly, TMS is billed under CPT codes as an physician service.

Grievance A formal complaint about the quality of care, customer service, or administrative processes. Different from an appeal — grievances challenge the process, not the medical decision.

ARU Audio Response Unit. Automated phone system used by payers. Common pathway to reach medical review departments.

Binding A decision by an independent review organization (IRO) that is legally binding on the insurance company. Available at external review stage.

COB Coordination of Benefits. Determines which payer is primary when a patient has multiple insurance plans. Always verify COB before submitting a claim.

Denial An insurer's refusal to pay for a service. Can be pre-service (prior auth denial) or post-service (claim denial). Each type requires a different appeal process.

External Review Level 2 appeal reviewed by an independent third party (IRO) not affiliated with the insurance company. Available after exhausting internal appeals. Often successful for legitimate medical necessity denials.

LCD Local Coverage Determination. A decision by a Medicare Administrative Contractor (MAC) about whether a service is covered in a specific geographic area. TMS LCDs specify coverage criteria.

Medical Necessity The standard that a service must be medically appropriate and necessary for the diagnosis or treatment of the patient's condition. Defined by payer-specific criteria, LCDs/NCDs, and clinical guidelines.

Peer Review A review of a medical decision by a peer — another physician or medical professional. Peer-to-peer (P2P) reviews involve direct discussion between the treating physician and the payer's medical director.

Quantity Limit A restriction on the number of units, sessions, or doses covered within a time period. For TMS: most payers cover 36 sessions (1 course) with reauthorization for additional courses.

Step Therapy A requirement that a patient try a preferred or less expensive treatment before a more costly one is approved. For TMS, some payers may require failure of ECT or specific medications first.

UM Utilization Management. The payer's process for reviewing the appropriateness and necessity of care. Includes prior authorization, concurrent review, and retrospective review.

NCD National Coverage Determination. A CMS decision about whether a service is covered nationwide under Medicare. TMS has an NCD (160.24).

Prior Auth Prior Authorization. The process of obtaining approval from a payer before rendering a service. Required by most payers for TMS. Submit LMN, medication history, PHQ-9, and payer-specific forms.

Retrospective Review Utilization review conducted after a service has already been provided. Claim denials require retrospective review to overturn.

Timely Filing The deadline by which a claim or appeal must be submitted to the payer. Typically 90 days to 1 year from date of service. Miss the timely filing deadline and the payer can deny on that basis alone.

QR Resource Center

Scan to Connect

Access TMS List resources on any device.



tmslist.com/map/

Find a TMS provider



tmslist.com/quiz/

TMS eligibility quiz



tmslist.com/owner/

Clinic owner dashboard

Tear-Out Card: Authorization Request Checklist

Prior Authorization Request Checklist — Use This Every Time

- | | |
|---|---|
| ☐ Pull patient's most recent chart notes | ☐ Include most recent clinical progress note |
| ☐ Verify insurance eligibility and benefits | ☐ Attach PHQ-9 and GAD-7 scores with dates |
| ☐ Check payer-specific LCD/requirements | ☐ Verify CPT codes (90867/90868/90869) |
| ☐ Administer PHQ-9 (within 30 days) | ☐ Include provider NPI and tax ID |
| ☐ Complete Medication Trial Documentation Form | ☐ Complete Prior Auth Cover Letter |
| ☐ Pull pharmacy records if needed | ☐ Submit via correct portal/method |
| ☐ Write/updated Letter of Medical Necessity | ☐ Log in tracking system with deadline |
| ☐ Verify all [BRACKETS] are filled in | ☐ Follow up at day 5 if no response |



TMS List — tmslist.com — Get help finding a TMS provider or verifying insurance coverage

Keep going — there's more where this came from.

This guide is one piece of a free library we publish for patients researching TMS and providers running TMS clinics. Every resource below is a full PDF — no fluff, no upsell.

The Complete TMS Buyer's Guide

PATIENT

Everything to choose the right TMS provider.

tmslist.com/downloads/tms-buyers-guide.pdf →

Insurance Coverage Checklist

PATIENT

A step-by-step walkthrough to get TMS covered.

tmslist.com/downloads/insurance-checklist.pdf →

TMS vs Medication Comparison

PATIENT

Outcomes, side effects and cost, side by side.

tmslist.com/downloads/tms-vs-medication.pdf →

TMS Billing & CPT Codes 2026

PROVIDER

Reimbursement reference for billers and coders.

tmslist.com/downloads/tms-billing-cpt-codes-2026.pdf →

Patient Acquisition Playbook

PROVIDER

Channels, scripts and funnels that convert.

tmslist.com/downloads/tms-patient-acquisition-playbook.pdf →

Starting a TMS Clinic — Business Plan

PROVIDER

Full plan with pro-forma, equipment and staffing.

tmslist.com/downloads/starting-a-tms-clinic-business-plan.pdf →

Patient Outcome Tracking System

PROVIDER

PHQ-9 / GAD-7 workflow with templates.

tmslist.com/downloads/tms-patient-outcome-tracking-system.pdf →

Technician Training Checklist

PROVIDER

Onboard new TMS technicians faster.

tmslist.com/downloads/tms-technician-training-checklist.pdf →

State Regulations Guide 2026

PROVIDER

Compliance and licensure by state.

tmslist.com/downloads/tms-state-regulations-guide-2026.pdf →

Building a TMS Referral Network

PROVIDER

Outreach scripts and CRM cadence that work.

tmslist.com/downloads/building-tms-referral-network.pdf →

Browse the full library online

New guides, calculators and templates added each quarter.

tmslist.com/resources →