

Esc
normal mode

~
toggle case

!
external filter

@.
play macro

prev ident

\$
eol

%
goto match

^
"soft" bol

&
repeat :s

*
next ident

(
begin sentence

)
end sentence

_
"soft" bol down

+
next line

·
goto mark

1

2

3

4

5

6

7

8

9

0
"hard" bol

-
prev line

=
auto format³

Q
ex mode

W
next WORD

E
end WORD

R
replace mode

T.
back 'till

Y
yank line

U
undo line

I
insert at bol

O
open above

P
paste before

{
begin parag

}
end parag

q.
record macro

W
next word

e
end word

r.
replace char

t.
'till

y
yank^{1,3}

u
undo

i
insert mode

o
open below

p
paste after¹

[.
misc

].
misc

A
append at eol

S
subst line

D
delete to eol

F.
"back" find char

G.
eof/ goto line

H
screen top

J
join lines

K
help

L
screen bottom

:
ex cmd line

".
reg. spec¹

|
bol/ goto col

a
append

s
subst char

d
delete^{1,3}

f.
find char

g.
extra cmds⁶

h

j

k

l
➡

;
repeat t/T/f/F

'.
goto mk. bol

\.
default leader

Z.
quit⁴

X
back-space

C
change to eol

V
visual lines

B
back WORD

N
prev (find)

M
screen mid'l

<
un-indent³

>
indent³

?.
find (rev.)

Z.
extra cmds⁵

X
delete char

C
change^{1,3}

V
visual mode

b
back word

n
next (find)

m.
set mark

,
reverse t/T/f/F

.
repeat cmd

/.
find

motion	moves the cursor, or defines the range for an operator
command	direct action command, if red , it enters insert mode
operator	requires a motion afterwards, operates between cursor & destination
extra	special functions, requires exta input
q.	commands with a dot need a char argument afterwards

bol = beginning of line, eol = end of line,
mk = mark, yank = copy, char = character
parag = paragraph, cmd = command

words: quux(foo, bar, baz);

WORDS: quux(foo, bar, baz);

Main command line commands ('ex'):
:w (save), :q (quit), :q! (quit w/o saving)
:e f (open file f)
:%s/x/y/g (replace 'x' by 'y' filewide),
:h (help in neovim), :new (new file in neovim)

Other important commands:
CTRL-R: redo
CTRL-F/-B: page up/down,
CTRL-E/-Y: scroll line up/down,
CTRL-V: block-visual mode

Visual mode:
Move around and type operator to act on selected region

Notes:

(1) use "x before a yank/paste/del command to use that register ('clipboard') (x=a..z,*) (e.g.: "ay\$ to copy rest of line to register 'a')

(2) type in a number before any action to repeat it that number of times (e.g.: 2p, d2w, 5i, d4j)

(3) duplicate operator to act on current line (dd = delete line, yy = yank line, >> = indent line)

(4) ZZ to save & quit, ZQ to quit w/o saving

(5) zt: scroll cursor to top, zb: bottom, zz:center

(6) gg: top of file, gf: open file under cursor

Google Doc version by mattmc3

Credit to www.viemu.com for design

<https://github.com/mattmc3/neovim-cheatsheet>

For tutorial and fullll cheat sheets, go to www.viemu.com - home of ViEmu, vi/vim emulation for Microsoft Visual Studio