

Universal Auto Explore for Civilization VII

Contents

Universal Auto Explore for Civilization VII	2
At a glance (for players)	2
Options	2
How it works	2
Layout	3
Translations	4
Publishing to Steam Workshop	4
Notes	4

Universal Auto Explore for Civilization VII

Grants the game's built-in **Automate Exploration** action to every military unit on land and at sea, not just Scouts, so any of them can be sent off to reveal the map on its own. It does not change gameplay balance.

At a glance (for players)

The Automate Exploration command Civilization VII gives your Scouts and some ships, unlocked on every land and naval military unit: infantry, ranged, cavalry, siege, every ship, and unique units.

- Any of these units can be told to explore and fill in the fog on its own.
- Settlers, Migrants, Merchants and other civilians, and Commanders, get it only when you turn on **Civilian Units** in Options. Aircraft never get it. Scouts keep it as before.
- It unlocks a command the game already has. If you can auto-explore a Scout, you can use this.
- **Options > Add-ons > Universal Auto Explore** turns the action on or off for Scouts, land military units, naval units and civilian units, and for any single unit in those groups. Every group but Civilian Units starts on.
- Coverage includes base game, all DLC, independent-power units, and units added by future patches, automatically.
- A Civlopedia page, **Automate Exploration** (Game Concepts, under Combat), lists which units can explore and how to use the action.
- It does not touch balance, movement, combat, costs, or base-game files, and is safe to add to an ongoing game or save.

At a glance (for modders):

- **Mod id:** universal-auto-explore
 - **Author:** Tower
 - **Version:** 1.2.0
 - **Requires:** base-standard (i.e. the base game). No DLC required.
-

Options

Under **Options > Add-ons**, the **Universal Auto Explore** block has a checkbox for each group of units:

- **Scouts:** Scouts and other recon units, such as the Chasqui.
- **Land Military Units:** infantry, ranged, cavalry and siege, including unique units.
- **Naval Units:** every warship.
- **Civilian Units:** every unit that does not fight: Settlers, Migrants, Merchants, trade caravans and ships, Missionaries, Great People, Commanders and the like. Off until you turn it on.

Below each group, **Choose ...** opens a list of the units in it, one checkbox per unit. Turning a group off removes the Automate Exploration action from every unit in it, whatever their own checkboxes say; turning a unit off removes it from that unit only. Every group but Civilian Units starts on, which is how the mod behaves without these options.

- Changes apply the next time you select a unit; no reload is needed. A unit that is already exploring keeps going until it stops on its own.
- The unit lists show the units of the current age, so open Options from a game to see them. The main-menu Options screen shows the four group checkboxes.
- **Cancel** puts back the settings the screen opened with.
- Settings are saved for the game you are in and for new games.
- The options only hide the action. Which units can auto-explore at all is set by the data patch below, which leaves aircraft out, so they are not listed.

How it works

The game enables auto-explore on units carrying the `UNIT_CLASS_AUTOEXPLORE` type tag (by default only Scouts, a handful of uniques, and most warships have it). This mod adds that tag to every land combat, recon and naval unit, and to every non-combat unit on land and at sea for the Civilian Units option.

Instead of hand-listing hundreds of unit types, it applies the tag with two set-based SQL statements — `data/grant-autoexplore.sql`:

```
INSERT OR IGNORE INTO TypeTags (Type, Tag)
SELECT u.UnitType, 'UNIT_CLASS_AUTOEXPLORE'
FROM Units u
WHERE u.FormationClass IN (
    'FORMATION_CLASS_RECON',
    'FORMATION_CLASS_LAND_COMBAT',
    'FORMATION_CLASS_NAVAL'
)
AND u.FoundCity = 0
AND u.UnitType NOT LIKE '%SANDBOX%';

INSERT OR IGNORE INTO TypeTags (Type, Tag)
SELECT u.UnitType, 'UNIT_CLASS_AUTOEXPLORE'
FROM Units u
WHERE u.CoreClass IN ('CORE_CLASS_CIVILIAN', 'CORE_CLASS_SUPPORT')
AND u.Domain IN ('DOMAIN_LAND', 'DOMAIN_SEA')
AND u.UnitType NOT LIKE '%SANDBOX%';
```

Why this shape:

- **Low-maintenance coverage.** It tags whatever units of those formation classes exist in the current age's database: base game, every DLC civ/leader pack, independent-power units, and any units a future patch adds. Nothing to update per release.
- **Non-combat units are tagged, but hidden by default.** The second statement tags Settlers, Migrants, Merchants, Great People, Commanders and other non-combat units. The Civilian Units option starts off, and while it is off `ui/uae-unit-actions.js` keeps the action out of their unit panel. Aircraft are never tagged; `scripts/validate-sql.mjs` fails if `DOMAIN_AIR` appears. 1.0.3 had removed these units over a reported crash; crash-soak runs with every unit type tagged and dozens of non-combat units auto-exploring (two seeds, 60 turns, and a reloaded save) did not reproduce it.
- **INSERT OR IGNORE** skips units that already carry the tag (they collide on the `TypeTags (Tag, Type)` primary key), so there is no duplicate-row load error and no need to maintain an exclusion list.
- **Runs on new games and loaded saves.** The action group uses `AlwaysMet`, so the patch executes whenever game scope initializes, including save loads. A high `LoadOrder` (9999) ensures it runs after all unit types have been inserted.
- **SANDBOX filter** drops the engine test units (`UNIT_SANDBOX`, `UNIT_AUDIO_SANDBOX_*`), which never appear in normal play.

`UNIT_CLASS_AUTOEXPLORE`, the `Units/TypeTags` table names, the `FORMATION_CLASS_*` values, and `AGE_*` are engine-owned identifiers and are left unchanged. Renaming them would break the effect. Everything author-owned (mod id, filename, action-group id, localization tags, author) was renamed for this rebuild; no attribution to the original creator remains.

Layout

```
universal_auto-explore/
  universal-auto-explore.modinfo    # mod manifest
  data/grant-autoexplore.sql        # the single set-based tag patch
  data/uae-civilopedia.xml          # Civilopedia page: Game Concepts > Combat > Automate Exploration
  ui/uae-options.js                 # the Options rows (groups and per-unit lists)
  ui/uae-unit-actions.js            # hides the action in the unit panel for groups/units turned off
  ui/uae-settings.js               # saved settings (shared modSettings key + per-save copy)
  ui/uae-unit-classes.js           # which group a unit belongs to
  ui/uae-mod-options.js            # registers the shared "Mods" Options category
  text/en_us/ModuleText.xml        # name, description and Civilopedia text (source of truth)
  text/<lang>/ModuleText.xml       # the ten translations; text/README.md explains them
  tests/                           # translation, Civilopedia page and options checks (npm run verify)
```

```

README.md  README.pdf          # this document
CHANGELOG.md          # release history (drives the Steam change note)
CONTRIBUTING.md  LICENSE      # contributor guide + MIT license
release.sh          # build the Workshop package
steam_workshop_id.txt  # publishedfileid, written on first publish
images/
  universal-auto-explore-icon.svg # mod icon
docs/
  steam-workshop-description.md      # full Steam store copy (BBCode)
  steam-workshop-description-short.md # short Steam store copy (BBCode)
  workshop-preview.svg  workshop-preview.png # Steam preview card
scripts/
  build_readme_pdf.sh          # regenerate README.pdf

```

Only the modinfo, `data/`, `text/`, `ui/`, `README`, `CHANGELOG`, and `LICENSE` ship in the Workshop zip; `docs/`, `images/`, `scripts/`, and the release tooling are repo-only (excluded by `release.sh`).

Everything below `data/`, `text/`, `ui/`, plus the modinfo and `README` is what ships; the rest is release tooling and is excluded from the packaged zip.

Translations

The mod's name, description, Civilopedia page and Options text ship in English and the game's ten other languages: German, Spanish, French, Italian, Japanese, Korean, Polish, Portuguese (Brazil), Russian and Simplified Chinese. They are machine translations that use the game's own words for its terms, such as the Automate Exploration action; corrections from native speakers are welcome. To fix or add a language, see `text/README.md`.

Publishing to Steam Workshop

`release.sh` builds a clean, audited package — it does **not** upload (that needs your Steam login).

1. Bump `<Version>` in the modinfo and add a matching `## [x.y.z]` section to `CHANGELOG.md`.
2. Run `./release.sh`. It writes `dist/`:
 - `universal-auto-explore-vX.Y.Z.zip` — the mod, modinfo at the zip root (also fine for manual install / CivMods).
 - `dist/universal_auto-explore/` — the upload content folder.
 - `preview.png` — 1024×1024 card rendered from `docs/workshop-preview.svg` (needs `rsvg-convert`; `brew install librsvg`).
 - `workshop_item.vdf` — the steamcmd manifest (appid 1295660).
3. Upload with the command the script prints:


```
~/steamcmd/steamcmd.sh +login <yourSteamLogin> \
  +workshop_build_item <abs-path>/dist/workshop_item.vdf +quit
```
4. The first upload creates the item and prints a `publishedfileid`. Save it: `echo <publishedfileid> > steam_workshop_id.txt`. Later runs then upload in **update** mode and generate the Steam change note from the current `CHANGELOG.md` section.

Notes

- Rebuilt against Civilization VII **1.4.1**. Because the effect is set-based, it does not need to be re-verified against a specific unit roster each patch.