

PUNE INSTITUTE OF COMPUTER TECHNOLOGY, PUNE – 411043

Department of Electronics & Telecommunication Engineering

BATCH AND ROLL NO:

EXPERIMENT NO.6

TITLE: Design a mobile application to Show any website using web view.

DATE OF PERFORMANCE:

DATE OF SUBMISSION:

Title: Design a mobile application to Show any website using web view.

Requirements:

1 Android studio

Theory:

Introduction

The integration of web content into mobile applications has become an integral aspect of enhancing user experiences. In this lab, we will focus on designing a mobile application that incorporates a WebView component. The WebView allows the seamless display of web content within the application, providing users with the convenience of accessing external websites without leaving the app environment.

Objective of the Lab: The primary objective of this lab is to guide you through the process of designing a mobile application that utilizes a WebView to showcase content from external websites. By the end of this lab, you should be adept at implementing and customizing the WebView component, offering users a cohesive experience as they navigate web content within the confines of your mobile application.

Components of the Application:

1. WebView Component:

- The WebView is a versatile component that allows the embedding of web content directly into a mobile application.
- o It enables users to interact with and view external websites seamlessly, enhancing the overall application functionality.

Lab Prerequisites:

- Basic understanding of mobile application development concepts.
- Familiarity with the chosen development environment (e.g., Android Studio, Xcode).
- Prior knowledge of programming languages such as Java or Kotlin (for Android) or Swift (for iOS).



PUNE INSTITUTE OF COMPUTER TECHNOLOGY, PUNE – 411043

Department of Electronics & Telecommunication Engineering

Steps:

Step 1: Set Up Your Development Environment

• Ensure that you have Android Studio installed and configured on your machine.

Step 2: Create a New Project

- Open Android Studio and create a new project.
- Choose an appropriate project template, such as "Empty Activity" or "Basic Activity."

Step 3: Design the Main Activity Layout

- Open the XML layout file associated with your main activity (e.g., activity_main.xml).
- Add a WebView component to your layout. You can use the WebView element in your XML file.

Step 4: Implement the Java Code

- Open the Java file associated with your main activity (e.g., MainActivity.java).
- In the onCreate method, retrieve the reference to the WebView from the XML layout using findViewById.
- Configure the WebView settings, such as enabling JavaScript, if required.

Step 5: Test Your Application

- Run your application on an emulator or a physical device.
- Verify that the WebView displays the content from the specified website.

Step 6: Enhance WebView Functionality (Optional)

• Implement additional features, such as handling WebView events (e.g., page loading), managing navigation, or enabling WebView controls.

XML CODE:

Activity_main.xml:

<?xml version="1.0" encoding="utf-8"?>

<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"xmlns:app="http://schemas.android.com/apk/res-auto"</pre>



PUNE INSTITUTE OF COMPUTER TECHNOLOGY, PUNE – 411043 Department of Electronics & Telecommunication Engineering

```
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
tools:context=".MainActivity">
<WebView
android:layout_width="410dp"
android:layout_height="734dp"
android:id="@+id/webview"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintTop_toTopOf="parent"
tools:layout_editor_absoluteX="1dp"
tools:ignore="MissingConstraints" />
</androidx.constraintlayout.widget.ConstraintLayout>
Java Code:
MainActivity.java:
package com.example.exp5;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.webkit.WebSettings;
import android.webkit.WebView;
import android.webkit.WebViewClient;
public class MainActivity extends AppCompatActivity {
WebView webView;
@Override
```



PUNE INSTITUTE OF COMPUTER TECHNOLOGY, PUNE – 411043 Department of Electronics & Telecommunication Engineering

```
protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    webView=findViewById(R.id.webview);

WebSettings webSettings=webView.getSettings();
    webView.setWebViewClient(new WebViewClient());
    webSettings.setJavaScriptEnabled(true);
    webView.loadUrl("https://www.pict.edu/");}

@Override
    public void onBackPressed(){
    if(webView.canGoBack()){
        webView.goBack();}
    else{
        super.onBackPressed();}}
```



PUNE INSTITUTE OF COMPUTER TECHNOLOGY, PUNE – 411043

Department of Electronics & Telecommunication Engineering

Output:



Conclusion: