Galaxies' Redshift Estimates

My Vien

IMAGE SOURCE: HTTPS://WWW.ESO.ORG/PUBLIC/IMAGES/POTW1830A/

INTRODUCTION AND DATASET

- → The target variable is photometric estimates of redshift, a measure of distance from us to an object.
- → The predictors variables are mainly the measurements and errors of brightness of color bands of galaxies.
- → n = 3438, number of galaxies samples (after removing missing values)
- → p = 60 (number of predictors)
- → We will be able to predict the velocity of a galaxy based on the brightness of color bands of a galaxy

R-SQUARES



→ Random Forest has the best train R-square and test R-square, while Ridge is the lowest on both train and test set.

→ Test R-square values are lower and more spread on all models

CV CURVE

- → In overall, the variance of CV MSE does not look so different between all 3 models
- → Optimized Lasso has around 12 non-zero coefficients
- → Optimized ElasticNet has around 22 non-zero coefficients
- → As expected, Optimized Ridge has maintained all predictors coefficients



LASSO



Elastic Net



Ridge



RESIDUALS



→ Train size is 2750 and test size is 688.

→ Random Forest has smallest spread while all constrained models have larger spread.

→ Extreme residual outliers are detected on test set of all 3 constrained models.

Performance

- → There is a trade off between time and model performance comparing between 3 constrained linear models and RF.
- → Lasso is considered the best amongst linear constrained models considering its test R2 and time.
- → Elastic Net takes longest time to run but does not perform better than Lasso.
- → Ridge is fastest, but its score is less comparable.

Models	90% test R2	Time (s)
Lasso	(0.92043, 0.94697)	0.479
ElasticNet	(0.92049, 0.94722)	0.73
Ridge	(0.91169, 0.93955)	**0.364**
RF	**(0.999941, 0.999999)**	35.496

Coefficients (100 Bootstrap Samples)

- → All linear models have similar feature importance: UjMAG (Johnson U luminosity) and Rmag (red band magnitude) are the two largest coefficients in 3 linear models.
- → With Random Forest, it is UjMAG (Johnson U luminosity) and UbMAG (Bessell U luminosity)
- → Lasso has the largest coefficients in all linear models and Ridge has the smallest.
- → All linear models have more spread in features importance than Random Forest.
- → Some features in Elastic Net and Lasso have very wide standard deviation.



Conclusion:



→ There is not a big difference between train and test R-squared, train and test residuals which proves that all our predictive models have good performance.

→ Taking time and test R-squared into account, elastic net has the worst performance.

→ Even though RF takes longest time to run, but RF is still the best model considering its 90% test R-squared.

→ The features importance between RF and linear models are different, there might be underlying non-linear processes so that RF can achieve significantly better score than the linear models. The Bersell U luminosity could be the non-linear feature.