

FONTFONT INFO GUIDE FOR

# FF DIN Round Light

OT | Pro



## SECTIONS

- A | Introduction to OpenType®
- B | Font and Designer Information
- C | Supported Layout Features
- D | Language Support
- E | Type Specimens

## SECTION A

# INTRODUCTION TO OPENTYPE®

### WHAT IS OPENTYPE?

OpenType® is a cross-platform font file format developed jointly by Adobe and Microsoft. The two main benefits of the OpenType format are its cross-platform compatibility (the same font file works on Macintosh and Windows computers), and its ability to support widely expanded character sets and layout features, which provide rich linguistic support and advanced typographic control.

OpenType fonts can be installed and used alongside PostScript® Type 1 and TrueType fonts.

The range of supported layout features may differ in the various FontFont OpenType packages, therefore each OpenType package will be accompanied by this FF Info Guide listing the layout features supported by this specific font package.

You'll find a glossary of all available OpenType layout features in Section B of the general FF OpenType User Guide.

---

Please see the FontFont OpenType® User Guide  
at <http://www.fontfont.com/opentype>

©FSI, 2005 All rights reserved.  
All information in this document is provided "AS IS" without  
warranty of any kind, either expressed or implied, and is subject  
to change without notice.

All trademarks mentioned in this document are the trademarks  
or registered trademarks of their respective holders.

You may reproduce and distribute this document as long as you  
do not remove FSI's copyright information and do not make any  
changes in the document.


# Handgloves

## ABOUT FF DIN ROUND LIGHT

FF DIN's simplicity and industrial straightforwardness can now be combined with rather soft and emotional aspects. Especially comprehensive design projects whose elements need to be visually distinguished clearly but still be recognized as players of the same team will benefit from a combination of FF DIN with FF DIN Round. Think of logos, slogans, price tags, etc. as parts of advertising campaigns and shop designs, calling attention and communicating their uniqueness. FF DIN Round is not only a good companion to FF DIN, its smooth and friendly curves make it on its own perfect for branding strategies for family cars, bikes, household appliances, sportswear, shoes or medical products, but it will also be very suitable on screen: in web design or mobile devices.

## ABOUT ALBERT-JAN POOL

Albert-Jan Pool was born in 1960 in Amsterdam. He studied at the Royal Academy of Arts in The Hague. Initiated by professor Gerrit Noordzij the Academy had become an incubator of type design. Albert-Jan was one of the co-founders of Letters], a group of young Dutch type designers. Many of its members (Frank Blokland, Erik and Petr van Blokland, Jelle Bosma, Luc(as) de Groot, Bart de Haas, Henk van Leyden, Peter-Matthias Noordzij, Marie-Cécile Noordzij-Pulles, Just van Rossum and Peter Verheul) have become well-known type designers. After his study he left for Germany. From 1987 to 1991 he was Type Director at Scangraphic in Wedel, near Hamburg. From 1991 to 1994 he was Manager of Type Design and Production at URW in Hamburg. During this time he completed his type families URW Imperial, URW Linear and URW Mauritius. By January 1995 he started his own studio Dutch Design in Hamburg. FF DIN and FF OCR-F were among his first projects. He had been teaching type design at the Muthesius Hochschule in Kiel from 1995 to 1998, as well as typography at the Hamburg Academy for Marketing and Media. Together with type consultant Stefan Rögener of AdFinder GmbH and copywriter Ursula Packhäuser he wrote and designed a both useful and provocative book on the effects of type on brand image entitled "Branding with Type", which has been published by Adobe Press. Dutch Design finally merged into



FarbTon Konzept + Design. The new company was co-founded 1999 with Jörn Iken, and Klaus-Peter-Staudinger, as well as with Birgit Hartmann who is also the mother of their daughter Pia-Elina (born 1999). For customers of FarbTon he created several corporate typefaces such as Jet Set Sans together with Syndicate Brand & Corporate for Jet/Conoco in 1997, C&A InfoType together with Factor Design for C&A in 1998, DTL HEIN GAS for HEIN GAS Hamburger Gaswerke in 1999 and Regenbogen Bold for Regenbogen, a political party in Germany in 2001. Pool is currently working on several new series in order to extend the family of FF DIN.

---

SECTION C  
SUPPORTED  
LAYOUT FEATURES

FONTFONT OPENTYPE®

EXAMPLES



HISTORICAL FORMS

hist ► hift



CASE-SENSITIVE FORMS

(H-o) ► H-O



CAPITAL SPACING

HOH ► HOH



OLDSTYLE FIGURES

167 167  
167 167



LINING FIGURES

167 167  
167 167



PROPORTIONAL FIGURES

167 167  
167 167



TABULAR FIGURES

167 167  
167 167



FRACTIONS

2 5/16 ► 2<sup>5</sup>/16

## EXAMPLES

7/

NUMERATORS

123/ ▶ 123/

/7

DENOMINATORS

/123 ▶ /123

1<sup>a</sup>

ORDINALS

1a2o ▶ 1<sup>a</sup>2<sup>o</sup>

H<sub>2</sub>O

SCIENTIFIC INFERIORS

CO2 ▶ CO<sub>2</sub>

F<sup>2</sup>

SUPERSCRIPT

m3 ▶ m<sup>3</sup>

N<sub>2</sub>

SUBSCRIPT

N2 ▶ N<sub>2</sub>

Jj

ACCESS ALL ALTERNATES

1 ▶ 111<sub>1</sub>1<sup>1</sup>

gg

STYLISTIC ALTERNATES

aç| ▶ aç|

## EXAMPLES



STYLISTIC SET 1

aç, | ► aç, |



STYLISTIC SET 2

s ► ſ



LOCALIZED FORMS

Œ œ T t ► Œ œ T t

SECTION D  
LANGUAGE  
SUPPORT

SUPPORTED  
CODE PAGES  
STANDARD



<b>MACOS</b> MACOS ICELANDIC MACOS ROMAN <b>IBM</b> IBM-37 UNITED STATES - EBCDIC (IBM-28709) IBM-273 GERMANY - EBCDIC IBM-277 DENMARK, NORWAY - EBCDIC IBM-278 FINLAND, SWEDEN - EBCDIC IBM-280 ITALY - EBCDIC IBM-282 IBM-284 SPAIN, LATIN AMERICA - EBCDIC	IBM-285 UNITED KINGDOM - EBCDIC IBM-297 FRANCE - EBCDIC IBM-500 INTERNATIONAL - EBCDIC IBM-871 ICELAND - EBCDIC IBM-1047 OPEN SYSTEMS - EBCDIC <b>WINDOWS</b> MS WINDOWS 1252 LATIN 1 <b>ISO</b> ISO 8859- 1 W EU LATIN 1 ISO 8859-15 WEST EUROPE LATIN 9
---	--

ADDITIONAL  
SUPPORTED  
CODE PAGES  
PRO



<b>MACOS</b> MACOS CENTRAL EUROPE MACOS CROATIAN MACOS CYRILLIC MACOS ROMANIAN MACOS TURKISH MACOS UKRAINIAN <b>IBM</b> IBM-921 BALTIC IBM-1025 CYRILLIC - EBCDIC IBM-1112 BALTIC - EBCDIC IBM-1123 IBM-1124 <b>WINDOWS</b> MS WINDOWS 1250 EASTERN EUROPEAN	MS WINDOWS 1251 CYRILLIC MS WINDOWS 1254 TURKISH MS WINDOWS 1257 BALTIC <b>ISO</b> ISO 8859- 2 C EU LATIN 2 ISO 8859- 3 TU, MALT, GAL, ESP LATIN 3 ISO 8859- 4 BALTIC LATIN 6 ISO 8859- 5 CYRILLIC ISO 8859- 9 W EU+TURKISH LATIN 5 ISO 8859-10 SCANDINAVIAN LATIN 6 ISO 8859-13 BALTIC LATIN 7 ISO 8859-16 SOUTHEAST EUROPE LATIN 10
--	--



**SUPPORTED  
LANGUAGES  
STANDARD**

**STD**

AFRIKAANS	KYRGYZ (CYRILLIC) [ROMANIZATION; BGN/PCGN 1979]
ALBANIAN	LADIN
AMHARIC (ETHIOPIC) [ROMANIZATION SYSTEM BGN/PCGN 1967]	LAOTIAN (LAOTIAN) [ROMANIZATION; NATIONAL]
ARVANITIKA (LATIN)	LOW GERMAN
ASTURIAN	LUXEMBOURGIAN
BARABA TATAR	MALAGASY
BATS (LATIN)	MALAY (LATIN)
BISLAMA	MANX GAELIC
BOKMÅL NORWEGIAN	NORTH FRISIAN
BRETON	NORTHERN SOTHO
BURMESE (BURMESE) [ROMANIZATION; BGN/PCGN 1970]	NYNORSK NORWEGIAN
CATALAN	OCCITAN
CHAMORRO	PILIPINO (TAGALOG)
DANISH	PORTUGUESE
DUTCH	RHAETO-ROMANCE
EAST FRISIAN	ROMANSCH
ENGLISH	RUSSIAN (CYRILLIC) [ROMANIZATION; BGN/PCGN 1947]
ESTONIAN	SCOTTISH GAELIC
FAEROESE	SOMALI
FINNISH	SOUTHERN SAMI
FRANCO-PROVENCAL	SOUTHERN SOTHO
FRENCH	SPANISH
FRISIAN	SWEDISH
FRIULIAN	TAHITIAN
GALICIAN	TSAKHUR (LATIN)
GERMAN	TSONGA
GREEK (GREEK) [ROMANIZATION; BGN/ PCGN 1962]	TSWANA
GREENLANDIC	TURKMEN (CYRILLIC) [ROMANIZATION; BGN/PCGN 1979]
ICELANDIC	UKRAINIAN (CYRILLIC) [ROMANIZATION; NATIONAL, 1993]
INDONESIAN	UME SAMI
INTERLINGUA	WALLOON
IRISH	WEST FRISIAN
ITALIAN	XHOSA
JAPANESE (SINO-JAPANESE) [ROMANIZATION; KUNREI]	YAPESE
KARAIM (LATIN)	YIDDISH [ROMANIZATION]
KAZAN TATAR (LATIN)	ZULU
KURDISH (LATIN)	

**ADDITIONAL  
SUPPORTED  
LANGUAGES**

**PRO**

ABAZA	INGUSH
ADYGHE	ISTRO-ROMANIAN
ÄLVDALSKA	JAPANESE (SINO-JAPANESE)
AMHARIC (ETHIOPIC) [ROMANIZATION; UN 1967]	[ROMANIZATION; MODIFIED HEPBURN]
ARAGONESE	KABARDIAN
ARCHI	KALMYK
ARUMANIAN	KARACHAY-BALKAR
AVAR	KARAIM (CYRILLIC)
AZERBAIJANI (CYRILLIC)	KARA-KALPAK
AZERBAIJANI (LATIN)	KASHUBIAN
BALK	KAZAKH
BASQUE	KAZAKH (CYRILLIC) [ROMANIZATION; BGN/PCGN 1979]
BOSNIAN (CYRILLIC)	KAZAN TATAR (CYRILLIC)
BOSNIAN (LATIN)	KHINALUG
BOTLIKH	KHMER (KHMER) [ROMANIZATION; UN 1972]
BUDUKH	KOREAN (HANGUL) [ROMANIZATION; 1939 & 1984]
BULGARIAN	KRYTS
BULGARIAN (CYRILLIC) [ROMANIZATION; BGN/PCGN 1952]	KUMYK
BURYAT	KURDISH (CYRILLIC)
BYELORUSSIAN (BELARUSIAN CYRILLIC)	KURMANJI
BYELORUSSIAN (BELARUSIAN LATIN)	LADINO (LATIN)
CHECHEN (CYRILLIC)	LAK
CHECHEN (LATIN)	LATIN
CHICHEWA	LATVIAN (LETTISH)
COOK ISLANDS MAORI	LEZGI
CRIMEAN TATAR (LATIN)	LITHUANIAN
CROATIAN	LULE SAMI
CZECH	MACEDONIAN
DARGIN	MACEDONIAN (CYRILLIC)
DUNGAN	[ROMANIZATION; UN 1977]
ERZYA	MALTESE
ESPERANTO	MAORI
GAGAUZ (LATIN)	MARSHALLESE
GODOBERI	MOKSHA
GREENLANDIC (PRE-1973)	MOLDAVIAN (LATIN)
HAWAIIAN	MONGOLIAN (CYRILLIC)
HUNGARIAN	MONGOLIAN (CYRILLIC)
INARI SAMI	[ROMANIZATION; BGN/PCGN 1964]
	NANAI
	NOGAY
	NORTHERN SAMI

POLISH	TALYSH (CYRILLIC)
PORTUNHOL	TATAR
ROMANI (LATIN)	TATI
ROMANIAN	TONGAN
RUSSIAN	TSAKHUR (CYRILLIC)
RUSSIAN (CYRILLIC) [ROMANIZATION;	TURKISH
RUSSIAN ACADEMY OF SCIENCES	TURKMEN
SYSTEM]	TUVINIAN
RUSSIAN (CYRILLIC) [ROMANIZATION;	UBYKH
UN 1987, NATIONAL]	UDI
RUSYN	UKRAINIAN
RUTUL	UZBEK
SAMOAN	UZBEK (CYRILLIC) [ROMANIZATION;
SARDINIAN	BGN/PCGN 1979]
SERBIAN (CYRILLIC) [ROMANIZATION;	VÅMHUSMÅL
UN 1977]	VEPSIAN
SERBIAN (LATIN)	WALLISIAN
SLOVAK	WELSH
SLOVENIAN	WOLOF
SORBIAN LOWER	
SORBIAN UPPER	
TABASARAN	
TAJIK	
TAJIK (CYRILLIC) [ROMANIZATION; BGN/	
PCGN 1994]	

**SUPPORTED  
UNICODE RANGES**

TITLE	NUMBER OF CHARACTERS		EXAMPLES
	STD	PRO	
BASIC LATIN	97	97	! " # ...   } ~
LATIN-1 SUPPLEMENT	96	96	ı Œ £ ... ý þ ÿ
LATIN EXTENDED-A	13	128	Ā ā Ă ă ... Ž ž ı
LATIN EXTENDED-B	1	27	Ɔ ƒ Ʒ ... Ƨ Ƨ Ƨ
IPA EXTENSIONS		1	ə
SPACING MODIFIER LETTERS	10	10	ˆ ˆ ˆ ... ˆ ˆ ˆ
GREEK AND COPTIC	4	4	Δ Ω μ π
CYRILLIC		136	È Ê Ë ... Ө ̄ ̄
LATIN EXTENDED ADDITIONAL		10	Ẁ ẁ Ẃ ... ẃ Ỳ ỳ
GENERAL PUNCTUATION	19	20	– — — ... < > /
SUPERSCRIPTS AND SUBSCRIPTS	17	17	⁰ ⁴ ⁵ ... ₇ ₈ ₉
CURRENCY SYMBOLS	2	2	€ ₯
LETTERLIKE SYMBOLS	3	3	Nº ™ Ω
NUMBER FORMS	17	17	1/7 1/9 1/10 ... 7/8 1/ 0/3

TITLE	NUMBER OF CHARACTERS		EXAMPLES
	STD	PRO	
ARROWS	8	8	← ↑ → ... ↗ ↘ ↙
MATHEMATICAL OPERATORS	14	14	∂ Δ ∏ ... ≤ ≥ ·
GEOMETRIC SHAPES	1	1	◊
ALPHABETIC PRESENTATION FORMS 2		2	fi fl

Shag pile i13

AaBbCcDdEeFfGgHhIiJjKkLlM

abcdefghijklmnopqrstuvwxyz 0123456789

ABCDEFGHIJKLMNOPQRSTUVWXYZ

FF DIN Round OT Light 14/16 pt

Sempre domenica prenderà vita una giornata Gut getarnt im  
Neptungras steht ein Kuckuckslipp. Serán, a juicio de los  
científicos, tres épocas Onks tää vika kysymys. Hän on

FF DIN Round OT Light 12/14 pt

Sempre domenica prenderà vita una giornata Gut getarnt im Neptungras  
steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks  
tää vika kysymys. Hän on työskennellyt Il y aurait bien de choses à dire là-

FF DIN Round OT Light 10/12 pt

Sempre domenica prenderà vita una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika	kysymys. Hän on työskennellyt Il y aurait bien de choses à dire là-dessus. Several tenors sing in culturally void display. Eigentlich wollen die Leute nur die Sonne
---	---

FF DIN Round OT Light 8/10 pt

Sempre domenica prenderà vita una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de	los científicos, tres épocas Onks tää vika kysymys. Hän on työskennellyt Il y aurait bien de choses à dire là-dessus. Several	tenors sing in culturally void display. Eigentlich wollen die Leute nur die Sonne genießen. Ayer, todavía en pleno echazo,
--	--	---