



ServiceClaims – Integration Guide

Claims Retrieval

17 May 2024

Offices:
1650 8180 Greensboro Drive, Suite 600, McLean, VA 22102
2961 W. MacArthur Blvd., Suite 212, Santa Ana, CA 92704
Suites 35-38 Regent House, Heaton Lane, Stockport, SK4 1BS

servicepower.com

© 2024 ServicePower All rights reserved

1. INFORMATION

1.1. DOCUMENT INFORMATION

Product	ServiceClaims
Subject	Integration Guide - Claims Retrieval
Version Number	1.2
Version Date	17-May-24
Next Review Date	13-Nov-24

1.2. VERSION HISTORY

Number	Date	Description
1.1	19-May-21	General update
1.2	17-May-24	Formatting and Clarity

2. CONTENTS

1.	INFORMATION	2
1.1.	DOCUMENT INFORMATION	2
1.2.	VERSION HISTORY	2
2.	CONTENTS	2
3.	OVERVIEW	2
4.	GENERAL INFORMATION	3
4.1.	AUTHENTICATION	3
4.2.	ELEMENT INFORMATION	3
4.3.	ERRORS	4
5.	CLAIM RETRIEVAL	4
5.1.	URLS	4
5.2.	REQUEST ELEMENTS	5
5.3.	SAMPLE REQUEST	6
5.4.	RESPONSE ELEMENTS	7
5.5.	SAMPLE RESPONSE	9

3. OVERVIEW

ServiceClaims, a component of the ServicePower Contracted Workforce platform, is an application designed for manufacturers and distributors. It facilitates the payment of an external field force of third-party service providers who perform services such as installations, repairs, and preventative maintenance.



Individual jobs are typically provided via the ServiceDispatch module of the Contracted Workforce platform. Once completed, service providers are expected to submit their claims for reimbursement using the ServiceClaims platform either within the online user interface or via API integration.

As a provider offering these services to a customer of ServicePower, you are invited to integrate your existing systems with ServiceClaims for the purpose of submitting new claims, querying and updating information from within the application. This document explains how to connect your existing line of business applications using an industry standard web-service for the purpose of querying the status of existing claims.

The primary audience of this document are technical resources working on behalf of an authorised service provider, providing services to a ServicePower client. It is expected that anyone attempting to integrate an external system with ServiceClaims has access to, and is familiar with, the user interface and the concepts of submitting claims.

4. GENERAL INFORMATION

All web services should be called over HTTPS, not HTTP.

4.1. AUTHENTICATION

The web service has an authentication section which contains two elements - user ID and password. A manufacturer client must obtain a user and password that is valid only for web service connections. The user id and password used to connect to the website will not work.

Servicers may use the same user and password that is used to log on to the web site.

Below is a sample of the authentication section.

```
"authentication":  
  {  
    "userId":"SOMEUSER",  
    "password":"userpwd"  
  },
```

4.2. ELEMENT INFORMATION

Certain elements have a restricted set of values. While the web service may accept a value that isn't valid, and may create the claim in the system, any claim created this way will be incomplete and may contain errors. One or more error codes will be returned together with the web service response.

Unless specifically indicated within the comments section of each table, elements are optional. However, this is only true from the perspective of the web service accepting the request. The web service may accept blank data but when the claim is edited within the interface, any errors will be highlighted.

The accepted data types for an element are:

- **A** – Alphanumeric
- **N** – Numeric



If the data type of the element is numeric, the maximum number of decimal places will be indicated. The length of a numeric data type indicates the maximum length, including decimals. E.g. A numeric data type of 7 length with 2 decimals means that up to 5 digits can exist prior to the decimal point and up to 2 digits after the decimal point.

4.3. ERRORS

If the web service executes normally and data is returned the message collection will not be returned. The sample JSON includes a typical response when errors occur and when all claims can be processed successfully.

Any web service level errors (e.g. invalid user) will appear in the messages array for the web service. If there are validation errors the messages array with messages for the specific claim will be returned and the response code will be 'ER'.

The messages array will be as follows.

```
"messages": [  
  {  
    "message": "Error Message 1"  
  },  
  {  
    "message": "Error Message 2"  
  }  
]
```

5. CLAIM RETRIEVAL

This web service is used retrieve claims.

5.1. URLS

The URLs for POST to TEST are:

- **North America:** <https://upgdev.servicepower.com:8443/services/claim/v1/retrieval>
- **Europe:** <https://claimsqa-eu.servicepower.com/services/claim/v1/retrieval>

The URLs to must POST to PRODUCTION are:

- **North America:** <https://claimworks.servicepower.com:8443/services/claim/v1/retrieval>
- **Europe:** <https://claims-eu.servicepower.com/services/claim/v1/retrieval>



5.2. REQUEST ELEMENTS

ELEMENT	TYP	LEN	DEC	VALID VALUES	COMMENTS
manufacturerName	A	30			Mandatory
serviceCenterNumber	A	12			Only required for a servicer user
claimIdentifier	A	30			Only one of these can be passed, unless using claimBatchNumber, then claimSequenceNumber must also be passed.
claimBatchNumber	N	6			
claimSequenceNumber	N	6			
claimNumber	A	15			
callNumber	A	20			claimIdentifier is the manufacturer unique id to reference a claim/ claimNumber is the claim number assigned within ServiceClaims. claimBatchNumber and claimSequenceNumber is the unique identifier within the ServiceClaims application.
authentication					
userId	A	10			Mandatory. For manufacturer client this must be a web service specific user id. For a service center this is the web site user id.
password	A	10			Mandatory



5.3. SAMPLE REQUEST

Sample request data for **test** servers can be obtained from the following locations;

- **North America:**
<https://upgdev.servicepower.com/servicessample/claim/v1/claimretrievalrequestv1.json>
- **Europe:** <https://claimsqa-eu.servicepower.com/servicessample/claim/v1/claimretrievalrequestv1.json>

Sample request data for **production** servers can be obtained from the following locations;

- **North America:**
<https://claimworks.servicepower.com/servicessample/claim/v1/claimretrievalrequestv1.json>
- **Europe:** <https://claims-eu.servicepower.com/servicessample/claim/v1/claimretrievalrequestv1.json>



5.4. RESPONSE ELEMENTS

ELEMENT	TYP	LEN	DEC	VALID VALUES	COMMENTS
responseCode	A	2		OK or ER	
transactionId	A	50			When reporting issues please provide this transaction id.
Claims (Array – Matching entry for each claim passed)					
claimNumber	A	15			
claimIdentifier	A	30			
claimBatchNumber	N	6			
claimSequenceNumber	N	6			
claimStatusCode	A	1			
claimStatusDescription	A	30			
callNumber	A	20			
authorizationNumber	A	20			
brandName	A	20			
productName	A	30			
modelNumber	A	20			
serialNumber	A	25			
servicerNumber	A	12			
servicerName	A	30			
receivedDate	N	8	0	CCYYMMDD	
editedDate	N	8	0	CCYYMMDD	
paymentType	A	10			
paymentMethod	A	1			
paymentAmount	N	9	2		
paymentDate	N	8	0	CCYYMMDD	
periodEndingDate	N	8	0	CCYYMMDD	
paymentTransactionNumber	N	10	0		
paidLaborAmount	N	7	2		
paidPartsAmount	N	7	2		



ELEMENT	TYP	LEN	DEC	VALID VALUES	COMMENTS
paidPartsHandlingAmount	N	7	2		
paidTravelAmount	N	7	2		
paidOtherAmount	N	7	2		
paidMileageAmount	N	7	2		
paidShippingAmount	N	7	2		
paidFreightAmount	N	7	2		
paidIncentiveAmount	N	7	2		
paidFederalTaxAmount	N	7	2		
paidStateTaxAmount	N	7	2		
Messages (Array – at web service level) – These typically occur when the web service is unable to process the claim. The most likely cause is an invalid username or password. Option. This array may not be returned.					
message	A	132			



5.5. SAMPLE RESPONSE

Sample response data for **test** servers can be obtained from the following locations;

- **North America:**
<https://upgdev.servicepower.com/servicessample/claim/v1/claimretrievalresponsev1.json>
- **Europe:** <https://claimsga-eu.servicepower.com/servicessample/claim/v1/claimretrievalresponsev1.json>

Sample response data for **production** servers can be obtained from the following locations;

- **North America:**
<https://claimworks.servicepower.com/servicessample/claim/v1/claimretrievalresponsev1.json>
- **Europe:** <https://claimsga-eu.servicepower.com/servicessample/claim/v1/claimretrievalresponsev1.json>

