



ServiceClaims – Integration Guide

Claims Submission

13 May 2024

Offices:
1650 8180 Greensboro Drive, Suite 600, McLean, VA 22102
2961 W. MacArthur Blvd., Suite 212, Santa Ana, CA 92704
Suites 35-38 Regent House, Heaton Lane, Stockport, SK4 1BS

servicepower.com

© 2024 ServicePower All rights reserved

1. INFORMATION

1.1. DOCUMENT INFORMATION

Product	ServiceClaims
Subject	Integration Guide - Claims Submission
Version Number	1.10
Version Date	13-May-24
Next Review Date	13-Nov-24

1.2. VERSION HISTORY

Number	Date	Description
1.9	21-Jun-21	General update
1.10	17-May-24	Formatting and Clarity

2. CONTENTS

1.	INFORMATION	2
1.1.	DOCUMENT INFORMATION	2
1.2.	VERSION HISTORY	2
2.	CONTENTS	2
3.	OVERVIEW	3
4.	GENERAL INFORMATION	3
4.1.	AUTHENTICATION	3
4.2.	ELEMENT INFORMATION	3
4.3.	ERRORS	4
5.	CLAIM SUBMISSION.....	5
5.1.	URLS.....	5
5.2.	REQUEST ELEMENTS.....	6
5.3.	SAMPLE REQUEST	11
5.4.	RESPONSE ELEMENTS	12
5.5.	SAMPLE RESPONSE – ALL CLAIMS PROCESSED SUCCESSFULLY	14
5.6.	SAMPLE RESPONSE – ONE OR MORE CLAIMS COULD NOT BE PROCESSED	14
6.	ADD DOCUMENT TO CLAIM	14
6.1.	URLS.....	14
6.2.	REQUEST ELEMENTS.....	16
6.3.	SAMPLE REQUEST	17
6.4.	RESPONSE ELEMENTS	18
6.5.	SAMPLE RESPONSE – DOCUMENT ADDED SUCCESSFULLY	19
6.6.	SAMPLE RESPONSE – DOCUMENT COULD NOT BE ADDED	19



3. OVERVIEW

ServiceClaims, a component of the ServicePower Contracted Workforce platform, is an application designed for manufacturers and distributors. It facilitates the payment of an external field force of third-party service providers who perform services such as installations, repairs, and preventative maintenance.

Individual jobs are typically provided via the ServiceDispatch module of the Contracted Workforce platform. Once completed, service providers are expected to submit their claims for reimbursement using the ServiceClaims platform either within the online user interface or via API integration.

As a provider offering these services to a customer of ServicePower, you are invited to integrate your existing systems with ServiceClaims for the purpose of submitting new claims, querying and updating information from within the application. This document explains how to connect your existing line of business applications using an industry standard web-service for the purpose of submitting a claim to the system.

The primary audience of this document are technical resources working on behalf of an authorised service provider, providing services to a ServicePower client. It is expected that anyone attempting to integrate an external system with ServiceClaims has access to, and is familiar with, the user interface and the concepts of submitting claims.

4. GENERAL INFORMATION

All web services should be called over HTTPS, not HTTP.

4.1. AUTHENTICATION

The web service has an authentication section which contains two elements - user ID and password. A manufacturer client must obtain a user and password that is valid only for web service connections. The user id and password used to connect to the website will not work.

Servicers may use the same user and password that is used to log on to the web site.

Below is a sample of the authentication section.

```
"authentication":  
  {  
    "userId":"SOMEUSER",  
    "password":"userpwd"  
  },
```

4.2. ELEMENT INFORMATION

Certain elements have a restricted set of values. While the web service may accept a value that isn't valid, and may create the claim in the system, any claim created this way will be incomplete and may contain errors. One or more error codes will be returned together with the web service response.

Unless specifically indicated within the comments section of each table, elements are optional. However, this is only true from the perspective of the web service accepting the request. The web



service may accept blank data but when the claim is edited within the interface, any errors will be highlighted.

The accepted data types for an element are:

- **A** – Alphanumeric
- **N** – Numeric

If the data type of the element is numeric, the maximum number of decimal places will be indicated. The length of a numeric data type indicates the maximum length, including decimals. E.g. A numeric data type of 7 length with 2 decimals means that up to 5 digits can exist prior to the decimal point and up to 2 digits after the decimal point.

4.3. ERRORS

When the web service executes normally, and data is returned, the messages collection will not be provided. The sample JSON includes a response when errors occur and when all claims can be processed successfully.

Certain errors (e.g. invalid date) are checked prior to data being written into the Claims system. Any claim with one or more of these types of errors will be rejected and the claim will not be created or updated. If a claim can be processed successfully a return code of "OK" will be returned. A summary will be provided detailing the total claims received, the number of claims processed within the system and the number of claims that were rejected.

When a claim is written into the system, a secondary set of validations are performed to determine any specific errors that apply to the claim. This means that a return code of OK could be returned but the claim status might still show as Incomplete, indicated by the letter "I". Any errors to be corrected will be returned as part of the response. Once submitted, individual errors can be resolved, either within the user interface or by resubmitting the API with the updated values. As denoted in Section 3, all values must be passed, including values which are not being updated as elements which are not passed will be treated as zero or blank and will overwrite previously submitted data.

Any web service level errors (e.g. invalid user) will appear in the messages array for the web service. At this level, it is unlikely that any claims will have been processed correctly. If there are validation errors, the messages array for the specific claim will be returned and the response code will be shown as "ER". If the claim was successfully written to the system, an error may still be returned if there are uncorrected errors on the claim that need to be resolved. If the error is for a specific part the part number element will contain a value.

The messages and errors array will be as follows.

```
"messages": [  
  {  
    "message": "Error Message 1"  
  },  
  {  
    "message": "Error Message 2"  
  }  
]
```



```
"errors": [  
  {  
    "errorDescription": "Blank Dealer Name"  
    "partNumber": ""  
  },  
  {  
    "errorDescription": "Invalid Distributor"  
    "partNumber": "PART1"  
  }  
]
```

5. CLAIM SUBMISSION

This web service is used to create or update a claim. The maximum number of claims that can be passed in any single request is 1000.

Claims documents cannot be sent using this transaction and should be sent using the 'Add Claim Document' transaction.

5.1. URLS

The URLs for POST to TEST are:

- **North America:** <https://upgdev.servicepower.com:8443/services/claim/v1/submission>
- **Europe:** <https://claimsga-eu.servicepower.com/services/claim/v1/submission>

The URLs to must POST to PRODUCTION are:

- **North America:** <https://claimworks.servicepower.com:8443/services/claim/v1/submission>
- **Europe:** <https://claims-eu.servicepower.com/services/claim/v1/submission>



5.2. REQUEST ELEMENTS

ELEMENT	TYP	LEN	DEC	VALID VALUES	COMMENTS
authentication					
userId	A	10			Mandatory. For manufacturer client this must be a web service specific user id. For a service center this is the web site user id.
password	A	10			Mandatory.
Claims (Array – Pass one or more claims)					
manufacturerName	A	30			Mandatory.
distributorNumber	A	12			
serviceCenterNumber	A	12			
serviceCenterLocationCode	A	3			
serviceCenterLocationName	A	30			
claimNumber	A	15			Mandatory. Once set, this cannot be changed.
customerFirstName	A	15			
customerLastName	A	20			
customerAddress1	A	30			
customerAddress2	A	30			
customerCity	A	20			
customerState	A	2			
customerCountryCode	A	3			
customerZipCode	A	9			
customerPhone	N	10			
customerType	A	1			
customerEmail	A	50			
demographicCode	A	3			
brandName	A	20			
modelName	A	20			



ELEMENT	TYP	LEN	DEC	VALID VALUES	COMMENTS
serialNumber	A	25			
datePurchased	N	8		CCYYMMDD	
eiaDefectOrComplaintCode	A	4			
defectOrComplaintDescription	A	150			
servicePerformedDescription	A	250			
eiaRepairCode1	A	4			
eiaRepairCode2	A	4			
eiaRepairCode3	A	4			
eiaRepairCode4	A	4			
laborSchematicLocation1	A	10			
laborSchematicLocation2	A	10			
laborSchematicLocation3	A	10			
laborSchematicLocation4	A	10			
laborSchematicLocation5	A	10			
laborSchematicLocation6	A	10			
reworkNumberOrPolicy	A	6			
warrantyType	A	1			
softwareVersion	A	2			
repairCategory	A	2			
stockRepairFlag	A	1			
type	A	2			
existingClaimBatchNumber	N	6			DO NOT PASS if this is a NEW claim. ONLY pass this when updating a claim.
existingClaimSequenceNumber	N	6			DO NOT PASS if this is a NEW claim. ONLY pass this when updating a claim.
productSalesReceipt	A	1			



ELEMENT	TYP	LEN	DEC	VALID VALUES	COMMENTS
glAccountNumber	A	8			
validationFlag	A	1			
debitNumber	A	5			
keypunchOperator	A	4			
dateReceived	N	8		CCYYMMDD	
dateRequested	N	8		CCYYMMDD	
dateStarted	N	8		CCYYMMDD	
timeStarted	N	4		HHMM	
dateCompleted	N	8		CCYYMMDD	
timeCompleted	N	4		HHMM	
totalRepairMinutes	N	4	1		
serviceHours	A	4			
travelHours	A	4			
travelTime	N	4	1		
tripCount	N	3			
callNumber	A	20			
dealerNumber	A	12			
dealerName	A	30			
dealerAddress	A	30			
dealerCity	A	20			
dealerState	A	2			
dealerZipCode	A	9			
laborAmount	N	7	2		
partsAmount	N	7	2		
otherAmount	N	7	2		
taxFederalAmount	N	7	2		
taxStateAmount	N	7	2		
shippingChargeAmount	N	7	2		
codOrFreightAmount	N	7	2		



ELEMENT	TYP	LEN	DEC	VALID VALUES	COMMENTS
travelChargeAmount	N	7	2		
mileageAmount	N	7	2		
travelMiles	N	3			
stickerType	A	1			
stickerNumber	A	12			
serviceContractNumber	A	15			
distributorTransmittalNumber	A	10			
refurbished	A	1			
reference	A	15			
purchasedOverseasFlag	A	1			
authorizationNumber	A	20			
partMarkupPercentage	N	2			
microwaveBefore	A	6			
microwaveAfter	A	6			
specialCode	A	15			
defectivePartNumber	A	12			
defectivePartSerialNumber	A	12			
specialCustomerNote	A	100			
servicesSignedBy	A	30			
alternateStoreNumber	A	4			
productSKU	A	20			
warrantySKU	A	20			
serviceBusinessUnit	A	3			
pspSourceType	A	10			
foodSpoilageCode	A	6			
tpaContractNumber	A	25			
tpaClaimNumber	A	20			
tpaContractError	A	2			
tpaProductPurchaseDate	N	8		CCYYMMDD	



ELEMENT	TYP	LEN	DEC	VALID VALUES	COMMENTS
tpaLaborWarrantyDays	N	5			
tpaPartsWarrantyDays	N	5			
tpaSubProgram	A	1			
tpaRuleSet	A	2			
tpaEquipmentRetailPrice	N	9	2		
tpaProductCode	A	10			
tpaResubmittedFlag	A	1			
tpaResubmittedClaimNumber	A	15			
tpaClaimType	A	3			
tpaContractStartDate	N	8		CCYYMMDD	
tpaContractEndDate	N	8		CCYYMMDD	
tpaProductDescription	A	50			
tpaContractSKUDescription	A	250			
tpaProgramType	A	15			
tpaRemarkId	A	30			
parts (Array within claims – Pass zero or more parts. Maximum is 25 parts)					
number	A	20			Mandatory.
quantity	N	3			
description	A	30			
schematicLocation	A	10			
invoiceNumber	A	15			
priceRequested	N	7	2		
returned	A	1			
distributorNumber	A	12			
faultCode	A	4			
jobCode	A	4			



5.3. SAMPLE REQUEST

Sample request data for **test** servers can be obtained from the following locations;

- **North America:**
<https://upgdev.servicepower.com/servicessample/claim/v1/claimsubmissionrequestv1.json>
- **Europe:** <https://claimsqa-eu.servicepower.com/servicessample/claim/v1/claimsubmissionrequestv1.json>

Sample request data for **production** servers can be obtained from the following locations;

- **North America:**
<https://claimworks.servicepower.com/servicessample/claim/v1/claimsubmissionrequestv1.json>
- **Europe:** <https://claims-eu.servicepower.com/servicessample/claim/v1/claimsubmissionrequestv1.json>



5.4. RESPONSE ELEMENTS

ELEMENT	TYP	LEN	DEC	VALID VALUES	COMMENTS
responseCode	A	2		OK or ER	
transactionId	A	50			When reporting issues please provide this transaction id.
totalClaimsProcessedSuccessfully	N	7			
totalClaimsReceived	N	7			
totalClaimsNotProcessedSuccessfully	N	7			
Claims (Array – Matching entry for each claim passed)					
claimResponseCode	A	2		OK or ER	
manufacturerName	A	30			Value passed in request.
claimNumber	A	15			Value passed in request.
serviceCenterNumber	A	12			Value passed in request.
serviceCenterLocationCode	A	8			Value passed in request.
type	A	2			Value passed in request
claimBatchNumber	N	6			Value passed in request. If nothing was passed, the value assigned to the new claim created.
claimSequenceNumber	N	6			Value passed in request. If nothing was passed, the value assigned to the new claim created.
claimStatusCode	A	1			Status code assigned after claim validations are applied
claimStatusDescription	A	30			Status code description.
claimTransactionId	A	50			When reporting issues, please provide this transaction id.
Errors (Array – Within Claims) – These are claim errors that will be generated once the claim is created/updated. Optional. This array may not be returned if there no uncorrected errors on the claim.					
errorDescription	A	120			



ELEMENT	TYP	LEN	DEC	VALID VALUES	COMMENTS
partNumber	A	20			Will contain a value if the error is specific to a part.
Messages (Array – Within claims) – These are claim specific validation messages. If these occur this means a claim was not created/updated. Optional. This array may not be returned.					
message	A	132			
Messages (Array – at web service level) – These typically occur when the web service is unable to process the claim. The most likely cause is an invalid username or password. Option. This array may not be returned.					
message	A	132			



5.5. SAMPLE RESPONSE – ALL CLAIMS PROCESSED SUCCESSFULLY

Sample response data for **test** servers can be obtained from the following locations;

- **North America:**
<https://upgdev.servicepower.com/servicessample/claim/v1/claimsubmissionresponsesuccessv1.json>
- **Europe:** <https://claimsqa-eu.servicepower.com/servicessample/claim/v1/claimsubmissionresponsesuccessv1.json>

Sample response data for **production** servers can be obtained from the following locations;

- **North America:**
<https://claimworks.servicepower.com/servicessample/claim/v1/claimsubmissionresponsesuccessv1.json>
- **Europe:** <https://claimsqa-eu.servicepower.com/servicessample/claim/v1/claimsubmissionresponsesuccessv1.json>

5.6. SAMPLE RESPONSE – ONE OR MORE CLAIMS COULD NOT BE PROCESSED

Sample response data for **test** servers can be obtained from the following locations;

- **North America:**
<https://upgdev.servicepower.com/servicessample/claim/v1/claimsubmissionresponsevalerrorsv1.json>
- **Europe:** <https://claimsqa-eu.servicepower.com/servicessample/claim/v1/claimsubmissionresponsevalerrorsv1.json>

Sample response data for **production** servers can be obtained from the following locations;

- **North America:**
<https://claimworks.servicepower.com/servicessample/claim/v1/claimsubmissionresponsevalerrorsv1.json>
- **Europe:** <https://claimsqa-eu.servicepower.com/servicessample/claim/v1/claimsubmissionresponsevalerrorsv1.json>

6. ADD DOCUMENT TO CLAIM

This web service is used to add a document to a claim or update information about an existing document.

You can update individual elements if required. Only one document can be added or updated at a time. Existing documents can be replaced by providing the existing document id.

6.1. URLS

The URLs for POST to TEST are:

- **North America:** <https://upgdev.servicepower.com:8443/services/claim/v1/adddocument>



- **Europe:** <https://claimsqa-eu.servicepower.com/services/claim/v1/adddocument>

The URLs to must POST to PRODUCTION are:

- **North America:** <https://claimworks.servicepower.com:8443/services/claim/v1/adddocument>
- **Europe:** <https://claims-eu.servicepower.com/services/claim/v1/adddocument>



6.2. REQUEST ELEMENTS

ELEMENT	TYP	LEN	DEC	VALID VALUES	COMMENTS
authentication					
userId	A	10			Mandatory. For manufacturer client this must be a web service specific user id. For a service center this is the web site user id.
password	A	10			Mandatory.
Claims (Array – Pass one or more claims)					
userId	A	10			Mandatory. For manufacturer client this must be a web service specific user id. For a service center this is the web site user id.
password	A	10			Mandatory.
claim					
manufacturerName	A	30			Mandatory.
claimBatchNumber	N	6			Mandatory.
claimSequenceNumber	N	6			Mandatory.
claimNumber	A	15			Mandatory.
document					
category	A	3			Mandatory if new document. Valid category required.
description	A	60			Mandatory if new document.
filename	A	100			Mandatory if new document. Should include extension if applicable.
existingDocumentId	N	15			
file	A				Mandatory if new document. Must be a base64 encoded string.



6.3. SAMPLE REQUEST

Sample request data for **test** servers can be obtained from the following locations;

- **North America:**
<https://upgdev.servicepower.com/servicessample/claim/v1/adddocumentrequestv1.json>
- **Europe:** <https://claimsqa-eu.servicepower.com/servicessample/claim/v1/adddocumentrequestv1.json>

Sample request data for **production** servers can be obtained from the following locations;

- **North America:**
<https://claimworks.servicepower.com/servicessample/claim/v1/adddocumentrequestv1.json>
- **Europe:** <https://claims-eu.servicepower.com/servicessample/claim/v1/adddocumentrequestv1.json>



6.4. RESPONSE ELEMENTS

ELEMENT	TYP	LEN	DEC	VALID VALUES	COMMENTS
responseCode	A	2		OK or ER	
transactionId	A	50			When reporting issues please provide this transaction id.
documentId	N	15			Assigned document id if this is a new document.
Messages (Array) – These typically denote a type of validation message. Optional. This array may not be returned					
message	A	132			



6.5. SAMPLE RESPONSE – DOCUMENT ADDED SUCCESSFULLY

Sample response data for **test** servers can be obtained from the following locations;

- **North America:**
<https://upgdev.servicepower.com/servicessample/claim/v1/adddocumentresponsesuccessv1.json>
- **Europe:** <https://claimsqa-eu.servicepower.com/servicessample/claim/v1/adddocumentresponsesuccessv1.json>

Sample response data for **production** servers can be obtained from the following locations;

- **North America:**
<https://claimworks.servicepower.com/servicessample/claim/v1/adddocumentresponsesuccessv1.json>
- **Europe:** <https://claimsqa-eu.servicepower.com/servicessample/claim/v1/adddocumentresponsesuccessv1.json>

6.6. SAMPLE RESPONSE – DOCUMENT COULD NOT BE ADDED

Sample response data for **test** servers can be obtained from the following locations;

- **North America:**
<https://upgdev.servicepower.com/servicessample/claim/v1/adddocumentresponsevalerrorsv1.json>
- **Europe:** <https://claimsqa-eu.servicepower.com/servicessample/claim/v1/adddocumentresponsevalerrorsv1.json>

Sample response data for **production** servers can be obtained from the following locations;

- **North America:**
<https://claimworks.servicepower.com/servicessample/claim/v1/adddocumentresponsevalerrorsv1.json>
- **Europe:** <https://claimsqa-eu.servicepower.com/servicessample/claim/v1/adddocumentresponsevalerrorsv1.json>

