

### Exploring Authentication in ASP.NET Core


@ nestenius.se



1









## What is the goal of this presentation?

5



### ClaimsPrincipal



```
public class ClaimsPrincipal : IPrincipal
{
    //List of identities
    List<ClaimsIdentity> _identities = new();
    ...
}
```

```
public class ClaimsIdentity : IIdentity
{
    //List of claims
    List<Claim> _instanceClaims = new();
    ...
}
```


https://nestenius.se

7


### Claims


```
var claims = new List<Claim>()
{
    new("sub","1234"),
    new("name","Bob"),
    new("email","bob@tn-data.se"),
    new("role","developer")
};
```


https://nestenius.se



### ASP.NET Core Request Pipeline









```
Live coding #1

builder.Services.AddAuthentication();
...
app.UseAuthentication();
```





### Live coding #2


**Authentication Middleware** 


**Cookie Handler** 


https://nestenius.se


17


### **Authentication Operations**














### Triggering the Authentication Operations



https://nestenius.se

25

### **Triggering the Authentication Operations**


```
public async Task<IActionResult> Index()
{
    await HttpContext.AuthenticateAsync();
    // or
    await HttpContext.ChallengeAsync();
    // or
    await HttpContext.SignInAsync(...);
    // or
    await HttpContext.SignOutAsync();
    // or
    await HttpContext.ForbidAsync();
}
```

What happens under the hood?

## Triggering the Authentication Operations public async Task<IActionResult> Index() { // ... await HttpContext.ChallengeAsync(); // ... } What is the other approach?

27


# public IActionResult Index() { // ... return Challenge(); // or return SignIn(...); // or return Forbid(); } What happens when we do this? public IActionResult Index() { return Challenge(); } public IActionResult Index() { return new ChallengeResult(); }





Challenge != Redirect Cookie Handler public IActionResult Index() HTTP/1.1 302 Found Location: /User/Login Challenge return new ChallengeResult(); **JwtBearer** Handler public IActionResult Index() HTTP/1.1 401 Unauthorized WWW-Authenticate: Bearer Challenge return new ChallengeResult(); https://nestenius.se


```
What is the problem here?


public async Task<IActionResult> Index()
{
    await HttpContext.ChallengeAsync();
    return Redirect("/");
}
```












## builder.Services.AddAuthentication(o => { o.DefaultScheme = "cookie"; }) .AddCookie("cookie", o => { o.LoginPath = "/user/login"; o.LogoutPath = "/user/loggedOut"; o.AccessDeniedPath = "/user/AccessDenied"; });

37



### The Login Action Methods

```
[HttpGet]
public IActionResult Login(string ReturnUrl)
{
    return View(new LoginModel() { ReturnUrl = ReturnUrl });
}
[HttpPost]
[ValidateAntiForgeryToken]
public async Task Login(LoginModel loginCredentials)
{
    //...
}

public class LoginModel
{
    public string UserName { get; set; };
    public string Password { get; set; };
    public string ReturnUrl { get; set; };
}
```

39

### Create the list of claims

### Create an Identity + ClaimsPrincipal

```
//1. Validate username + password
                                                                                 Auth types
//2. Load the claims for this user from the DB
                                                                                 bwq
var claims = new List<Claim>()
                                                                                 External
         new("sub","1234"),
new("name","Bob"),
new("email","bob@tn-data.se"),
new("role","developer")
                                                                                 Windows
                                                                                 Jwt
                                                                                 Cookie
    };
                                                                                 api key
                                                                                 NTLM
//3. Create an Identity for these claims
var identity = new ClaimsIdentity(claims: claims,
                                                                                 Digest
                                        authenticationType: "pwd",
                                                                                 Basic
                                        nameType: "name",
                                                                                 Negotiate
                                        roleType: "role");
//4. Create the principal based on the users Identity
var principal = new ClaimsPrincipal(identity);
```

41


### SignIn Principal

https://nestenius.se

### Live coding #5

43

### What happens when we call SignInAsync?



### What is inside the authentication cookie?

Set-Cookie: .AspNetCore.cookie=CfDJ8IgPXRNAZH1EkNAOdd3\_JvtpVOohM43sH81B8MW4
2T1L57tpORRWmJu8svjUYUwIrYUOW4xoOikClOR3H87teUK4MYy58NBBAsjc8RDRWhKO6JVz0HuHW1eNSfu
nLJ\_OO0bZ1y6kYlF52lkzI8cw8VLPzG4zm33hoynL2JHLTCoWbugN-3kyOLrUSyVJdotB1ANGcvBTjz2rAFuOeUbzCdXXDjm98YzW3E99QffLamD1LlrKe7MX1y31NWdxzQ39m4WmGwUNa3b0iHoyDaeSKJvifmz
lMSWT\_8o9x4AUtzC6\_whIofPVHXhYkwCXGTwtpIYeb\_KOGuAvidb3S3tTkK4m3LHcf5Fx9ajfbE8RC\_5FLO
sPxbQiQcF3KGmIUPOdnHmtk7MHczg4UR-OgBh\_TA\_skyMoPy9Ak9sa4P-XvMwWyssEkOOzxfHbi6F
VWbq5CNDe6W1QZG6z5PwtwGsVmx4vK8C3\_4b9r-HU; path=/; secure; samesite=lax; httponly

### Live coding #6 .AddCookie(o => { o.DataProtectionProvider = new MyDataProtector(); }); public class MyDataProtector : IDataProtector { public IDataProtector CreateProtector(string purpose) { return new MyDataProtector(); } public byte[] Protect(byte[] plaintext) { return plaintext; } public byte[] Unprotect(byte[] protectedData) { return protectedData; } }


https://nestenius.se

47

}

}

## SignOut https://nestenius.se



```
Live coding #7

[HttpPost]
public async Task Logout()
{
   await HttpContext.SignOutAsync("cookie");
}
```

### Redirect After SignOut

https://nestenius.se

51

# LogoutPath builder.Services.AddAuthentication() .AddCookie(o => { ... o.LogoutPath = "/user/LoggedOut"; }); await HttpContext.SignOutAsync("cookie"); HTTP/1.1 200 OK Content-Length: 0 Set-Cookie: .AspNetCore.cookie=; expires=Thu, 01 Jan 1970 00:00:00 GMT;... Why are we not redirected?

### Live coding #8

53

### Using ReturnUrl

### /User/Logout?ReturnUrl=/User/LoggedOut

```
HTTP/1.1 200 OK
Content-Length: 0
Set-Cookie: .AspNetCore.cookie=; expires=Thu, 01 Jan 1970 00:00:00 GMT;...
```

### Live coding #9

### /User/Logout?ReturnUrl=/User/LoggedOut

```
.AddCookie(o =>
{
    ...
    o.LogoutPath = "/user/LoggedOut";
    ...
});

HTTP/1.1 302 Found
Location: /User/LoggedOut
Set-Cookie: .AspNetCore.cookie=; expires=Thu, 01 Jan 1970 00:00:00 GMT;...

https://nestenius.se
```

55


### **Alternatives**

```
[HttpPost]
public async Task Logout()
{
    var properties = new AuthenticationProperties()
    {
        RedirectUri = "/User/LoggedOut"
    };
    await HttpContext.SignOutAsync("cookie", properties);
}

[HttpPost]
public async Task<IActionResult> Logout()
{
    await HttpContext.SignOutAsync("cookie");
    return LocalRedirect("/User/LoggedOut");
}
```


### Are we really signed out? [HttpPost] public async Task Logout() { await HttpContext.SignOutAsync("cookie"); }

57



# Live coding #11 Large cookies! var claims = new List<Claim>() { new("sub","1234" + new string('x',10000)), new("name","Bob"), new("email","bob@tn-data.se"), new("role","developer") };

59



### The End

### QUESTIONS?



Presentation and code

https://github.com/tndataab/PublicBlogContent

Blog <u>nestenius.se</u> Work

<u>tn-data.se</u>

https://nestenius.se