Chapter 1 · Lesson 1

Section 1.1 Multiple Representations of Relationships

Explore a variety of scenarios, learn how to write equations for real-life situations, and identify the domain and range of a relation.

Essential Question

How can we represent and analyze relationships between quantities? How can we translate between different representations — word problems, tables, graphs, and equations — and what does each one tell us?

Mastery Objective

By the end of this section, you will be able to: write equations for real-life situations; identify the domain and range of a relation; and translate between tables, graphs, and equations.

Learning Target

Students will solve for a rate, ratio, quantity, or an unknown that represents the same relationship.

- I can identify the quantities in a real-life situation.
- I can write an equation that represents the relationship.
- I can describe the quantities as a rate.
- I can identify the domain and range of a relation.
- I can switch my representation to a graph.

What's To Come

We're going to start with the basics. As we move forward, I hope to expand my knowledge of how each of these representations can be used to solve problems. Let's start with the basics of each representation.

Word Problem — Real-world scenarios, usually in words, that describe a relationship between two or more quantities.

Table — Organizes data in rows and columns, making it easy to see patterns and specific values.

Hours (x)	1	2	3	4
Miles (y)	55	110	165	220

Equation — Uses variables and symbols to express the relationship between quantities.

$$y = 55x$$

Graph — Shows the relationship visually as points or a line on a coordinate plane.

Rates

A rate is a ratio that compares two quantities with different units. Rates are written as fractions.

Rate (word)	Rate (fraction)
55 miles per 1 hour	$\frac{55 \text{ miles}}{1 \text{ hour}}$
3 dollars per 2 pounds	$\frac{3 \text{ dollars}}{2 \text{ pounds}}$
12 inches per 1 foot	$\frac{12 \text{ inches}}{1 \text{ foot}}$

Example

$$\frac{\$ \quad \text{dollars}}{\text{lb} \quad \text{pounds}}$$

Ratios

A ratio is a comparison of two quantities. Ratios can be written in three ways:

- As a fraction: $\frac{3}{4}$
- With a colon: $3:4$
- In words: 3 to 4

Ratios can also be part-to-part or part-to-whole.

Example

Jason has 3 red marbles and 4 blue marbles.

- The ratio of red to blue is $3:4$.
- The ratio of red to the total is $3:7$.

Intro

Warm-Up

Complete the table and graph. Then write a word problem that matches.

Hours (x)	1	2	3	4
Miles (y)	55	110	165	220

- Do you see any patterns in the table?
- Where do you see the rate in the table and in the graph?
- Can you write an equation to represent the relationship?

Word Problem

A bicycle company has a plan to produce 55 bicycles per month. When will you reach production of 220 bicycles?

Table

Months (x)	1	2	3	4
Bicycles (y)	55	110	165	220

Equation

$$y = 55x$$

Graph

Key Vocabulary

- **Rate** — a ratio that compares two quantities with different units
- **Ratio** — a comparison of two quantities that share a common unit; can be written as a fraction, with a colon, or in words
- **Part-to-part ratio** — a ratio that compares one part of a whole to another part of the whole
- **Part-to-whole ratio** — a ratio that compares one part of a whole to the entire whole

Key Questions

- How can you tell if a table represents a rate?
- What's the difference between a part-to-part ratio and a part-to-whole ratio?
- Why is it important to switch between representations?

2 Representations Tell Different Parts of the Story

Mastery Objective — Multiple Representations

By the end of this section, you will be able to: describe a real-life situation using a table, graph, and equation; and identify the domain and range of a relation.

Table

Organizes data in rows and columns, making it easy to see patterns and specific values.

Graph

Shows the relationship visually as points or a line on a coordinate plane.

Equation

Uses variables and symbols to express the relationship between quantities.

Domain

The set of all the values that can be input into a relation. Usually, x values.

Range

The set of all the values that can be output from a relation. Usually, y values.

Example 1: Match a Graph to a Context

Two people start walking from the same point. Which one is walking?

The function answers different questions. Both are correct, for their context.

- Graph A represents a constant rate of travel. The person is walking at a steady pace.
- Graph B represents a person who walks for a while, stops for a break, and then continues walking.
- Graph A tells us the rate of travel. Graph B tells us that the person stopped for a break.

Try It 1: Which Graph Matches the Context?

Lewis leaves his car and goes to get a cup of coffee. He stays for a while and then walks back to his car.

- Which of the two graphs fits the story? Explain how you know.
- Graph A represents a constant rate of travel. The person is walking at a steady pace.
- Graph B represents a person who walks for a while, stops for a break, and then continues walking.
- **Rate Question:** Is the walking rate to the coffee shop the same as the walking rate back to the car? Explain.

Answer Key

Example 2: Circle Point in Both and Table

Consider a graph that represents the number of miles driven by a taxi driver.

Miles (x)	0	1	2	3	4
Cost ($)	3	5	7	9	11

- Circle the point that represents the starting fee.
- Write the coordinate pair that represents the starting fee.
- Write the coordinate pair that represents the cost of driving 3 miles.
- Write the coordinate pair that represents the cost of driving 4 miles.

Answer Key

Try It 2: Circle Point in Both and Table

Consider a graph that represents the number of miles driven by a taxi driver.

Miles (x)	0	1	2	3	4
Cost ($)	3	5	7	9	11

- Circle the point that represents the starting fee.
- Write the coordinate pair that represents the starting fee.
- Write the coordinate pair that represents the cost of driving 3 miles.
- Write the coordinate pair that represents the cost of driving 4 miles.

Answer Key

Key Vocabulary

- **Domain** — the set of all the values that can be input into a relation. Usually, x values.
- **Range** — the set of all the values that can be output from a relation. Usually, y values.

Key Questions

- How can you tell if a table represents a rate?
- What's the difference between a part-to-part ratio and a part-to-whole ratio?
- Why is it important to switch between representations?

3 Domain, Range, and Reasonable Values

Mastery Objective — Domain and Range

By the end of this section, you will be able to: identify the domain and range of a relation; and identify reasonable values for the domain and range of a relation.

Example 1: Identify Domain and Range

Consider a graph that represents the number of miles driven by a taxi driver.

- What is the domain of the graph? Explain your reasoning.
- What is the range of the graph? Explain your reasoning.
- Is it reasonable to have a fare of $0? Explain your reasoning.

Answer Key

Try It 3: Domain and Range

Consider a graph that represents the number of miles driven by a taxi driver.

- What is the domain of the graph? Explain your reasoning.
- What is the range of the graph? Explain your reasoning.
- Is it reasonable to have a fare of $0? Explain your reasoning.

Answer Key

Example 2: Reasonable Values

Consider a graph that represents the number of miles driven by a taxi driver.

- Is it reasonable to have a fare of $0? Explain your reasoning.
- Is it reasonable to have a fare of $3.50? Explain your reasoning.
- Is it reasonable to have a fare of $100? Explain your reasoning.
- **Rate Question:** How can we represent the rate for this car in a reasonable, easy-to-remember way?

Answer Key

Example 3: Create the Missing Representation

Consider a graph that represents the number of miles driven by a taxi driver.

Miles (x)	0	1	2	3	4
Cost ($)	3	5	7	9	11

- What is the domain of the graph? Is it discrete or continuous? Explain your reasoning.
- What is the range of the graph? Is it discrete or continuous? Explain your reasoning.
- Is it reasonable to have a fare of $0? Explain your reasoning.
- Is it reasonable to have a fare of $3.50? Explain your reasoning.
- Is it reasonable to have a fare of $100? Explain your reasoning.
- **Rate Question:** How can we represent the rate for this car in a reasonable, easy-to-remember way?

Answer Key

Try It 4: Create a Table and Equation

Consider a graph that represents the number of miles driven by a taxi driver.

- What is the domain of the graph? Is it discrete or continuous? Explain your reasoning.
- What is the range of the graph? Is it discrete or continuous? Explain your reasoning.
- Is it reasonable to have a fare of $0? Explain your reasoning.
- Is it reasonable to have a fare of $3.50? Explain your reasoning.
- Is it reasonable to have a fare of $100? Explain your reasoning.
- **Rate Question:** How can we represent the rate for this car in a reasonable, easy-to-remember way?

Answer Key

Key Vocabulary

- **Discrete** — Only certain values are possible, usually whole numbers. Think of counting objects.
- **Continuous** — Any value is possible, including fractions and decimals. Think of measuring things.

Key Questions

- How can you tell if a table represents a rate?
- What's the difference between a part-to-part ratio and a part-to-whole ratio?
- Why is it important to switch between representations?

4 Summary

Summary

In this section, we learned how to write equations for real-life situations and how to identify the domain and range of a relation. We also learned how to translate between tables, graphs, and equations. Finally, we learned how to identify reasonable values for the domain and range of a relation.

Mastery Objective — Summary

By the end of this section, you will be able to: identify the domain and range of a relation; identify reasonable values for the domain and range of a relation; and translate between tables, graphs, and equations.

Common Mistakes

- **Reversing rate and ratio.** Rate is a comparison of two quantities with different units. Ratio is a comparison of two quantities that share a common unit.
- **Confusing the domain and range.** The domain is the x values and the range is the y values. Remember, x comes before y in the alphabet.
- **Using the wrong part of a graph.** Remember, the x values are on the horizontal axis and the y values are on the vertical axis.
- **Assuming all graphs are discrete.** Remember, if it's connected, it's continuous. If it's not connected, it's discrete.

Optional Future Task Reflection

Use this space to reflect on your work. What do you feel confident about? What do you still have questions about? What would you like to explore further?