ALGEBRA 1 · PERSONALIZED PRACTICE

Math Practice

2026-11-13 · 20 questions

I CAN DISTINGUISH FUNCTIONS FROM RELATIONSHIPS THAT ARE NOT FUNCTIONS.

1. I can distinguish functions from relationships that are not functions.

Pairs $(1, 5), (2, 5), (3, 5)$ all have output 5. Is this a function? Explain.

2. I can distinguish functions from relationships that are not functions.

Function or not?

$(0, 1), (2, 3), (0, 4)$

3. I can distinguish functions from relationships that are not functions.

For $y = 2x - 5$, find the output when $x = -1$.

4. I can distinguish functions from relationships that are not functions.

Identify the repeated input.

x	-1	2	-1
y	3	5	8

I CAN IDENTIFY THE DOMAIN AND RANGE OF A RELATION.

5. I can identify the domain and range of a relation.

The function $f(x) = \sqrt{x}$ has real outputs. Explain why negative inputs are excluded.

6. I can identify the domain and range of a relation.

Find the domain of $\{(-3, 1), (0, 4), (2, 7)\}$.

7. I can identify the domain and range of a relation.

Tickets cost $6 each, and at most 8 tickets may be bought. What inputs are reasonable for the total-cost rule?

8. I can identify the domain and range of a relation.

List the domain.

$(2, 5), (4, 7), (6, 5)$

I CAN CONNECT LINEAR GROWTH IN TABLES, GRAPHS, AND EQUATIONS.

9. I can connect linear growth in tables, graphs, and equations.

Find the change per step for outputs 5, 9, 13, 17. Is $(1, 2), (2, 2), (1, 3)$ a function?

10. I can connect linear growth in tables, graphs, and equations.

Find the slope.

Points (1,3) and (5,11)

11. I can connect linear growth in tables, graphs, and equations.

Write an equation.

Slope 4; y-intercept −2.

12. I can connect linear growth in tables, graphs, and equations.

A table has $x = 0, 1, 2, 3$ and $y = 3, 7, 11, 15$. Write a rule.

I CAN CALCULATE AND INTERPRET SLOPE AS A CONSTANT RATE OF CHANGE.

13. I can calculate and interpret slope as a constant rate of change.

Find the slope.

$(-2,1), (2,9)$

14. I can calculate and interpret slope as a constant rate of change.

Find the slope through $(0, 2)$ and $(3, 8)$.

15. I can calculate and interpret slope as a constant rate of change.

One line has slope -2 and another has slope 3. Compare their directions and rates.

16. I can calculate and interpret slope as a constant rate of change.

Find the slope through $(0,3)$ and $(4,11)$. Then evaluate $f(2)$ for $f(x) = 3x - 1$.

I CAN COMPARE VERTICAL AND HORIZONTAL CHANGES TO FIND SLOPE.

17. I can compare vertical and horizontal changes to find slope.

Find the slope.

Rise −6, run 3

18. I can compare vertical and horizontal changes to find slope.

Find rise/run from (−2,1) to (2,−3). Then find y when $x = 4$ in $y = 2x + 1$.

19. I can compare vertical and horizontal changes to find slope.

Find Δy and Δx from $(1, 3)$ to $(4, 9)$.

20. I can compare vertical and horizontal changes to find slope.

Find the slope between $(-2, 5)$ and $(2, -3)$.