Writing & Interpreting Linear Models

Four questions over the first two pages: solve, diamond, and two spirals.

TEACHER COPY | Display student pages; keep solutions private

1 | Solve

Solve for x. Show each step, then check your answer.

$$2(3x - 4) + 5 = 27$$

ANSWER / TEACHING NOTE

2(3x - 4) + 5 = 27 → 6x - 8 + 5 = 27 → 6x = 30 → x = 5.

2 | Diamond

Find two numbers whose product is at the TOP and sum is at the BOTTOM.



SOLUTION: 12 and 5 (product 60, sum 17).

Spiral Retrieval

Retrieve ideas from earlier Algebra 1 work. Explain your reasoning.

3 | Spiral Review

Calculate slope between (1,7) and (3,15).

ANSWER / TEACHING NOTE

m = (15 - 7)/(3 - 1) = 8/2 = 4.

4 | Spiral Review

Is {(0,2),(1,4),(2,6)} a function? List domain and range.

ANSWER / TEACHING NOTE

Yes. Domain {0,1,2}; range {2,4,6}.

What We Need to Know

Writing & Interpreting Linear Models

Learning focus | LG 03-ican-2 / LG 03-ican-5

- I can write y = mx + b from a description, table, or two points.
- I can explain what the slope and starting value mean.
- I can check whether a model makes sense for a stated input.

Vocabulary | Highlight the important words

Linear model

An equation, table, or graph using constant change to represent a situation.

Slope-intercept form

The equation y = mx + b, where m is slope and b is the output at x = 0.

Slope / rate m

The change in output for each 1-unit input increase; include units.

y-intercept / starting value b

The value of y when x = 0; often the starting amount in context.

Variable

A letter representing a changing or unknown quantity, with an assigned meaning.

Domain restriction

A limit on which inputs make sense, based on the situation or mathematical rule.

Meaning & Method | Rewritten review notes

1. Read the story first: choose an input x and an output y with meaningful units.

2. Identify the starting amount b at input zero, then identify the constant change m per one input unit. Write y = mx + b.

3. Check the model using an input and output from the context. State restrictions such as nonnegative whole-number counts.

These are original, concise review notes aligned to the course lessons; they are not a reproduction of the textbook pages.

Examples & You Try Its

Complete the Example with your teacher. Then solve the matching You Try It.

Example

A printing service charges a $12 setup fee plus $3 per poster.

Posters p	Cost C ($)
0	12
1	15
2	18

Record the method and steps:

> **ANSWER / TEACHING NOTE**
> b = $12 setup fee, m = $3/poster. C = 3p + 12; for p=5, C = $27. Count p is a nonnegative integer.

You Try It

A studio charges a $9 reservation fee plus $4 per hour of room use.

Hours h	Cost C ($)
0	___
1	___
2	___

Write the equation, interpret m and b, find cost for 3 hours.

> **ANSWER / TEACHING NOTE**
> C = 4h + 9; b = $9 reservation fee; m = $4/hour; cost for 3 hours is $21.

Explain or check your approach

Launch | Which rental plan fits?

Notice. Try it. Explain your reasoning with a partner.

Two bike rental plans are offered. Plan A costs $6 plus $4 per hour. Plan B costs $10 plus $3 per hour. Compare their costs at the times shown in the table.

Hours h	Plan A ($)	Plan B ($)
0	___	___
1	___	___
2	___	___
3	___	___

Plan A: $A = 4h + 6$

Plan B: $B = 3h + 10$

Use the table to make your comparison for these specific times.

1 | What does each plan's slope mean? What does each starting value mean?

ANSWER / TEACHING NOTE

Hours 0,1,2,3: Plan A costs 6,10,14,18; Plan B costs 10,13,16,19.

2 | Which is cheaper at 1 hour? 3 hours? Explain using numbers and words.

ANSWER / TEACHING NOTE

Slope A=$4/hr, start $6; slope B=$3/hr, start $10. Plan A is cheaper at 1 hour and 3 hours.

Partner share: Compare reasoning, not just answers. What would convince someone else your conclusion is correct?

Review & Preview

Independent practice. A star marks a useful quick diagnostic for the November 10 test.

1 ★ A membership costs $5 per month plus $2 for each movie rented. Write a model for total monthly cost C for n movies. Interpret m and b.

ANSWER / TEACHING NOTE

C = 2n + 5. Rate $2/movie and starting fee $5/month.

2 The table has points (0,15), (1,13), (2,11), (3,9). Write y = mx + b and interpret its trend.

ANSWER / TEACHING NOTE

m = -2, b = 15; y = -2x + 15.

3 ★ Write the equation of a line through (0,4) and (2,10). Show work for m and b.

ANSWER / TEACHING NOTE

m = (10 - 4)/2 = 3; b = 4; y = 3x + 4.

Review & Preview

Independent practice. A star marks a useful quick diagnostic for the November 10 test.

4 Choose which rule matches outputs 4, 7, 10 at inputs 0, 1, 2: (a) y=3x+4 (b) y=4x+3 (c) y=7x+4. Explain.

ANSWER / TEACHING NOTE

Choice (a): y = 3x + 4.

5 Position is modeled by p = 20 - 5t (meters, seconds). Interpret 20 and -5; predict position at t = 3.

ANSWER / TEACHING NOTE

Initial position 20 m; velocity -5 m/s; p(3) = 5 m.

6 Spiral + model check: Is {(0,7),(1,9),(2,11),(2,11)} a function? What linear rule fits these pairs?

ANSWER / TEACHING NOTE

Yes: the repeated pair is identical. Rule y = 2x + 7.

Evidence check: Star a question you can explain confidently. Circle one you want to revisit on Monday, November 9.