ALPHA MICROSYSTEMS
RIGHT. FROM THE START.

AlphaMAIL Reference Guide

DSM 10197-00 A00

© 1995 Alpha Microsystems

REVISIONS INCORPORATED	
REVISION	DATE
A00	November 1985
A01	June 1994

AlphaMAIL Reference Guide

To re-order this document, request part number DSM-10197-00

This Document applies to AlphaMAIL 1.1

The information contained in this manual is believed to be accurate and reliable. However, no responsibility for the accuracy, completeness or use of this information is assumed by Alpha Microsystems.

This document may contain references to products covered under U.S. Patent Number 4,530,048.

The following are registered trademarks of Alpha Microsystems, Santa Ana, CA 92799:

AMIGOS	AMOS	Alpha Micro	AlphaACCOUNTING
AlphaBASIC	AlphaCALC	AlphaCOBOL	AlphaDDE
AlphaFORTRAN 77	AlphaLAN	AlphaLEDGER	AlphaMAIL
AlphaMATE	AlphaNET	AlphaPASCAL	AlphaRJE
AlphaWRITE	CASELODE	OmniBASIC	VER-A-TEL
VIDEOTRAX			

The following are trademarks of Alpha Microsystems, Santa Ana, CA 92799:

AlphaBASIC PLUS	AlphaVUE	AM-PC	AMTEC
DART	ESP	MULTI	*in*Sight/am
*in*Front/am			

All other copyrights and trademarks are the property of their respective holders.

ALPHA MICROSYSTEMS
2722 S. Fairview St.
P.O. Box 25059
Santa Ana, CA 92799

TABLE OF CONTENTS

PREFACE vii
INTRODUCTION..... ix
WHAT IS AlphaMAIL?..... ix
THE AlphaMAIL DOCUMENTATION LIBRARY.....x
ABOUT YOUR REFERENCE GUIDE.....x
CONTENT OVERVIEW..... x
CONVENTIONS..... xii

CHAPTER ONE - AlphaMAIL: LOGGING ON AND THE MAIN MENU.....1-1
CALLING UP AlphaMAIL.....1-1
AlphaMAIL LOGIN PROCEDURE SCREEN.....1-1
EXITING THE LOGIN PROCEDURE SCREEN.....1-2
YOUR USER NAME.....1-3
Entering Your User Name..... 1-3
PASSWORDS.....1-3
AlphaMAIL MAIN MENU.....1-4
HOW TO ENTER A COMMAND.....1-5
THE MAIN MENU COMMANDS.....1-5
GETTING HELP..... 1-6
USING THE HELP COMMAND AND HELP KEY.....1-6
The Help Information Menu.....1-7
CHECKING FOR MESSAGES.....1-7
CHECKING FOR MESSAGES FROM AMOS COMMAND LEVEL.....1-8
EXITING AlphaMAIL.....1-8

CHAPTER TWO - FOLDERS AND THEIR MESSAGES..... 2-1
OVERVIEW OF ALPHAMAIL'S FOLDERS..... 2-1
FOLDERS AND AMOS ACCOUNT NUMBERS.....2-1
IN FOLDER.....2-2
READ FOLDER..... 2-2
OUT FOLDER.....2-2
SENT FOLDER.....2-3
FOLDER MESSAGE LIST DISPLAY.....2-3
MESSAGE DISPLAY LIST..... 2-3

CHAPTER THREE - THE FUNCTION MENUS.....3-1
THE FUNCTION MENU'S PURPOSE.....3-1
FUNCTION MENU SIMILARITIES..... 3-1
FUNCTION MENU HEADING..... 3-1
COMMANDS COMMON TO EACH FUNCTION MENU.....3-2
COMMANDS UNIQUE TO THE OUT FOLDER FUNCTION MENU 3-3
COMMANDS UNIQUE TO THE IN AND READ FOLDER FUNCTION MENUS.....3-3
COMMANDS UNIQUE TO THE SENT FOLDER FUNCTION MENU.....3-3

CHAPTER FOUR - WHO YOU CAN COMMUNICATE WITH.....4-1

THE USERS COMMAND.... 4-1
USER NAMES.... 4-2
ERSATZ AND CPU ID COLUMNS.... 4-2
LOCAL/REMOTE COLUMN.... 4-3
SCROLLING THE DISPLAY MAIL USER SCREEN.... 4-3
LEAVING THE DISPLAY MAIL USERS SCREEN.... 4-3

CHAPTER FIVE - CREATING MESSAGES AND ENTERING TEXT.... 5-1
COMMUNICATING WITH A MESSAGE.... 5-1
USING THE CREATE COMMAND.... 5-1
ADDRESSING THE MESSAGE.... 5-2
Moving the Cursor.... 5-2
Screen Instructions.... 5-2
Date, Msg ID and From Fields.... 5-3
To Field.... 5-3
Subject Field.... 5-4
CC Field.... 5-4
Attached AMOS File.... 5-5
Return Receipt Requested.... 5-6
GETTING TO THE MESSAGE TEXT SCREEN.... 5-6
Guidelines For Entering Message Text.... 5-7
INTERNATIONAL CHARACTER SUPPORT.... 5-8
COMPOSING INTERNATIONAL CHARACTERS.... 5-8
COMPOSE CHARACTER CHART.... 5-8
FINISHING UP.... 5-14
GETTING TO THE OUT FOLDER FUNCTION MENU.... 5-14
USING THE SEND COMMAND.... 5-14
SAVING MESSAGE TO SEND LATER.... 5-15

CHAPTER SIX - MORE ABOUT CREATING AND SENDING MESSAGES.... 6-1
OTHER WAYS TO CREATE A MESSAGE.... 6-1
COPYING A MESSAGE.... 6-1
COPIED MESSAGE DISPLAY.... 6-2
ATTACHING MESSAGES.... 6-2
THE CREATE A MESSAGE WITH ATTACHED MESSAGE DISPLAY.... 6-3
WORKING WITH SENT MESSAGES.... 6-3
DELIVERY STATUS FOR SENT MESSAGES.... 6-3
About the Posted Message Status Screen.... 6-4
Delivered.... 6-5
Posted for Delivery, Not Currently Being Processed.... 6-5
Not Processed Yet.... 6-5
Request Made to Remote MALSER.... 6-5
MALSER on Remote Not Responding.... 6-6
Remote Node Not Responding.... 6-6
CANCELLING DELIVERY OF SENT MESSAGES.... 6-6

CHAPTER SEVEN - INCOMING MAIL.... 7-1
DISPLAYING INCOMING MESSAGES.... 7-1
DISPLAYING THE IN FOLDER MESSAGE LIST.... 7-1
Using Scan.... 7-2
Using Read.... 7-2
THE IN FOLDER MESSAGE LIST SCREEN.... 7-2
SEEING A MESSAGE FROM THE MESSAGE LIST.... 7-3

THE MESSAGE DISPLAY....7-3
MESSAGES WITH ATTACHED AMOS FILES....7-4
Attached File Types AlphaMAIL Can Display....7-4
LOCATION OF ATTACHED AMOS FILES AT COMMAND LEVEL....7-5
AFTER READING A MESSAGE....7-5
THE FINISH COMMAND....7-5
REPLYING TO MESSAGES....7-5
USING THE REPLY COMMAND....7-6
FORWARDING MESSAGES....7-6
USING THE FORWARD COMMAND....7-7

CHAPTER EIGHT - CHOOSING FOLDERS AND DISPLAYING MESSAGES....8-1
THE SCAN COMMAND....8-1
AlphaMAIL MAIN MENU SCAN COMMAND....8-1
SELECT FOLDER DISPLAY....8-2
SELECTING A FOLDER....8-2
MESSAGE LIST DISPLAY....8-3
Msg Column....8-4
To/From Column....8-4
Subject....8-4
Date....8-4
Time....8-4
SEEING MORE MESSAGES....8-4
RETURNING TO THE MAIN MENU....8-5
SELECTING MESSAGES FOR DISPLAY....8-5
In Folder Messages....8-5
Read Folder Messages....8-5
Out Folder Messages....8-5
Sent Folder Messages....8-6
FUNCTION MENU SCAN COMMAND....8-6
SELECT ANOTHER MESSAGE FROM THIS FOLDER....8-6
SELECT ANOTHER FOLDER....8-6
SHORTCUT SCAN COMMAND....8-7

CHAPTER NINE - PRINTING MESSAGES....9-1
PRINTING MESSAGES FROM ANY FOLDER....9-1
THE PRINT COMMAND....9-1
PRINTER SELECTION....9-2
DISK OUTPUT ONLY?....9-3
NUMBER OF COPIES....9-3
INCLUDE ATTACHED FILE?....9-3
STORE MESSAGE TO PRINT LATER....9-4
Location of Disk Output Only File....9-4
Printer to Use Later....9-4
YOUR PRINTED OR STORED MESSAGE....9-4
ABOUT AVAILABLE PRINTERS....9-5

CHAPTER TEN - MOVING MESSAGES TO AN AMOS ACCOUNT....10-1
WHY MOVE AN AlphaMAIL MESSAGE?....10-1
ABOUT THE MOVE COMMAND....10-1
USING THE MOVE COMMAND....10-2
SELECTING A FILENAME....10-2
Format for Response....10-3

MOVING MESSAGES HAVING NO ATTACHED AMOS FILE.....10-3
MOVING MESSAGES HAVING AN ATTACHED AMOS FILE..... 10-3
Same Location, Same Name..... 10-3
Different Location and/or Different Name 10-4
WHEN A FILE NAME ALREADY EXISTS.....10-4
WHEN MOVE IS THROUGH.....10-4
YOUR MOVED AND CONVERTED MESSAGE..... 10-5

CHAPTER ELEVEN - DELETING MESSAGES FROM FOLDERS.....11-1
METHODS TO DELETE MESSAGES.....11-1
DELETING MESSAGES FROM THE FOLDER MESSAGE LIST.....11-1
DELETING SINGLE MESSAGES..... 11-1
Attached AMOS File Accompanying Individual Messages..... 11-2
DELETING ALL MESSAGES..... 11-2
MESSAGES IN DELIVERY PROCESS CAN'T BE DELETED 11-3
DELETING MESSAGES WITH FUNCTION MENU ERASE COMMAND.....11-3
ATTACHED AMOS FILE ACCOMPANYING MESSAGE.....11-4
MESSAGES YOU CAN'T ERASE.....11-4

CHAPTER TWELVE - PHONE MESSAGES.....12-1
THE PHONE COMMAND.....12-1
THE TELEPHONE MESSAGE DISPLAY.....12-2
MOVING THE CURSOR AND RETURN.....12-2
DATE AND TIME..... 12-2
RECIPIENT INFORMATION.....12-3
CALLER INFORMATION.....12-3
ACTION BOXES.....12-3
OPERATOR.....12-3
MESSAGE TEXT.....12-4
SENDING THE PHONE MESSAGE.....12-4

CHAPTER THIRTEEN - DISTRIBUTION LISTS.....13-1
WHAT ARE DISTRIBUTION LISTS?.....13-1
THE LISTS COMMAND.....13-1
THE DISTRIBUTION LIST MAINTENANCE MENU DISPLAY.....13-2
DISTRIBUTION LIST MAINTENANCE MENU OPTIONS.....13-2
SELECTING OPTIONS..... 13-3
LEAVING THE DISTRIBUTION LIST MAINTENANCE MENU.....13-3
EXISTING LIST NAMES AND DESCRIPTIONS.....13-3
DISPLAYING CURRENT AlphaMAIL USER NAMES..... 13-3
CURRENT ALPHAMAIL USERS DISPLAY.....13-4
CREATING NEW DISTRIBUTION LISTS.....13-4
DESCRIPTION..... 13-6
USER NAMES.....13-6
User Name Entry.....13-7
Invalid or Incorrect User Names.....13-7
Inserting or Deleting a User Name.....13-7
FINISHING UP A NEW DISTRIBUTION LIST.....13-8
LEAVING THE ADD A DISTRIBUTION LIST DISPLAY..... 13-8
CHECKING USER NAMES ON A DISTRIBUTION LIST..... 13-8
CHANGING EXISTING DISTRIBUTION LISTS..... 13-9
MOVING THE CURSOR..... 13-9
ENTERING CHANGES TO THE DISTRIBUTION LIST DISPLAY..... 13-10

FINISHING UP.....13-10
LEAVING THE CHANGE A DISTRIBUTION LIST DISPLAY.....13-11
DELETING EXISTING DISTRIBUTION LISTS.....13-11
LEAVING THE DELETE A DISTRIBUTION LIST DISPLAY.....13-11
PRINTING YOUR DISTRIBUTION LISTS.....13-11
USING A DISTRIBUTION LIST.....13-12
DISPLAYING ALL RECIPIENT NAMES ON AN OUTGOING MESSAGE..... 13-12

APPENDIX A - SPECIFICATION SUMMARY..... A-1

APPENDIX B - ERROR AND OTHER MESSAGES.....B-1

APPENDIX C - UNIVERSAL KEY SEQUENCES.....C-1
WHAT IS AN ALTERNATE KEY SEQUENCE?..... C-1
UPPER OR LOWER CASE?..... C-1
USING THE CONTROL KEY C-1
USING THE ESCAPE KEY.....C-1
If You Don't Have An Escape Key.....C-2
UNIVERSAL KEY SEQUENCE TABLE..... C-2
DOCUMENT HISTORY..... C-3
INDEX C-3
READERS' COMMENTS..... C-3

PREFACE

The *AlphaMAIL Reference Guide* is just one of the books in the AlphaMAIL's documentation library. The *AlphaMAIL Installation Guide* discusses the procedures for installing AlphaMAIL on your system and the *AlphaMAIL Administrator's Guide* discusses techniques for maintaining AlphaMAIL once it is installed.

This *Reference Guide* describes procedures for working with AlphaMAIL day-to-day. You do not need to have any prior experience with other software programs, or even a computer. You'll find what you need to know to get started and use AlphaMAIL's abilities to communicate quickly, easily and efficiently.

INTRODUCTION

In this introduction, you'll find a brief summary of what AlphaMAIL does and the books available in the AlphaMAIL Documentation Library. An overview of topics described in each chapter and appendix, and the conventions we use in this guide are also included.

WHAT IS AlphaMAIL?

AlphaMAIL is Alpha Micro's electronic mail system—an easy to use, sophisticated delivery service for messages you write to other people using your computer. AlphaMAIL makes exchanging information with other people an easy and efficient operation; letting you concentrate on the content of your messages without fussing over how it reaches its destination.

Our electronic mail system helps you speed up communications. Written material you send to other people involves a bit of work and effort—often needing to be copied, stuffed in envelopes and mailed—not to mention the concern of information arriving safely or on time. But with AlphaMAIL on hand, work that could take hours, is accomplished electronically in seconds.

Paper shuffling is nearly put to rest when you use AlphaMAIL to communicate: you write what you want to say at your terminal, use a command or two and your information is off to its recipient—done entirely by your computer.

AlphaMAIL is convenient too, you don't have to rely on two people being in the same place at the same time to share information. Messages sent using AlphaMAIL arrive quickly and reliably without someone being on hand to receive them.

You can use AlphaMAIL to perform simple everyday chores like writing a phone a message and delivering it to the person it's for or sending a brief memo to one person or everyone in your department—and you won't have to keep track of these activities. AlphaMAIL keeps track of them automatically by storing your messages away in folders where you can find them easily later.

And, importantly, you can use AlphaMAIL to include files created at AMOS command level along with your message, sending it to one person or everyone using AlphaMAIL. Any file can be transmitted—an AlphaWRITE document, an AlphaCALC worksheet, a text file. Whatever files you can create on your Alpha Micro computer, you can send along with a message when you use AlphaMAIL.

THE AlphaMAIL DOCUMENTATION LIBRARY

There are four documents in AlphaMAIL's documentation library. Here are the names, part numbers to use when ordering, a brief description of who they are written for and the information they contain:

- *AlphaMAIL Release Notes*
  Written for the System Operator, *Release Notes* describe the changes in the current AlphaMAIL software, including changes in system resource requirements.

- *AlphaMAIL Installation Guide*
  DSO-10199-00
  Written for those experienced with Alpha Micro computer systems. This book contains all the information you need to get AlphaMAIL up and running on your computer system.

- *AlphaMAIL Administrator's Guide*
  DSO-10198-00
  Written for the individual who is responsible for AlphaMAIL's upkeep and is experienced with Alpha Micro computer systems. The *Administrator's Guide* explains how AlphaMAIL operates, how to maintain User Names and other operations.

- *AlphaMAIL Reference Guide*
  DSO-10197-00
  Written for the person who uses AlphaMAIL day-to-day. Gives an overview of basic AlphaMAIL concepts and shows you how to use all of AlphaMAIL's features to communicate with other people on your computer system.

ABOUT YOUR REFERENCE GUIDE

The *AlphaMAIL Reference Guide* is written for people who may, or may not be experienced with computers. In it you'll find all the information you need to communicate with other people using the AlphaMAIL software. You'll learn how to create and send messages, how to call up your incoming messages and techniques for responding to messages quickly.

The *Reference Guide* is divided into chapters and appendices. Each chapter is devoted to a specific aspect of AlphaMAIL's operation and the appendices provide information which may come in handy from time to time. Throughout both we use printing conventions to add clarity to the instructions. The next sections give you a topical overview and a list of the conventions we use.

CONTENT OVERVIEW

The *Reference Guide* is organized topically, each chapter describing a different aspect of using AlphaMAIL.

Chapter 1 - "Logging On and the Main Menu" describes how to call up AlphaMAIL, Login with your User Name and gives an overview of the AlphaMAIL Main Menu and its commands.

Chapter 2 - "Folders and Their Messages" discusses the basic concepts of AlphaMAIL, your four Folders and the messages stored in each.

Chapter 3 - "The Function Menus" describes the Function Menu associated with each of the Folders, what the display looks like and the commands available.

Chapter 4 - "Who Can You Communicate With?" gives you all the details for finding out who you can communicate with when you use AlphaMAIL.

Chapter 5 - "Creating Messages and Entering Text" shows how to create a new message, enter text, use international characters, and how to have AlphaMAIL deliver a messge for you.

Chapter 6 - "More About Creating and Sending Messages" describes alternate methods of creating messages and gives you more information about the delivery process AlphaMAIL uses.

Chapter 7 - "Incoming Mail" Shows you how to call up mail you receive and the options available when you do.

Chapter 8 - "Choosing Folders and Displaying Messages" discusses the methods for choosing folders and working with the messages they contain.

Chapter 9 - "Printing Messages" gives you all the details for printing messages you create and receive.

Chapter 10 - "Moving Messages to An AMOS Account" describes why you would move a message and the procedures for doing so.

Chapter 11 - "Deleting Messages from Your Folders" shows you how to erase and delete messages you no longer want collected in your mail folders.

Chapter 12 - "Phone Messages" shows you how use the phone command to create and send a telephone message.

Chapter 13 - "Distribution Lists" defines what a distribution list is and shows how to create one to make communicating the same message to a number of different people easy and efficient.

Appendix A - "Specification Summary" lists specific aspects and requirements of AlphaMAIL’s features.

Appendix B - "Universal Key Sequences" lists alternate keys sequences to use if you don’t have the special keys AlphaMAIL uses on your keyboard.

Appendix C - "Error and Other Messages" gives error messages and recovery procedures.

CONVENTIONS

To make our examples easy to understand and use, we have adopted a series of graphics conventions. You'll find these familiar if you've worked with our other office information products documentation.

CONVENTION	EXPLANATION
COMMAND	AlphaMAIL command names are all capitals, bold type in a smaller point size than main text.
COMMAND	AMOS command names and some file names all capitals, non-bold type and in the same point size as main text.
AlphaMAIL Main Menu	AlphaMAIL screen names are printed like the example: no bold, initial capitals.
`What You Type`	Text you are expected to type is in bold Courier typeface.
`What AlphaMAIL Displays`	Text AlphaMAIL displays as prompts, messages or responses to what you type is in non-bold Courier typeface.
[KEY]	Keys you press to use AlphaMAIL are in a keycap box. Characters inside the box are either function key names, such as [MENU]; symbols, such as [↑]; or key names such as [TAB] or [RETURN].
[CTRL]/[KEY]	Indicates a control-key sequence to use a particular AlphaMAIL feature, such as [CTRL]/[Y] to delete text to end of line. (See Appendix C for complete operating instructions.)
[ESC] [KEY]	Indicates an escape-key sequence to use a particular AlphaMAIL feature, such as [ESC] [?] for help. (See Appendix C for complete operating instructions.)
	The halt symbol denotes an important piece of information you should read carefully before continuing. Usually, text next to this symbol contains instructions for something you MUST or MUST NOT do; read carefully.

CONVENTION	EXPLANATION
	The hint symbol denotes a helpful bit of information. It is often used to point out a short cut which may save you time or trouble.
	The remember symbol denotes information you need to keep in mind while you are following a set of instructions.

CHAPTER ONE
AlphaMAIL: LOGGING ON AND THE MAIN MENU

In this first chapter of the *AlphaMAIL Reference Guide* you'll learn how to get started with AlphaMAIL. An introduction to the AlphaMAIL Main Menu and an overview of its commands are also included here. You'll learn techniques for displaying on-line help at any time, determining if you have new messages and how to leave AlphaMAIL.

CALLING UP AlphaMAIL

Before you call up AlphaMAIL, log on to your computer in the way you usually do.

You use the MAIL command from AMOS command level to call up AlphaMAIL. The MAIL command uses instructions in AlphaMAIL's initialization file to determine the operation settings to use. You can use the MAIL command from any existing device or account number available to you.

To use the MAIL command, at the system prompt, type:

MAIL RETURN

Your display clears and in a few moments the AlphaMAIL Login Procedure screen appears.

Some Alpha Micro computers are customized and display a menu rather than the AMOS command prompt. When this is the case, you can usually choose AlphaMAIL from a list of software shown on your screen.

Whatever method you use to call up AlphaMAIL, AlphaMAIL first automatically logs you into the account where your mail box is located. However, this isn't apparent and when you leave AlphaMAIL you are automatically returned to the account from where you called up the software.

AlphaMAIL LOGIN PROCEDURE SCREEN

When you use the MAIL command you'll see the Login Procedure Screen. This is where you let AlphaMAIL know who you are by entering your User Name. However, you won't always have to make an entry here.

You'll type your User Name here the first time you call up AlphaMAIL and the first time you call up AlphaMAIL after a system reboot. If a password is associated with your mail box account, AlphaMAIL requires you to enter it.

```
                        Login Procedure

+-------------------------------------------------------------+
|                                                             |
|                                                             |
|                          AlphaMAIL                          |
|                                                             |
|                    ELECTRONIC MAIL SYSTEM                   |
|                                                             |
|                                                             |
|      Please enter your user name: ▇                         |
|                                                             |
|                                                             |
|                                                             |
|                                                             |
|                                                             |
+-------------------------------------------------------------+
```

AlphaMAIL Login Procedure Screen

You can take three actions at this display:

- Enter your User Name and continue.
- Display help information regarding this screen.
- Exit and return to AMOS command level without using AlphaMAIL.

Entering your User Name and displaying help information are topics with their own sections, coming up next in this chapter. But first, here's how to exit.

EXITING THE LOGIN PROCEDURE SCREEN

If you decide to discontinue with AlphaMAIL while at the Login Procedure screen, you can return to AMOS command level. To do so, press:

[MENU]

or, press:

[ESC] [ESC]

Either of these actions exit the Login Procedure screen and return you to AMOS command level, or the screen from where you called up AlphaMAIL.

YOUR USER NAME

User Names are an important aspect of working with AlphaMAIL. User Names let AlphaMAIL identify people who have mail boxes on the computer so messages can be received and delivered properly. You'll enter your User Name to call up AlphaMAIL and be able to access your mail box. And, your User Name is used by others to send you messages, just as you'll use their User Names to send them messages.

User Names are assigned by the System Operator and are unique. That is, two people who use AlphaMAIL to communicate with one another cannot and will not be identified by the same User Name. When you know your User Name, you're ready to continue with AlphaMAIL.

Entering Your User Name

At the Login Procedure screen, type your User Name and press [RETURN]. For example,

`Lee Joseph` [RETURN]

If your mail box account is protected with a password, AlphaMAIL asks you to type the password and press [RETURN]. This procedure is described next.

When your mail box account is not protected with a password the next display is the AlphaMAIL Main Menu.

PASSWORDS

When your mail box account is protected with a password, the AlphaMAIL Login Procedure Screen prompts you for the password after you enter your User Name.

These passwords are assigned by the System Operator or AlphaMAIL System Administrator who can tell you what your password is if you do not already know it.

When your account is password protected, each time you use the MAIL command the Login Procedure screen appears and prompts you to enter the password—even though you might not always be asked to enter your User Name.

You'll notice the characters you type are not echoed back to you; instead, you'll see an asterisk for every character you type. If you enter an incorrect password, AlphaMAIL lets you know with an error message and you'll have another chance to enter the correct password.

When the password is correctly entered, in a moment or two the AlphaMAIL Main Menu appears on your screen.

AlphaMAIL MAIN MENU

The AlphaMAIL Main Menu is the starting point for creating, sending and reading messages.

The AlphaMAIL Main Menu appears after you've successfully logged in. You also see the Main Menu on other occasions:

- From any command screen displaying the message "Press MENU to return to the Menu."
- When you use any Folder's Message Function Menu **QUIT** command.
- After you **SEND** or **FINISH** a message.

```
alpha Mail

AlphaMAIL ELECTRONIC MAIL SYSTEM VERSION  1.1(113)

Tuesday, April 19, 1994 05:03:04 PM

HELP    - display help information       SCAN   - scan messages in a folder

READ    - read new mail                  USERS  - display list of user names
CREATE  - create a message               LISTS  - maintain distribution lists
PHONE   - create and send phone message

QUIT    - return to AMOS command level   User Name Lee Joseph

                                         0 new mail messages - DSK5:[157,0]
Enter command name and press RETURN: ▮
```

AlphaMAIL Main Menu

The name "AlphaMAIL" appears at the top of the AlphaMAIL Main Menu, in large block letters. Immediately below it is a highlighted line saying:

```
AlphaMAIL Electronic Mail System Version X.X(xxx)
```

X.X is the number of the AlphaMAIL version on your system, and xxx is the edit number of the version.

Below this is another line, giving the date and time.

The bottom half of the Main Menu contains a list of all the commands available to you, in two columns.

Your User Name, the number of new mail messages you've received, and the device and account number of your mail box In Folder appear on the right side near the bottom of your screen.

Below the list of commands, near the bottom of your screen, is the Main Menu command line:

```
Enter command name and press RETURN:
```

The cursor is positioned at the end of this command line, after the word "RETURN." This is the area of the menu where command names you type appear.

HOW TO ENTER A COMMAND

The command line is where the name of the command you want to use appears when you type its name. To use any Main Menu command, type the name of the command and press [RETURN]:

After pressing [RETURN], the Main Menu clears from your screen and the command screen for the command you have entered appears.

Each command also has an abbreviated form you can type instead of the full name. These are mentioned in the chapter on each command and are usually the fewest number characters making the command unique. For example, Q is the shorthand for the **QUIT** command.

THE MAIN MENU COMMANDS

Each command on the AlphaMAIL Main Menu is briefly described below, in the order they appear on the menu.

HELP shows information about any of the other Main Menu commands. On-line help information is available throughout AlphaMAIL, either with a menu's **HELP** command or by pressing [HELP].

READ displays a list of all the messages you have received but have not yet been moved to another Folder. This command is a shortcut to your In Folder where all of your incoming mail is initially located.

CREATE is the command you use as the first step in communicating with other people on your system. You'll use this command to address and write messages.

PHONE creates a special message—one designed to record details about a telephone call. Like **CREATE**, you use **PHONE** to address and write a message to send to another person using AlphaMAIL.

SCAN asks you to choose the Folder whose messages you want to work with. AlphaMAIL stores messages in different Folders: the In Folder where new messages sent to you arrive, the Out Folder where messages you **CREATE** are initially stored, the Read Folder which keeps track of messages you've already **READ**, and the Sent Folder where all your created, delivered messages are kept.

USERS displays a list of AlphaMAIL User Names for the people who can receive messages you write.

LISTS is the command you use to add, change, delete, display and print distribution lists. This command lets you identify groups of User Names you frequently communicate with. You can use the distribution list name you assign for a group of a people in lieu of a User Name. So, instead of entering a number of different User Names when you write a message, you can just enter a distribution list name and each name included in that distribution list receives your message when you send it.

QUIT takes you out of AlphaMAIL and back to AMOS command level to the account where you used the MAIL command.

GETTING HELP

Whenever you use a command, whether from the Main Menu or a Folder's Function Menu, you'll notice messages at the bottom of the display letting you know what options are available.

Sometimes a glance at the bottom of your screen is all the information you'll need to continue. But there may be occasions when you need more.

You can display help information screens for features and commands from anywhere in AlphaMAIL. These help screens give you hints, step-by-step instructions, and, in some cases, lists of options available.

There are two ways to display help information:

- Using the **HELP** command from the AlphaMAIL Main Menu or from any Folder's Message Function Menu.
- Pressing [HELP] from any display: your message text, any command screen, any menu or Folder.

USING THE HELP COMMAND AND HELP KEY

When you want information about any of AlphaMAIL's menu commands, you can use **HELP** or [HELP].

The procedure for using **HELP** is the same no matter what menu you use it from: at the menu's command line, just type **HELP** and press [RETURN].

From any menu, the [HELP] key behaves just the same as if you used the **HELP** command. The benefit becomes apparent when you are not at either of these menus, but at a command screen or any message text display and you need information.

The command menu clears from your screen and the AlphaMAIL Information Menu appears.

The Help Information Menu

The **HELP** command's AlphaMAIL Information Menu gives you a list of topics, where you can pick which command or feature you'd like more information about. The items on the list vary, depending on where you requested help.

Sometimes seeing the list of topics may be enough to refresh your memory, sometimes you may need more details. If so, choose the item you want information on and type its number in the "Enter number" field at the bottom of the Information Menu and press [RETURN].

The help screen for the topic you've chosen replaces the Information Menu on your screen.

The help information for each topic varies in length. There may be only one screen, or, for more involved subjects, there may be several. In any case, the help display always shows you how many screens to expect on its first line.

Pressing any key except [MENU] always shows you the next screen of information when it exists. When you are through viewing the help screen, just press the [MENU] key to return to the menu you started from. From the last help screen on a topic, pressing any key returns you to the menu.

CHECKING FOR MESSAGES

Whenever a message is sent to you, your terminal displays a scrolling notice letting you know you've received new mail.

```
* * * * * You have new mail from User Name.
Press RETURN to Continue! * * * * *
```

This message appears when you can be interrupted with a message. If you are running a program or some other operation where you are not at AMOS command level, you won't see this message until you are back at the system prompt. The new mail message also won't appear when GUARD has been SET for your terminal.

You don't have to rely on the receipt of mail received message to know when you have new mail. You can check for your new messages at any time in either one of two ways while working with AlphaMAIL, or by using a command when you're at AMOS command level.

You can look at the AlphaMAIL Main Menu which displays an information message telling you how many new mail messages you've received.

Or, you can use **SCAN** to display a list of all your Folders. This list includes the number of messages contained in each of your Folders. The number of messages displayed next to your In Folder, which is where all your new mail is kept, lets you know how many incoming messages you have.

CHECKING FOR MESSAGES FROM AMOS COMMAND LEVEL

When you are at AMOS command level, you can use an AMOS command to find out if you have new mail. The command name is MALCHK and is entered from the system prompt in the following format:

```
MALCHK DEVN: PN RETURN
```

Where DEVN: represents your device number and PN represents the project number, which are the numbers preceding the comma in your In Folder mail box account number. For example,

```
MALCHK DSK4: 54 RETURN
```

The MALCHK command displays a message letting you know how many new messages you have and then displays the system prompt. To illustrate, the example MALCHK command might respond with:

```
Your In folder contains 17 messages
```

Or, if there are no new messages, this message appears:

```
Your In folder contains 0 messages
```

EXITING AlphaMAIL

You can exit AlphaMAIL manually from the Main Menu with the **QUIT** command.

Or, if your AlphaMAIL initialization file contains TIMEOUT and EXITOUTER commands, AlphaMAIL automatically exits and returns you to where you were when you called it up after the timeout period specified elapses. If you are a message's display, AlphaMAIL leaves the message in the Folder you are working in so you can return to it later. More information about the TIMEOUT and EXITOUTER commands is located in the *AlphaMAIL Administrator's Guide*.

CHAPTER TWO
FOLDERS AND THEIR MESSAGES

AlphaMAIL keeps track of your messages by using a system of four Folders: In Folder, Read Folder, Out Folder and Sent Folder. You'll find a general discussion about these Folders here—what types of messages they contain, how messages arrive there, what commands you use to access particular Folders and a description of what the Folder display looks like.

OVERVIEW OF ALPHAMAIL'S FOLDERS

AlphaMAIL comes equipped with four Folders where your messages are stored:

In Folder	Contains incoming messages from other AlphaMAIL users.
Read Folder	Contains incoming messages you have READ. These messages were initially in your In Folder and AlphaMAIL transferred them to your Read Folder after you saw them.
Out Folder	Contains messages you CREATE to SEND to others. These messages have either not yet been sent, or sent and delivery is not yet complete to all recipients.
Sent Folder	Contains outgoing messages you **CREATE** which have been delivered to recipients. Initially, these messages were in your Out Folder; AlphaMAIL transfers them to your Sent Folder after you use the SEND command and delivery is complete to all recipients.

FOLDERS AND AMOS ACCOUNT NUMBERS

Each AlphaMAIL Folder resides in its own account at AMOS command level, helping AlphaMAIL keep different types of messages separated and organized. This won't be readily apparent to you while using AlphaMAIL and only in rare circumstances would you need to access your Folders' accounts from AMOS command level. However, if you need to know your AlphaMAIL Folder's account numbers, see your System Administrator who can give you this information.

IN FOLDER

Your In Folder is where your new mail arrives. All messages sent to you by other AlphaMAIL users first appear in your In Folder. These messages are accessible when you use these commands:

- AlphaMAIL Main Menu **READ** command to see new messages.
- AlphaMAIL Main Menu **SCAN** command to select the In Folder.
- AlphaMAIL Message Function Menu **SCAN** command shortcut to the In Folder from other Folders

READ FOLDER

Messages you have received and **READ** are located in your Read Folder. These messages originate in your In Folder and are automatically transferred to your Read Folder after you have seen them. These messages are accessible when you use these commands:

- AlphaMAIL Main Menu **SCAN** command to select the Read Folder.
- AlphaMAIL Message Function Menu **SCAN** command shortcut to the Read Folder from other Folders

OUT FOLDER

All messages you **CREATE** originate in your Out Folder. Messages here have either not been sent, or have just been sent and delivery is not yet complete. Messages you make using the **PHONE**, **COPY**, **FORWARD**, **ATTACH** or **REPLY** commands are initially located here too. You are working in your Out Folder when you use these commands:

- AlphaMAIL Main Menu **CREATE** command.
- AlphaMAIL Main Menu **SCAN** command to select the Out Folder.
- AlphaMAIL Main Menu **PHONE** command.
- AlphaMAIL Message Function Menu **SCAN** command shortcut to select the Out Folder.
- AlphaMAIL Message Function Menu **COPY** command.
- AlphaMAIL Message Function Menu **FORWARD** command.
- AlphaMAIL Message Function Menu **ATTACH** command.
- AlphaMAIL Message Function Menu **REPLY** command.

SENT FOLDER

Messages you **CREATE** and **SEND** are located in your Sent Folder. These messages originated in your Out Folder and when delivery was complete to recipients, AlphaMAIL moved your copy of the message from one to the other. Sent Folder messages are accessible when you use these commands:

- AlphaMAIL Main Menu **SCAN** command to select the Sent Folder.
- AlphaMAIL Message Function Menu **SCAN** command shortcut to the Sent Folder from other Folders.

FOLDER MESSAGE LIST DISPLAY

Even though each Folder holds different kinds of messages, each is organized in the same way. Once you've learned the aspects of one you are quickly able to work with and find information on them all. Choosing Folders and displaying messages are described in a later chapter; the information you can expect to find on any Folder's Message List is given below.

MESSAGE DISPLAY LIST

The Folder Message List display always lets you know:

- Which Folder you are using.
- The current number of messages residing in this Folder.
- The sender or recipient of a message.
- The subject of a message.
- The date and time the message was created.
- What keys to use to select or delete a message.
- How to return to the Main Menu.

```
Scan Messages in Folder          Message List

     Folder: Out                1 message
Description: Created Messages

Msg To               Subject                                    Date    Time
--- ---------------  ------------------------------------------ ------- -------
  1 Lee Joseph       Meeting time change                        18Apr94 03:29pm
  2 D. Shepherd      Palm Springs Itinerary                     23Apr94 05:16pm









  [ Press DEL LINE to erase message, press DEL CHAR to delete all displayed ]
       [ Use ARROW keys to select message, press RETURN to display it. ]
                      [ Press MENU to return to Main Menu ]
```

AlphaMAIL Out Folder Message List Display

CHAPTER THREE
THE FUNCTION MENUS

Each one of your AlphaMAIL Folders is associated with its own Function Menu. Like the AlphaMAIL Main Menu, the Function Menus let you perform special operations using commands.

In most cases, the commands available on each of the Folder's Function Menus are the same, but there are a few commands unique to each Folder and its menu. This chapter describes each of the four Function Menus, their similarities and differences, the process used to display them, and the commands available on each.

THE FUNCTION MENU'S PURPOSE

The purpose of each of the Function Menus is to provide you with the means to perform specific operations on individual messages. Whenever you choose a message to work with from the Scan Messages in Folder display, you'll have access to that Folder's Function Menu. The Function Menu is designed to control the operations for the specific message you are working with. If you want to perform operations on another message while you're at any Function Menu display, you must first select another message.

The following sections describe the similarities between these menus, and are followed by a discussion of their differences.

FUNCTION MENU SIMILARITIES

Each Folder's Function menus has the same format: there is a heading at the top letting you know what Function Menu, Folder and message you are currently working with. You'll also see the commands common to each menu in the same location on the Function Menu screen.

The In Folder Function Menu is shown below to give you an idea of what information you can expect to find on all Folders' Function Menus.

FUNCTION MENU HEADING

All Function Menus have a heading at the topmost portion of the menu display. This heading provides you with information specific not only to the Folder you are currently working with but also details about this particular message. The following information is displayed on every Function Menu.

- Folder name for the Function Menu.
- Folder description.
- Date and time this message was created.
- To recipient name(s).
- Subject of the message.
- CC recipient name(s).
- Unique message identification.

Although the specifics change, based on the particular Folder whose Function Menu you are working with, you'll always know which Folder and what message you have currently selected.

```
                              Message Function Menu

     Folder: In                   Description: Unread Messages
-------------------------------------------------------------------------------
   Date: 20-Apr-94 10:59:55 am                        Msg ID: 117385.MAL
     To: M. Bassett
Subject: Palm Springs Itinerary
     CC: Lee Joseph
-------------------------------------------------------------------------------
HELP     - display help information     SCAN   - scan msgs in this folder
FINISH   - exit to main menu            MOVE   - move msg to an AMOS account
QUIT     - exit without move to Read
                                        LISTS  - maintain distribution lists
PRINT    - print this message           USERS  - display list of user names
ERASE    - delete this message
ATTACH   - attach this msg to new one
COPY     - copy and edit this message

REPLY    - respond to this message
FORWARD  - forward this message

Enter command name and press RETURN: ▉

                       [ Press MENU for Message Display ]
```

AlphaMAIL In Folder Function Menu

COMMANDS COMMON TO EACH FUNCTION MENU

The commands common to each of the Function Menus appear in the same location on each menu.

From any of the Function Menus you'll always have these commands at your disposal:

PRINT	Send your message to a printer.
ERASE	Delete this message from the Folder.
ATTACH	Have this message accompany a new message.
COPY	Duplicate this message.
FINISH	Exit to the AlphaMAIL Main Menu.
SCAN	Select another message from this Folder or move to a new Folder.
HELP	Select and display operation hints for this menu's commands.
MOVE	Take message from Folder and relocate to a specific AMOS account.
LISTS	Create and maintain Distribution Lists.
USERS	Display list of current AlphaMAIL User Names.

QUIT	Exit Folder without changing message status.

Aside from having all the commands described in the previous section, some Function Menu's offer other commands. Since the purpose of each Folder is different, each Function Menu offers commands unique to that Folder.

COMMANDS UNIQUE TO THE OUT FOLDER FUNCTION MENU

The Out Folder Function Menu Heading contains a field where the message "posted" appears when you use the **SEND** command on a message. This lets you know at a glance where a particular message is in the delivery process.

The commands unique to the Out Folder Function Menu are:

SEND	Lets you mail messages you **CREATE**.
EDIT	Displays the current message so you can make changes.
EXPAND	Lets you display a full list of all recipients for this message.
STATUS	Advises where message is in delivery process.
CANCEL	Lets you remove a message from the delivery process.

COMMANDS UNIQUE TO THE IN AND READ FOLDER FUNCTION MENUS

The In and Read Folder Function Menus are alike. The commands available here and not on other Function Menus are:

REPLY	Lets you respond to incoming message without return to Main Menu.
FORWARD	Lets you forward the message you receive to someone else.

COMMANDS UNIQUE TO THE SENT FOLDER FUNCTION MENU

In addition to all the commands common to all Function Menus, the Sent Folder has this command too:

FORWARD	Lets you forward the message you receive to someone else.

CHAPTER FOUR
WHO YOU CAN COMMUNICATE WITH

Getting messages to people you want to communicate with begins with determining who is a current and valid AlphaMAIL user. The **USERS** command offers a quick way to display this information and is available from a number of AlphaMAIL's displays. This chapter describes the **USERS** command and how to interpret the information it displays.

THE USERS COMMAND

The **USERS** command is available from the AlphaMAIL Main Menu and each Folder's Function Menu. This command displays a list of all the people you can communicate with when you use AlphaMAIL.

A list of current AlphaMAIL users is also available when you use the **LISTS** command for creating and maintaining distribution lists, and appears in the same display format as when requesting the current users with the **USERS** command. More information about the lists command is in the chapter describing AlphaMAIL's distribution list feature.

To access the list of User Names, from any Function Menu where the users command is displayed, type:

USERS [RETURN]

Your screen then displays the names of other AlphaMAIL users with whom you can correspond. Along with their names, you'll be able to determine whether these users are on the same computer system as you are, or on a different system.

```
                          Current AlphaMAIL Users

User Name               Ersatz         Cpu Id         Local/Remote

D. Shepherd                                           Local
Lee Joseph              ADMIN:         1694629890     Remote
M. Bassett                                            Local



                       [ Press any key to continue ]
                     [ Press MENU to return to Menu ]
```

Current AlphaMAIL Users Screen

The Current AlphaMAIL Users screen has four columns: User Name, Ersatz, CPU ID and Local/Remote. Each of these columns is described in the following sections.

USER NAMES

The User Names displayed on the Current AlphaMAIL Users screen are as important as your own User Name because this is how AlphaMAIL identifies the recipients of the correspondence it delivers.

As with your own User Name, other people's User Names must be entered exactly as they appear on this list. Although AlphaMAIL accepts either upper or lower case letters whenever you enter a User Name, it does not understand variations in spelling—such as a nickname for a full name, or a first initial and last name when a user is identified by two full names.

You can address and send mail to any User Name appearing on this list. However, if there is a user who should be identified on this list and does not appear here, check with your AlphaMAIL System Administrator.

ERSATZ AND CPU ID COLUMNS

The two columns Ersatz and CPU ID, to the right of User Name, contain information for reference purposes—you won't need to remember or use the terms displayed here but we will take a moment to tell you what this information means.

Ersatz, in this case, means a substitute word reference for the number which may appear in the CPU ID Column.

CPU ID stands for Central Processor Unit Identification. Any numbers appearing here uniquely identify different computer systems on a network to AlphaMAIL.

LOCAL/REMOTE COLUMN

When the word "local" appears in the fourth column, it identifies that User Name, Ersatz and CPU ID reference as being on the same computer system as you. When the word "remote" appears here it means that User Name is on a computer system networked with yours.

SCROLLING THE DISPLAY MAIL USER SCREEN

The Current AlphaMAIL Users screen shows as many as 17 names at a time. If you have more than this, you can press any key to see additional names.

No matter how many User Names you have, you'll know you are at the end of the list when this message appears after the last User Name:

```
End of AlphaMAIL Users
```

LEAVING THE DISPLAY MAIL USERS SCREEN

When you have finished referring to the Current AlphaMAIL Users screen, press [MENU]. Your display returns to the menu whose **USERS** command you used.

CHAPTER FIVE
CREATING MESSAGES AND ENTERING TEXT

The primary way to originate AlphaMAIL messages is with the **CREATE** command. This chapter describes how to use **CREATE** and all the specifics for entering your message text. You'll also learn about the Out Folder Function Menu's **SEND** and **FINISH** commands which are used after you have written a message.

COMMUNICATING WITH A MESSAGE

Communicating with other people using AlphaMAIL involves two steps: making the message and sending the message.

The primary way to make a message is with the **CREATE** command. This lets you address your message, enter its content and optionally send along another file with it.

When you're through making a new message you have a number of choices via the Out Folder Function Menu after you use the **CREATE** command. This menu is where you can give AlphaMAIL the go ahead to deliver your message now, with the **SEND** command. Or, you can keep your message without sending it now with the **FINISH** command.

USING THE CREATE COMMAND

Creating messages begins with entering the command, selecting who you want the message to go to, entering the subject of the communication and the message text. This section describes the use of the create command to address and write your message.

The **CREATE** command is available from the AlphaMAIL Main Menu. To use this command, at the Main Menu type:

CREATE [RETURN]

The shorthand for **CREATE** is C.

After you press [RETURN], the Main Menu clears from your screen and the first screen of the Create a Message Enter Message screen appears.

There are two screens associated with the **CREATE** command; the screen where you'll enter information about the message and the one where you'll enter the text of the message. Each screen is described in the following pages.

ADDRESSING THE MESSAGE

The first screen displayed when you use **CREATE** is where you address and fill in information about the message you are making.

```
Create a Message                 Enter Message

     Date: 23-Apr-94 05:17:54 pm                       Msg ID: 165243.MAL
     From: D. Shepherd
       To: ■




  Subject:
       CC:




Attached AMOS File:
Return Receipt requested?
Message Text: (Next Page)

                [ Enter a User Name or Distribution List Name ]
        [ Press MENU for Function Menu, NEXT SCREEN for message text ]
```

AlphaMAIL Create a Message - First Screen

Moving the Cursor

The arrow keys move the cursor through the fields of the first Create a Message screen. Use [↓] to skip to fields on the lower portion of the screen. Use [↑] to return the cursor to previous fields on the upper portion of the screen

You can also use [RETURN] to advance the cursor, but the field where you pressed [RETURN] remains blank if you've made no entry.

The cursor cannot be positioned in any field until you have made a response to the "To" field.

Screen Instructions

There are instructions at the bottom of the first Create a Message screen. The first changes to reflect the action you can take in the field where the cursor is currently positioned. This prompt offers reminders for the maximum number of characters, the type of information for this particular field, and so on.

When this screen first appears, the cursor is positioned in the "To" field and the prompt says:

```
[ Enter a User Name or Distribution List Name ]
```

The second prompt lets you know the Out Folder Function Menu is accessible from this display by pressing [MENU]. It also lets you know how to display the second screen of Create a Message, where you enter message text, by pressing [NEXT SCREEN].

Date, Msg ID and From Fields

The three fields at the top of the Create a Message screen are automatically filled in for you by AlphaMAIL. These fields are Date, Msg ID and From.

- The date field indicates exactly when you created this message according to your computer's system date and time. The format used here is:

  ```
  DD-MMM-YY HH:MM:SS pm
  ```

  where DD represents the day of the month, MMM the three letter abbreviation for the month, YY the last two digits of the current year, HH the current hour, MM the current minute, SS the current seconds followed by either am or pm. For example:

  ```
  23-Apr-94 05:17:00 pm
  ```

- Msg ID is an abbreviation for Message Identification and is the unique filename AlphaMAIL automatically assigns the message you are creating. This prevents accidental duplication of message names—either in your mail box or someone else's. You won't need to know this filename in order to use AlphaMAIL, but it is a handy reference for identifying a message from AMOS command level. A Msg ID has the extension .MAL and is preceded by 6 numbers. For example:

  ```
  165243.MAL
  ```

- Your User Name, or the User Name of the person who is sending the message, is automatically displayed in the "From" field. The User Name will accompany this message so the person receiving it knows who it originated with.

To Field

When the first screen of Create a Message appears, the cursor is positioned in the "To" field. "To" is where you type the recipient(s) User Names for your message. You can identify as many as six "To" recipients. A recipient is:

- Any valid and current User Name.
- Any valid Distribution List Name.

Valid User Names can be determined from the Main or any Function Menu's **USERS** command. Valid Distribution List Names can be determined from the Main or any Function Menu's **LISTS** command.

Recipients identified in this field receive any AMOS file you specify in this screen's "Attached AMOS file" field. This differentiates a "To" recipient from a "CC" recipient; a "CC" recipient does not receive any attached AMOS file you specify.

"To" is the only mandatory field when you create a new message. That is to say, you must specify at least one valid "To" recipient name in order to create a message AlphaMAIL can deliver.

When the User Name you identify is on a computer system other than yours, the words "Remote user" appear to the right of this User Name.

When the name you enter is a distribution list name, the words "Distribution List:" followed by its description appear to the right of the name you entered.

After you press RETURN for a valid User Name, the cursor moves to the next "To" field. You can enter another recipient name and press RETURN, or press RETURN or ↓, to advance to "Subject".

Subject Field

The "Subject" field allows you to enter an optional description or reference for this message and can be up to 60 characters long. Type the subject text and press RETURN. Press RETURN or ↓ to leave blank and advance to the next field.

CC Field

"CC" is where you type the recipient(s) to receive a courtesy copy of this message. You can enter as many as six recipients. A recipient is:

- Any valid and current User Name.
- Any valid Distribution List Name.

Valid User Names can be determined from the Main or any Function Menu with the USERS command. Valid Distribution List Names can be determined from the Main or any Function Menu with the LISTS command.

Recipients identified as CC do not receive any AMOS file you specify in this screen's "Attached AMOS file" field. This differentiates a "To" recipient from a "CC" recipient; a "To" recipient receives any attached AMOS file you specify.

When the User Name you identify is on a computer system other than yours, the words "Remote user" appear to the right of this User Name.

When the name you enter is a distribution list name, the words "Distribution List:" followed by its description appear to the right of the name you entered.

After you press RETURN for a valid User Name, the cursor moves to the next "CC" field. You can enter another recipient name and press RETURN, or press RETURN or ↓ to advance to "Attached AMOS file".

Attached AMOS File

An entry to "Attached AMOS file" is optional. When the cursor is positioned here, you see this message at the bottom of your screen:

```
Enter an AMOS File Name to Attach to this Message-
DSKn:xxxxxx.xxx[x,x]
```

This message contains the format to use for the file specification—where DSKn: represents the device where the file is located, xxxxxx.xxx represents the filename and extension and [x,x] represents the account number. For example:

DSK0:SCHEDUL.TXT[123,45]

Any file you enter here is delivered to all "To" recipients along with your message. The full AMOS file specification, in the exact format shown above, must be used in order for AlphaMAIL to transfer the file correctly when you **SEND** the message.

AlphaMAIL lets you attach any type of AMOS file: AlphaWRITE files, AlphaCALC files, text files, list files, program files. Any file you can create under AMOS can be attached to a message. However, not all files can be displayed from within AlphaMAIL once they are delivered, even though AlphaMAIL can deliver any type of file.

For displaying purposes, keep in mind only those files which can be seen legibly with the AMOS TYPE command can be read from within AlphaMAIL by your recipient(s). You also need to be aware your attached file will overwrite any existing files with the same name in your recipient's In Folder unless their initialization file allows overwriting with the OVERWRITE command.

To leave this field blank and display the second Create a Message screen where you can enter message text, press [RETURN].

AlphaMAIL takes a moment and verifies the AMOS file exists in the device name and account you selected. You know AlphaMAIL has verified this file and its location when the size of the file appears on the line with the AMOS file name in this message:

```
Blocks: n
```

where n represents the size of this AMOS file. As soon as this message appears this screen clears from the display and you receive the second screen for Create a Message.

If you are using AlphaMAIL on a computer network and select a file located on a currently inaccessible device, you'll see this message:

```
%Device DSKn: is set no access.  File can't be sent to any
remote recipients
Press any key to continue
```

This message means the AMOS SET NO ACCESS command has been used on the device named in the message and you cannot send this AMOS file along with your message until the device named in the message is SET ACCESS. If you must attach this file now, ask your AlphaMAIL System Administrator for assistance. In any case, press any key to continue preparing your message.

You have the chance to leave this field with no change, enter a different AMOS file specification or leave this field blank.

Return Receipt Requested

The Return Receipt Requested field lets you choose to be notified by return mail message when the To recipient has read the message you have sent. Valid responses are Y to receive notification and N or blank to waive notification.

GETTING TO THE MESSAGE TEXT SCREEN

From the first Create a Message screen there are three ways to display the second screen, where you can enter your message text:

- Pressing [NEXT SCREEN] or [CTRL]/[T] from any field on the first screen.
- Pressing [RETURN] at the "Return Receipt Requested" field.
- Pressing [↓] at the "Return Receipt Requested" field.

After any of these actions, the first screen clears and the screen where you can compose your message appears.

```
Edit a Message                    Enter Message                      Line:  1
-- Message Text  -------------------------------------------------------------
-------------------------------------------------------------------------------
-------------------------------------------------------------------------------
-------------------------------------------------------------------------------
```

Guidelines For Entering Message Text

Once you display the second Create a Message screen, you're ready to enter the text of your message.

This screen lets you enter up to 20 lines of text. A line counter at the top right of the screen keeps you advised of where the cursor is.

Use the guidelines while entering the text of your message:

- Type your message as you would any other letter or memo.
- Words automatically wrap at the end of each line; you do not need to press [RETURN] before reaching the line's end.
- You can enter message text in overwrite mode or character insert mode, although line insert mode is not available.
- Use these keys to move the cursor around your message text display:

KEYS	ALTERNATE	PURPOSE
UP ARROW	CTRL K	Moves to previous line
DOWN ARROW	CTRL J	Moves to next line
LEFT ARROW	CTRL H	Moves to previous character
RIGHT ARROW	CTRL L	Moves to next character
NEXT WORD	CTRL W	Moves to next word
PREV WORD	CTRL A	Moves to previous word
SHIFT/LEFT ARROW	CTRL U	Moves to beginning of line
SHIFT/RIGHT ARROW	CTRL N	Moves to end of line

- Use these keys to make editing changes:

KEY NAME	ALTERNATE	PURPOSE
DEL CHAR	CTRL/D	Delete character
RUBOUT	—	Delete previous character
INS CHAR	CTRL/F	Insert a character
DEL WORD	CTRL/V	Delete a word
DEL LINE	CTRL/Z	Delete a line
INS LINE	CTRL/B	Insert a line
JOIN LINE	CTRL/O	Join lines
AUTO INS CHAR	CTRL/Q	Character insert mode
RETURN	CTRL/M	Go to next line

- Use [HOME] or [PREV SCREEN] keys or [CTRL]/[^] to display the the first screen from anywhere in the second screen.

- Use SHIFT/HOME or NEXT SCREEN or CTRL/E to display the second screen from anywhere in the first screen, after one recipient has been typed.

INTERNATIONAL CHARACTER SUPPORT

AlphaMAIL 1.1 supports 8-bit Latin-1 character composition, provided your terminal hardware, terminal driver, and version of AMOS support this feature.

This makes international symbols, and characters—such as yen, umlaut, and ligature—available for display and printing. These characters belong to the ISO Latin-1 character set of which ASCII characters are a subset.

If you are using an AM-65 terminal, the Compose Character feature causes the international character to be visible on your screen as well as being printed in your document.

COMPOSING INTERNATIONAL CHARACTERS

To use the Compose Character feature:

1. Press ESC and release it, press ` (accent grave) and release it.

2. Then type the characters you want to use, as shown in the chart below. For example, press A " to print an A umlaut, or o ~ to print o tilde, and so on; the two keys you press signal composition of the new character.

   Typically, capitalization is important when you are entering the two characters following ESC `. However, the software is not sensitive to the order in which you type the two characters; it interprets " A and A " to mean A umlaut.

COMPOSE CHARACTER CHART

Use the following chart to find the character you want to use and the keys to press to get that character.

For legibility, only ESC and SPACEBAR are shown within keycaps; the other keys you press are shown in Courier bold type separated by spaces. Do not press SPACEBAR unless the chart specifically tells you to do so; the spaces in the key list are for format only. In most cases, the names of the two keys to press after the ESC ` (accent grave) keys follow in parentheses.

CHARACTER/ MESSAGE TEXT	PRESS THESE KEYS (key name/key name)
Inverted Exclamation	ESC ‘ ! ! (exclamation/exclamation)
Cents	ESC ‘ c / (c/slash)
Cents	ESC ‘ C / (C/slash)
Sterling	ESC ‘ l - (l/hyphen)
Sterling	ESC ‘ L - (L/hyphen)
Currency	ESC ‘ x o (x/o)
Currency	ESC ‘ X O (X/O)
Yen	ESC ‘ y = (y/equal)
Yen	ESC ‘ Y = (Y/equal)
Split Bar	ESC ‘ | | (split bar/split bar)
Section	ESC ‘ s o (s/o)
Section	ESC ‘ S O (S/O)
Umlaut[1]	ESC ‘ " " (double quote/double quote)
Copyright	ESC ‘ c o (c/o)
Copyright	ESC ‘ C O (C/O)
Ord Feminine	ESC ‘ a _ (a/underline)[6]
Ord Feminine	ESC ‘ A O (A/O)
Left Guillemot	ESC ‘ < < (left angle/left angle)
Not	ESC ‘ - , (hyphen/comma)
Registered	ESC ‘ r o (r/o)
Registered	ESC ‘ R O (R/O)

CHARACTER/ MESSAGE TEXT	PRESS THESE KEYS (key name/key name)
Macron (Hyphen)	ESC ' _ + (underline[6]/plus)
Ring[2]	ESC ' SPACEBAR * (asterisk)
Plus or Minus	ESC ' + - (plus/hyphen)
Raised 2	ESC ' 2 ^ (2/caret)
Raised 3	ESC ' 3 ^ (3/caret)
Acute Accent	ESC ' ' ' (single quote/single quote)
Micro	ESC ' / u (slash/u)
Micro	ESC ' / U (slash/U)
Paragraph[3]	ESC ' p ! (p/exclamation)
Paragraph[3]	ESC ' P ! (P/exclamation)
Raised Dot	ESC ' . ^ (period/caret)
Cedilla	ESC ' , , (comma,comma)
Raised 1	ESC ' 1 ^ (1/caret)
Ord Masculine	ESC ' o _ (o/underline[6])
Ord Masculine	ESC ' O _ (O/underline[6])
Right Guillemot	ESC ' > > (right angle/right angle)
One-quarter	ESC ' 1 4 (1/4)
One-half	ESC ' 1 2 (1/2)
Three-quarters	ESC ' 3 4 (3/4)
Inverted Question	ESC ' ? ? (question/question)
A grave	ESC ' A ' (A/accent grave)
A acute	ESC ' A ' (A/single quote)

CHARACTER/ MESSAGE TEXT	PRESS THESE KEYS (key name/key name)
A caret	ESC ‘ A ^ (A/caret)
A tilde	ESC ‘ A ~ (A/tilde)
A umlaut[1]	ESC ‘ A " (A/double quote)
A ring	ESC ‘ A * (A/asterisk)
AE ligature	ESC ‘ A E (A/E)
C cedilla	ESC ‘ C , (C/comma
E grave	ESC ‘ E ‘ (E/accent grave)
E acute	ESC ‘ E ’ (E/single quote)
E caret	ESC ‘ E ^ (E/caret)
E umlaut[1]	ESC ‘ E " (E/double quote)
I grave	ESC ‘ I ‘ (I/accent grave)
I acute	ESC ‘ I ’ (I/single quote)
I caret	ESC ‘ I ^ (I/caret)
I umlaut[1]	ESC ‘ I " (I/double quote)
Eth	ESC ‘ - D (hyphen/D)
N tilde	ESC ‘ N ~ (N/tilde)
O grave	ESC ‘ O ‘ (O/accent grave)
O acute	ESC ‘ O ’ (O/single quote)
O caret	ESC ‘ O ^ (O/caret)
O tilde	ESC ‘ O ~ (O/tilde)
O umlaut[1]	ESC ‘ O " (O/double quote)
Multiplication[4]	ESC ‘ X X (X/X)
O slash	ESC ‘ O / (O/slash)

CHARACTER/ MESSAGE TEXT	PRESS THESE KEYS (key name/key name)
U grave	ESC ‘ U ‘ (U/accent grave)
U acute	ESC ‘ U ’ (U/single quote)
U caret	ESC ‘ U ^ (U/caret)
U umlaut[1]	ESC ‘ U " (U/double quote)
Y acute	ESC ‘ Y ’ (Y/ single quote)
Thorn	ESC ‘ T H (T/H)
Ess Tset[5]	ESC ‘ S S (S/S)
a grave	ESC ‘ a ‘ (a/accent grave)
a acute	ESC ‘ a ’ (a/single quote)
a caret	ESC ‘ a ^ (a/caret)
a tilde	ESC ‘ a ~ (a/tilde)
a umlaut[1]	ESC ‘ a " (a/double quote)
a ring	ESC ‘ a * (a/asterisk)
ae ligature	ESC ‘ a e (a/e)
c cedilla	ESC ‘ a , (a/comma)
e grave	ESC ‘ e ‘ (a/accent grave)
e acute	ESC ‘ e ’ (e/single quote)
e caret	ESC ‘ e ^ (e/caret)
e umlaut[1]	ESC ‘ e " (e/double quote)
i grave	ESC ‘ i ‘ (i/accent grave)
i acute	ESC ‘ i ’ (i/single quote)
i caret	ESC ‘ i ^ (i/caret)
i umlaut[1]	ESC ‘ i " (i/double quote)

CHARACTER/ MESSAGE TEXT	PRESS THESE KEYS (key name/key name)
eth	ESC ‘ **-** **d** (hyphen/d)
n tilde	ESC ‘ **n** **~** (n/tilde)
o grave	ESC ‘ **o** ‘ (o/accent grave)
o acute	ESC ‘ **o** ’ (o/single quote)
o caret	ESC ‘ **o** **^** (o/caret)
o tilde	ESC ‘ **o** **~** (o/tilde)
o umlaut[1]	ESC ‘ **o** **"** (o/double quote)
Division	ESC ‘ **-** **:** (hyphen/semi-colon)
o slash	ESC ‘ **o** **/** (o/slash)
u grave	ESC ‘ **u** ‘ (u/accent grave)
u acute	ESC ‘ **u** ’ (u/single quote)
u caret	ESC ‘ **u** **^** (u/caret)
u umlaut[1]	ESC ‘ **u** **"** (u/double quote)
y acute	ESC ‘ **y** ’ (y/single quote)
thorn	ESC ‘ **t** **h** (t/h)
y umlaut[1]	ESC ‘ **y** **"** (y/double quote)

1 Also known as *dieresis*.
2 Also known as *degree*.
3 Also known as *pilcrow*.
4 Also known as *times*.
5 Also known as *German double s*.
6 The underline character is usually located on the same key as hyphen.

FINISHING UP

Once you've created a new message you can choose to send it immediately or save it and send it later. In either case, you'll need to display the Out Folder Function Menu to finish up.

From either the message text screen, or its heading, press MENU and the Out Folder Function Menu appears on your display.

GETTING TO THE OUT FOLDER FUNCTION MENU

At either of the Create a Message screens you can display the Out Folder Function Menu, whether you are through composing your message or not. This Function Menu has the commands to let you finish up with your messages. To display this menu, from either screen, press MENU.

```
                              Message Function Menu

     Folder: Out                  Description: Created Messages
-------------------------------------------------------------------------------
   Date: 23-Apr-94 05:17:54 pm                        Msg ID: 165243.MAL
     To:
Subject:
     CC:
-------------------------------------------------------------------------------
HELP     - display help information     SCAN   - scan msgs in this folder
FINISH   - exit to main menu            MOVE   - move msg to an AMOS account
QUIT     - exit to main menu
                                        LISTS  - maintain distribution lists
PRINT    - print this message           USERS  - display list of user names
ERASE    - delete this message
ATTACH   - attach this msg to new one   EXPAND - display all recipients this msg
COPY     - copy and edit this message   STATUS - delivery status of sent msg
                                        CANCEL - cancel delivery of this message
SEND     - send this message
EDIT     - edit this message

Enter command name and press RETURN:

                       [ Press MENU for Message Display ]
```

AlphaMAIL Out Folder Function Menu

General information about the Function Menu is described more thoroughly in the previous chapter.

USING THE SEND COMMAND

The **SEND** command is available only on the Out Folder Function Menu and is used once you have prepared a message for your recipients. To use the command, from the Function Menu command line, type:

SEND RETURN

The shorthand form for this command is S.

After you press RETURN the lower portion of the Out Folder Function Menu clears from your screen and you see this message below the summary section of the screen:

```
Send Message
```

In a moment, AlphaMAIL lets you know the message you created is being put in the first phase of the delivery process by telling you:

```
Posting message please wait
```

When AlphaMAIL is through getting the delivery process started, the posting message clears and you see this message its place:

```
Message Posted for Delivery
```

In a moment, AlphaMAIL returns you to the Main Menu because it automatically performs a **FINISH** command for you. Meanwhile your message is in the process of being delivered to all the recipients. While the message is still in the delivery process, the Out Folder's Message Summary Display shows this message in dim display to let you know delivery is not complete. When delivery is complete, this message is transferred to your Sent Folder.

You can now use any other Main Menu commands.

SAVING MESSAGE TO SEND LATER

If you choose, you can wait until later to send your message without loosing any work you put into it. When you use the **FINISH** command without having sent a message, AlphaMAIL keeps the message in your Out Folder, where you can work with it at a later time.

The **FINISH** command is available on all Folder Function Menus and saves the current version of the message you are working on now and returns you to the AlphaMAIL Main Menu.

The shorthand for **FINISH** is F.

When you press RETURN, the Function Menu display clears and you return to the AlphaMAIL Main Menu.

CHAPTER SIX
MORE ABOUT CREATING AND SENDING MESSAGES

AlphaMAIL lets you initiate messages with commands other than **CREATE**. Two commands, **COPY** and **ATTACH** also let you create new messages based on one which already exists. And, after you **SEND** a created message, you can check on its delivery status with the **STATUS** command or use the **CANCEL** command to halt its delivery.

OTHER WAYS TO CREATE A MESSAGE

In addition to the AlphaMAIL Main Menu **CREATE** command you have two other commands at your disposal with which initiate a new message. These commands are **COPY** and **ATTACH**; both are available from any Folders' Function Menu. The next two sections discuss each command.

COPYING A MESSAGE

You can use **COPY** from any of your Folders to duplicate an existing message and use it as the basis for a new one. This command automatically takes all the information for the existing message, makes a duplicate, moves the duplicate to your Out Folder, then displays the copied message. When the message appears you are already in your Out Folder and you have access to this Folder's Function Menu commands by pressing [MENU].

COPY also duplicates any references to attached AMOS files accompanying the existing message. These attached files may be a message created by AlphaMAIL with the **REPLY** or **FORWARD** commands, or an AMOS file specification.

The first step in copying a message is to select the message you want to work with. You can use **SCAN** to select the Folder and then from the message list, pick the one you want to work with. After selecting the message, display the Function Menu for that Folder, to use **COPY**.

From the Function Menu, type:

COPY [RETURN]

The shorthand for **COPY** is C.

As soon as you press RETURN, the Function Menu clears from your screen. For a brief moment, the words Copy Message appear directly beneath the message information, at the top of the screen. The whole display clears and you receive a screen named Edit a Copy of a Message and you have been automatically transferred to your Out Folder.

COPIED MESSAGE DISPLAY

The Edit a Copy of a Message screen displays the address portion of the message you copied. Although the title of the screen is different then if you had used **CREATE**, the display and information contained here is the same. There are two screens: the address and the message text which is displayed when you press NEXT SCREEN.

You can distinguish the copied message from the original in two ways:

- The Msg ID is different from the original.
- The date and time reflects when you used **COPY**.

You can use any usual edit procedures to change or modify the information appearing on either of the Edit a Copy of a Message screens. For complete information regarding each field, and keys you can use, see Chapter 5 which describes how to create a message.

When the message is prepared to your satisfaction, use MENU to display the Out Folder Function Menu. From here, you can **SEND** this message or use other commands available here—just as if you had created the message with the Main Menu **CREATE** command.

ATTACHING MESSAGES

The **ATTACH** command is available from any Folder's Function Menu and creates a new message, including the existing message along with the new one. **ATTACH** only includes the message portion of the existing message; that is, any AMOS files which may accompany the existing message are excluded.

ATTACH can be handy to create a new message and send along a received message you want others to see but not any accompanying files. You are not limited to using **ATTACH** on just messages you receive because you can use **ATTACH** from any Folder. Other than the automatic filling in of the "Attached AMOS file" field with the name and location of the existing message, **ATTACH** operates similarly to **CREATE**.

ATTACH automatically displays the address portion of a new message, fills in the "Attached AMOS file" field and in the process, transfers you to your Out Folder. The convenient Folder transfer lets you have access to all of the Out Folder's Function Menu commands to handle your new message.

The first step is to select the message you want to work with. Use **SCAN** to select the Folder and then pick the message to work with from the Message List. When you have selected the message, display the Function Menu for that Folder to use **ATTACH**.

From the Function Menu, type:

ATTACH [RETURN]

The shorthand for **ATTACH** is A.

As soon as you press [RETURN], the Function Menu clears. Briefly, the words Attach Message appear directly beneath the message information, at the top of the screen. The whole display then clears, you receive a screen named Create a Msg with Attached Msg and you are automatically transferred to your Out Folder.

THE CREATE A MESSAGE WITH ATTACHED MESSAGE DISPLAY

This message display contains a fresh message address. The name of the existing AlphaMAIL message you want recipients to receive is in the Attached AMOS file field.

Although the title of the screen is different then when you use **CREATE**, the display and information contained here is the same. Refer to Chapter 5 which describes all of the fields displayed here and the features available when you enter a new message.

When the new message accompanied by the attached message is prepared to your satisfaction, use [MENU] to display the Out Folder Function Menu. You can then **SEND** this message or use other commands available here—just as if you had created this message using **CREATE**.

WORKING WITH SENT MESSAGES

AlphaMAIL has two commands you can use to find out about and work with a message in the process of being sent. The commands are **STATUS** and **CANCEL**. They let you determine where a message is in the delivery process and stop its delivery if you choose.

DELIVERY STATUS FOR SENT MESSAGES

Whenever you send a message in your Out Folder, AlphaMAIL begins the delivery process for this message. AlphaMAIL goes through a two step process when delivering a message for you:

- Posts the message for delivery.
- Performs the delivery.

This process is similar to mailing a letter:

- You first give it to the post office.
- The post office handles the delivery.

Although after you use **SEND**, you return to the AlphaMAIL Main Menu, the message you send remains in your Out Folder until AlphaMAIL actually delivers it to all recipients. Once delivery occurs, your copy of the message is automatically moved and filed in your Sent Folder.

There may be times when you'll want to know the delivery status of the message you are sending—whether it's been posted and waiting to be delivered or if it has already been delivered. The Out Folder Function Menu's **STATUS** command shows you a message's delivery status.

You can determine the delivery status of any message currently residing in your Out Folder with the Function Menu's **STATUS** command. After choosing a message from your Out Folder's Message List display, or after sending a message you've just created with the **CREATE**, **COPY**, **ATTACH**, **FORWARD**, or **REPLY** commands, you can check the message's delivery status. From the Out Folder Function Menu, type:

STATUS [RETURN]

The shorthand for **STATUS** is ST.

In a moment, the Out Folder Function Menu clears from your screen and the Posted Message Status screen appears, like the one below.

You can exit the status display at any time by pressing [MENU]. This clears your screen and displays the Out Folder Function Menu again.

```
                              Posted Message Status

  Number of recipients:  4       Delivery began on 05/05/94 at 14:32:36 pm
  Delivery complete to:  1
       In progress for:  3

Number User Name           Status                        Ersatz     CPU Id
 1 TO  Bob Shelton         Delivered                                Local
 2 TO  Robin Soto          Not processed yet                        Local
 3 TO  Dan Twaddell        Not processed yet                        Local
 4 TO  Sandi Tomlin        Not processed yet                        Local









                      [ Press any key for Function Menu ]
```

AlphaMAIL Posted Message Status Screen

About the Posted Message Status Screen

The Posted Message Status display provides a summary regarding the delivery process of your message and includes this information:

- Number of recipients for this message.
- Date and time when delivery began.
- Number of completed deliveries.
- Number of recipients still in progress.
- Recipient number and type (To: or CC:).
- User Name of each recipient.

- Status of message.
- Ersatz and CPU ID information.

On the whole, this display provides you with general information regarding each recipient of this message. Perhaps the most important information is contained in the Status column.

The status column displays any one of six messages:

- Delivered.
- This message is posted for delivery, but not currently being processed.
- Not processed yet.
- Request made to remote MALSER.
- MALSER on remote not responding .
- Remote node not responding.

Delivered

The "Delivered" message means this recipient has received their copy of the message. It does not mean they have seen it yet, but indicates this message is currently in their mail box waiting for them.

Posted for Delivery, Not Currently Being Processed

The message "This message posted for delivery, not currently being processed" means the first step in the delivery process is complete but actual delivery has not begun.

Not Processed Yet

The "Not processed yet" message lets you know delivery is intended for this recipient but their turn in the delivery process has not come up yet.

Request Made to Remote MALSER

The message "Request made to remote MALSER" appears when you are sending a message to a person on another computer on your network. MALSER is the part of AlphaMAIL which performs delivery operations.

When all is well, this means AlphaMAIL has made contact with the remote computer system and the delivery process on this computer system is aware of the message you are sending. This message will change to "Delivered" in a little while.

However, if you see this message for a long period of time, it could indicate a problem. If so, contact your System Administrator for assistance.

MALSER on Remote Not Responding

The "MALSER on remote node not responding" message lets you know this recipient is available for communication on your network but their MALSER delivery process is not running. Your message cannot be delivered to this recipient until AlphaMAIL is able to communicate with MALSER on their computer system.

Remote Node Not Responding

The message "Remote node not responding" lets you know this recipients's computer system is not currently engaged on the network allowing the two computer systems to communicate. AlphaMAIL continues its communication attempts with this other computer system until contact is made; that is, when the remote computer system is on the network again.

CANCELLING DELIVERY OF SENT MESSAGES

If you **SEND** a message and decide you want to cancel its delivery to recipients, you use use the Out Folder Function Menu **CANCEL** command. **CANCEL** lets you halt delivery of a message to those recipients who have not yet received it; it cannot retrieve messages already delivered.

CANCEL instructs AlphaMAIL to "unpost" a message from delivery. The message is then removed from the delivery process and any remaining recipients will not receive it. When working with a message having many recipients, you may want to use the **STATUS** command first to check and see where AlphaMAIL is in the delivery process.

CANCEL is available only on your Out Folder Function Menu, to use it from this menu, type:

CANCEL [RETURN]

The shorthand for **CANCEL** is CA.

After you press [RETURN], the Function Menu clears from your screen and the words "Cancel Message" appear directly beneath the information portion of your message. You are asked to confirm cancellation of this message with this question:

```
Please enter YES to confirm that you want to CANCEL this
message:
```

To halt the delivery of your message to all recipients who've not yet received it, type: **YES** [RETURN]. AlphaMAIL verifies your cancel request with:

```
Message cancelled
```

The message you are cancelling remains in your Out Folder because AlphaMAIL does not transfer messages to your Sent Folder when delivery is cancelled—even though some recipients may have already received your message.

Complete cancellation of a message does not take effect immediately but generally, you won't be aware of any delay. If you use **CANCEL** and immediately try to view your message, AlphaMAIL may display a message telling you this message is currently being delivered and cannot be edited. If so, wait a few moments and try to edit the message again.

Your screen displays "Message cancelled" until you press **MENU** and return to the Out Folder Function Menu where you can choose another operation for this message, or finish up as you wish.

If you choose not to cancel the message now, press the [MENU] instead of typing YES at the cancel confirmation prompt. Your display returns to the Out Folder Function Menu.

CHAPTER SEVEN
INCOMING MAIL

Messages you receive from other people using AlphaMAIL are delivered to your In Folder where you can use commands to work with them. This chapter describes how you can see these messages with the AlphaMAIL Main Menu **READ** command. Once you read a message in your In Folder you have all the commands available from the In Folder's Function Menu at your disposal. The **REPLY** and **FORWARD** commands, unique to the In Folder Function Menu, let you quickly respond to incoming messages.

DISPLAYING INCOMING MESSAGES

Messages sent to you by other people using AlphaMAIL arrive in your In Folder. When you receive new mail there are two ways you can display a list of these new messages and pick one to see. You can:

- Use **SCAN** to pick the In Folder and display its Message List.
- Use **READ** to display the In Folder's Message List.

The **SCAN** command appears on all four Folders' Function Menus and the AlphaMAIL Main Menu. **SCAN** lets you choose the Folder whose messages you want to see, then displays that Folder's Message List.

The **READ** command only appears on the AlphaMAIL Main Menu and is a shortcut to immediately display the In Folder Message List, where you can select the incoming message you want to see.

Depending on where you are while working with AlphaMAIL, you may find one command more convenient to use than the other and these next sections describe both methods. Once at the In Folder Message List you'll learn how to choose a message and the options available when you do.

DISPLAYING THE IN FOLDER MESSAGE LIST

You can display the In Folder Message List with either **SCAN** or **READ**.

Using Scan

From any Folder's Function Menu or Main Menu, type:

SCAN [RETURN]

The shorthand for **SCAN** is SC.

After you press [RETURN], the menu clears from your screen and you see the Select Folder display.

Using the ARROW keys, position the cursor on the words "In Folder" and press [RETURN]. The Select Folder screen clears and the In Folder Message List appears.

If you happen to use the In Folder Function Menu **SCAN** command, you bypass the Folder selection process and see the In Folder Message List directly. More detailed information about **SCAN** is provided in the chapter discussing how to choose Folders and display messages.

Using Read

From the AlphaMAIL Main Menu, type:

READ [RETURN]

The shorthand for **READ** is R.

After you press [RETURN], the Main Menu clears from your screen and the In Folder Message List appears.

THE IN FOLDER MESSAGE LIST SCREEN

The In Folder Message List screen is where you choose the message you want to see. It looks like this:

```
Scan Messages in Folder          Message List

     Folder: In                 1 message
Description: Unread Messages

Msg From             Subject                                    Date    Time
--- ---------------  ------------------------------------------ ------- -------
  1 D. Shepherd      Meeting Notice                             05May94 04:43pm









  [ Press DEL LINE to erase message, press DEL CHAR to delete all displayed ]
       [ Use ARROW keys to select message, press RETURN to display it. ]
                      [ Press MENU to return to Main Menu ]
```

AlphaMAIL In Folder Message List Screen

From the In Folder Message List you can:

- Return to the AlphaMAIL Main Menu without choosing a message by pressing [MENU].
- Choose a message to see with the arrow keys.
- Display the message you choose by pressing [RETURN].
- Delete a message you choose by pressing [DEL LINE].
- Display additional screens when there are more messages than fit on one, by pressing [NEXT SCREEN] or [PREV SCREEN].

Your In Folder Message List shows you:

- The most recently received message as the first message, the one received before that as the second message on the list, and so on.
- How many messages are currently in your In Folder.
- Who the message is from, its subject and the date and time it arrived in your In Folder.

SEEING A MESSAGE FROM THE MESSAGE LIST

To select a message to read, position the block cursor on the message with [↑] or [↓], then press [RETURN]. The line containing the message you've chosen may blink for a moment to let you know AlphaMAIL is busy getting this message.

THE MESSAGE DISPLAY

When you select the message from the In Folder Message List the Display a Message screen appears. This screen contains all the information about the sender of the message, the subject and the date and time it was created. The fields in this display are the same as when you create a message.

The first ten lines of the message text are also shown on the Display a Message screen. If there are more than 10 lines, press the NEXT SCREEN to see the remaining text. To see the previous text, press PREV SCREEN.

MESSAGES WITH ATTACHED AMOS FILES

When the sender of a message attaches a file to the message, the field named "Attached AMOS file:" displays the device, file name and account number for this file. This lets you know there is an attached file and it is currently located with your message, in your In Folder.

If your In Folder contains a file with the same name as the Attached AMOS file you receive, the existing file is overwritten with the contents of the file you receive unless your AlphaMAIL initialization file contains an OVERWRITE command.

To see the attached file from Display a Message, from the first screen of the message text, press LINE INS. The message text clears from your screen and the Display Attached AMOS file screen appears. The attached file name is displayed in the upper right hand corner of your screen, on the same line as the screen name.

The attached file is displayed in groups of 18 lines. To see additional screenfuls of 18 lines, press the NEXT SCREEN key.

When another AlphaMAIL user sends you a message by using their **FORWARD** command, the attached file display shows all the information pertaining to the forwarded message. Using the **FORWARD** command is described a little later on this chapter.

When you reach the end of the attached file display, this message appears:

```
End of Attached AMOS file
Press any key to return to the message text display.
```

To interrupt the AMOS file display before reaching the end, press MENU and your screen returns to the first screen of the message text display.

Attached File Types AlphaMAIL Can Display

Attaching a file to a message is a sophisticated delivery service: any type of AMOS file can be attached to your message. Even though executable program files and other types of files can be delivered to you, this does not necessarily mean you can display it in legible form when using AlphaMAIL.

For example, documents created by AlphaWRITE, Alpha Micro's Word Processor can be delivered to you but these files are only displayable by AlphaWRITE. The same holds true for AlphaCALC and its worksheets.

When displaying an attached file in AlphaMAIL, keep in mind only those files which can be seen legibly with the AMOS TYPE command can be read from within AlphaMAIL.

LOCATION OF ATTACHED AMOS FILES AT COMMAND LEVEL

The AMOS command level location of an attached file you receive is noted in the "Attached AMOS file" field on the message display and is the disk account number of your In Folder. You can find or use the attached file from AMOS command level by logging into this device and account number.

AlphaMAIL considers any "Attached AMOS file" to be a part of that message; when the message moves between your Folders, the attached file accompanies it. When AlphaMAIL transfers a message from your In Folder to your Read Folder, the attached file goes to the Read Folder.

Noting this transfer is important because each of your Folders have different account numbers; therefore, when the message and attached file move between Folders, the account number displayed in "Attached AMOS File" changes to reflect the appropriate account number for the current Folder. If you are going to access this attached file from command level, be sure to record its current location.

AFTER READING A MESSAGE

When you're through reading the message you've chosen and the first screen of the Display a Message text is displayed, you can display the In Folder Function Menu and finish up.

To do this, press [MENU] from the Display message screen to go to the In Folder Function Menu. You can now use any of the commands available on this menu to continue, including **REPLY** and **FORWARD** which are described a little further on in this chapter.

THE FINISH COMMAND

Using the In Folder Function Menu **FINISH** command after reading any message in this Folder causes the message and any attached AMOS file to be automatically filed in your Read Folder. If you want to see this message after using **FINISH**, access your Read Folder with **SCAN** and then select this message from the Message List.

REPLYING TO MESSAGES

AlphaMAIL's **REPLY** command offers a quick and easy way to respond to messages you receive or have already looked at. **REPLY** is only available on your In and Read Folder's Function Menu.

This command is a quick way to create a new message in response to the individual whose message you are working with, without returning to Main Menu to use **CREATE**.

Whichever Folder Function Menu **REPLY** command you use, the result is the same:

- A new message is created and you move to your Out Folder.
- The first "To" recipient is filled in with the User Name who sent you the message.
- The original "Subject" text is copied to the new message, preceded by the word Re: when a subject appeared on the message you received.

- No "Attached AMOS file" is automatically included.
- The first line of message text shows a full reference to the message you are responding to.

USING THE REPLY COMMAND

When you are finished reading a message in either your In Folder or Out Folder, you can display the Function Menu for the Folder. At the Function Menu, you can begin your reply to this message. To do so, at the Function Menu command line type:

REPLY [RETURN]

The shorthand for **REPLY** is R.

The Function Menu clears from your screen and the Reply to a Message screen appears and the cursor is position on the first "To" recipient name.

The first "To" is automatically filled in, based on the message you are replying to. If the sender used a "Subject" in their message to you, this is automatically filled in and preceded by the word "Re:". The first line of the message text is also included for you and reads:

```
In reply to your message: nnnnnn.MAL of MM/DD/YY HH:MM:SS
a/pm
```

where nnnnnn represents the unique Msg ID for the message you are referring to and the date and time it was created. This text can be deleted if you do not want it included.

To keep the first "To" recipient, press [RETURN]. Or, you can change the name entered in this field by typing over the existing name, then pressing [RETURN].

Other than automatically filling in the first "To" recipient and the"Subject" if it exists, the Reply to a Message screen is like using the **CREATE** command to initiate a new message. You use the same procedures to address and enter message text.

When you **REPLY** to a received message that included an attached AMOS file, this attached file is not included as a part of your response. If you want this "Attached AMOS file" to accompany your response, include its filename and location in this field.

When you're through writing your new message, press [MENU] to display the Out Folder Function Menu and you have all commands to work with a newly created message at your disposal.

FORWARDING MESSAGES

When you want to create a new message and send a copy of one you already have along with it, you can use the **FORWARD** command. **FORWARD** is available from your In, Read or Sent Folders' Function Menu. Using this command creates a new message for you, automatically specifying the message you choose as the "Attached AMOS file".

When your recipients receive and read a message you **FORWARD**, they first see the message you wrote. To display the message you sent along with your own, they press [LINE INS], just as they would for any "Attached AMOS file." If the message you are forwarding has an "Attached AMOS file" of its own, it too is included.

FORWARD is a quick way to create a new message in response to the individual whose message you are working with, without returning to Main Menu to use **CREATE**.

Whichever Folder Function Menu **FORWARD** command you use, the result is the same:

- A new message is created and you move to your Out Folder.
- The "Attached AMOS file" is the name and location of the message you want to include along with your own.
- If the attached message has its own "Attached AMOS File", created by AlphaMAIL, it accompanies your message too.

USING THE FORWARD COMMAND

To use **FORWARD**, select the message you want to work with from your In, Read or Sent Folder Message List and display its Function Menu. At the Function Menu command line, type:

FORWARD [RETURN]

The shorthand for **FORWARD** is F.

The Function Menu clears from your screen and you receive the Create a Message with Forward screen. The cursor is positioned on the first "To" recipient field, which is blank. However, the device, file name with the extension .FWD, and account number of the message you are forwarding is already filled in for you in the "Attached AMOS file" field.

Other than automatically filling in "Attached AMOS file" field, the Create a Message with Forward is exactly like using **CREATE** to write a new message. You use the same procedures to finish addressing and enter message text.
When you're through writing your new message, press [MENU] to display the Out Folder Function Menu and you have all the commands to work with a newly created message at your disposal.

CHAPTER EIGHT
CHOOSING FOLDERS AND DISPLAYING MESSAGES

AlphaMAIL's **SCAN** command lets you select a Folder to work with and display its Message List. Each Folder's Message List gives you a summary of the messages currently stored there and lets you choose a particular message to work with. **SCAN** is available from each of your Folders' Function Menus and the AlphaMAIL Main Menu. This chapter describes how to use **SCAN** from these menus to quickly access your Folders and work with your messages.

THE SCAN COMMAND

The **SCAN** command lets you choose a Folder whose messages you want to work with, then choose a particular message to see. **SCAN** is located on the Main Menu and each Folder's Function Menu. The only difference between using **SCAN** from the Main Menu and a Function Menu is what first appears on your screen.

- Main Menu **SCAN** first displays the List of Folders to choose.
- Function Menu **SCAN** first displays the Message List for the current Folder.

By supplying the Folder name to the Function Menu **SCAN** you can choose another Folder and subsequently another message.

AlphaMAIL MAIN MENU SCAN COMMAND

The AlphaMAIL Main Menu **SCAN** command displays a Folder selection screen listing each of your four Folders. The Folder Selection screen is where you choose the Folder you want to work with. After selecting a Folder, that Folder's Message List appears and you can select a particular message to work with.

To use **SCAN**, at the AlphaMAIL Main Menu type:

SCAN [RETURN]

The shorthand for **SCAN** is SC.

After [RETURN], your screen displays the Select Folder screen.

```
Scan Messages in Folder          Select Folder

      +-------------------------------------------------------------+
      |   FOLDER NAME            DESCRIPTION            MESSAGES    |
      +-------------------------------------------------------------+
      |   In                     Unread Messages            0       |
      |   Read                   Read Messages              2       |
      |   Out                    Created Messages           0       |
      |   Sent                   Sent Messages              3       |
      |                                                             |
      +-------------------------------------------------------------+









           [ Use ARROW KEYS to select folder, then press RETURN ]
                    [ Press MENU to return to Main Menu ]
```

AlphaMAIL Select Folder Display

SELECT FOLDER DISPLAY

The Select Folder display shows a list of Folders at the center of your screen. There are three columns: Folder Name, Description and Messages.

- Folder Name lists each of the Folders available for selection.
- Description is a reminder of what kind of messages are stored in the Folder.
- Messages tells you how many messages are stored in that Folder.

From this display you can:

- Select a Folder.
- Return to the Main Menu.

You can use the Select Folder display for reference to see how many messages are located in your Folders and return to the Main Menu. To return to the AlphaMAIL Main Menu without choosing a Folder, press [MENU].

SELECTING A FOLDER

When the Select Folder screen appears, the block cursor is positioned on the In Folder.

You can move the block cursor to each of the other Folders:

- Move down by pressing [↓], [←], or [SPACEBAR].
- Move up by pressing [↑] or [→].

To select a Folder, position the block cursor on the Folder Name and press RETURN.

The Select Folder screen then clears and you receive the Message List for the Folder you selected. Each Message List displays the same type of information even though different types of messages are contained in each.

```
Scan Messages in Folder          Message List

     Folder: Read               2 messages
Description: Read Messages

Msg From             Subject                                    Date    Time
--- ---------------- ------------------------------------------ ------- -------
  1 D. Shepherd      Vacation                                   18Apr94 03:10pm
  2 K. Moon          Cool news                                  31Mar94 04:04pm









  [ Press DEL LINE to erase message, press DEL CHAR to delete all displayed ]
       [ Use ARROW keys to select message, press RETURN to display it. ]
                      [ Press MENU to return to Main Menu ]
```

AlphaMAIL Read Folder Message List

MESSAGE LIST DISPLAY

The Message List display is a summary of the messages residing in the Folder you selected. Each Folder you have has its own Message List, therefore your summary display reflects only the contents of the current Folder.

At the bottom of the screen you see the prompts for selecting messages, deleting messages and returning to the Main Menu.

The Message List display has two areas: one containing general information about the Folder, the other listing information about its messages. General information about this Folder is located near the top of the display and includes:

- Folder Name.
- Folder Description.
- Total Number of messages in the Folder.

Specific message information is located in the middle section of the display, is arranged in five columns to let you know:

- Message Reference Number.
- Who the Message is To or From.
- Message Subject.
- Date associated with this message.
- Time associated with this message.

The Message List displays is generally the same for any Folder you have selected: only one column name changes and can be either To or From.

Msg Column

The "Msg" column displays a reference number for a particular message. It serves to help you use this list and is not a number you'll need to recall or type when using AlphaMAIL.

To/From Column

For your Out or Sent Folder Message List "To" shows first recipient name identified in the message.

For your In or Read Folder Message List "From" shows the User Name for the sender of the message.

Subject

The Subject column displays up to 41 characters of the subject text entered in the message. If no subject was entered, this column is blank.

Date

The date column shows you the day, month and year AlphaMAIL supplied when the message was created, regardless of what Folder's Message List you are looking at. The format is DDMMMYY where DD represents the day of the month, MMM represents a three character abbreviation for the month and YY indicates the last two digits of the year.

Time

The time column shows you the hour, minute and AM or PM AlphaMAIL supplied when the message was created, regardless of what Folder's Message List you are looking at. The format is HH:MMxm where HH represents the hour of day, MM represents the minute and xm indicates either am or pm.

SEEING MORE MESSAGES

When the Message List display contains more than 12 message names, you can move back and forth through the summary list:

- Forward a screen with [NEXT SCREEN].
- Back a screen with [PREV SCREEN].
- Down one line [↓], [←], or [SPACEBAR].
- Up one line with [→].
- End of list with [SHIFT]/[HOME].
- Beginning of list with [HOME].

RETURNING TO THE MAIN MENU

Since the Message List display is designed for reference as well as action, you can display its summary without performing any other operation. When you're through referring to it, return to the AlphaMAIL Main Menu by pressing [MENU].

SELECTING MESSAGES FOR DISPLAY

At a Folder's Message List you can select the message you want to see. The selection process is much the same as selecting Folders: position the block cursor on the message you want with the a ARROW key and press [RETURN].

The Message List clears and you see the screen appropriate for the Folder you selected. The next sections describe what you see in terms of the Folder you are working with.

In Folder Messages

From the In Folder Message List, the text of the message you selected appears after you press [RETURN].

You can read the message shown and when you're through, press [MENU] to display the In Folder Function Menu and use its commands to work with this message.

To return to the AlphaMAIL Main Menu from the In Folder Function Menu, use the **FINISH** or **QUIT** commands.

Read Folder Messages

From the Read Folder Message List, the Read Folder Function Menu appears after you press [RETURN].

To switch from the Function Menu display to the text of the message you selected, and back again, press [MENU].

To return to the AlphaMAIL Main Menu from the Out Folder Function Menu, use the **FINISH** or **QUIT** commands.

Out Folder Messages

From the Out Folder Message List, the Out Folder Function Menu appears after you press [RETURN] to select a message.

To switch from the Function Menu display to the text of the message you selected, and back again, press [MENU].

To return to the AlphaMAIL Main Menu from the Out Folder Function Menu, use the **FINISH** or **QUIT** commands.

Sent Folder Messages

From the Sent Folder Message List, the Sent Folder Function Menu appears when you press [RETURN] to select a message from the Message List screen.

To switch from the Function Menu display to the text of the message you selected, and back again, press [MENU].

To return to the AlphaMAIL Main Menu from the Sent Folder Function Menu, use the **FINISH** or **QUIT** commands.

FUNCTION MENU SCAN COMMAND

Each Function Menu has a **SCAN** command and its purpose is the same as the AlphaMAIL Main Menu **SCAN** command: it lets you select messages to work with. The difference between the AlphaMAIL Main Menu and your Folder Function Menu **SCAN** commands is the order in which your choices are displayed and made.

To display any of your Folders' Function Menus you must first access that particular Folder in some way from the AlphaMAIL Main Menu. Once you have a particular Folder's Function Menu displayed you also have the choice to select another message from that same Folder.

When you use a Function Menu's **SCAN**, it first displays that Folder's Message List, so you can keep working with the same Folder's messages. However, you have the choice to change Folders, by using the **SCAN** command's shortcut, as described in the last section of this chapter.

SELECT ANOTHER MESSAGE FROM THIS FOLDER

To use Function Menu **SCAN** to select another message from this Folder, type:

SCAN [RETURN]

The shorthand for **SCAN** is SC.

After [RETURN], the Message List for the Folder you are currently working with appears.

You can select another message to work with from this Folder or return directly to the AlphaMAIL Main Menu by pressing [MENU].

SELECT ANOTHER FOLDER

Function Menu **SCAN** also lets you choose another Folder without having to return to the Main Menu. If you wish move between Folders, specify the Folder's name after typing **SCAN** at the Function Menu.

SHORTCUT SCAN COMMAND

You might find it convenient to quickly display a particular Folder's Message List. You can do this by using a shortcut to **SCAN** command entry.

These variations apply to the Main Menu's and to each Folder's **SCAN**.

First, use the abbreviation SC instead of the full command name, followed by a space. Then supply the Folder name you want to use, and press [RETURN]. For example, To display the Out Folder's Message List type:

SC OUT [RETURN]

SCAN bypasses the Select Folder display and shows you the Message List for the Folder you selected.

These are the valid shorthand commands to see each Folder's Message List:

SC I [RETURN]	In Folder
SC R [RETURN]	Read Folder
SC O [RETURN]	Out Folder
SC S [RETURN]	Sent Folder

CHAPTER NINE
PRINTING MESSAGES

Up until now, the chapters in this book have exclusively discussed AlphaMAIL in terms of what is displayed on your screen. When you have need for a more tangible and permanent reference to your messages, you can print them. The **PRINT** command, located at each Folder's Function Menu, lets you send a particular message to a printer or store a copy of the message as a file to print later from AMOS command level.

PRINTING MESSAGES FROM ANY FOLDER

Once a message is filed in any of your Folders, you can use **PRINT** to request a print out now, or store a copy of your message print later with the AMOS PRINT command. The **PRINT** command is available from any Folder's Function Menu and allows you to request either of these printing options.

THE PRINT COMMAND

Each Folder's Function Menu has a **PRINT** command which instructs AlphaMAIL to print the message you are currently working with.

To use **PRINT**, first call up the message you want to work with. Then, display the Folder's Function Menu in the usual manner.

From the Folder's Function Menu, type:

PRINT [RETURN]

The shorthand for **PRINT** is P.

After you press [RETURN], your screen clears and you see the AlphaMAIL Message Printing Menu.

```
                    AlphaMAIL Message Printing Menu


                        Enter printer number: 1

                  No.       Printer Name
                  (1) #0 Patched 5/11 LSW+
                  (2) #0 Apple LaserWriter+
                  (3) OLD MISC PDV









            [ Press RETURN key after entering number ]

                 [ Press MENU to exit this menu ]
```

AlphaMAIL Message Printing Menu

The Message Printing Menu asks you to answer questions to determine:

- The printer to use.
- To print now or store as a file to print later.
- Number of copies to print now.
- Filename to use if you print later.

The first prompt is already displayed on your screen, when you answer and press RETURN, the next appears. You are asked to choose whether to save this file as a disk file next and your response to this determines which question you see next. In any case, you see the next question after you answer this one and press RETURN.

You can continue with the printing procedures or leave this screen to display the Function Menu by pressing MENU. The **PRINT** command is then cancelled and your display returns to the Folder Function Menu.

PRINTER SELECTION

The first question **PRINT** displays usually involves choosing the printer you want to use. When you have more than one printer available on your computer system, AlphaMAIL asks you to select the printer you want.

If a list of printers does not appear, don't be concerned. This means you only have one printer available. If this is the case, AlphaMAIL knows to use the one printer you have. You bypass the printer selection process and go on to the next prompt.

When you do have a printer choice, the first question you see at the Message Printing Menu is:

```
Enter printer number:
```

This prompt expects you to type the number representing the printer you want to use. The numbered list of printers to choose from appears directly beneath this question. Type the printer number to use and press RETURN.

The next question "Disk Output Only?" appears next.

DISK OUTPUT ONLY?

When the printer to use is decided, you see this question:

```
Disk Output Only? N
```

Here is where you choose to print your message now, or save it, using a valid filename, to AMOS command level for printing later. The valid responses are N and Y.

To print this message now, be sure N is displayed next to the Disk Output Only? prompt and press RETURN. The next question, "Number of Copies", then appears.

To store a copy of this message in a file, accessible for printing from AMOS command level, type Y and press RETURN. The next question, "Enter file name", then appears. The details for answering remaining questions for Disk Output Only-Y are described a littler further on in this chapter, in the "Store Message to Print Later" discussion.

NUMBER OF COPIES

The "Number of copies" prompt appears when you select N at the Disk Output Only prompt, instructing AlphaMAIL to print your message now. Then you see this prompt:

```
Number of copies: 1
```

The default number of copies to be printed is 1 and is already displayed. If you want one copy of your message, just press RETURN; if you want more than one copy, type the number in the range 2 through 65535 and press RETURN.

Your screen then shows the number of lines processed and pages being printed and this message:

```
Message being printed. . . Please wait.
```

When your message is sent to the printer, your display returns to the Folder's Function Menu whose **PRINT** command you used.

INCLUDE ATTACHED FILE?

If the message you are printing has an attached AMOS file that can be printed without using application software such as AlphaWRITE, AlphaMAIL gives you the option to print it along with your message. The attached file must be one that can be displayed on your screen via the AMOS TYPE command.

Respond with Y RETURN to print the attached file; or N to print only the message.

STORE MESSAGE TO PRINT LATER

The question regarding the file name appears when Y is the response the Disk Output Only? question. This is the what appears below the Disk Output prompt:

```
Enter file name for printed message: MESSAG.LST
```

This offers you the chance to use the predetermined file name or choose one of your own.

If you choose to use the default file name MESSAG.LST, press RETURN at this question.

If you want to select your own file name, the requirements are:

- Up to 6 letters or numbers for the file name.
- Followed by a period.
- Up to 3 letters or numbers for the extension.

Type the name you choose and press RETURN

Your screen then shows you the number of lines processed and pages output. When the copy of your message is finished being stored in the selected file, the Printing Menu clears and you return to the Folder's Function Menu whose **PRINT** command you used.

Location of Disk Output Only File

A copy of the message is now stored as a file accessible for printing from AMOS command level. It is located in the account belonging to the Folder you are currently using. For more information about the account number location of your Folders, refer to Chapter 2 - "Folders and Their Messages," or ask your System Administrator.

Printer to Use Later

Remember, specifying Y to the Disk Output Only prompt does not print your message now, even though you might have selected a printer number. The file name you selected is accessible for printing from AMOS command level and is now located in the AMOS account for the Folder whose print command you used. To ensure the best printing results, use the same printer later as you chose from within AlphaMAIL.

YOUR PRINTED OR STORED MESSAGE

When you use **PRINT**, AlphaMAIL prints the message text along with all its particulars. On the first line of the printed page, or as the first line of the file you've stored your message as, is a notation about the message. This message is:

```
AlphaMAIL message printed on Day, Month--Day--Year Time
```

You can expect to see this information recorded directly beneath the printing information:

- Date and Time message created.
- Who the message is To and From.
- Subject of the message.
- Courtesy Copies.
- Attached AMOS file name.
- Message Id for this message.
- Divider Line followed by Message Text.

If distribution list names are used as recipients, only the distribution list name is given and not a full listing of each User Name making up that distribution list.

If the message has an Attached AMOS file you see its reference. Only certain attached AMOS files can be printed from within AlphaMAIL. See "Include Attached AMOS file?" section above.

ABOUT AVAILABLE PRINTERS

AlphaMAIL refers to an AMOS file named PRTDEF.INI or PRTDEF.*lan* (where .*lan* represents the language in use on your system.) for the list of printers available for printing. This file contains information about the printers available for use and is located on DSK0:[1,4]. Complete information about defining printers for AlphaMAIL's use is described in the *AlphaMAIL Installation Guide* (DSO-10199-00). However, if this file does not exist or for some reason AlphaMAIL does not locate it in DSK0:[1,4], the options available with print are reduced.

When AlphaMAIL cannot locate PRTDEF.*lan*, you are not asked to select a printer or whether you want "Disk Output Only?". AlphaMAIL assumes a Y response to "Disk Output Only?" without displaying the question and immediately prompts you for a file name to use. You can proceed with **PRINT** as if you elected to save your message for printing at a later time.

CHAPTER TEN
MOVING MESSAGES
TO AN AMOS ACCOUNT

AlphaMAIL can attach AMOS files to messages you **CREATE** and **SEND**, but it can also convert and transfer any message from your AlphaMAIL Folders to a file accessible from AMOS command level. You can use AMOS commands and any software normally used with text files to work with these converted messages.

The **MOVE** command, available from any of your Folders' Function Menus, converts the AlphaMAIL message into a text type file and relocates it to the account you specify. When **MOVE** is used on an AlphaMAIL message, this message is transferred and is no longer available from within AlphaMAIL.

WHY MOVE AN AlphaMAIL MESSAGE?

You may decide to transfer any of your existing AlphaMAIL messages to an account outside of AlphaMAIL—for any number of reasons. Perhaps you keep records of project schedules in one particular account and want to transfer a message referring to project schedules so everything is in one place. Or, you might have a message to transfer which includes details about vacation schedules and personnel information is in its own account.

Whatever the reason, AlphaMAIL lets you perform this transfer quickly and easily with the **MOVE** command. **MOVE** is available on each of your Folders' Function Menus so you can transfer a message, including any attached AMOS file, to an account outside of AlphaMAIL.

ABOUT THE MOVE COMMAND

The **MOVE** command converts the entire AlphaMAIL message into one text file AMOS can understand. When you use **MOVE**, you give this new text file a filename and specify the device and account number where you want AlphaMAIL to place the converted message. When **MOVE** is through, the new text file appears with the file name you assigned, on the device, in account you selected, and the AlphaMAIL message no longer exists in your Folder.

Using **MOVE** on messages having a non-AlphaMAIL generated attached AMOS file lets you rename this AMOS file as well as the message itself. The command then gives you

whether or not to move the attached file. If you choose to move the attached file you can choose the same or a different account than the message it accompanies.

USING THE MOVE COMMAND

When you create or select a message to work with from your Folders, you have access to the Function Menu. Each Folder's Function Menu has a **MOVE** command. To use it, at the Folder Function Menu type:

MOVE [RETURN]

In a moment or two, the Function Menu command name and summary display clears leaving only the identification portion of the message you displayed at the top of your screen. The clear portion of your screen then displays the Move a Message title and the **MOVE** command is underway.

If you need to stop the **MOVE** command before completing all the steps for its operation, press [MENU]. As soon as you do, the Folder's Function Menu whose move command you used appears again.

SELECTING A FILENAME

The first question the **MOVE** command asks is:

```
Enter new file name for message:
```

The new filename prompt gives you the opportunity to identify this message as a text file with a filename of 6 or less letters or numbers, a period and a 3 character extension. In addition, your response must include the device and account number where you want AlphaMAIL to move this file.

The file you name ultimately contains your message and is organized as follows:

- Date and Time message created.
- Who the message is To and From.
- Subject of the message.
- Courtesy Copies.
- Attached AMOS file name.
- Message Id for this message.
- Divider Line followed by Message Text.

If distribution list names are used as recipients, you only see the distribution list name and not the full listing of each User Name making up that distribution list.

If the message you are moving was created with the Function Menu **ATTACH** or **FORWARD** commands, any message information and text a part of these additional messages are included in this file, too. Even though a filename might appear in the Attach AMOS file field for an **ATTACH** or **FORWARD** message, these files are within AlphaMAIL, tagging along as a part of the message—not treated separately like an attached AMOS file you select and enter.

Your response to this prompt is entered in the same format you use when you are attaching an AMOS file to accompany a message.

Format for Response

The format for the Enter New File Name for Message prompt is:

DEVN:Filenm.ext[p,pn]

Where DEVN: represents Device Name, Filenm represents filename, .ext represents the extension, and [p,pn] represents the account number. For example:

DSK2:MOVEIT.TXT[123,45]

renames the message to the file name MOVEIT.TXT then relocates MOVEIT.TXT to the Device DSK2: in account 123,45.

MOVING MESSAGES HAVING NO ATTACHED AMOS FILE

When you **MOVE** a message having no attached AMOS file, as soon as you respond to the enter new filename prompt AlphaMAIL advises you the move is in progress and finishes up.

MOVING MESSAGES HAVING AN ATTACHED AMOS FILE

When you decide to move a message accompanied by an attached AMOS file, you also see this attached file's name immediately below the request to enter a new filename for your message when you first arrive at the Move Message display. This question says:

```
Enter new file name for attached AMOS file:  ATTFIL.NAM
```

where ATTFIL.NAM represents the name of your file.

After you press [RETURN] at the first prompt, the same device and account number as you entered are displayed for the attached file. The cursor is positioned on the first character of the device name. You can then change the destination, attached AMOS file's name, or both.

Same Location, Same Name

To move the attached file to the same device and account as the message, using its current filename, press [RETURN] without making any further changes. **MOVE** then confirms the filename is unique at the destination and finishes up.

Different Location and/or Different Name

You can use the arrow keys to position the cursor where you want to make a change to the "Enter new file name for attached AMOS file:" questions.

You can change any one, or more, of the three parts of the filename—the device, the filename, or account number. Type over the existing information, making the change you want.

When the new information is entered, press RETURN. AlphaMAIL then displays information about the move process and lets you know when the message and file have been successfully transferred to the device and account you selected.

WHEN A FILE NAME ALREADY EXISTS

If you selected a filename for either the message or attached AMOS file which already exists in the destination device and account, you see this message:

```
File already exists.  Please reenter
```

You can then change the filename by positioning the cursor with an arrow key and re-entering a unique filename. When you're through, press RETURN.

WHEN MOVE IS THROUGH

Whether you've elected to **MOVE** a message with an attached AMOS file or not, AlphaMAIL lets you know the move is in progress by displaying this message:

```
Message is being moved.
```

If you've chosen to move a message with an AMOS file attached, you also see this message:

```
Attached AMOS file FILNAM.EXT is being moved
```

where FILNAM.EXT represents the original file name of the attached AMOS file. If you've selected a new name for this file, it will be identified with the new name when it arrives at its destination, but not before.

Once the message is converted to the text file and is actually relocated in the device and account you named, AlphaMAIL lets you know by displaying:

```
Move complete
```

Your screen displays this information until you press any key as instructed in the message appearing at the bottom of your screen.

Pressing any key from this display causes the Message List screen for the Folder you are currently working with to appear, where you can select another message or return to the Main Menu.

YOUR MOVED AND CONVERTED MESSAGE

When you exit AlphaMAIL and are back at AMOS command level, you'll be able to log into the device and account number where you instructed AlphaMAIL to place your converted message. Once you are in this account, you can use many Alpha Micro programs and AMOS commands to work with these files.

CHAPTER ELEVEN
DELETING MESSAGES FROM FOLDERS

As you begin to create, send, and receive many messages, you'll find your Folders are storing messages that for one reason or another you no longer need. Or, you might find you've gotten off to a false start in preparing to create and send a message and just want to remove it from your Folder. Whatever the reason, AlphaMAIL allows you to "throw out" messages you no longer want by deleting them from the Folder.

METHODS TO DELETE MESSAGES

There are two places where you can delete a message from a Folder:

- Any Folder's Message Summary List.
- Any Folder's Function Menu.

There are three methods you can use to remove messages:

- [DEL LINE] to erase individual messages from the Message Summary Display.
- [DEL CHAR] or [CTRL]/[D] to erase all messages in a Message Summary Display.
- Any Function Menu's **ERASE** command.

When messages you want to remove have an attached AMOS file, you are asked whether this external file should be deleted as well. The only exception is when the attached AMOS file is a phone message created by AlphaMAIL—the phone message is automatically deleted along with the message it accompanies, without prompting you to confirm the delete action.

DELETING MESSAGES FROM THE FOLDER MESSAGE LIST

When any Folder's Message List is displayed on your screen, you can remove any single message or all messages from this Folder.

DELETING SINGLE MESSAGES

To delete a single message from this display, position the cursor on the message to remove using the arrow keys. Then, press [DEL LINE] or [CTRL]/[Z].

AlphaMAIL responds with:

```
Please enter YES to confirm that you want to erase this
message:
```

This message protects you from accidentally erasing a message you want to keep. You can cancel the delete by pressing [MENU] or typing N [RETURN].

To confirm you want to delete this message, type **YES** [RETURN] or **Y** [RETURN].

After [RETURN], a confirmation message appears:

```
**ERASED **
```

If this message is accompanied with an Attached AMOS file other than a phone message AlphaMAIL created, you are asked to confirm the deletion.

Attached AMOS File Accompanying Individual Messages

When there is an Attached AMOS file other than a phone message AlphaMAIL created, you are also asked if you want to delete this file. This message appears immediately after you press [RETURN] for the message itself and before any other information is displayed on the message line.

```
Do you want to erase the attached AMOS file: FILENM.EXT?
```

where FILENM.EXT represents the name of the particular attached AMOS file.

This message protects you from accidentally erasing an attached AMOS file you want to keep. You can cancel the delete request by pressing [MENU].

To confirm the delete, type **YES** [RETURN] or **Y** [RETURN].

After [RETURN], a confirmation message appears:

```
**ERASED **
```

The notation remains as long as you are at this Message List and is removed, along with the reference to the message, after you leave this display.

DELETING ALL MESSAGES

To delete all messages from this Folder, press [DEL CHAR] at the Message Summary Display.

AlphaMAIL responds with:

```
Delete all messages shown, including attached files?
```

This message protects you from accidentally erasing attached files you want to keep. You can cancel the delete by pressing [MENU] or by typing **NO** [RETURN] or **N** [RETURN] at this prompt.

To confirm you want to delete all messages and attached files, type **YES** [RETURN] or **Y** [RETURN].

After you confirm you want the delete, AlphaMAIL prompts:

```
Verify deletion of each message?
```

Answer yes to have AlphaMAIL query you to confirm each message delete. AlphaMAIL then prompts you to enter either Yes or No and [RETURN] for each message in the Folder.

Answer **NO** [RETURN] or **N** [RETURN] to have AlphaMAIL proceed with deleting all messages and attached files from this Folder.

MESSAGES IN DELIVERY PROCESS CAN'T BE DELETED

A message is not eligible for deleting if it is in the process of being delivered by AlphaMAIL. Messages currently in the delivery process are displayed in dim intensity on the Out Folder Message List display. Only those messages in full intensity display are not in the process of delivery and can be deleted.

If you attempt to use [DEL LINE] on a message currently in the delivery process, AlphaMAIL responds with these messages:

```
%Can't ERASE this message.  It is currently being delivered
Press any key to continue.
```

From this point you can:

- Wait until the message is delivered and then try [DEL LINE] again.
- Go to the Function Menu, use **CANCEL** and try to delete the message again.
- Postpone deleting this message.

However you choose to proceed, first press any key to return to the Folder Message List.

DELETING MESSAGES WITH FUNCTION MENU ERASE COMMAND

When you create a message or select a message to work with in a Folder, you have access to that Folder's Function Menu. All of your Folders' Function Menus contain an **ERASE** command to let you delete the message you are currently working with.

To delete the message you are currently working with, at the Folder Function Menu, type:

ERASE [RETURN]

The shorthand for **ERASE** is E.

After [RETURN], AlphaMAIL responds with the prompt:

```
Please enter YES to confirm that you want to erase this
message:
```

This message protects you from accidentally erasing a message you want to keep. You can cancel the delete by press [MENU].

To confirm you want to delete this message, type **YES** [RETURN] or **Y** [RETURN].

After [RETURN], a confirmation message appears:

```
[Message Erased]
```

If this message is accompanied with an Attached AMOS file other than a phone message AlphaMAIL created, you are asked to confirm this delete.

ATTACHED AMOS FILE ACCOMPANYING MESSAGE

When there is an attached AMOS file other than a phone message AlphaMAIL created, you are also asked if you want to erase this file. This message appears immediately after you press [RETURN] for the message itself and before any other information is displayed on the message line.

```
Do you want to erase the attached AMOS file: FILENM.EXT?
```

where FILENM.EXT represents the name of the particular attached AMOS file.

This message protects you from accidentally erasing a message you want to keep. You can cancel the delete by press [MENU].

To confirm you want to delete this message, type **YES** [RETURN] or **Y** [RETURN].

After [RETURN], a confirmation message appears:

```
[Message Erased]
```

MESSAGES YOU CAN'T ERASE

The only kind of message you cannot **ERASE** is one in the process of being delivered by AlphaMAIL. If you attempt to use erase for a message currently in the delivery process, AlphaMAIL responds with these messages.

```
%Can't ERASE this message.  It is posted for delivery.
CANCEL delivery first in order to ERASE it.
Press any key to continue.
```

From this point you can:

- Wait until the message is delivered and then try **ERASE** again.
- Use the **CANCEL** command and then use erase again.
- Postpone deleting this message.

CHAPTER TWELVE
PHONE MESSAGES

AlphaMAIL gives you a quick and easy way to handle telephone messages. The AlphaMAIL Main Menu **PHONE** command lets you record the information on a phone message form and delivers it for you too. This chapter describes what you need to know to use the **PHONE** command and what your screen displays in the process.

THE PHONE COMMAND

The **PHONE** command is located on the AlphaMAIL Main Menu. You can use this command to send telephone or other messages to other current users of AlphaMAIL. It's a simple process: you enter message information and in as little as one keystroke send it to the recipient.

AlphaMAIL treats a telephone message just like other messages you create or receive. When you create the phone message, it is in your Out Folder. After sending the message, it is relocated to your Sent Folder where you can look at it and perform other operations on it like any other message. When it is delivered to the recipient it appears in their In Folder and can be treated like any other message they receive.

To use the **PHONE** command, at the AlphaMAIL Main Menu, type:

PHONE [RETURN]

The shorthand for **PHONE** is P.

The Main Menu clears from your screen and the telephone message form appears.

```
+-----------------------------------------------+
|                Telephone Message              | Msg ID:
|                                               | 097292.MAL
|  To                           Date 31-May-94  |
|                               Time 08-58-20 am |
|                                               |
|       W h i l e   Y o u   W e r e   O u t     |
|                                               |
|    From                                       |
|      of                                       |
|   Phone                                       |
|                                               |
|         Telephoned         Please Call        |
|  Called to see you     Will call again        |
|   Wants to see you              Urgent        |
| Returned your call     Operator D. Shepherd   |
|                                               |
| Message:                                      |
|                                               |
|                                               |
|                                               |
+-----------------------------------------------+

[ Press MENU to Send Message or Quit to Main Menu ]
```

AlphaMAIL Telephone Message Display

THE TELEPHONE MESSAGE DISPLAY

At the top right of the form on your screen there is an identification number for the telephone message. Just as with **CREATE**, AlphaMAIL automatically assigns a message identification number for your phone message, and fills in the date and time of the phone message.

The form has sections for caller information, action boxes, who took the message and message text. Each of these sections are described individually in the following sections.

MOVING THE CURSOR AND RETURN

Use the arrow keys or [RETURN] to position the cursor in the field you want to make an entry in. Press [RETURN] after making an entry to any field.

DATE AND TIME

AlphaMAIL fills in the "Date" and "Time" fields for you. You cannot change or modify either of these fields. However, if for some reason the date and/or time is incorrect or you need to record a different date and time to associate with this message, you can do so by including it in any field allowing you to enter text—""From", "Of", "Phone" or "Message".

RECIPIENT INFORMATION

The To field is where you enter the recipient's User Name and is the only mandatory entry for the telephone message. Text entry to all other fields is optional.

The To field requires a valid User Name in order to continue with the phone message.

Type the User Name the phone message goes to and press RETURN.

If you enter an invalid User Name, AlphaMAIL lets you know with this message and gives you another opportunity to enter a valid User Name:

```
Invalid User Name.  Please reenter.
```

CALLER INFORMATION

The From, Of and Phone fields allow as many as 30 alphanumeric characters. Type the information in each of these fields and press RETURN.

ACTION BOXES

The action boxes are predetermined messages allowing you to enter a character to mark the box. A capital letter such as X is particularly visible and is a good choice.

There are seven action boxes on the Telephone Message display:

- Telephoned.
- Called to see you.
- Wants to see you.
- Returned your call.
- Please Call.
- Will call again.
- Urgent.

You can choose none, one or more action boxes for your phone message. Position the cursor in the box(es) you want to mark, type the marking character and press RETURN.

OPERATOR

AlphaMAIL automatically inserts the first twelve characters of your User Name in the Operator field.

You can change the name appearing in the "Operator" field to any name—you are not limited to only User Names. This name can be up to 12 alphanumeric characters long and is used to let the recipient know who took the phone message.

MESSAGE TEXT

The message area of the telephone form display has room for 5 lines of message text. The first line can have as many as 34 alphanumeric characters; the remaining four can contain as many as 44. Be sure to press [RETURN] at the end of each line because text doesn't automatically wrap around to the next.

SENDING THE PHONE MESSAGE

Once you've entered all the information you need on the Telephone Message display you're ready to instruct AlphaMAIL to deliver it for you.

Press [MENU] when you're through with the message. As soon as you do, you see this prompt at the bottom of the display:

```
Do you want to SEND this message? (Y/N)
```

To send this message now, press **Y**. AlphaMAIL performs the send operation for your telephone message and returns your display to the AlphaMAIL Main Menu.

You can abandon this phone message by answering **N** to this prompt. AlphaMAIL immediately returns your display to the AlphaMAIL Main Menu without keeping or sending this phone message.

CHAPTER THIRTEEN
DISTRIBUTION LISTS

You often need to send the same information to a number of different people. If you were corresponding without electronic assistance, you might print a memo or report, make photocopies, then mail each copy to each recipient. One of AlphaMAIL's most powerful features does most of this work for you.

AlphaMAIL's **LIST** command lets you define a group of current the distribution list name, you can tell AlphaMAIL this message goes to all the people you specified in the distribution list and other individual User Names you specified. All this, without making copies or sending each message individually.

WHAT ARE DISTRIBUTION LISTS?

AlphaMAIL distribution lists define groups of current AlphaMAIL User Names. Each distribution list you make has a unique name and can include from one to thirty current AlphaMAIL User Names. You can create and maintain as many as thirty different distribution lists.

You use the distribution list name as a User Name in the To or CC field in your message heading. When you do, AlphaMAIL knows you want each User Name in that Distribution List to receive your message.

You create distribution lists with the **LISTS** command on the AlphaMAIL Main Menu or any of your Folders' Function Menus.

THE LISTS COMMAND

The **LISTS** command is available from the AlphaMAIL Main Menu or any of your Folders' Function Menus. From any of these menus, type:

LISTS [RETURN]

The shorthand for the **LISTS** command is L.

In a moment or so, the menu clears and the Distribution List Maintenance Menu appears.

```
                      Distribution List Maintenance Menu

 Add  Change  Delete  List  Print  Help  Users              4 lists defined
 Function- Add a Distribution List

List name           Description         List name           Description
-------------------------------------  ---------------------------------------
Us                  Comm Services
AlphaMAIL           AlphaMAIL Project
Journal Schedule    Journal Schedule
inSight             Project Team









            [ Use ARROW keys to select function, then press RETURN ]
                       [ Press MENU to exit this menu ]
```

AlphaMAIL Distribution List Maintenance Menu

THE DISTRIBUTION LIST MAINTENANCE MENU DISPLAY

The Distribution List Maintenance Menu is the main screen of the **LISTS** command. This display has two basic features:

- You can you choose a maintenance operation from the list of options displayed below the screen name
- You can see at a glance the name and description for each of your existing distribution lists

The Distribution List Maintenance Menu is the primary reference screen when working with distribution lists. At this screen you can select options and when you're through with an option, return here. You'll be able monitor additions and deletions of distribution lists from this master display, too.

DISTRIBUTION LIST MAINTENANCE MENU OPTIONS

The Distribution List Maintenance Menu displays a horizontal list of options and a brief description of the current option. The option line and description are located directly beneath the screen's name. These options let you:

- Obtain assistance in using this menu with the help option.
- Verify current AlphaMAIL User Names available for communication with the users option.

- Create new distribution lists with the add option.
- Display User Names included within a distribution list with the list option.
- Modify existing distribution lists with the change option.
- Remove existing distribution lists with the delete option.
- Print a distribution list on your printer with the print option.

When the Distribution List Maintenance Menu appears on your screen the cursor is positioned over the add option and the description next to the word Function is "Add a distribution list."

SELECTING OPTIONS

To select any of the maintenance options, move the block cursor with [←], [→], or [SPACEBAR] to position it over the operation you want to perform and press [RETURN].

When the cursor moves over the option names, the description next to "Function" changes to reflect the current selection.

LEAVING THE DISTRIBUTION LIST MAINTENANCE MENU

Press [MENU] when you are through with the Distribution List Maintenance Menu and want wish to exit. Your screen returns
to the menu you used the LISTS command from.

EXISTING LIST NAMES AND DESCRIPTIONS

The Distribution List Maintenance Menu displays the name and partial description of each existing distribution list. A maximum of 30 list names can appear on the display. This is also the maximum number of distribution lists you can have.

You'll find this display of distribution list names a handy reference. It is a convenient reminder of names when modifying or working with any lists when you need to enter its name.

DISPLAYING CURRENT AlphaMAIL USER NAMES

The Distribution List Maintenance Menu users option displays the current list of AlphaMAIL User Names.

The users option display is the same as when you use the users command from either the AlphaMAIL Main Menu or any Folders' Function Menu.

To select the users option, at the Distribution List Maintenance Menu, Position the cursor on "users" then press [RETURN].

The menu clears from your screen and you see the Current AlphaMAIL Users screen.

```
                              Current AlphaMAIL Users

User Name                Ersatz         Cpu Id         Local/Remote

Bob Shelton                                            Local
Bob Currier              FS2000:        1694629890     Remote
Bonnie Morse             SQA:           1694629889     Remote
Bob Dillard              SQA:           1694629889     Remote
Brendan Byrne            SQA:           1694629889     Remote
Bryon Brookshier         SQA:           1694629889     Remote
Chan Ho                  SQA:           1694629889     Remote
Dan Twaddell                                           Local
Dave Canfield            SQA:           1694629889     Remote
Dan Danknick             SQA:           1694629889     Remote
Dave French              SQA:           1694629889     Remote
David Pallmann           DP:            1694629900     Remote
Eric Horwitz             SQA:           1694629889     Remote
George Hinze             SQA:           1694629889     Remote
GaryN                    GENADM:        1694826501     Remote
Hazel Wells              SQA:           1694629889     Remote
internet                 SMTPGW:        1694629940     Remote

                          [ Press any key to continue ]
                        [ Press MENU to return to Menu ]
```

Current AlphaMAIL Users Display

CURRENT ALPHAMAIL USERS DISPLAY

All the valid User Names you can specify within your distribution lists appear to the left of the display. Press any key to see additional User Names listed.

When you are through with the list of current User Names, press MENU and your display returns to the Distribution List Maintenance Menu where you can select another maintenance option or return to the menu from where you used the LISTS command.

CREATING NEW DISTRIBUTION LISTS

You create a new distribution list with Distribution List Maintenance Menu's add option. To select add, at Distribution List Maintenance Menu position the cursor on "add" and press RETURN.

When you press RETURN, the menu clears from your display and you see the Add a Distribution List screen.

```
                              Add a Distribution List

Distribution list name:

           Description:

            User Names:

 1.                      11.                      21.
 2.                      12.                      22.
 3.                      13.                      23.
 4.                      14.                      24.
 5.                      15.                      25.
 6.                      16.                      26.
 7.                      17.                      27.
 8.                      18.                      28.
 9.                      19.                      29.
10.                      20.                      30.



   [ Enter dist. list name. Up to 30 char. (Press HELP for current lists) ]

        [ Press MENU to return to Distribution List Maintenance Menu ]
```

AlphaMAIL Add a Distribution List

The Add a Distribution List screen includes:

- A place to uniquely name your distribution list and enter a brief description.
- Space to identify as many as 30 current User Names.

As you move the cursor to each field on this display, a message at the bottom of your screen shows you the requirements for this particular field.

Once you assign a unique distribution list name, you can use the ↑ and ↓ keys to move the cursor to a particular field.

When the Add a Distribution List screen initially appears on your display, the cursor is positioned in the Distribution list name field. This is where you uniquely identify this list to AlphaMAIL.

Distribution list names:

- Can be a maximum of 19 alphanumeric characters.
- Can include spaces or punctuation.
- Can be in upper or lower case, or both.

For example, these are valid distribution list names:

managers
Dept. Staff
SALES

As when assigning any kind of name, try to make it meaningful so it's representative of the contents of your list.

When you press RETURN after assigning a name, AlphaMAIL checks to be sure this name is unique. When AlphaMAIL verifies this as a new name, the cursor advances to the description field.

If this distribution list name is a duplicate, AlphaMAIL lets you know with this message:

```
Distribution list already exists.  Please reenter
```

The cursor returns to the distribution list name line and you can enter a unique name.

You can check a list of existing distribution list names by pressing HELP. A list appears showing you the names already in use. When you are through looking at this screen, press MENU to return to the Add a Distribution List display.

DESCRIPTION

The distribution list description:

- Can be a maximum of 30 alphanumeric characters.
- Can include spaces or punctuation.
- Can be in upper or lower case, or both.
- Is optional.

For example, these are all valid distribution list descriptions:

Southern Profit Center Only
Product marketing department
LOCAL, REGIONAL & NATIONAL

Type the description of your choice and press RETURN. You can leave the description blank if you choose, by making no entry and pressing RETURN. When you press RETURN, the cursor advances to the "User Names" area, to line #1.

USER NAMES

You can identify as many as 30 current User Names on any distribution list.

To check available User Names, while the cursor is positioned in any of the 30 User Name fields you can, press HELP.

A list of current User Names appears so you can check the spelling or check current User Names who you can communicate with. To leave this display, press MENU. You return to the Add a Distribution List screen with the cursor positioned in the same line number as when you left.

Only User Names may be entered in this area of the display—you ca not specify another distribution list name as a User Name on a distribution list.

User Name Entry

Type the first User Name for this list and press [RETURN].

AlphaMAIL quickly verifies the User Name you entered as a current and valid entry. The cursor advances to the next User Name line where you repeat the process of User Name entry until you have entered all the User Names for this distribution list.

Invalid or Incorrect User Names

If the User Name is incorrect or is no longer identified as a valid User Name by AlphaMAIL, AlphaMAIL lets you know. After you press [RETURN] for a User Name, this message appears:

```
?Can't find this user in system user file. Please reenter.
```

The cursor is automatically moved to the User Name AlphaMAIL doesn't recognize.

You then have a chance to re-enter the correct User Name and press [RETURN].

Use the arrow keys to position the cursor and make corrections. Use [RUBOUT] or [DEL CHAR] keys to erase characters you've entered, or just type over the incorrect name with the correct one. When you're done with corrections, press [RETURN].

Inserting or Deleting a User Name

You can organize the User Names you enter on the Add a Distribution List screen in any order you are comfortable with—alphabetically, by position, etc. After entering the names, you can rearrange the order before you exit the add option.

After you enter the first User Name, these messages appear at the bottom of the screen:

```
[ Press LINE INS to insert user name in middle of list ]
[ Press LINE DEL to delete user name in middle of list ]
```

To insert a User Name in a particular place within your list, position the cursor on the line and press [LINE INS] or [CTRL]/[B].

Each User Name from the cursor position through the rest of blank. You can now continue with usual operation of entering a User Name.

To delete a User Name from a particular line within your list, position the cursor on the line you want to remove and press [DEL LINE] or [CTRL] [Z].

The User Name is removed from your list and successive User Names are moved up one line.

FINISHING UP A NEW DISTRIBUTION LIST

When you are satisfied your distribution list includes all the User Names you want and is arranged in the order you wish, you are ready to finish up. To finish up with creating your distribution list, press [MENU].

AlphaMAIL then performs a quick validation process to ensure all User Names you selected are valid. If an invalid or incorrect name is found, you see a message and can make a correction. These procedures are the same as described a section or two back under the heading "Invalid or Incorrect User Names."

When AlphaMAIL verifies all User Names are valid, it asks you:

```
Okay to Add this list?
Enter Yes or No and press RETURN. Press UP ARROW to continue
editing.
```

If you choose to continue with this list, press [↑] and the prompt clears from your screen. You can continue adding names or making changes and when you're through, press [MENU] to finish up.

To keep your list with all changes, type:

YES [RETURN]

You then see this message:

```
[ List Added ]
```

If you decide to abandon this list, type:

NO [RETURN]

Whether you keep or abandon your list, your screen clears and you see a fresh Add a Distribution List display where you can create another distribution list.

LEAVING THE ADD A DISTRIBUTION LIST DISPLAY

When you are through creating lists, press [MENU] again at the Add a Distribution List display and you'll be back at the Distribution List Maintenance Menu.

If you've created and kept a distribution list, its name and description now appear on the master distribution list displayed on this menu. From this menu you can select another maintenance option or return to the menu whose **LISTS** command you used.

CHECKING USER NAMES ON A DISTRIBUTION LIST

When you want to display all the User Names included within an existing distribution list, you'll select the list option from the Distribution List Maintenance Menu.

The list option displays all the User Names on each distribution list, beginning with the first name displayed in the master list appearing on the Distribution List Maintenance Menu

To use this option, select list at the Distribution List Maintenance Menu.

In a moment, Display Distribution Lists on Screen appears with information about your first distribution list.

The distribution list name, description and all User Names are automatically displayed.

The top line displays a list number and how many lists there are, for example:

```
List 1 of 2
```

meaning this is the first list appearing in the master list out of a total of 2 existing distribution lists.

To see additional lists press any key, and the next list appears.

When you're through looking at existing distribution lists, press [MENU] key and your display returns to the Distribution List Maintenance Menu where you can select another option or return to the menu whose lists command you used.

CHANGING EXISTING DISTRIBUTION LISTS

Once a distribution list exists, you can modify the list's description or User Names. The change option lets you display an existing distribution list so you can make any necessary modifications.

To edit an existing distribution list, select the change option at the Distribution List Maintenance Menu. The menu clears from your display and the Change a Distribution List screen appears.

Other than the name of the screen, this display is like the Add a Distribution List screen and includes a field for the distribution list name, description and 30 User Names.

To see an existing list, type the list name and press [RETURN].

AlphaMAIL automatically displays this list's description and each User Name contained within the list. The cursor moves to the description field where you can begin making changes.

MOVING THE CURSOR

Use [RETURN] to move the cursor to the next field on the Change a Distribution List screen or the arrow keys to quickly position the cursor on the line you wish to change.

ENTERING CHANGES TO THE DISTRIBUTION LIST DISPLAY

You can change the Description or any User Name by positioning the cursor where you want the change. All the editing capabilities available when you create a new distribution list are available for this screen too.

Use [RUBOUT] or [DEL CHAR] to erase characters in any field.

In the User Names area, you can use [DEL LINE] to remove an entire name or [LINE INS] to create a blank line for another User Name. Type any changes you want and press [RETURN] when you are through.

AlphaMAIL uses the same process to verify all User Names you change or add are valid, as it does when you initially create a distribution list. If AlphaMAIL finds any discrepancies, it lets you know with the message:

```
?Can't find this user in system user file.  Please reenter.
```

The cursor moves to the name in question, giving you an opportunity to correct or delete it and press [RETURN].

FINISHING UP

To finish with changes to your list, press [MENU]. AlphaMAIL then prompts you:

```
Okay to Change this list?
Enter Yes or No and press RETURN.  Press UP ARROW to continue
editing.
```

To continue with this list, press [↑].

To keep all the changes you've just made to your list, type:

YES [RETURN]

AlphaMAIL updates your list with all the changes and lets you know it's done when you see this message:

```
[ List Changed ]
```

If you decide to abandon your changes, type:

NO [RETURN]

Whether you keep or abandon changes to your list, after you press [RETURN] the prompt and information you entered clears and you see a fresh Change a Distribution List display where you can modify another distribution list.

LEAVING THE CHANGE A DISTRIBUTION LIST DISPLAY

When you are through creating lists, press [MENU] again at the fresh Change a Distribution List display and you'll return to the Distribution List Maintenance Menu.

Any change you've made to the list's description is reflected in the master distribution list displayed on the Distribution List Maintenance Menu. From this menu you can select another maintenance option or return to the menu whose **LISTS** command you used.

DELETING EXISTING DISTRIBUTION LISTS

You use the Distribution List Maintenance Menu's delete option to to remove a distribution list. To use this feature, first select the delete option at the menu. The menu clears and the Delete a Distribution List screen appears.

You'll notice a similarity between this screen and Change a Distribution List. Once you enter the distribution list name and press [RETURN], AlphaMAIL automatically displays this list's description and each User Name it contains.

At the bottom of your display, you see this prompt:

```
Okay to Delete this list?
```

To instruct AlphaMAIL to remove this distribution list, type:

YES [RETURN]

AlphaMAIL lets you know this list is deleted when you see the message:

```
[ List Deleted ]
```

If you decide to keep your list and not delete it, answer NO and press [RETURN]. Whether you delete or keep your list, after you respond to the prompt your display clears of the information you entered and displays a fresh Delete a Distribution List display where you can specify another distribution list to delete.

LEAVING THE DELETE A DISTRIBUTION LIST DISPLAY

When you are through deleting lists, press [MENU] again at the fresh Delete a Distribution List display and you'll be back at the Distribution List Maintenance Menu.

Any distribution list names you've deleted are removed from the master distribution list displayed on the Distribution List Maintenance Menu. From this menu you can select another maintenance option or return to the menu whose lists command you used.

PRINTING YOUR DISTRIBUTION LISTS

The print option from the Distribution List Maintenance Menu sends all of your distribution lists to the printer or saves your distribution lists as a file in your Out Folder disk account for printing at a later time.

If you have more than one printer, the print option lets you select from a list of available printers. If you are saving the lists to print later, you can use the default name DISTRB.LST or select another valid file name.

The print option operates in the same fashion as selecting the **PRINT** command from any of your Folders' Function Menus.

To begin, select the print option from the Distribution List Maintenance Menu. The menu clears from your display and the Print Distribution List screen appears.

You'll notice that other than the name of this screen, this display looks like your AlphaMAIL Message Printing Menu.

Complete information about AlphaMAIL's printing process is in Chapter 9 - "Printing Messages."

USING A DISTRIBUTION LIST

Whenever you create a message you can use your distribution list name in lieu of a User Name at the To or CC fields on the message display.

When you use a distribution list name, you may need to verify the User Names contained there when you create a message. After entering the distribution list name at the message display you can see a list of the User Names on this distribution list by using the Out Folder Function Menu **EXPAND** command.

DISPLAYING ALL RECIPIENT NAMES ON AN OUTGOING MESSAGE

AlphaMAIL's **EXPAND** command is located on the Out Folder Function Menu and allows you to see each User Name included in a Distribution List you've identified as a recipient of your message. The **EXPAND** command is a convenient way to confirm all then names of your recipients because it displays each User Name contained in the distribution list name you use as a To or CC recipient.

The **EXPAND** command is available only from your Out Folder Function Menu. To use it, from the Out Folder Function Menu, type:

EXPAND [RETURN]

The shorthand for **EXPAND** is EX.

When you press [RETURN], the command names and their summaries clear from your screen and the words "Expanded Recipients List" appears directly beneath the information portion of your message.

Beginning with To recipients, AlphaMAIL displays the User Names and all distribution list names it encounters, followed by the list of User Names belonging to each distribution list. CC recipients are displayed in the same manner following all the To recipients.

AlphaMAIL displays as many as 40 User Names on the Expanded Recipient List screen. To the top right of the screen you'll see a field named "Number" which shows you the

total number of recipient names you have seen.

When there are more than 40 User Names displayed, AlphaMAIL prompts you to press any key to continue.

Pressing any key displays additional User Names until all recipient names have been displayed. You can display the entire list of User Names from beginning to end stopping anywhere in the display; however, you cannot re-display portions of the list you've already seen unless you use **EXPAND** again.

APPENDIX A
SPECIFICATION SUMMARY

USER MEMORY

AlphaMAIL	120K	

DELIVERY PROCESS MEMORY

MALSER	84K	

GENERAL

Maximum number of AlphaMAIL Users		Limited only by system size
Number of Folders per AlphaMAIL User	4	In Folder, Read Folder, Out Folder, Sent Folder
Maximum number of messages allowed in one folder	200	
Maximum number of Distribution Lists per User	30	
Maximum number of User Names per Distribution List	30	
Maximum number of recipients for any message	360	
Maximum number of locally originated messages MALSER can deliver simultaneously	50	Each containing up to 360 User Names

MESSAGES

Maximum User Name length	19	
Maximum characters for Subject	60	
Maximum number attached AMOS files per message	1	Located in any device or account on system
Maximum lines of message text	20	
Message filename	6	System generated

PHONE MESSAGE

Maximum length Recipient Name	19
Maximum length From, Of, Phone fields	30
Maximum length for action boxes	1
Maximum length first message line	34
Maximum length second, third and fourth message lines	44
Maximum length operator name	12

APPENDIX B
ERROR AND OTHER MESSAGES

?Attached AMOS file not found in this folder

The message indicates that an AMOS file is attached, but it is not located in the current folder. Check your other folders for the attached AMOS file.

%Can't CANCEL this message. The Mail delivery process is not running

The MALSER job is not responding to your cancel request. Either MALSER has not been started up, or has aborted. Check with your AlphaMAIL Administrator.

%Can't EDIT this message. It is currently being delivered.

MALSER is delivering this message, and it can't be changed. In order to edit it, you must cancel delivery of the message first.

%Can't ERASE this message. It is currently being delivered.

MALSER is delivering this message, and it can't be erased. You must first **CANCEL** this message then use the DEL LINE key from the Scan Messages In Folder display or the **ERASE** command from the Function Menu

%Can't find current user name in user file. Please enter your user name.

The name associated with your job (terminal) can't be found in the file USER.SYS. If you have entered your User Name, and it is correct, notify your AlphaMAIL administrator.

%Can't find mail notification program MALINB.LIT in mail library account. Please contact the AlphaMAIL administrator.

This program must exist in DSK0:[7,2] and it cannot be found there. Contact your AlphaMAIL Administrator for assistance.

%Can't find this user in system user file. Please reenter.

A user name you entered can't be found in the file USER.SYS. Check the available User Names with HELP or the USERS command and try again.

?Can't find this user name or distribution list. Please reenter.

You entered a User Name that is not found in the file USER.SYS, or a distribution list name that is not in your distribution lists. Check for typing errors. Verify the User Name with the USERS command. Verify the distribution list name with the LISTS command.

?Can't find this file. Please check filename

The AMOS file you specified to attach to this message cannot be found. Be sure you've correctly entered the filename and the account location.

%Can't find this message in local queue file.

This message should be being delivered, but it is not in the MALSER queue file. CANCEL delivery for this message and try SEND again.

?Can't find this user name in user directory. Please reenter.

Your User Name can't be found in the USER.SYS file. This means that you haven't entered a user name since the last time the system was rebooted (and you user name is blank), or you have entered an incorrect name. Enter your User Name again. If you still experience difficulty, contact your AlphaMAIL Administrator.

%Can't insert past this point.

You are trying to insert a User Name in the distribution list that exceeds the allowed maximum of 30 user names.

Can't open an ITC socket. Status code: n

AlphaMAIL is trying to communicate with the MALSER job, and can't hook up to the ITC message system. Notify your AlphaMAIL Administrator.

?Can't read MALSER queue. Check with the AlphaMAIL administrator.

Try using the STATUS command again. If you always get this message, let your AlphaMAIL administrator know.

%Can't SEND this message. It is already being delivered.

MALSER is already delivering this message.

%Can't SEND this message. It has an invalid user name or dist. list name. Invalid user name or dist. list name is: xxxxxxxxxxxxxxxx <-

A To or CC user name, or distribution list name (or user name within the distribution list) is invalid. You are shown the offending name. Use the EDIT command to make corrections, then try and resend. If the problem is with a name in a distribution list, you need to use the LISTS command to change the distribution list and correct the problem. If you are positive that a user name is valid, the problem may be with the system user file, USER.SYS; check with your AlphaMAIL administrator.

%Can't SEND message. The delivery program (MALSER) is not responding.

The MALSER delivery process did not respond to AlphaMAIL's attempt to communicate with it. Check with the AlphaMAIL administrator, since MALSER may not be running or may have aborted.

%Can't SEND this message. The Mail delivery process is not running.
[Message is saved in your OutBox. Press any key to continue]

SEND couldn't communicate with the mail delivery process (MALSER) to start delivering this message. The message is filed in your Out folder, so you can SEND it at a later time when MALSER is working properly. Notify your AlphaMAIL Administrator.

%Can't move attached AMOS file to Read folder. Duplicate filename.

The AMOS file attached to the moved message has the same filename as a file in the Read folder. The AMOS file will not be moved to the Read folder. To move the file, you must go to AMOS command level and resolve the filename conflict.

Device DSKn: not mounted - this user's MailBox in inaccessible

The disk device that your mail box accounts are on is not mounted. Contact your AlphaMAIL Administrator for assistance.

%Device DSKn is set no access. File can't be sent to any remote recipients.

The attached AMOS file exists, but the device it is being sent to can't be accessed by other nodes on the network. If you are sending the message to other nodes, they will not receive the AMOS file.

Disk is full

This message indicates there is not enough room left on your disk to store the message or file you are currently working with. Contact your AlphaMAIL Administrator for assistance.

Disk is write protected

AlphaMAIL is attempting to record information for a message file to the disk and cannot do so because the disk is write protected preventing any information to be stored on it. Contact your AlphaMAIL Administrator for assistance.

Disk not mounted

The disk device AlphaMAIL is attempting to access is not mounted and accessible for reading or writing information. Contact your AlphaMAIL Administrator for assistance.

?Distribution list already exists. Please Reenter.

You have entered a distribution list name that already exists. Assign a unique name for this list and reenter.

?Distribution list does not exist. Please Reenter.

Can't find the distribution list you want to change or delete. Check the list name for typing errors. Enter the distribution list name again.

?Distribution list users file nnnnnn.DST not found.

AlphaMAIL cannot find the internal file nnnnnn.DST containing the list of user names can't be found. Re-create the distribution list; or use the change option to modify the list. If you are deleting the distribution list, go ahead and complete the delete process.

%Error nn encountered at line # nnnnn in program nnnnnn
Program aborted.

where nn represents an AlphaBASIC error which can be found in the *AlphaBASIC User's Manual*.

nnnnn represents a line number in the program named in nnnnnn. Make a note of these numbers and contact your AlphaMAIL Administrator for assistance.

?File already exists

You entered a file name for the message to be printed to, but a file with that name already exists. Enter a unique file name.

File error while reading DSK0:USER.SYS[1,2]. Check with system administrator.

There is a problem reading the file USER.SYS. It may be corrupted or have another problem. Contact your AlphaMAIL Administrator immediately.

File in use. Please try again.

This message appears when the delivery program MALSER is trying to access the same file you are using. This message appears briefly then you are returned to the Main Menu. Wait a moment and try the operation again.

File not found in your folder.

The selected message from this message summary isn't in this folder.

%File not found in your folder. (attached AMOS file)

This message displays next to the attached AMOS file name. The file is attached to this message, but is not in this folder.

This may not be a problem. For example, when you attach an AMOS file to a message you **SEND**, the AMOS file probably does not originate from your Out or Sent folders. When you select this message from your Sent folder, the error message lets you know you won't be able to see the attached AMOS file.

This is a problem when the AMOS file that is attached is supposed to be in the current folder. Most often, this type of file is a telephone message, attached mail message, or forwarded mail message. In these three cases, AlphaMAIL automatically attaches these files to a message and moves them among your folders.

Filename: NNNNNN.MAL<- ?Message file not found.

The message you selected from the message summary display can't be found in your folder. Try deleting this entry from the Message List display.

InBox account does not exist for this user. DSKn:[xxx,0]

The mailbox information for you in the file USER.SYS is not correct or is invalid. Contact your AlphaMAIL Administrator for assistance.

?Invalid filename. Please enter full file specification

You must enter, in this order, the device, file name, and ppn for the attached AMOS file.

?Invalid filename. PPN must come after file name

You entered a file name for an attached AMOS file, but it is not in the correct format. The correct format is DEVN:FILENM.EXT[P,PN].

Insufficient memory to run FNDUSR.SBR. Check with system administrator.

There is not enough memory to use the subroutine that looks up a user name.

?Invalid List name. Please Reenter.

You pressed [RETURN] for the distribution list name without making an entry. A distribution list name is mandatory. Assign and enter a distribution list name and press RETURN in this field.

Invalid number, Please reenter

For number of copies to print, you entered 0 or [RETURN]. Valid entries are in the range 1 through 65535. Reenter a number within this range.

Invalid number, Please reenter

For number of copies to print, you entered 0 or [RETURN]. Enter a number in the range 1 through 65535.

%Invalid password. Please reenter.

Your mailbox account is set up with a password. When you entered the password at the Login screen it was not recognized by AlphaMAIL. Be sure you've entered the correct password. If you still experience problems, contact your AlphaMAIL Administrator for assistance.

?Invalid printer selection

You selected a printer number that is invalid. Only printer numbers associated with the list of printers are valid entries. Reenter a number displayed on this list.

?Invalid User Name. Please Reenter.

You have entered a user name that can't be found in the system user file, USER.SYS. Check for typing errors or use the USERS command to verify who the available users are.

%ITC error n attempting communication with MALSER.

AlphaMAIL is trying to communicate with MALSER and received an ITC error. Notify the AlphaMAIL administrator.

ITC open error n
ITC send error n

When trying to communicate with the AlphaMAIL delivery process (MALSER), an ITC error occurred. Check with your AlphaMAIL Administrator.

ITC open error n
ITC send error n

An unexpected problem occurred when trying to communicate the CANCEL request to the MALSER job via ITC. Check with the AlphaMAIL administrator.

ITC open error n - Check with the AlphaMAIL administrator.
ITC send error n - Check with the AlphaMAIL administrator.

When attempting to communicate with MALSER, the SEND received an unexpected ITC open error, or ITC send error. Contact your AlphaMAIL Administrator.

Mail subroutine not found

This message indicates that AlphaMAIL cannot find a program necessary for it to run. Contact your AlphaMAIL Administrator for assistance.

%No distribution lists defined.

There are no distribution lists to display with the list option. You must first use the add option to create a distribution list in order to see it displayed.

Message delivered. Moving to Sent folder

The message is delivered, and will be moved from your Out to Sent messages folder.

No distribution lists defined.

There are no distribution lists defined.

%No mailbox specified for this user in user directory.

The mailbox account number information recorded in the system user file for this User Name is not correct. Notify your AlphaMAIL Administrator if you receive this message.

Please enter a full file specification

You must enter a complete file specification in the format: DEVN:FILENM.EXT[P,PN].

?Please enter Y or N

You entered something other than the expected Y or N.

PPN does not exist

The account number AlphaMAIL is trying to access is not defined on your system. Be sure the account number is entered correctly. If there is still a problem, contact your AlphaMAIL Administrator for assistance.

SUBJECT=Invalid message format

In a summary line, if the subject field shows "invalid message format", the mail message file can't be read and displayed. Use [DEL LINE] to delete this message in the summary display. If this doesn't work, you must find the offending message in the folder PPN, and erase it from AMOS command level. This may be difficult, but if a .MAL file has a different block length than the others, it probably is the culprit. A message file may be invalidated if you are creating a message, and the create program aborts. Contact your AlphaMAIL Administrator for assistance.

?System user file USER.SYS not found in DSK0:[1,2]
Please check with the AlphaMAIL system administrator

USER.SYS must exist in DSK0:[1,2] and AlphaMAIL cannot locate it. AlphaMAIL will abort if this file is not found. Contact your AlphaMAIL Administrator immediately.

?System user file USER.SYS not found in DSK0:[1,2] Please check with the AlphaMAIL system administrator.

USER.SYS must exist and cannot be found. Notify your AlphaMAIL Administrator to correct this problem.

%The delivery process (MALSER) is not running.
You will not be able to SEND any messages.

MALSER is not running. Either it has not started up properly, or has aborted. In any case, you can still use AlphaMAIL but you won't be able to send or receive messages.

%The MALSER local requests queue does not exist. Check with the AlphaMAIL administrator

The delivery process has a disk file of messages it is working on. If this file is not there, MALSER cannot operate properly. Contact the AlphaMAIL Administrator.

%The message being edited is not found

You uses the EDIT command from the displayed message Function Menu but the message file cannot be found.

%There are no messages in this folder

This folder contains no mail messages.

?This is a user name. Please Reenter.

You have entered a distribution list name that is a user name. User Names cannot be used as a distribution list name. Assign a unique name for this list and reenter.

%This message has already been posted

MALSER is already delivering this message; you cannot resend it.

%This message has not been posted for delivery.

You have not used SEND on this message. You can only CANCEL messages that have been sent and are still in the delivery process.

%This message is no longer in this folder.

For some reason, the message being displayed isn't in the current folder. Exit to the message summary and see if it is there, or has been moved to another folder.

This message is not posted for delivery.

This message has not been posted for delivery.

This message is posted for delivery, but is not currently being processed.

You have sent the message, but MALSER has not started to deliver it yet. Or, MALSER has just delivered the message and has moved it to your Sent Folder.

User List not found

This message appears when the distribution list exists but the names identified within the list cannot be found or do not exist. (An empty distribution list may exist.) Use the LISTS command to correct the distribution list itself and try the EXPAND command again.

%Waiting to read MALSER queue

The status display function reads the MALSER delivery queue files at the same time that MALSER is reading them, and sometimes must wait its turn. If this message appears, your system is using LOKSER.

xxxxxx is an invalid function for this folder

Where xxxxxx represents the name of the command you attempted to use but is not available from this Folder's Function Menu. EDIT and SEND are not valid commands from the In Folder's Function Menu. REPLY and FORWARD are not valid from your Out Folder's Function Menu. CANCEL, EXPAND, and STATUS are not valid from the In or Read Folder's Function Menus.

%Your mail box device <device> is set no access.

If your mail box device is set no access at AMOS command level, and you are using AlphaNET, you can't send or receive mail from other nodes (remote users). Your AlphaMAIL Administrator can use the AMOS SET utility to SET ACCESS <device> for you.

APPENDIX C
UNIVERSAL KEY SEQUENCES

The Universal Key Sequence appendix contains a listing of alternate key sequences for AlphaMAIL features. These key sequences work on **all** terminals and are especially useful when your terminal does not have the function or special key normally used by AlphaMAIL.

WHAT IS AN ALTERNATE KEY SEQUENCE?

Alternate key sequences use a combination of two keys—either the CONTROL or ESCAPE and a character key. The character key is always pressed last in the key sequence.

UPPER OR LOWER CASE?

CONTROL and ESCAPE by themselves are not affected by pressing SHIFT and therefore are not sensitive to upper or lower case.

Letters in the key sequence may be entered as either upper or lower case. They are shown in upper case so you can read them easily. Use whichever case is more convenient for you.

Of course, some characters require you to press SHIFT to use them, such as an exclamation point, question mark, etc. When this kind of character is called for in a sequence be sure to press SHIFT to engage it.

USING THE CONTROL KEY

The CONTROL key is sometimes labelled CTRL on your keyboard. To use CTRL, this is what to do:

Hold down CTRL and at the same time press the character shown.

USING THE ESCAPE KEY

The ESCAPE key is sometimes labeled ESC on your keyboard. When an alternate key sequence signals you to use ESC, this is what to do:

Press [ESC] once and release it, then press the character shown.

IF YOU DON'T HAVE AN ESCAPE KEY

If you do not have [ESC], hold down [CONTROL] and at the same time press [[] (left square bracket key). Release both keys, then press the character shown.

UNIVERSAL KEY SEQUENCE TABLE

If a key sequence in the table contains a hyphen, press the first key and simultaneously press the next key. For example, to use CTRL-C press the key labelled CTRL while you press the C key.

If a key sequence contains ESC, press the key labelled ESC, release it and *then* press the rest of the keys shown. For example, to use ESC P, press and release the ESC key then press the P key.

OPERATION	UNIVERSAL KEY SEQUENCE
Down Arrow	CTRL-J
Left Arrow	CTRL-H
Right Arrow	CTRL-L
Up Arrow	CTRL-K
Shift & Left Arrow	CTRL-U
Shift & Right Arrow	CTRL-N
Auto Ins Char	CTRL-Q
Cancel	ESC ESC
Char Del	CTRL-D
Char Ins	CTRL-F
Escape	CTRL-[CTRL-[
Help	ESC ?
Home	CTRL-^
Shift & Home	CTRL-E
Join Line	CTRL-O
Line Del	CTRL-Z
Line Ins	CTRL-B
Menu	ESC ESC
Next Screen	CTRL-T
Next Word	CTRL-W
Prev Screen	CTRL-R
Prev Word	CTRL-A
Return	CTRL-M
Word Del	CTRL-V

INDEX

AlphaMAIL
  exiting 1-8
  introduction 1-1 to 1-5, 1-7, 1-8
  overview 0-ix to 0-xi
  software version number 1-4
AlphaMAIL Main Menu 1-4
  commands 1-5
AMOS account
  folders in 2-1
  moving message to 10-1 to 10-5
AMOS file
  attaching to message 5-5
Attach command 2-2, 3-2, 6-2, 6-3
Attached AMOS file 7-4
  deleting 11-2, 11-4
  location 7-5
  moving messages 10-3
  to message 5-5
Attached file
  printing 9-3

Calling up AlphaMAIL 1-1, 1-2
Cancel command 3-3, 6-6, 6-7
CC field
  of message 5-4
Commands
  abbreviations 1-5
  entering 1-5
Composing characters 5-8 to 5-13
Copy command 2-2, 3-2, 6-1, 6-2
CPU ID
  users command 4-2, 4-3
Create a message screen 5-2 to 5-14
Create command 1-5, 2-2, 5-1, 5-2
Creating messages 5-1 to 5-15, 6-1 to 6-7
Cursor
  moving 5-2

Date
  for message 5-3
Date column
  message list 8-4
Del Char key
  delete all messages 11-1
Del Line key
  delete message 11-1
Deleting messages 11-1 to 11-4
Distribution list 13-1 to 13-3
  as recipient 5-3, 5-4
  moving messages 10-2
Documentation xiii
  conventions xii, xiii
  overview x, xi

Edit command 3-3
Erase command 3-2, 11-1 to 11-4
Erasing messages 11-1 to 11-4

Ersatz identification
  users command 4-2
Exiting AlphaMAIL 1-8
EXITOUTER
  exit AlphaMAIL 1-8
Expand command 3-3

Filename
  for moved message 10-2, 10-3
  moved attached AMOS file 10-3
Files
  attached to message 7-4, 7-5
  attaching to message 5-5
Finish command 3-2, 5-1, 5-15, 7-5
Folders
  AMOS account numbers 2-1
  message list display 2-3
  overview 2-1 to 2-3
  selecting 8-1 to 8-7
Forward command 2-2, 3-3, 7-6, 7-7
From field
  message 5-3
Function menus 3-1 to 3-3
  commands common to all 3-2, 3-3
  heading 3-1
  unique commands 3-3

Help command 1-5 to 1-7, 3-2
Help information
  displaying 1-6
Help key 1-6, 1-7

In Folder 2-1, 2-2, 7-1 to 7-7
  messages 8-5
In Folder Function Menu
  commands 3-3
Incoming mail 7-1 to 7-7
  checking for 1-7, 1-8
Initialization file
  EXITOUTER command 1-8
  TIMEOUT command 1-8
International characters
  composing 5-8 to 5-13
ISO Latin-1 characters
  composing 5-8 to 5-13

Keys
  moving cursor 5-2
  using on message text 5-7

Lists command 1-6, 3-2, 5-3, 13-1 to 13-3
Local users 4-3
Login Procedure Screen 1-1, 1-2

MAIL command 1-1, 1-2
Main Menu
  scan command 8-1 to 8-3
MALCHK command 1-8
MALSER
  delivery of message 6-5, 6-6
Message
  addressing 5-2
  creating 5-1 to 5-15
  saving to send later 5-15
  sending 5-14, 5-15
Message Folders
  overview 2-1 to 2-3
Message id 7-6
Message list

displaying 7-1 to 7-4
Message list display 2-3
Message Summary Display
deleting messages 11-1 to 11-3
Message text
moving cursor 5-2
Message text screen 5-6, 5-7
Messages
attached AMOS file 7-4, 7-5
attaching 6-2, 6-3
cancelling delivery 6-6, 6-7
checking for incoming 1-7, 1-8
copying 6-1, 6-2
deleting 11-1 to 11-4
displaying 7-3, 8-1 to 8-7
finishing 7-5
forwarding 7-6, 7-7
incoming 7-1 to 7-7
moving to AMOS account 10-1 to 10-5
phone 12-1 to 12-4
printing 9-1 to 9-5
reading 7-1, 7-2
replying to 7-5, 7-6
scanning list 6-2
scanning list of 7-1, 7-2
selecting 8-1 to 8-7
selecting for display 8-5
status of sent 6-3 to 6-5
users available for 4-1 to 4-3
working with 6-1 to 6-7
Move command 3-2, 10-1 to 10-5
Moving messages
attach command 10-2
filename conflicts 10-4
forward command 10-2
with attached AMOS file 10-3
Msg column
message list 8-4
Msg ID
for message 5-3

New mail 1-7, 1-8

Out Folder 2-1, 2-2
messages 8-5
Out Folder Function Menu 5-14
commands 3-3

Password
mail box account 1-3
Phone command 1-5, 2-2, 12-1 to 12-4
Print command 3-2, 9-1 to 9-5
Printers 9-5
Printing
messages 9-1 to 9-5
print features 5-9 to 5-13
PRTDEF printer definition file 9-5

Quit command 1-6, 3-3

Read command 1-5, 2-2, 7-1, 7-2
Read Folder 2-1, 2-2
messages 8-5
Read Folder Function Menu
commands 3-3
Remote users 4-3
Reply command 2-2, 3-3, 7-5, 7-6
Return receipt requested
for message 5-6

Scan command 2-2, 2-3, 3-2, 6-2, 7-1, 7-2, 8-1 to 8-7
Send command 3-3, 5-1, 5-14, 5-15
Sending messages 6-1 to 6-7
Sent Folder 2-1, 2-3
  messages 8-6
Sent Folder Function Menu
  commands 3-3
Software version 1-4
Status command 3-3, 6-3 to 6-5
Subject
  of message 5-4
Subject column
  message list 8-4

Text
  entering in message 5-1 to 5-15
Time column
  message list 8-4
TIMEOUT
  exit AlphaMAIL 1-8
To column
  message list 8-4
To field
  message 5-3
TYPE command 5-5

User Names 1-2, 1-3, 5-3, 5-4
  displaying 4-2
  distribution list 13-1 to 13-3
Users command 1-5, 3-2, 4-1 to 4-3, 5-3