



**FACULTY: MALAYSIA-JAPAN INTERNATIONAL INSTITUTE OF
TECHNOLOGY (MJIIT)**

SEMESTER 4 - 2025/26

ARTIFICIAL INTELLIGENCE

COURSE CODE: SECJ3553

SECTION: 16

LECTURER: DR. LIYANA ADILLA BINTI BURHANUDDIN

ASSIGNMENT 1

PROGRESS 1 – KNOWLEDGE REPRESENTATION

GROUP MEMBERS	MATRIC NUMBER
MALIKA KASMALIEVA	A23MJ3016
ARIA FARDHIN NIDHI	A23MJ3004
TAHIYA NUZHATH KHAN	A23MJ4025
PASHMIA BINTE WALID	A23MJ4023

Table of Contents

INTRODUCTION.....	3
OVERVIEW OF KNOWLEDGE REPRESENTATION (KR).....	3
PROPOSED KNOWLEDGE REPRESENTATIONS	5
KR SUPPORT IN THE AI SOLUTION	7
CONCLUSION	8
PEER REVIEW	9

INTRODUCTION

The AI Task Automation System is designed to increase efficiency and accuracy in industrial operations by automating repetitive tasks and supporting intelligent decision-making. Many industries still rely heavily on manual work, leading to human errors, low productivity, and poor coordination. The proposed system integrates Artificial Intelligence (AI) to automate these processes and transform manual operations into smart, data-driven workflows.

Knowledge Representation (KR) is a core idea in Artificial Intelligence that allows a system to encode information about the world in a structured, computer-understandable format. It enables the AI system to think, decide, and execute smart actions. Within our project — the AI Task Automation System — KR is important for allowing the system to help automate task scheduling, monitor machine health, manage workflow dependencies, and optimize resources.

In this assignment we will define and explain the key knowledge representations required for the AI Task Automation System, using logical representation (specifically First-Order Logic). It also describes how these representations support the system's goal of improving industrial productivity and operational efficiency.

OVERVIEW OF KNOWLEDGE REPRESENTATION (KR)

Knowledge Representation (KR) provides a logical framework that enables AI Task Automation Systems to store, reason about, and act upon knowledge. Collectively, these representations empower the system to understand dependencies between industrial processes, infer optimal task assignments, predict machine failures before they occur, improve resource allocation, and maintain data consistency across departments. Here are the common types of KR used in AI:

1. Production Rules (IF-THEN Statement)

Logical Form:

IF condition THEN action

Example:

IF document_approval = completed THEN notify_next_department()

Description:

Production Rules represent knowledge in conditional “IF–THEN” statements. This allows the AI system to perform specific actions automatically when conditions are met, such as sending alerts or assigning tasks. They make automation consistent, transparent, and easy to modify.

Support to Goal:

This KR supports the system by ensuring accurate, rule-based decision-making that minimizes human intervention, eliminates delays, and enhances workflow efficiency.

2. Semantic Network Representation

Logical Form:

Represents knowledge using relationships like *is_a*, *part_of*, and *related_to*.

Example:

Machine $\rightarrow$ *is_a* $\rightarrow$ Equipment

Sensor $\rightarrow$ *part_of* $\rightarrow$ Machine

Overheating $\rightarrow$ *related_to* $\rightarrow$ Maintenance Alert

Description:

Semantic Networks organize knowledge into interconnected nodes, where each node represents an object or concept, and links show their relationships. This helps the AI understand how different entities within the workflow relate to one another.

Support to Goal:

This KR allows the system to infer context, understand dependencies between components, and ensure that alerts, tasks, and reports are sent to the correct departments or personnel.

3. Frame-Based Representation

Logical Form:

A frame consists of a structured set of attributes and their values.

Example:

Frame: Maintenance_Task

- Machine_ID: M001
- Condition: Temperature > 80°C
- Action: Trigger Alert
- Responsible_Department: Maintenance

Description:

Frames represent knowledge in a tabular form, where each object or situation is described through its key attributes and associated values. The system can retrieve, compare, or modify frames during reasoning.

Support to Goal:

This KR helps organize operational data efficiently, supports predictive actions, and allows the system to quickly identify which department or process is linked to a specific condition or event.

4. Predicate Logic Representation (First-Order Logic)

Logical Form:

$$\forall x [(Machine(x) \wedge Overheated(x)) \rightarrow TriggerAlert(x)]$$

Description:

Predicate Logic expresses knowledge using logical predicates, variables, and quantifiers. It enables the system to reason formally and derive new conclusions from existing facts.

Support to Goal:

This KR strengthens the AI's logical reasoning and ensures precise automated responses. It allows the system to infer new conditions, verify rule consistency, and execute decisions based on accurate logical evaluation.

PROPOSED KNOWLEDGE REPRESENTATIONS

In our system we going to apply five key KR to model and manage different operational areas within industrial environments. Here's how our AI Task Automation System uses different types of KR with FOL representation of them:

KR1: Task Assignment and Prioritization

Purpose: Ensure that tasks are automatically assigned to available workers or machines based on priority and capacity.

Logic Rule (FOL):

$$\forall x \forall y [(Task(x) \wedge Available(y) \wedge SkillMatch(y, x)) \rightarrow Assign(y, x)]$$

Meaning: For all tasks x and workers/machines y, if y is available and has the right skills for x, then assign x to y.

Data Used: Task list, employee/machine availability, skill database.

KR Type: Production Rules. Works with condition–action rules to assign tasks automatically based on worker/machine availability and skills. Example: IF task_status = pending AND worker_available = yes AND skill_match = yes THEN assign_task = SET, ideal for automating task allocation in dynamic work environments.

KR2: Maintenance Forecasting

Purpose: Continuously monitor machine conditions and predict failures before they occur.

Logic Rule (FOL):

$\forall m [(Machine(m) \wedge (ExceedsTemp(m) \vee ExceedsVibration(m))) \rightarrow AlertMaintenance(m)]$

Meaning: If any machine *m* exceeds temperature or vibration thresholds, an alert should be sent to the maintenance team.

Data Used: Sensor data (temperature, vibration, runtime).

KR Type: Production Rules. Works with condition–action rules to detect machine anomalies and trigger alerts. Example: IF temperature_sensor > threshold OR vibration_sensor > threshold THEN send_alert = SET, that is perfect for real-time event-response logic.

KR3: Resource Optimization

Purpose: Manage resources (energy, materials, etc.) efficiently to reduce costs.

Logic Rule (FOL):

$\forall r [(Resource(r) \wedge UsageHigh(r)) \rightarrow RecommendReduction(r)]$

Meaning: If the usage of resource *r* is higher than the optimal level, the system should recommend reducing its use.

Data Used: Energy usage, material flow, manpower hours.

KR Type: Semantic Networks. Represents relationships between different resources (energy, manpower, materials) and their optimal usage levels. Helps the AI understand how resources are interconnected. Example: Resource *r* → HighUsage → RecommendReduction.

KR4: Workflow Automation

Purpose: Automate dependent processes and approvals to reduce delays.

Logic Rule (FOL):

$\forall a \forall b [(Completed(a) \wedge DependsOn(b, a)) \rightarrow Start(b)]$

Meaning: If task *a* is completed and task *b* depends on *a*, then start task *b* automatically.

Data Used: Task dependencies, approval hierarchies.

KR Type: Production Rules. Works with condition–action rules to automate dependent tasks and approvals. Example IF task_a = completed AND task_b_depends_on_a = yes THEN start_task_b = SET, efficient for reducing delays in process-driven workflows.

KR5: Reporting

Purpose: Detect unusual events in operations and trigger appropriate responses.

Logic Rule (FOL):

$$\forall p [(Process(p) \wedge \neg Normal(p)) \rightarrow NotifySupervisor(p)]$$

Meaning: If a process p is not behaving normally, notify the supervisor immediately.

Data Used: Operational logs, system events, sensor feedback.

KR Type: Production Rules. Works with condition–action rules to detect unusual events and trigger immediate notifications. Example: IF process_status != normal OR error_flag = active THEN notify_supervisor = SET, suitable for monitoring operational systems in real time.

KR SUPPORT IN THE AI SOLUTION

To achieve the main goal of the AI-Powered Industrial Task Automation System - automating repetitive tasks, reducing human error and improving workflow efficiency. Each KR contributes to specific goals of the system, ensuring automation, efficiency, and intelligent decision-making across industrial operations. The following table summarizes the alignment between system goals and the supporting KRs:

System Goal	Description
Automate repetitive tasks	KR1 (Task Assignment and Prioritization) automatically assigns tasks to available workers or machines based on priority and skill. KR4 (Workflow Automation Rules) triggers dependent processes as tasks are completed, reducing the need for manual intervention.

Reduce human errors	KR3 (Resource Utilization Optimization) monitors and optimizes resource usage to prevent errors due to overuse or misallocation. KR5 (Anomaly Detection and Reporting) identifies abnormal operations and alerts supervisors, minimizing mistakes and operational risks.
Improve operational coordination	KR4 ensures workflows are synchronized across departments by automatically starting dependent tasks once preceding tasks are completed, improving communication and efficiency.
Enable predictive maintenance	KR2 (Machine Condition and Maintenance Monitoring) continuously monitors equipment parameters (e.g., temperature, vibration) and predicts potential failures, enabling proactive maintenance.
Increase efficiency and productivity	The combined use of KR1 - KR5 integrates automation, monitoring, error prevention, and workflow optimization, leading to higher operational efficiency and overall productivity.

CONCLUSION

The proposed Knowledge Representation framework forms the reasoning backbone of the AI Task Automation System. By using logical rules and structured inference, the system can think, decide, and act intelligently within industrial environments. Each KR is carefully designed to solve operational needs like Task Assignment and Workflow Automation, Machine Condition and Maintenance Monitoring, Resource Utilization Optimization, and, Reporting.

Together, these Knowledge Representations allow the AI system to reason, adapt, and respond dynamically to changes in the industrial environment. This structured approach not only reduces manual workload and human errors but also facilitates smarter decision-making, better coordination between departments, and optimized resource management. Ultimately, the KR framework transforms traditional industrial operations into a more adaptive, efficient, and future-ready ecosystem, aligning with the principles of smart industry and digital transformation initiatives.

PEER REVIEW

Peer Review on Team Work	
Reviewer:	
Team Members	Category
Aria	Propose the Knowledge Representations (KR)
Nuzhath	Detailed Write-up and Explanation
Malika	First-Order Logic (FOL) Descriptions
Pashmia	KR Involvement toward System Goal