
insert into profiles
values(1,'田中 実','012-345-6789',30,'1994-02-01'),(2,'鈴木茂','090-1122-3344',
37,'1987-08-12'),(3,'鈴木実','080-5566-7788',24,'2000-12-24'),(4,'佐藤 清','012-0987-6543',19,'2005-08-01'),(5,'高橋清','090-9900-1234',

24,'2000-12-24');


```
C:4.
                      XAMPP for Windows - mysql -u kbys -p
Database changed
MariaDB [challenge_db]> create table profiles(profilesID int, name varchar(255)
tell varchar(255), age int, birthday date);
Query OK, O rows affected (0.17 sec)
MariaDB [challenge_db]> insert into profiles values(1,'田中 実','012-345-6789',3
0,'1994-02-01'),(2,'鈴木 茂','090-1122-3344',37,'1987-08-12'),(3,'鈴木 実','080-
5566-7788',24,'2000-12-24'),(4,'佐藤 清','012-0987-6543',19,'2005-08-01'),(5,'高
  清','090-9900-1234',24,'2000-12-24');
Query OK, 5 rows affected (0.13 sec)
Records: 5 Duplicates: 0 Warnings: 0
MariaDB [challenge_db]> select * from profiles;
 profilesID | name
                       tell
                                               birthday
                                        age
              田中実
                        012-345-6789
                                          30
                                               1994-02-01
              鈴木 茂
                        090-1122-3344
                                          37
                                               1987-08-12
              鈴木 実
                        080-5566-7788
                                               2000-12-24
                        012-0987-6543
                                               2005-08-01
                        090-9900-1234
                                               2000-12-24
 rows in set (0.10 sec)
MariaDB [challenge_db]>
```

XAMPP for Windows - mysql -u kbys -p C:4. select * from profiles ,'090-9900-1234',24,'2000-12-24'); where profilesID=3; Query OK, 5 rows affected (0.13 sec) Records: 5 Duplicates: 0 Warnings: 0 MariaDB [challenge_db]> select * from profiles; profilesID | name tell birthday age 012-345-6789 30 1994-02-01 田中実 鈴木 茂 090-1122-3344 37 1987-08-12 080-5566-7788 2000-12-24 012-0987-6543 19 2005-08-01 090-9900-1234 2000-12-24 rows in set (0.10 sec) MariaDB [challenge_db]> select * from profiles where profilesID=3; profilesID | name tell birthday age 3 | 鈴木 実 | 080-5566-7788 | 24 row in set (0.11 sec) MariaDB [challenge_db]>

select * from profiles where name='高橋 清';



select * from profiles where age=24;



select * from profiles where age>=25;

```
C:4.
                    XAMPP for Windows - mysql -u kbys -p
 profilesID | name
                      tell
                                           birthday
                                     age
         5 | 高橋 清 | 090-9900-1234 | 24 | 2000-12-24
 row in set (0.00 sec)
MariaDB [challenge_db]> select * from profiles where age=24;
                     tell age
 profilesID | name
                                           birthday
            |鈴木 実 |080-5566-7788 | 24 |2000-12-24
             高橋 清 | 090-9900-1234 | 24 | 2000-12-24
 rows in set (0.00 sec)
MariaDB [challenge_db]> select * from profiles where age>=25;
 profilesID | name | tell | age | birthday
            田中 実 | 012-345-6789 | 30
                                           1994-02-01
             鈴木 茂 | 090-1122-3344
                                           1987-08-12
 rows in set (0.00 sec)
MariaDB [challenge_db]>
```


select * from profiles where name like'%実%';

```
C:4.
                      XAMPP for Windows - mysal -u kbys -p
 profilesID | name
                      tell
                                             birthday
                                      age
            | 田中 実 | 012-345-6789 | 30
                                             1994-02-01
                                         37
          2 | 鈴木 茂 | 090-1122-3344
                                             1987-08-12
 rows in set (0.00 sec)
MariaDB [challenge_db]> select * from profiles where like name='%実%';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MariaDB server version for the right syntax to use near 'lik
e name='%実%'' at line 1
MariaDB [challenge_db]> select * from profiles where name like'*実*';
Empty set (0.08 sec)
MariaDB [challenge_db]> select * from profiles where name like'%実%';
 profilesID | name
                      tell
                                     age birthday
             田中 実 | 012-345-6789 |
                                      30
                                             1994-02-01
             鈴木 実
                       080-5566-7788
                                             2000-12-24
 rows in set (0.00 sec)
MariaDB [challenge_db]>
```

update profiles set name='吉田 茂'where profilesID=2;

```
XAMPP for Windows - mysql -u kbys -p
C:4.
MariaDB [challenge_db]> select * from profiles where name like'*実*';
Empty set (0.08 sec)
MariaDB [challenge_db]> select * from profiles where name like'%実%';
 profilesID | name | tell | age | birthday
          1 | 田中 実 | 012-345-6789 | 30 | 1994-02-01
                                        24
          3 | 鈴木 実 | 080-5566-7788 |
                                            2000-12-24
2 rows in set (0.00 sec)
MariaDB [challenge_db]> update profiles set name='吉田 茂'where profilesID=2;
Query OK, 1 row affected (0.11 sec)
Rows matched: 1 Changed: 1 Warnings: 0
MariaDB [challenge_db]> select * from profiles where profilesID=2;
 profilesID | name | tell | age | birthday
          2 | 吉田 茂 | 090-1122-3344 |
                                        37 | 1987-08-12
 row in set (0.00 sec)
MariaDB [challenge_db]>
```

delete from profiles where birthday='2000-12-24';



create table department(departmentID int primary key, de partmentName varchar(255));

insert into department values(1,'開発部'),(2,'営業部'),(3,'総務部');

MariaDB [challenge_db]> insert into station values(1,'九段下'),(2,'永田町'),(3,'渋谷'),(4,'神保町'),(5,'上井草');

alter table department engine=InnoDB;

alter table station engine=InnoDB;

alter table station add index(stationID);

alter table department add index(departmentID);

create table user(userID int primary key, name varchar(255), tell varchar(255), age int, birthday date, departmentID int, foreign key(departmentID) references department(departmentID), stationID int, foreign key (stationID) references station(stationID))engine=InnoDB;

insert into user values(1,'田中 実','012-345-6789',30,'1994-02-01',3,1),(2,'鈴木 茂','090-1122-3344', 37,'1987-08-12',3,4),(3,'鈴木 実','080-5566-7788',24,'2000-12-24',2,5),(4,'佐藤 清','012-0987-6543',19,'2005-08-01',1,5),(5,'高橋 清','090-9900-1234',24,'2000-12-24',3,5);

