

PrepVI — Prototype Workflow Specification v2

1. Purpose and Prototype Scope

The prototype validates whether PrepVI can help a Student who does not know what to study move from a real Job Description (JD) to an explainable, personalized interview preparation path.

2. Prototype Narrative

Current-state story

A Student is preparing for an internship or job application but does not know which topics from the Job Description deserve the most attention. The Student searches for interview questions from different sources, takes fragmented notes, and has difficulty deciding what to practice first.

Future-state story

The Student uploads or pastes a real Job Description. PrepVI extracts the text, lets the Student review and correct it, maps the relevant requirements to the existing interview taxonomy, and produces an explainable question set. The Student can then open a recommended question and begin practicing immediately.

If additional help is needed, the Student can continue into the secondary mentoring flow to find a Mentor, schedule a session, receive structured feedback, and return to the Question Bank with recommended next actions.

3. Core Prototype


3.1 Core Hypothesis

A Student who does not know what to study can use a Job Description to obtain an understandable and useful interview preparation path.


The Core Prototype must validate three things:

1. The Student understands what information PrepVI extracted from the JD.
2. The Student understands and can correct how JD requirements are mapped to interview topics.
3. The Student understands why the resulting questions are recommended and can start practicing from them.

3.2 Core Flow




Alternative correction loop:



3.3 S11 — Upload Job Description

Prototype frame:



Purpose: Reduce the starting barrier for a Student who does not know what to study.

Prototype behavior

- Allow the Student to paste JD text or upload one supported document/image.
- Supported PoC input may include PDF, PNG, and JPEG.
- Show a preview before submission where applicable.
- Explain supported size/page constraints.
- Show clear validation when the file is unsupported or unreadable.
- Include a privacy notice encouraging the Student to remove unnecessary personal information.
- Provide a clear CTA such as **Extract content**.
- Prevent accidental duplicate submission in the interaction design.

Validation question

Can the Student understand how to provide a JD without assistance?

3.4 S12 — Review Extracted Content

Prototype frame:

So sánh với ảnh gốc và chỉnh sửa nếu cần. Các đề xuất tiếp theo sẽ dựa trên phiên bản này.

⚠️ Có 1 đoạn cần kiểm tra
Những dòng được đánh dấu vàng có thể chưa được đọc chính xác – nhấn "Sửa" để áp dụng gợi ý.

Ảnh gốc + - □ Nội dung trích xuất Nhấp vào dòng để chỉnh sửa

Frontend Intern

Requirements

- Solid knowledge of JavaScript and ES6+
- Basic understanding of React and component lifecycle
- Familiarity with REST API and HTTP methods
- Git knowledge and version control workflows
- Good communication skills

Nice to have

- Experience with TypeScript
- Basic understanding of CSS-in-JS solutions

← Trang 1/1 →

Frontend Intern

Requirements

- Solid knowledge of JavaScript and ES6+
- Basic understanding of React and component lifecycle
- Familiarity with REST API and HTTP methods Cần kiểm tra Sửa
- Git knowledge and version control workflows
- Good communication skills in English or Vietnamese

Nice to have

- Experience with TypeScript
- Basic understanding of CSS-in-JS solutions

① Các đề xuất câu hỏi tiếp theo sẽ dựa trên phiên bản bạn xác nhận ở đây. Bạn có thể chỉnh sửa bằng cách nhấp vào từng dòng.

< Quét lại Xác nhận nội dung → ?

Purpose: Give the Student control over the input before recommendations are generated.

Prototype behavior

- Show the source JD next to the extracted text where practical.
- Make extracted text editable.
- Mark uncertain or unreadable segments rather than silently inventing content.
- Allow the Student to correct the content.
- Provide **Reprocess** and **Confirm content** actions.
- Do not allow mapping to continue when the extracted content is empty or clearly insufficient.

Validation question

Can the Student detect and correct important extraction mistakes before the system uses the JD?

3.5 S13 — JD Requirement Mapping

Prototype frame:

The screenshot displays the PrepVI web application. The top navigation bar includes links for Demo, Khách, Học viên (active), Mentor, Admin, Homepage, Login, Question Bank, Event Loop, Mentors, Mentor Profile, Dashboard, S11 JD Upload, S12 OCR Review, S13 Mapping, S14 Questions, and Booking. Below this is a secondary navigation bar with links for Trang chủ, Câu hỏi, Mentor, Lịch phỏng vấn, and JD của tôi. A progress bar indicates the current step is 'Mapping' (3 of 4 steps: Tải JD, Kiểm tra, Mapping, Bộ câu hỏi). The main content area is titled 'Chúng tôi hiểu JD của bạn như thế nào?' (How we understand your JD) and includes a sub-header 'Kiểm tra từng yêu cầu và cách chúng được liên kết với nội dung luyện tập. Bạn có thể chỉnh sửa bất kỳ mapping nào.' (Check each requirement and how it is linked to the practice content. You can edit any mapping). A filter bar shows 'Vị trí: Frontend Intern', 'Cấp độ: Intern / Entry level', 'Loại phỏng vấn: Technical', and 'Yêu cầu: 8 mục'. The main section is titled 'ĐÃ MAPPING' and shows 6 requirements. Each requirement is displayed in a card with a 'Đã mapping' button and a 'Xem đoạn JD' link. The requirements are: 1. 'Solid knowledge of JavaScript and ES6+', 2. 'Basic understanding of React and component lifecycle', 3. 'Familiarity with REST API and HTTP methods', and 4. 'Git knowledge and version control workflows'. A sidebar on the right titled 'TOPICS SẼ LUYỆN' (Topics to practice) lists various topics like JavaScript, ES6+, Frontend Fundamentals, React, Frontend, REST API, HTTP, Git, Behavioral, Communication, and CSS. A table at the bottom of the sidebar shows the status of each topic: 'Đã mapping' (6), 'Cần xác nhận' (1), and 'Chưa hỗ trợ' (1). A 'Tạo bộ câu hỏi' (Create question set) button is also present.

Purpose: Explain how PrepVI interprets the JD before recommending questions.

Prototype behavior


- Extract meaningful requirements such as position, seniority, skills, topics, and interview context.
- Map each relevant JD requirement to the existing question taxonomy.
- Show the source JD fragment that led to each mapping.
- Distinguish between:
 - mapped,
 - needs confirmation,
 - unsupported / no taxonomy match.
- Allow the Student to edit, remove, or reject incorrect mappings.
- Avoid adding skills that are not supported by the JD.
- Enable **Create question set** only when at least one useful mapping exists.

Validation question

Does the Student understand how PrepVI interpreted the JD, and can the Student correct a wrong interpretation?

3.6 S14 — Recommended Question Set

Prototype frames:



Purpose: Turn JD requirements into a concrete and explainable preparation starting point.

Prototype behavior

- Group recommended questions by priority, for example:
 - Must practice,

- Should practice,
- Optional.
- Show topic, difficulty, and estimated effort where useful.
- Every recommendation should include a clear reason tied to a mapped JD requirement.
- Allow the Student to remove irrelevant questions.
- Allow the Student to add questions from the Supporting Question Bank.
- Provide **Practice now** or **Start practicing**.
- Preserve the connection between the question and the JD reason when entering practice.
- Show an empty state if no useful recommendations are available.

Validation question

Can the Student explain why a question was recommended and decide what to practice next?

3.7 S03 — Practice Question

Purpose: Complete the Core Prototype by proving that the recommendation leads to an actionable practice step.

Prototype behavior

- Show question content and relevant context.
- Show answer criteria, hints, or guidance where appropriate.
- Preserve provenance or recommendation reason when useful.
- Allow a simple practice state such as:
 - Not started,
 - Practicing,
 - Confident.
- Avoid presenting one rigid "correct answer" for behavioral questions.
- Allow the Student to continue to the mentor flow when human feedback is needed.


Validation question

Can the Student move from recommendation to actual practice without losing context?

4. Supporting Prototype

S02 — Question Bank

Prototype frame:



The Question Bank supports the Core Prototype but is not the main hypothesis being validated.

Purpose

- Let the Student inspect, expand, or replace JD-based recommendations.
- Provide a fallback when the taxonomy mapping does not produce enough useful results.

Prototype behavior

- Search by keyword.
- Filter by Position, Topic, Interview Type, and Difficulty.
- When opened from S14, preserve the filters derived from JD mappings.
- Let the Student remove individual JD-derived filters.
- Provide a meaningful zero-result state.
- Avoid duplicate rendering of a question that has multiple tags.
- Support clear pagination or load-more behavior.


Supporting validation question

Can the Student recover when recommendations are incomplete and still find relevant questions manually?

5. Secondary Flow


The Secondary Flow validates the mentoring and feedback experience. It is useful to the overall product, but it is separate from the main **JD → personalized preparation** hypothesis.

5.1 Student Secondary Flow



S04 — Find Mentor

Prototype frame:



- Filter by expertise, interview type, language, availability, and other useful attributes.
- Show only Mentors eligible to receive bookings.
- Show enough information for the Student to compare candidates.
- Distinguish between "no Mentor" and "no available slot" states.

S05 — Mentor Profile

- Show public bio, expertise, verification status, service scope, ratings, and availability.
- Show timezone clearly.
- Explain that the actual meeting may use an external provider.

S06 — Booking Request

Prototype frame:

[Demo](#)
[Khách](#)
[Học viên](#)
[Mentor](#)
[Admin](#)
[Mentors](#)
[Mentor Profile](#)
[Dashboard](#)
[S11 JD Upload](#)
[S12 OCR Review](#)
[S13 Mapping](#)
[S14 Questions](#)
[Booking Form](#)
[Booking Status](#)
[Session](#)
[Feedback](#)
[Review](#)

PrepVI

[Trang chủ](#)
[Câu hỏi](#)
[Mentor](#)
[Lịch phỏng vấn](#)
[JD của tôi](#)

An

Gửi yêu cầu đặt lịch

THÔNG TIN BUỔI LUYỆN TẬP

Vị trí đang ứng tuyển *

vd. Frontend Intern tại Shopee

Loại phỏng vấn *

Chọn loại phỏng vấn

Mục tiêu buổi luyện tập *

vd. Tôi muốn luyện câu hỏi về Event Loop và cải thiện cách cấu trúc câu trả lời.

Nội dung muốn luyện

vd. Event Loop, React Hooks, CSS Flexbox

Ghi chú thêm (tùy chọn)

Bất kỳ thông tin nào giúp mentor chuẩn bị tốt hơn.

TÓM TẮT ĐẶT LỊCH

Nguyễn Minh Tuấn
Senior Frontend Engineer

Ngày	Thứ Ba, 18 tháng 3, 2025
Giờ	09:00 sáng
Múi giờ	GMT+7 · Hồ Chí Minh
Thời lượng	60 phút
Hình thức	Video call

Chính sách


Chính sách hủy lịch
Bạn có thể hủy lịch ít nhất 24 giờ trước buổi phỏng vấn. Hủy muộn hơn sẽ không được hoàn lịch.

Chính sách no-show
Không xuất hiện mà không báo trước sẽ ảnh hưởng đến lịch sử đặt lịch của bạn.

- Show fixed Mentor and slot summary.
- Require interview goal / target role / practice focus.
- Allow recommended questions or topics to be attached.
- Show relevant cancellation/no-show policy before submission.

S07 — Booking Status

Prototype frame:



- Show Pending, Confirmed, Reschedule proposed, Rejected, and Cancelled states.
- Make the next valid action clear.

S08 — Interview Session

Prototype frame:

[Demo](#)
[Khách](#)
[Học viên](#)
[Mentor](#)
[Admin](#)
[Mentors](#)
[Mentor Profile](#)
[Dashboard](#)
[S11 JD Upload](#)
[S12 OCR Review](#)
[S13 Mapping](#)
[S14 Questions](#)
[Booking Form](#)
[Booking Status](#)
[Session](#)
[Feedback](#)
[Review](#)

PrepVI

[Trang chủ](#)
[Câu hỏi](#)
[Mentor](#)
[Lịch phỏng vấn](#)
[JD của tôi](#)

An

Chủ đề

JavaScript & React Technical Interview

Nguyễn Minh Tuấn
Senior Frontend Engineer · Shopee

Ngày
Thứ Ba, 18 tháng 3, 2025

Giờ
09:00 sáng GMT+7 · Hồ Chí Minh

Còn
3 ngày 14 giờ

☐ Xem lại câu hỏi đã chọn để luyện

☐ Kiểm tra micro, camera, và kết nối mạng

☐ Chuẩn bị mục tiêu và điểm muốn hỏi mentor

THAM GIA BUỔI PHÒNG VẤN

Link tham gia sẽ xuất hiện 15 phút trước khi bắt đầu.

Tham gia buổi phỏng vấn

Thêm vào lịch

Buổi phỏng vấn sử dụng công cụ họp bên ngoài (Google Meet). PrepVI không cung cấp phòng họp tích hợp.

MỤC TIÊU BUỔI LUYỆN TẬP

Đã xác nhận

Hỗ trợ

[Báo cáo sự cố](#)
[Quy tắc no-show](#)
[Chính sách hủy lịch](#)

Sau buổi phỏng vấn

Feedback sẽ được gửi trong vòng 48 giờ sau buổi hoàn thành.

Xem feedback (chưa có)

- Show goal, topic, Mentor, local time, and external meeting information when appropriate.
- Keep actions consistent with booking state.

S09 — Session Feedback

11 / 23

Dem

Khách

Học viên

Mentor

Admin

Mentors

Mentor Profile

Dashboard

S11 JD Upload

S12 OCR Review

S13 Mapping

S14 Questions

Booking Form

Booking Status

Session

Feedback

Review

PrepVI

Trang chủ

Câu hỏi

Mentor

Lịch phỏng vấn

JD của tôi

A

An

Feedback buổi luyện tập

Mentor: Nguyễn Minh Tuấn · Technical Interview · 18 tháng 3, 2025

NHẬN XÉT TỔNG QUAN

"Bạn đang làm tốt phần kiến thức, nhưng cần cấu trúc câu trả lời rõ hơn trước khi đi vào chi tiết."

ĐÁNH GIÁ THEO TIÊU CHÍ

Điểm phản ánh chất lượng buổi luyện, không phải năng lực tuyệt đối của bạn.

Kiến thức kỹ thuật

Hiểu sâu về Event Loop và Promises. Có thể giải thích microtask vs macrotask một cách chính xác.

4/5

Tốt

Trả lời đúng về thứ tự thực thi của Promise, then và setTimeout.

Cấu trúc câu trả lời

Câu trả lời đôi khi bắt đầu quá chi tiết trước khi xác định context. Cần lập outline trước.

3/5

Đạt yêu cầu

Câu hỏi về reconciliation: bắt đầu giải thích Fiber ngay mà chưa giới thiệu Virtual DOM.

Giao tiếp

Giải thích rõ ràng, dùng ví dụ thực tế tốt. Cần chủ động check-in với người phỏng vấn.

4/5

Tốt

Ví dụ closure với counter function rất trực quan.

Xử lý câu hỏi tiếp theo

3/5

- ## S10 — Mentor Review

Prototype frame:

Buổi luyện tập vừa rồi thế nào?

Đánh giá chỉ dành cho buổi đã hoàn thành.

Nguyễn Minh Tuấn
JavaScript & React Technical Interview · Thứ Ba, 18 tháng 3, 2025

Đánh giá tổng thể

★★★★★

Nhận xét của bạn

Buổi luyện tập có ích như thế nào? Mentor giải thích rõ không? Bạn học được gì?

Hướng dẫn viết đánh giá


- Tập trung vào chất lượng buổi học, không phải ý kiến cá nhân.
- Phản hồi cụ thể sẽ giúp mentor cải thiện và giúp học viên khác chọn mentor phù hợp.
- Đánh giá có thể bị ẩn nếu vi phạm chính sách cộng đồng.

Đánh giá của bạn sẽ được kiểm duyệt và hiển thị công khai trên hồ sơ mentor sau khi được duyệt.

Gửi đánh giá


- Allow rating and comment after an eligible completed booking.
- Explain review visibility/moderation where relevant.

5.2 Mentor Secondary Flow



M05 — Booking Inbox

Prototype frame:



- Show Pending, Upcoming, Completed, and Cancelled bookings.
- Show enough Student context for the Mentor to make a decision.

M06 — Respond to Booking

- Allow Accept, Reject with reason, or Propose new slot.
- Explain the effect of each action before confirmation.

M07 — Interview Session

- Show Student goal, selected topics/questions, and meeting information.
- Allow session completion/no-show state where appropriate.


M08 — Submit Feedback

- Provide rubric-based feedback fields.
- Require strengths, improvement areas, and next actions.
- Allow the Mentor to reference taxonomy topics or questions.
- Support draft/save/submit interaction if needed by the workflow.

6. Extended / Operational Prototype

The Extended / Operational scope is useful for validating administrative and lifecycle interactions, but it is not required to prove the Core Prototype hypothesis.

6.1 Mentor Operational Flow




M01 — Mentor Onboarding

- Expertise, experience, language, interview types, and service scope.
- Evidence submission interaction with privacy notice.
- Draft and validation states.

M02 — Verification Status

Prototype frame:



- Draft, Pending, Approved, and Rejected states.
- Explain why a Mentor cannot publish availability until eligible.
- Allow resubmission when appropriate.

M03 — Profile & Services

Prototype frame:

[Demo](#)
[Khách](#)
[Học viên](#)
[Mentor](#)
[Admin](#)
[Homepage](#)
[Login](#)
[Question Bank](#)
[Event Loop →](#)
[Mentors](#)
[Mentor Profile](#)
[Onboarding](#)
[Verification](#)
[Profile Edit](#)
[Availability](#)
[Inb](#)
[Copy design](#)
[ecision](#)
[Ment](#)

PrepVI

[Lịch đặt](#)
[Lịch khả dụng](#)
[Hồ sơ](#)
[Xác minh](#)

MT

Minh Tuấn

▼

Hồ sơ & Dịch vụ

Xem hồ sơ công khai

Lưu thay đổi

Chỉnh sửa

Xem trước công khai

THÔNG TIN CÔNG KHAI

Hiển thị với học viên

Thay ảnh đại diện

Tên hiển thị

Nguyễn Minh Tuấn

Vị trí hiện tại

Senior Frontend Engineer

Công ty

Shopee

Giới thiệu bản thân

Senior Frontend Engineer tại Shopee với 7 năm kinh nghiệm xây dựng ứng dụng web quy mô lớn. Tôi đã phỏng vấn hàng trăm ứng viên và hiểu rõ những gì các công ty tech hàng đầu tìm kiếm.

183 / 500 ký tự

THÔNG TIN RIÊNG TƯ

Chỉ PrepVI

Email liên lạc

minh@example.com

Không hiển thị công khai

Múi giờ

GMT+7 · Hồ Chí Minh

BẢNG CHỨNG XÁC MINH

Đã gửi. Đang chờ xét duyệt.

Xem trạng thái xác minh


CÀI ĐẶT BUỔI PHỎNG VẤN

?

- Separate public profile data from private verification data.
- Show service format, duration, expectations, and relevant policy information.


M04 — Availability

Prototype frame:



- Create, edit, and remove future availability.
- Show timezone clearly.
- Prevent obviously invalid or overlapping time ranges at the interaction level.

6.2 Admin Operational Flow



A01 — Operational Queue

Prototype frame:

Admin

Homepage

Login

Question Bank

Event Loop →

Mentors

Mentor Profile

Admin Queue

Mentor Review

Question Mgmt

Case Detail

Audit Log

PrepVI

Queue

Câu hỏi

Q

AD

Admin

Operational Queue

2 mục ưu tiên cao · 6 tổng số mục cần xử lý

Mentor chờ duyệt

2

Câu hỏi cần review

1

Booking exception

1

Báo cáo mở

1

Q

Tìm trong queue...

Tất cả

Mentor Review

Report

Question Review

Booking Exception

ƯU TIÊN	CASE	LOẠI	TẠO LÚC	TRẠNG THÁI	OWNER	
Cao	Trần Văn Hùng – Hồ sơ mentor mới	Mentor Review	2 giờ trước	Pending	–	Xử lý →
Cao	BK-2024-089 – Báo cáo no-show	Report	3 giờ trước	Open	Admin A	Xử lý →
Trung bình	"Giải thích WebSocket vs HTTP polling" – Đang chờ review	Question Review	1 ngày trước	In-Review	Admin B	Xử lý →
Trung bình	BK-2024-076 – Yêu cầu hoàn tiền	Booking Exception	1 ngày trước	Open	–	Xử lý →
Thấp	Ngô Thị Hương – Hồ sơ mentor mới	Mentor Review	2 ngày trước	Pending	–	Xử lý →
Thấp	"React Server Components là gì?" – Draft	Question Review	3 ngày trước	Draft	Admin A	Xử lý →

- Prioritize actionable operational work such as pending Mentor reviews, reported questions, booking exceptions, and reports.

A02 — Mentor Review

Prototype frame:

Admin / Xét duyệt mentor

Xét duyệt hồ sơ mentor

HỒ SƠ CÔNG KHAI (PREVIEW)

Trần Đức Anh
Engineering Manager · Sea Group
GMT+8 · Singapore · 10 năm kinh nghiệm
System Design Leadership Technical Strategy

Engineering Manager tại Sea Group với kinh nghiệm tuyển dụng và phỏng vấn kỹ sư ở nhiều cấp độ. Tôi giúp bạn nhìn từ góc độ người phỏng vấn để chuẩn bị tốt hơn.

BẰNG CHỨNG XÁC MINH

✓ linkedin.com/in/duc-anh-tran (Engineering Manager at Sea)

LỊCH SỬ QUYẾT ĐỊNH

Hồ sơ mới, chưa có quyết định trước đây.

CHECKLIST XÉT DUYỆT

- ☐ Xác minh danh tính / bằng chứng nghề nghiệp *
- ☐ Chuyên môn nhất quán với hồ sơ LinkedIn *
- ☐ Hồ sơ đầy đủ (bio, expertise, languages) *
- ☐ Tuân thủ chính sách cộng đồng PrepVI *
- ☐ Chất lượng bio đủ để học viên đánh giá

Phê duyệt

Từ chối

Hoàn thành checklist bắt buộc (*) trước khi phê duyệt.

- Show profile preview, verification evidence, checklist, and prior decision context where relevant.
- Require an explicit decision reason.

A03 — Question Management

- Support question lifecycle interactions such as Draft, In review, Published, and Archived.
- Show taxonomy and source/provenance information.

A04 — Case Detail

- Show enough timeline and policy context to understand the case.
- Keep internal notes separate from user-visible information.

A05 — Decision & Audit

- Confirm the effect of an operational decision before applying it.
- Show an immutable-looking audit summary in the prototype, while avoiding any claim that production audit guarantees already exist.

7. States to Prototype

Prototype states should be prioritized by how strongly they affect user understanding of the validated flow.

7.1 Core states — Must Prototype

State	Relevant screens	Why
Loading / processing	S11–S14	User must understand that work is in progress
Empty input	S11–S12	Prevents an invalid start
Validation error	S11–S13	Requirement clarification
OCR / extraction uncertainty	S12	Lets the Student correct input
Unsupported content	S11–S12	Provides recovery path
No taxonomy match	S13	Prevents false interpretation
Incorrect mapping	S13	Directly validates user control
No recommended question	S14	Provides recovery without losing prior work
Zero-result Question Bank	S02	Supports manual fallback

7.2 Secondary states — Prototype when relevant

- No Mentor matching filters.
- No available slot.
- Booking Pending / Confirmed / Rejected / Cancelled.
- Reschedule proposed.
- Feedback not yet available.

7.3 Operational states — Document but do not overclaim

- Permission denied.
- Concurrent slot conflict.
- Provider failure.
- Offline/timeout retry.
- Audit/history behavior.

These may appear in the prototype as interaction states, but they must not be treated as proof that production security, concurrency, reliability, or audit behavior has been implemented correctly.

8. Prototype Test Plan

8.1 Core Prototype Test Tasks

Task	Persona	Success criterion
Upload or paste a JD	Student	Completes without assistance
Review extracted text	Student	Detects and corrects an important extraction mistake

Task	Persona	Success criterion
Review JD mappings	Student	Understands mapped / uncertain / unsupported items
Correct a wrong mapping	Student	Changes or removes it successfully
Review recommended questions	Student	Can explain why at least one question was recommended
Start practicing	Student	Opens a recommended question without losing JD context
Recover from no useful recommendation	Student	Reaches S13 or S02 and finds another path

8.2 Supporting / Secondary Tasks

Task	Persona	Success criterion
Find a Front-end / JavaScript question	Student	Finds a relevant result with no assistance
Find a Mentor	Student	Selects suitable expertise and timezone
Submit a booking	Student	Completes and understands Pending state
Respond to a booking	Mentor	Chooses a valid action and understands its effect
Submit structured feedback	Mentor	Provides strengths, improvement areas, and next actions
Review a Mentor application	Admin	Makes a decision with reason

8.3 Evidence to Collect

Collect:

- task completion,
- time on task,
- errors,
- confusion points,
- confidence,
- qualitative comments,
- mapping corrections,
- recommendation usefulness.

Recommended prototype acceptance targets may include:

- Student core task completion $\geq 80\%$,
- most critical extraction mistakes can be corrected before mapping,
- Students can explain the reason behind a recommended question,
- average perceived usefulness of the generated preparation set $\geq 4/5$.

These targets are prototype acceptance goals, not population-level statistical proof.

9. Prototype vs Proof of Concept

The terms **Prototype** and **Proof of Concept (PoC)** should be kept distinct.

Prototype

Validates how users understand and interact with the proposed solution.

Example:

```
Upload JD → Review → Mapping → Recommendations → Practice
```

Typical evidence:

- usability observation,
- user feedback,
- task completion,
- confusion points,
- requirement clarification.

Technical PoC

Validates whether a technical idea is feasible enough to continue exploring.

Example:

```
Document → Text extraction/OCR → Requirement parsing → Taxonomy mapping → Question retrieval
```

A technical PoC may exist without a polished UI.

The UI workflow in this document should primarily be treated as the **Prototype**, while OCR, taxonomy mapping, and recommendation experiments may be evaluated separately as technical PoCs.

10. Handoff and Traceability

Prototype level	Screens	Primary purpose
Core	S11, S12, S13, S14, S03	Validate JD → personalized preparation
Supporting	S02	Manual question discovery / fallback

Prototype level	Screens	Primary purpose
Secondary — Student	S04–S10	Mentor discovery, booking, feedback
Secondary — Mentor	M05–M08	Booking response and feedback lifecycle
Extended — Mentor	M01–M04	Mentor onboarding and availability
Extended — Admin	A01–A05	Moderation and operational workflows

Existing story traceability can remain linked to the same screen IDs:

Screen group	Stories
S01–S03	US-03–06
S11–S14	US-24–US-29; BR-12–BR-17; AC-24–AC-29
S04–S08	US-10–14,19
S09–S10	US-16–17
M01–M04	US-07–09
M05–M08	US-12–15
A01–A05	US-08,18,20

All design frames and image files should continue using the same screen ID convention:

<SCREEN-ID>–<screen-name>.png

The key review question for the v2 prototype is:

Can a Student move from an unfamiliar Job Description to an understandable, explainable, and actionable interview preparation path?

Everything outside that question is supporting, secondary, or operational scope.