

Whitening Trays

PRIOR TO TREATMENT:

Brush and floss just prior to bleaching your teeth. The whitening gel is the most effective with clean teeth. Try the trays in first without any bleach to check the fit and comfort. Make sure that the bleaching trays are clean and dry before applying the whitening gel. Moisture reduces the efficiency of the whitening gel and slows down the whitening process

APPLYING THE BLEACHING GEL:

When you apply the gel make sure not to fill the trays. Place a SMALL drop of tooth whitening gel half way up on the inner front surface of tray (in the front of each tooth in the tray). Do not spread the bleach around. Recap the syringe for next treatment until empty. The average treatment per arch requires approximately 0.5ml of whitening gel. We recommend that you only bleach the front 6-8 teeth as no one sees the back teeth.

INSERTING THE BLEACHING TRAYS:

Insert whitening tray in the mouth over the teeth. Seat the tray firmly against the teeth. Wipe the excess gel, which seeps over the brim of the tray onto your gums, by holding the tray up with one hand; wipe the excess gel off of the gums with your finger or Q tip.

WEARING TIME:

Wear Tray for 30 minutes to one hour (based on sensitivity) and rinse your teeth when complete. Conduct whitening session once per day until desired shade is achieved (anywhere from 5-25 cumulative sessions). Once desired shade is achieved, using trays 1-2 times per week will help you stay nice and bright!

General Whitening Notes

- Whitening gel can be refrigerated and has a one year shelf life. Remove gel from refrigerator 12 hours before using so that it is room temperature at time of use.
- Tooth Whitening gel will only whiten natural teeth, it will NOT whiten, nor harm, bonding, caps, crowns, fillings or any artificial dental work. Tetracycline (an antibiotic) stained teeth or grayish teeth do not tend to whiten. Exposed root portion of teeth which occurs with gum recession will also not bleach.
- Your teeth or gums will most likely become sensitive. If you place too much bleach gums may turn white temporarily. This is common while using all products containing peroxide based gels and it is not harmful. In case of increased sensitivity reduce usage time and/or frequency until the sensitivity subsides.

Warnings: Keep bleaching gel out of reach of children. Do NOT use if pregnant or during nursing. Do NOT smoke, drink or eat while bleaching your teeth.

