TABLE OF CONTENTS

الحمد
لسحب الالمنيوم

AL HAMAD
ALUMINIUM EXTRUSION

EXTRUSION



TABLE OF CONTENTS

TABLE OF CONTENTS

Certificate Of Registration

Awarded to

AL HAMAD ALLUMINIUM EXTRUSION FACTORY LLC

at

P.O.BOX NO: 1814,NEW INDUSTRIAL AREA, UMM AL QUWAIN ,UAE

Quality Registrar Systems certify that the management system of the above organization has been audited and found to be in compliance with the QRS & ISO standard requirements for registration of the management system standard detailed below:

ISO 9001:2015

Quality Management Systems

Scope of work

EXTRUDED ALUMINIUM PROFILES

EA 17

Certificate No: AMU-1076

Originally Registered: 29 MAR 2024

Latest Issue: 29 MAR 2024

Valid up-to: 28 MAR 2027

Quality Registrar Systems

QRS ISO 9001: 2015 CERTIFIED

S C B A (E) ASCB(E) Accrediting Certifying Bodies.

QUALITY REGISTRAR SYSTEMS

P.O Box :26826

United Arab Emirates

Tel: +971-2-6714302

Tel: +971-2-3096166

www.qrsyst.com

WORLDWIDE CERTIFICATION

This certificate is the property of Quality Registrar Systems and remains valid subject to satisfactory annual surveillance audit. This certificate is only valid when confirmed by the Register listed in Quality Registrar Systems (qrsyst.com)

TABLE OF CONTENTS

Certificate Of Registration

Awarded to

AL HAMAD ALUMINIUM EXTRUSION FACTORY LLC

at

P.O.BOX: 1814, NEW INDUSTRIAL AREA, UMM AL QUWAIN,UAE

Quality Registrar Systems certify that the management system of the above organization has been audited and found to be in compliance with the QRS & ISO standard requirements for registration of the management system standard detailed below:

ISO 45001:2018

Occupational Health and Safety Management Systems

Scope of work

ALUMINIUM EXTRUSION

EA 17
Certificate No: AMU-3011
Originally Registered: 15 NOV 2020
Latest Issue: 29 MAR 2024
Valid up-to: 14 NOV 2027

Quality Registrar Systems

QUALITY REGISTRAR SYSTEMS
P.O Box :26826
United Arab Emirates

Tel: +971-2-6714302
Tel: +971-2-3096166
www.qrsyst.com

WORLDWIDE CERTIFICATION

This certificate is the property of Quality Registrar Systems and remains valid subject to satisfactory annual surveillance audit. This certificate is only valid when confirmed by the Register listed in Quality Registrar Systems (qrsyst.com)

TABLE OF CONTENTS

Certificate Of Registration

Awarded to

AL HAMAD ALLUMINIUM EXTRUSION FACTORY LLC

at

P.O.BOX NO: 1814,NEW INDUSTRIAL AREA, UMM AL QUWAIN ,UAE

Quality Registrar Systems certify that the management system of the above organization has been audited and found to be in compliance with the QRS & ISO standard requirements for registration of the management system standard detailed below:

ISO 14001:2015

Environmental Management Systems

Scope of work

EXTRUDED ALUMINIUM PROFILES

EA 17

Certificate No: AMU-5042

Originally Registered: 29 MAR 2024

Latest Issue: 29 MAR 2024

Valid up-to: 28 MAR 2027

Quality Registrar Systems

QRS ISO 14001 : 2015 CERTIFIED

S C B A (E) ASCB(E) Accrediting Certifying Bodies.

QUALITY REGISTRAR SYSTEMS

P.O Box :26826

United Arab Emirates

Tel: +971-2-6714302

Tel: +971-2-3096166

www.qrsyst.com

WORLDWIDE CERTIFICATION

This certificate is the property of Quality Registrar Systems and remains valid subject to satisfactory annual surveillance audit. This certificate is only valid when confirmed by the Register listed in Quality Registrar Systems (qrsyst.com)

TABLE OF CONTENTS

CONTENTS

SR. NO.	DESCRIPTION	PAGE NO.
1	Introduction	--------
2	Specification	--------
3	Standard Profiles	
	(a) Round Bar	1
	(b) Square Rod	2
	(c) Hexagonal Rod	3
	(d) Flat Bar	4 – 6
	(e) I – Profile	7
	(f) T – Profile	8
	(g) Equal Channel	9
	(h) Unequal Channel	10 – 12
	(i) Equal Angle	13 – 14A
	(j) Unequal Angle	15 – 17A
	(k) Rectangular Tube	18 – 21A
	(l) Square Tube	22 – 23
	(m) Round Tube	24 – 25
4	Special Tube	26 – 35A
5	Miscellaneous	36 – 79
6	Sign Board	80 – 89
7	A/C Grill	91 – 149
8	Hand Rail & Balustrades	150 – 156
9	Hinged Door & Window	157 – 164
10	Fixed Light	165
11	Door Partitions	166
12	Sliding Door & Window	167 – 203
13	Thermal Break Sliding	204
14	Amplimesh	205
15	Panelling	206 – 208
16	Louvers	209 – 217
17	Kitchen	218 – 226
18	Curtain Wall & Mullion	227 – 234
19	Shutter	235
20	Ducting	236 – 237
21	Index	238 – 249

TABLE OF CONTENTS

INTRODUCTION

AL HAMAD ALUMINIUM EXTRUSION FACTORY proud to introduce ourselves as one of the leading extruders in U. A. E. manufacturing alloy 6063,6061 and 6082 by using modern equipments.

Our establisment is located about 55 kms north of Dubai on the Ajman–R.A.K. Highway.

Al Hamad Aluminium started production in 2003 with a single six inch press that had an annual capacity of approximately 3600MT NOW three different size of extrusion line to cater local market as well as export market requirements. This will increase the production capacity in the tune of 14000MT in a year approximately from 3600MT.

OUR PROMISE

AL HAMAD ALUMINIUM EXTRUSION FACTORY emphasizes on **TOTAL QUALITY MANAGEMENT** hence ensuring quality at every stage of manufacturing from raw material to finished product.

We are committed to producing and providing world class products and services to customers all over the world.

Counting on tha ability of our highly skilled professionals we have the capability of producing specialized extruded profiles.

It is our endeavor to creat a working enviroment where motivated employees communicate freely and where innovations are encourage all the time.

TABLE OF CONTENTS

OUR CAPABILITY

We produce extrusion in various sizes and shape in alloy 6061, 6082 & 6063 in Temper T4, T5 and T 6.
The plant has the most modern PLC controlled extrusion presses supplied by **Kwan Yi Industrial Co. LTD and Chun Hua Machinery, Taiwan** having a container dia. of 160 mm(two line),180mm accompanied by a linear motor puller and modern belt conveyor handling system. with this facilities our estimated production combining the three will be in the tune of 14000 MT approximately.

STANDARDS

Quality standards have been developed considering the process capability in tandem with international standard like DIN, BS and ASTM
All our extrusions conform to BS 1474, on special request we also follow DIN 1748 and DIN 17615.
Note:-Alloy composition, properties and tolerances shown in this catalogues are the extracts of the standard.
For details please refer the standard.

TABLE OF CONTENTS

MATERIAL SPECIFICATION

CHEMICAL COMPOSITION & MECHANICAL PROPERTIES OF ALLOY 6063 IN TEMPER T4, T5 & T6

CHEMICAL COMPOSITION	ALLOY 6063
Mg	0.45 – 0.90 %
Si	0.20 – 0.60 %
Cr	0.10 %
Zn	0.10 %
Fe	0.35 %
Cu	0.10 %
Mn	0.10 %
Ti	0.10 %
Other Impurities	0.05 %
Aluminums	REMAINDER

MECHANICAL PROPERTIES

Alloy (6063)	Diameter (bar) or Thickness (Tube/section) >	Diameter (bar) or Thickness (Tube/section) <	0.2%Proof stress (min.)	Tensile strength Min.	Tensile strength Max.	Elongation On 5.65 √So (Min.)	Elongation On 50mm (Min.)
	mm	**mm**	**N/mm^2**	**N/mm^2**	**N/mm^2**	%	%
T4	-	150	70	130	-	16	14
	150	200	70	120	-	13	-
T5	-	25	110	150	-	8	7
T6	-	150	160	195	-	8	7
	150	200	130	150	-	6	-

EXTRUSION PRESS SIZE

1460 US Tons press	Billet Diameter 155 mm
1250 US Tons press	Billet Diameter 155 mm
1800 US Tons press	Billet Diameter 180 mm
Maximum profile Size	180 mm for Solid Sections 150 mm for Hollow Sections

PRODUCT SPECIFICATION

BS 1474: 1987

BS EN 755-9:2008 as per special request from customer

BRITISH STANDARD SPECIFICATION

Tolerances on Diameter, or width across Flats of bars for general purposes and on width of Solid or hollow regular sections.

Diameter, width or width across flats.		Tolerances
Over	Up to and including	
mm	mm	±mm
-	3	0.16
3	10	0.20
10	18	0.26
18	30	0.32
30	40	0.40
40	60	0.45
60	80	0.50
80	100	0.65
100	120	0.80
120	140	0.90
140	160	1.00
160	180	1.10
180	200	1.20
200	240	1.30
240	280	1.50
280	320	1.70

Tolerances on Diameter of round bar in the controlled stretched condition.

Diameter		Tolerance On diameter (plus and minus)	
Over	Up to and including		
mm	mm	+mm	-mm
10	18	0.05	0.20
18	30	0.08	0.26
30	40	0.14	0.28
40	60	0.20	0.40
60	80	0.30	0.60
80	100	0.40	0.80
100	160	½ % of Specified diameter	1 % of specified diameter

AS PER BS 1474 : 1987

BRITISH STANDARD SPECIFICATION

Tolerances on thickness of bars and regular sections														
Width across flat of Bar or width of section		Tolerance on specified thickness (plus and minus)												
Over	Up to and including	Up to and including 1.6mm thick	Over 1.6mm up to and including 3 mm thick	Over 3 mm up to and including 6 mm thick	Over 6 mm up to and including 10 mm thick	Over 10 mm up to and including 18 mm thick	Over 18 mm up to and including 30 mm thick	Over 30 mm up to and including 40 mm thick	Over 40 mm up to and including 60 mm thick	Over 60 mm up to and including 80 mm thick	Over 80 mm up to and including 100 mm thick	Over 100 mm up to and including 120 mm thick	Over 120 mm up to and including 140 mm thick	Over 140 mm up to and including 160 mm thick
mm	mm	± mm	± mm	± mm	± mm	± mm	± mm	± mm	± mm	± mm	± mm	± mm	± mm	± mm
-	10	0.16	0.18	0.20	0.22	-	-	-	-	-	-	-	-	-
10	18	0.18	0.20	0.22	0.24	0.26	-	-	-	-	-	-	-	-
18	30	0.22	0.24	0.26	0.28	0.30	0.32	-	-	-	-	-	-	-
30	60	0.24	0.26	0.28	0.30	0.33	0.36	0.40	-	-	-	-	-	-
60	80	0.28	0.30	0.32	0.34	0.37	0.40	0.43	0.45	0.50	-	-	-	-
80	120	0.32	0.34	0.36	0.39	0.42	0.45	0.48	0.52	0.57	0.65	0.80	-	-
120	180	-	0.36	0.40	0.45	0.50	0.55	0.60	0.65	0.70	0.75	0.82	0.90	1.00
180	240	-	-	0.50	0.55	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	1.05
240	320	-	-	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	1.00	1.05	1.10

AS PER BS 1474 : 1987

BRITISH STANDARD SPECIFICATION

Tolerances on thickness of hollow sections													
Width or width across flats		Tolerances on specified thickness											
		Class A						Class B					
Over	Up to and including	Up to and including 1.6mm thick	Over 1.6mm up to and including 3 mm thick	Over 3 mm up to and including 6 mm thick	Over 6 mm up to and including 10 mm thick	Over 10 mm up to and including 18 mm thick	Over 18 mm up to and including 30 mm thick	Up to and including 1.6mm thick	Over 1.6mm up to and including 3 mm thick	Over 3 mm up to and including 6 mm thick	Over 6 mm up to and including 10 mm thick	Over 10 mm up to and including 18 mm thick	Over 18 mm up to and including 30 mm thick
mm	mm	± mm	± mm	± mm	± mm	± mm	± mm	± mm	± mm	± mm	± mm	± mm	± mm
-	10	-	-	-	-	-	-	-	-	-	-	-	-
10	18	0.20	0.22	-	-	-	-	0.22	0.28	-	-	-	-
18	30	0.26	0.28	0.32	-	-	-	0.28	0.36	0.54	-	-	-
30	60	0.32	0.36	0.41	0.48	-	-	0.36	0.45	0.65	0.90	1.40	-
60	80	0.36	0.41	0.48	0.58	0.68	-	0.45	0.55	0.75	0.95	1.45	-
80	120	-	0.48	0.58	0.68	0.82	1.00	-	0.65	0.80	1.00	1.50	2.00
120	180	-	0.65	0.75	0.85	0.95	1.10	-	0.75	0.85	1.10	1.60	2.20
180	240	-	-	0.95	1.05	1.20	1.40	-	-	1.00	1.20	1.80	2.40
240	320	-	-	-	1.25	1.45	1.80	-	-	-	1.40	2.00	2.60

AS PER BS 1474 : 1987

TABLE OF CONTENTS

BRITISH STANDARD SPECIFICATION

Tolerances on wall thickness of extruded round tube(Class A , B and C)

Nominal wall thickness Of Tube	Class A			Class B			Class C		
	Tolerance on mean wall thickness	Wall thickness of any point		Tolerance on mean wall thickness	Wall thickness of any point		Tolerance on mean wall thickness	Wall thickness of any point	
		(max.)	(min.)		(max.)	(min.)		(max.)	(min.)
mm	±mm	mm	mm	±mm	mm	mm	±mm	mm	mm
1.0	0.15	1.20	0.80	-	-	-	-	-	-
1.5	0.16	1.71	1.29	0.18	1.74	1.26	-	-	-
2.0	0.17	2.23	1.77	0.20	2.27	1.73	-	-	-
2.5	0.18	2.74	2.26	0.22	2.80	2.20	-	-	-
3.0	0.20	3.27	2.73	0.27	3.36	2.64	0.65	3.87	2.13
4.0	0.23	4.30	3.70	0.31	4.42	3.58	0.70	4.93	3.09
5.0	0.26	5.34	4.66	0.37	5.49	4.51	0.75	6.00	4.00
6.0	0.28	6.38	5.62	0.43	6.58	5.42	0.82	7.09	4.91
7.0	0.31	7.43	6.57	0.51	7.67	6.33	0.89	8.18	5.82
8.0	0.34	8.47	7.53	0.56	8.76	7.24	0.94	9.27	6.73
10.0	0.40	10.52	9.48	0.65	10.85	9.15	1.03	11.36	8.64
12.0	0.46	12.61	11.39	0.77	13.03	10.97	1.15	13.54	10.46
14.0	0.53	14.71	13.29	0.88	15.24	12.76	1.30	15.75	12.25
16.0	0.58	16.76	15.24	1.00	17.34	14.66	1.40	17.88	14.12
18.0	0.63	18.82	17.18	1.13	19.44	16.56	1.50	20.00	16.00
20.0	0.68	20.90	19.10	1.22	21.63	18.38	1.60	22.13	17.88
22.0	0.74	23.00	21.00	1.35	23.81	20.19	1.73	24.32	19.68
25.0	0.81	26.10	23.90	1.49	27.00	23.00	1.88	27.50	22.50

AS PER BS 1474 : 1987

Profiles

Rods

Tubes

TABLE OF CONTENTS







Angles


TABLE OF CONTENTS

Channels



TABLE OF CONTENTS

ROUND BAR




SL.NO	SEC.NO	A	WT.KG/M
1	2107	7.5	0.119
2	2101	10.0	0.212
3	2104	12.0	0.306
4	2102	16.0	0.543
5	2103	20.0	0.849
6	2105	25.0	1.326
7	2106	30.0	1.910
8	2108	36.0	2.748
9	2109	60.0	7.634
10	2110	80.0	13.571


ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS


SQUARE ROD



SL.NO	SEC.NO	A	WT.KG/M
1	2211	7	0.132
2	2205	10	0.270
3	2207	12	0.389
4	2202	16	0.691
5	2201	20	1.080
6	2204	25	1.688
7	2206	30	2.430
8	2210	40	4.320
9	2209	50	6.750



2203 **WT. KG/M - 1.043**




2208 **WT. KG/M - 1.065**

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

HEXAGONAL ROD




SL.NO	SEC.NO	A	B	C	WT.KG/M
1	2301	30.0	34.64	17.32	2.104
2	2302	36.0	41.57	20.79	3.030

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

FLAT BAR




SL.NO	SEC.NO	A	B	WT.KG/M
1	2572	8.0	2.0	0.043
2	2581	10.0	5.0	0.135
3	2571	12.0	2.5	0.081
4	2555	13.0	6.5	0.228
5	2575	15.5	2.5	0.105
6	2501	16.5	3.0	0.134
7	2520	20.0	2.0	0.108
8	2521	20.0	3.0	0.162
9	2566	20.0	5.0	0.270
10	2527	20.0	10.0	0.540
11	2537	20.0	15.0	0.810
12	2519	20.0	18.0	0.972
13	2529	25.0	2.0	0.135
14	2508	25.0	3.0	0.203
15	2531	25.0	5.0	0.338
16	2522	25.0	6.0	0.405
17	2579	25.0	8.0	0.540
18	2509	25.0	10.0	0.675
19	2577	30.0	1.5	0.122
20	2528	30.0	2.0	0.162
21	2546	30.0	3.0	0.243
22	2510	30.0	5.0	0.405
23	2525	30.0	10.0	0.810
24	2517	30.0	15.0	1.215
25	2515	30.0	20.0	1.620
26	2563	35.0	10.0	0.945
27	2580	35.5	6.0	0.575
28	2534	40.0	2.0	0.216
29	2512	40.0	3.0	0.324
30	2505	40.0	4.0	0.432

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

FLAT BAR




SL.NO	SEC.NO	A	B	WT.KG/M
31	2559	40.0	5.0	0.540
32	2502	40.0	6.0	0.648
33	2548	40.0	8.0	0.864
34	2504	40.0	10.0	1.080
35	2576	40.0	28.0	3.024
36	2518	40.0	30.0	3.240
37	2514	50.0	2.0	0.270
38	2530	50.0	3.0	0.405
39	2507	50.0	4.0	0.540
40	2532	50.0	5.0	0.675
41	2503	50.0	6.0	0.810
42	2567	50.0	8.0	1.080
43	2511	50.0	10.0	1.350
44	2549	55.5	4.0	0.600
45	2533	60.0	4.0	0.648
46	2539	60.0	5.0	0.810
47	2541	60.0	8.5	1.377
48	2540	60.0	10.0	1.620
49	2562	65.0	10.0	1.755
50	2544	66.0	15.5	2.762
51	2557	70.0	1.8	0.340
52	2513	70.0	6.0	1.134
53	2535	75.0	3.0	0.607
54	2568	75.0	10.0	2.025
55	2558	80.0	4.0	0.864
56	2542	80.0	8.0	1.728
57	2552	80.0	14.0	3.024
58	2516	95.0	3.0	0.770
59	2556	100.0	1.8	0.486
60	2553	100.0	3.0	0.810

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

FLAT BAR




SL.NO	SEC.NO	A	B	WT.KG/M
61	2560	100.0	4.0	1.08
62	2554	100.0	5.0	1.35
63	2523	100.0	6.0	1.62
64	2543	100.0	8.0	2.16
65	2547	100.0	10.0	2.7
66	2506	100.0	12.0	3.24
67	2569	110.0	30.0	8.91
68	2536	120.0	3.0	0.972
69	2524	120.0	8.0	2.592
70	2574	120.0	10.0	3.24
71	2538	120.0	12.0	3.888
72	2561	120.0	25.0	8.1
73	2551	140.0	12.0	4.536
74	2526	150.0	5.0	2.025
75	2573	150.0	6.0	2.43
76	2550	150.0	8.0	3.24
77	2545	150.0	12.0	4.86
78	2565	200.0	3.0	1.62
79	2564	200.0	6.0	3.24
80	2578	200.0	14.0	7.56

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

I - PROFILE




SL.NO	SEC.NO	A	B	C	WT.KG/M
1	2803	30.0	56.0	3.0	0.891
2	2802	50.0	50.0	5.0	1.890
3	2801	50.0	75.0	5.0	2.227

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

T - PROFILE




SL.NO	SEC.NO	A	B	C	WT.KG/M
1	2914	20.0	35.0	1.5	0.217
2	2915	25.0	25.0	2.0	0.259
3	2902	30.0	12.0	2.0	0.216
4	2903	36.0	24.0	6.0	0.875
5	2901	40.0	40.0	2.5	0.523
6	2918	40.0	75.0	5.0,4.0	1.296
7	2904	60.0	30.0	2.0	0.475
8	2910	60.0	60.0	6.0	1.875
9	2912	80.0	60.0	2.0	0.745
10	2906	100.0	50.0	2.0	0.799
11	2911	100.0	50.0	3.0	1.191
12	2908	100.0	50.0	4.0	1.577
13	2913	100.0	60.0	2.5	1.063
14	2916	100.0	60.0	4.0	1.685
15	2917	100.0	80.0	4.0	1.901
16	2907	100.0	100.0	2.5	1.331
17	2905	100.0	100.0	4.0	2.112
18	2909	150.0	75.0	4.0	2.387

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

EQUAL CHANNEL




SL.NO	SEC.NO	A	B	WT.KG/M
1	3108	8.0	2.0	0.108
2	3107	10.0	1.5	0.109
3	3101	14.0	0.9	0.098
4	3102	14.7	1.2	0.135
5	3109	15.0	1.25	0.143
6	3110	16.0	1.20	0.148
7	3104	20.0	0.8	0.126
8	3103	20.0	1.5	0.230
9	3112	25.0	1.5	0.292
10	3113	25.0	2.0	0.383
11	3111	40.0	1.40	0.443
12	3106	40.0	4.0	1.210
13	3105	50.0	5.0	1.890

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

UN EQUAL CHANNEL




SL.NO	SEC.NO	A	B	C	WT.KG/M
1	3340	8.0	10.0	1.1	0.077
2	3332	8.0	15.0	1.2	0.115
3	3338	9.0	12.0	1.5	0.121
4	3343	9.0	18.0	1.2	0.138
5	3344	10.0	7.0	1.5	0.085
6	3366	11.1	11.3	1.3	0.109
7	3349	12.0	4.0	1.0	0.049
8	3360	12.0	7.0	1.0	0.065
9	3351	12.0	10.0	1.2	0.096
10	3350	12.0	11.0	1.0	0.086
11	3307	12.0	20.0	1.1	0.149
12	3355	12.0	20.0	1.5	0.198
13	3311	15.0	10.0	1.5	0.129
14	3329	15.0	14.0	1.0	0.111
15	3301	15.0	18.0	1.0	0.132
16	3337	15.0	28.0	1.0	0.186
17	3369	15.0	30.0	2.0	0.383
18	3308	16.0	19.0	1.2	0.167
19	3363	16.2	25.2	1.5	0.258
20	3342	16.3	6.0	1.2	0.084
21	3352	17.0	15.0	2.0	0.230
22	3316	19.0	15.0	1.5	0.186
23	3310	20.0	10.0	1.8	0.177
24	3353	20.0	15.0	1.5	0.190
25	3335	20.0	40.0	2.0	0.518
26	3339	22.0	30.0	3.0	0.616
27	3320	25.0	4.0	1.1	0.091
28	3341	25.0	4.0	1.3	0.106

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

UN EQUAL CHANNEL




SL.NO	SEC.NO	A	B	C	WT.KG/M
29	3315	25.0	11.0	1.3	0.156
30	3313	25.0	50.0	2.0	0.653
31	3330	25.0	100.0	3.5	2.060
32	3345	25.2	15.2	1.6	0.226
33	3306	25.4	4.2	0.9	0.079
34	3321	30.0	12.0	1.5	0.206
35	3325	30.0	15.0	1.5	0.230
36	3333	30.0	50.0	2.0	0.680
37	3305	31.5	17.0	2.0	0.331
38	3304	33.0	29.0	2.3	0.536
39	3323	34.0	15.0	1.5	0.247
40	3324	34.0	20.0	1.5	0.288
41	3364	36.5	35.5	1.4	0.396
42	3358	37.0	50.0	8.0	2.614
43	3368	40.0	10.0	1.5	0.230
44	3312	40.0	20.0	2.0	0.410
45	3370	40.0	50.0	2.0	0.734
46	3309	45.0	20.0	1.4	0.313
47	3354	45.0	20.0	1.5	0.332
48	3367	50.0	20.0	1.5	0.352
49	3303	50.0	48.0	4.0	1.490
50	3319	53.2	25.0	1.6	0.432
51	3347	60.0	30.0	1.2	0.381
52	3326	60.0	16.0	3.0	0.697
53	3331	60.0	50.0	3.0	1.247
54	3318	78.2	25.0	1.6	0.540
55	3334	96.0	30.0	2.5	1.020
56	3302	100.0	25.0	1.5	0.596

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

UN EQUAL CHANNEL




SL.NO	SEC.NO	A	B	C	WT.KG/M
57	3314	100.0	25.0	1.8	0.711
58	3362	100.0	25.0	2.2	0.805
59	3322	100.0	25.0	2.3	0.903
60	3317	100.0	30.0	1.2	0.510
61	3365	100.0	30.0	1.6	0.677
62	3336	100.0	30.0	2.0	0.842
63	3328	100.0	40.0	2.0	0.950
64	3327	110.0	40.0	4.0	1.965
65	3346	207.0	30.0	0.9	0.645

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

EQUAL ANGLE




SL.NO	SEC.NO	A	B	WT.KG/M
1	5149	10.00	1.20	0.061
2	5124	10.00	1.50	0.075
3	5110	12.70	0.90	0.060
4	5153	12.70	1.60	0.102
5	5138	15.00	1.00	0.078
6	5108	15.00	1.50	0.116
7	5133	15.00	2.00	0.151
8	5152	15.00	3.00	0.219
9	5117	19.00	1.50	0.148
10	5111	19.05	0.90	0.091
11	5135	20.00	1.00	0.105
12	5145	20.00	1.20	0.126
13	5107	20.00	1.50	0.156
14	5116	20.00	2.00	0.205
15	5137	20.00	2.50	0.253
16	5118	20.00	3.00	0.300
17	5140	20.00	5.00	0.472
18	5101	25.00	2.00	0.259
19	5136	25.00	2.50	0.320
20	5119	25.00	3.00	0.380
21	5142	25.00	4.00	0.497
22	5112	25.40	0.90	0.122
23	5102	30.00	1.50	0.237
24	5120	30.00	2.00	0.313
25	5109	30.00	3.00	0.462

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

EQUAL ANGLE




SL.NO	SEC.NO	A	B	WT.KG/M
26	5132	30.00	4.00	0.605
27	5151	30.00	5.00	0.742
28	5121	30.00	6.50	0.939
29	5127	31.50	0.90	0.150
30	5131	40.00	1.30	0.276
31	5125	40.00	1.50	0.318
32	5115	40.00	2.00	0.421
33	5143	40.00	2.50	0.523
34	5148	40.00	2.80	0.584
35	5103	40.00	3.00	0.623
36	5105	40.00	4.00	0.820
37	5114	40.00	5.00	1.013
38	5122	50.00	1.20	0.320
39	5123	50.00	2.00	0.529
40	5104	50.00	3.00	0.785
41	5113	50.00	4.00	1.037
42	5147	50.00	4.80	1.234
43	5106	50.00	5.00	1.282
44	5141	50.00	6.00	1.523
45	5130	53.20	3.20	0.892
46	5150	60.00	3.00	0.948
47	5144	60.00	5.00	1.552
48	5139	60.00	6.00	1.847
49	5128	75.00	3.00	1.190
50	5134	75.00	4.00	1.577

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

EQUAL ANGLE




SL.NO	SEC.NO	A	B	WT.KG/M
51	5146	100.00	3.00	1.596
52	5126	100.00	6.00	3.143
53	5129	100.00	10.00	5.130
54				
55				
56				
57				
58				
59				
60				
61				
62				
63				
64				
65				
66				
67				
68				
69				
70				
71				
72				
73				
74				
75				

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

UN EQUAL ANGLE




SL.NO	SEC.NO	A	B	C	WT.KG/M
1	5354	12.5	25	1.2	0.127
2	5308	15	10	1.4	0.089
3	5342	15	10	2.0	0.124
4	5356	20	15	1.5	0.135
5	5326	20	15	2.0	0.178
6	5362	22	10	1.5	0.123
7	5363	22	12	1.5	0.131
8	5332	25	15	2.0	0.205
9	5365	25	20	2.0	0.232
10	5355	25	40	3.0	0.502
11	5321	30	10	1.5	0.156
12	5311	30	20	1.5	0.196
13	5329	30	20	2.0	0.259
14	5320	30	20	4.0	0.497
15	5357	30	25	1.5	0.217
16	5317	30	25	3.3	0.460
17	5347	30	25	4.0	0.551
18	5358	30	60	3.0	0.705
19	5301	40	20	2.0	0.313
20	5343	40	20	3.0	0.462

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

UN EQUAL ANGLE




SL.NO	SEC.NO	A	B	C	WT.KG/M
21	5351	40	30	2.0	0.367
22	5364	40	30	3.0	0.542
23	5327	43	10	1.0	0.140
24	5325	47	29	1.6	0.321
25	5309	48	26	1.2	0.236
26	5306	50	15	2.0	0.341
27	5304	50	20	2.0	0.367
28	5350	50	20	3.0	0.543
29	5303	50	25	2.0	0.394
30	5314	50	25	2.5	0.489
31	5340	50	25	3.0	0.583
32	5312	50	30	1.2	0.255
33	5328	50	30	3.0	0.624
34	5348	50	30	4.0	0.821
35	5330	50	40	5.0	1.148
36	5353	52	30	1.7	0.369
37	5349	53	10	1.0	0.167
38	5313	55	30	1.5	0.338
39	5307	55	30	2.5	0.557
40	5322	60	15	1.2	0.239

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

UN EQUAL ANGLE




SL.NO	SEC.NO	A	B	C	WT.KG/M
41	5345	60	20	3.0	0.624
42	5323	60	25	2.0	0.448
43	5352	60	40	5.0	1.283
44	5341	60	50	2.5	0.726
45	5339	60	50	5.0	1.418
46	5318	70	25	2.3	0.575
47	5346	75	25	3.0	0.785
48	5324	75	50	2.0	0.664
49	5305	75	50	3.0	0.988
50	5315	75	50	4.0	1.306
51	5336	75	50	5.0	1.620
52	5361	75	50	6.0	1.930
53	5334	100	15	3.0	0.907
54	5338	100	20	4.0	1.253
55	5337	100	30	4.0	1.361
56	5302	100	50	3.0	1.190
57	5319	100	50	4.0	1.577
58	5331	100	50	5.0	1.958
59	5310	100	50	6.0	2.333
60	5335	100	80	8.0	3.715

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

UN EQUAL ANGLE




SL.NO	SEC.NO	A	B	C	WT.KG/M
61	5333	150	50	5.0	2.633
62	5360	150	50	6.0	3.142
63	5316	150	75	5.0	2.970
64	5359	150	75	6.0	3.550
65	5344	165	65	4.6,8.3	3.276
66					
67					
68					
69					
70					
71					
72					
73					
74					
75					
76					
77					
78					
79					
80					

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

RECTANGULAR TUBE




SL.NO	SEC.NO	A	B	C	WT.KG/M
1	6011	20.0	10.0	1.5	0.219
2	6025	20.0	10.0	1.8	0.256
3	6038	20.0	14.0	1.8	0.295
4	6506	25.0	15.0	2.0	0.389
5	6509	28.0	18.0	2.0	0.454
6	6520	28.0	18.0	3.0	0.650
7	6013	30.0	10.0	1.5	0.300
8	6502	30.0	15.0	1.5	0.340
9	6523	30.0	20.0	2.0	0.496
10	6525	32.4	19.15	2.0	0.513
11	6060	33.0	10.00	1.2	0.262
12	6017	33.0	29.0	2.3	0.712
13	6527	34.0	15.0	1.1	0.278
14	6514	35.0	10.0	1.2	0.275
15	6518	36.0	15.0	2.0	0.507
16	6052	37.0	25.0	0.75	0.245
17	6522	38.0	15.0	2.00	0.530
18	6510	38.0	16.0	2.00	0.540
19	6020A	40.0	15.0	1.5	0.421
20	6020	40.0	15.0	2.0	0.551
21	6529	40.0	15.0	2.5	0.675
22	6042	40.0	20.0	0.9	0.283
23	6005	40.0	20.0	1.5	0.462
24	6037	40.0	20.0	1.8	0.548
25	6032	40.0	20.0	2.0	0.605
26	6014	40.0	20.0	2.5	0.743

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

RECTANGULAR TUBE




SL.NO	SEC.NO	A	B	C	WT.KG/M
27	6012	40.0	20.0	3.0	0.875
28	6015	40.0	30.0	2.0	0.711
29	6067	40.0	33.0	1.2	0.457
30	6059	41.0	10.0	1.2	0.314
31	6515	43.0	10.0	1.2	0.330
32	6055	43.0	16.0	2.0	0.594
33	6507	48.0	18.0	1.2	0.412
34	6511	48.0	20.0	2.0	0.691
35	6504	50.0	10.0	1.8	0.548
36	6528	50.0	15.0	2.5	0.810
37	6045	50.0	20.0	1.5	0.542
38	6009	50.0	20.0	2.0	0.713
39	6096	50.0	20.0	2.5	0.878
40	6099	50.0	20.0	3.0	1.037
41	6043	50.0	25.0	1.0	0.394
42	6517	50.0	25.0	1.2	0.472
43	6035	50.0	25.0	1.8	0.694
44	6019	50.0	25.0	2.0	0.767
45	6034	50.0	25.0	2.5	0.945
46	6086	50.0	25.0	3.0	1.118
47	6016	50.0	40.0	2.0	0.928
48	6091	50.0	40.0	3.0	1.361
49	6505	60.0	12.0	1.8	0.665
50	6056	60.0	15.0	2.0	0.767
51	6033	60.0	20.0	2.0	0.820
52	6044	60.0	20.0	3.0	1.199

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

RECTANGULAR TUBE




SL.NO	SEC.NO	A	B	C	WT.KG/M
53	6501	60.0	30.0	1.2	0.568
54	6048	60.0	30.0	3.0	1.360
55	6007	60.0	40.0	1.5	0.785
56	6004	60.0	40.0	2.0	1.037
57	6031	60.0	40.0	3.0	1.523
58	6010	60.0	50.0	3.0	1.685
59	6041	63.0	37.0	2.5	1.282
60	6054	69.5	33.5	2.5	1.322
61	6513	75.0	50.0	2.0	1.306
62	6516	75.0	50.0	3.0	1.930
63	6008	78.0	38.0	0.9	0.555
64	6066	80.0	20.0	2.0	1.037
65	6026	80.0	40.0	1.5	0.948
66	6092	80.0	40.0	2.0	1.253
67	6022	80.0	40.0	2.5	1.553
68	6001	80.0	40.0	3.0	1.850
69	6039	80.0	50.0	2.0	1.360
70	6036	98.0	38.0	2.0	1.425
71	6065	100.0	15.0	0.7	0.429
72	6051	100.0	15.0	0.8	0.490
73	6006	100.0	20.0	2.0	1.253
74	6087	100.0	25.0	2.0	1.307
75	6531	100.0	30.0	2.0	1.360
76	6098	100.0	35.0	2.0	1.415
77	6018	100.0	40.0	0.9	0.672
78	6003	100.0	40.0	1.5	1.110

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

RECTANGULAR TUBE




SL.NO	SEC.NO	A	B	C	WT.KG/M
79	6029	100.0	40.0	2.0	1.469
80	6053	100.0	40.0	3.0	2.170
81	6093	100.0	40.0	4.0	2.851
82	6049	100.0	45.0	3.5	2.608
83	6075	100.0	45.0	4.0	2.959
84	6512	100.0	50.0	1.5	1.190
85	6524	100.0	50.0	1.6	1.268
86	6024	100.0	50.0	2.0	1.577
87	6028	100.0	50.0	2.5	1.957
88	6002	100.0	50.0	3.0	2.330
89	6021	100.0	50.0	3.5	2.703
90	6023	100.0	50.0	4.0	3.068
91	6027	100.0	50.0	4.5	3.427
92	6057	100.0	60.0	1.5	1.272
93	6046	100.0	60.0	3.0	2.500
94	6062	100.0	60.0	4.0	3.283
95	6074	115.0	50.0	2.0	1.739
96	6079	115.0	50.0	3.0	2.576
97	6085	120.0	30.0	2.5	1.958
98	6526	120.0	50.0	3.0	2.656
99	6047	120.0	60.0	3.0	2.818
100	6030	120.0	60.0	4.0	3.715
101	6519	120.0	100.0	3.2	3.693
102	6040	125.0	25.0	4.0	3.067
103	6069	125.0	30.0	2.0	1.631
104	6081	125.0	30.0	3.0	2.414

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

RECTANGULAR TUBE




SL.NO	SEC.NO	A	B	C	WT.KG/M
105	6070	125.0	40.0	2.0	1.739
106	6082	125.0	40.0	3.0	2.576
107	6072	125.0	50.0	2.0	1.847
108	6077	125.0	50.0	3.0	2.738
109	6078	125.0	50.0	4.0	3.607
110	6076	125.0	50.0	6.0	5.281
111	6071	125.0	60.0	2.0	1.955
112	6083	125.0	60.0	3.0	2.900
113	6073	125.0	90.0	2.0	2.279
114	6080	125.0	90.0	3.0	3.386
115	6064	130.0	15.0	2.0	1.523
116	6050	140.0	40.0	2.0	1.900
117	6508	150.0	20.0	1.5	1.353
118	6068	150.0	50.0	2.0	2.117
119	6090	150.0	50.0	3.0	3.143
120	6063	150.0	50.0	4.0	4.147
121	6094	150.0	50.0	6.0	6.091
122	6058	150.0	75.0	2.0	2.386
123	6061	150.0	100.0	3.0	3.953
124	6521	150.0	100.0	4.0	5.227

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

SQUARE TUBE




1	6136	10	1.0	0.097
2	6130	12	1.5	0.170
3	6133	16	2.0	0.302
4	6129	16	3.0	0.421
5	6126	20	1.5	0.300
6	6107	20	2.0	0.389
7	6122	20	3.0	0.551
8	6134	25	1.3	0.333
9	6123	25	1.8	0.451
10	6106	25	2.0	0.497
11	6108	25	3.0	0.713
12	6125	30	1.5	0.461
13	6137	30	1.8	0.548
14	6114	30	2.0	0.605
15	6109	30	3.0	0.875
16	6120	30	4.0	1.124
17	6140	38	2.0	0.778
18	6135	40	1.5	0.624
19	6105	40	1.8	0.743
20	6113	40	2.0	0.821
21	6127	40	2.5	1.012
22	6110	40	3.0	1.200
23	6144	40	3.8	1.485

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

SQUARE TUBE




24	6138	40	4.0	1.555
25	6121	45	1.5	0.704
26	6112	45	2.0	0.929
27	6142	48	2.0	0.993
28	6141	49	2.0	1.015
29	6143	50	1.2	0.632
30	6132	50	1.5	0.786
31	6101	50	2.0	1.039
32	6115	50	2.5	1.282
33	6128	50	2.8	1.427
34	6103	50	3.0	1.523
35	6116	50	3.5	1.758
36	6118	50	4.0	1.988
37	6104	60	2.0	1.253
38	6119	60	3.0	1.847
39	6102	60	4.0	2.420
40	6124	75	2.0	1.576
41	6111	75	3.0	2.340
42	6131	100	2.0	2.117
43	6117	100	3.0	3.143
44	6139	100	6.0	6.091

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

ROUND TUBE




SL.NO	SEC.NO	A	B	WT.KG/M
1	6233	5.8	1.4	0.052
2	6244	6.5	0.65	0.032
3	6203	7.8	1.0	0.058
4	6215	8.0	1.0	0.060
5	6220	10.0	1.0	0.077
6	6232	12.0	1.0	0.093
7	6213	12.0	1.7	0.151
8	6245	12.0	2.00	0.170
9	6236	16.0	1.5	0.185
10	6241	16.0	2.0	0.238
11	6209	16.0	3.0	0.331
12	6238	16.5	2.0	0.246
13	6226	17.0	2.0	0.254
14	6221	19.0	1.0	0.154
15	6210	19.0	3.0	0.407
16	6242	20.0	2.0	0.305
17	6207	22.0	1.5	0.262
18	6204	22.0	2.0	0.340
19	6218	25.0	1.0	0.204
20	6231	25.0	1.8	0.354
21	6214	25.0	2.0	0.390
22	6216	25.0	3.0	0.560
23	6228	25.0	4.0	0.713
24	6243	30.0	2.0	0.475
25	6248	30.0	3.0	0.687

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

ROUND TUBE




SL.NO	SEC.NO	A	B	WT.KG/M
26	6230	31.0	2.5	0.604
27	6246	32.0	3.0	0.738
28	6222	33.5	4.0	1.000
29	6235	36.0	10.0	2.205
30	6247	37.5	2.0	0.602
31	6211	40.0	2.0	0.645
32	6217	40.0	3.0	0.942
33	6212	48.3	3.25	1.242
34	6237	48.5	4.0	1.510
35	6234	48.5	7.8	2.692
36	6254	50.0	1.7	0.696
37	6253	50.0	1.9	0.775
38	6208	50.0	2.0	0.816
39	6224	50.0	2.5	1.007
40	6205	50.0	3.0	1.196
41	6227	50.0	4.0	1.560
42	6219	51.0	2.0	0.832
43	6249	59.9	1.1	0.548
44	6229	60.0	2.5	1.220
45	6206	60.0	3.0	1.450
46	6223	60.0	4.0	1.900
47	6202	75.0	2.0	1.239
48	6201	75.0	3.0	1.832
49	6251	80.0	3.0	1.960
50	6225	100.0	2.0	1.670

ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

ROUND TUBE




SL.NO	SEC.NO	A	B	WT.KG/M
51	6250	100.0	4.0	3.260
52	6240	100.0	5.0	4.029
53	6252	105.0	10.0	8.058
54	6239	120.0	5.0	4.877


ALL DIMENSIONS ARE IN MM

TABLE OF CONTENTS

1760 **WT. KG/M - 2.227**



1703 **WT. KG/M - 2.657**



1938 **WT. KG/M - 3.081**





TABLE OF CONTENTS

1787 **WT. KG/M - 1.577**



1944 **WT. KG/M - 2.333**






TABLE OF CONTENTS

1945 **WT. KG/M - 2.171**




1716 **WT. KG/M - 1.823**




1785 **WT. KG/M - 1.253**


TABLE OF CONTENTS



1702 **WT. KG/M - 1.553**



1953 **WT. KG/M - 1.847**



1701 **WT. KG/M - 1.685**






TABLE OF CONTENTS

1926 **WT. KG/M - 4.330**



1738 **WT. KG/M - 1.552**



1927 **WT. KG/M - 1.474**






TABLE OF CONTENTS


1751 WT. KG/M - 2.576




1916 WT. KG/M - 1.887



1771 WT. KG/M - 2.008



1724 WT. KG/M - 0.791



1737 WT. KG/M - 0.929






TABLE OF CONTENTS


1920 WT. KG/M - 2.333




1752 WT. KG/M - 2.009




1753 WT. KG/M - 1.766



4372 WT. KG/M - 1.121




4341 WT. KG/M - 1.295




SPECIAL TUBE


1722 **WT. KG/M - 2.025**




1720 **WT. KG/M - 1.720**




1721 **WT. KG/M - 1.830**



1723 **WT. KG/M - 1.445**




1741 **WT. KG/M - 2.050**




SPECIAL TUBE

1942 **WT. KG/M - 0.328**


TABLE OF CONTENTS




1943 **WT. KG/M - 0.415**



1948 **WT. KG/M - 0.920**



1960 **WT. KG/M - 2.373**



1961 **WT. KG/M - 1.968**






TABLE OF CONTENTS


1754 **WT. KG/M - 4.098**



1990 **WT. KG/M - 1.396**




1974 **WT. KG/M - 0.820**



SPECIAL TUBE


TABLE OF CONTENTS

8364 **WT. KG/M - 1.847**




4783 **WT. KG/M - 1.178**


TABLE OF CONTENTS




4792 **WT. KG/M - 1.500**



1717 **WT. KG/M - 3.399**




1712 **WT. KG/M - 1.365**




1750 **WT. KG/M - 0.668**


TABLE OF CONTENTS




1731 **WT. KG/M - 0.410**




1713 **WT. KG/M - 0.729**




1714 **WT. KG/M - 1.105**



1776 **WT. KG/M - 0.343**




1765 **WT. KG/M - 0.084**




1719 **WT. KG/M - 0.594**


TABLE OF CONTENTS




1730 **WT. KG/M - 0.708**




1715 **WT. KG/M - 0.609**




1554 **WT. KG/M - 0.286**



1553 **WT. KG/M - 0.748**



1642 **WT. KG/M - 1.004**



1866 **WT. KG/M - 0.260**






TABLE OF CONTENTS


1598 **WT. KG/M - 1.417**




1516 **WT. KG/M - 1.241**




1518 **WT. KG/M - 0.742**



1532 **WT. KG/M - 1.296**



1517 **WT. KG/M - 0.955**



1531 **WT. KG/M - 0.502**






TABLE OF CONTENTS


1539 **WT. KG/M - 3.327**



1540 **WT. KG/M - 4.290**




1541 **WT. KG/M - 5.100**




1748 **WT. KG/M - 1.293**


TABLE OF CONTENTS




1749 **WT. KG/M - 1.187**



1733 **WT. KG/M - 1.551**



1708 **WT. KG/M - 0.897**



1709 **WT. KG/M - 1.180**






TABLE OF CONTENTS


1711 WT. KG/M - 2.740




1725 WT. KG/M - 1.387



4784 WT. KG/M - 0.755



4785 WT. KG/M - 1.401



1755 WT. KG/M - 0.960





TABLE OF CONTENTS

1767 **WT. KG/M - 1.500**



1726 **WT. KG/M - 1.660**





TABLE OF CONTENTS

1956 **WT. KG/M - 2.757**



1973 **WT. KG/M - 4.007**






TABLE OF CONTENTS

1775 **WT. KG/M - 3.802**



1789 **WT. KG/M - 2.800**



1533 **WT. KG/M - 0.431**






TABLE OF CONTENTS


1619 **WT. KG/M - 0.288**



1632 **WT. KG/M - 1.333**



1616 **WT. KG/M - 1.218**



1756 **WT. KG/M - 2.395**






TABLE OF CONTENTS


1594 **WT. KG/M - 1.088**



1631 **WT. KG/M - 1.085**



1617 **WT. KG/M - 0.669**



1560 **WT. KG/M - 0.677**






TABLE OF CONTENTS


1325 **WT. KG/M - 2.905**




1322 **WT. KG/M - 0.705**




1291 **WT. KG/M - 0.554**



1346 **WT. KG/M - 0.551**



1308 **WT. KG/M - 0.419**



1305 **WT. KG/M - 0.555**






TABLE OF CONTENTS

1586 **WT. KG/M - 1.230**




1587 **WT. KG/M - 1.290**




1569 WT. KG/M - 0.377


TABLE OF CONTENTS




1551 WT. KG/M - 0.907



1682 WT. KG/M - 1.235




1258 WT. KG/M - 1.369




1452 **WT. KG/M - 1.264**

TABLE OF CONTENTS



1450 **WT. KG/M - 1.984**



1458 **WT. KG/M - 1.237**






TABLE OF CONTENTS


1451 **WT. KG/M - 1.785**




1428 **WT. KG/M - 0.183**



1429 **WT. KG/M - 0.167**



1430 **WT. KG/M - 0.547**



1432 **WT. KG/M - 0.122**






TABLE OF CONTENTS

1585 **WT. KG/M - 0.872**




1571 **WT. KG/M - 1.337**




1419 WT. KG/M - 1.644

TABLE OF CONTENTS




1882 WT. KG/M - 1.126




1527 **WT. KG/M - 1.540**


TABLE OF CONTENTS



1530 **WT. KG/M - 1.191**




1546 **WT. KG/M - 2.310**




1292 **WT. KG/M - 0.224**


TABLE OF CONTENTS




1350 **WT. KG/M - 0.197**




1365 **WT. KG/M - 0.167**




1368 **WT. KG/M - 0.207**




1369 **WT. KG/M - 0.207**




1380 **WT. KG/M - 0.251**



1381 **WT. KG/M - 0.212**




1382 **WT. KG/M - 0.115**




1542 **WT. KG/M - 0.642**


TABLE OF CONTENTS




1599 **WT. KG/M - 1.871**




1593 **WT. KG/M - 1.688**




1601 **WT. KG/M - 1.884**




1580 WT. KG/M - 1.071



1579 WT. KG/M - 1.007




1538 WT. KG/M - 4.535




MISCELLANEOUS

1558 **WT. KG/M - 0.471**




1559 **WT. KG/M - 0.233**


TABLE OF CONTENTS




1547 **WT. KG/M - 0.483**




1572 **WT. KG/M - 0.477**




4570 **WT. KG/M - 0.576**




1628 **WT. KG/M - 0.104**



1261 **WT. KG/M - 0.964**




1615 **WT. KG/M - 0.478**




1664 **WT. KG/M - 0.180**


TABLE OF CONTENTS




1640 **WT. KG/M - 0.934**




1641 **WT. KG/M - 0.051**




1635 **WT. KG/M - 0.081**




1566 **WT. KG/M - 0.328**




1567 **WT. KG/M - 0.323**




1605 **WT. KG/M - 0.642**



1606 **WT. KG/M - 1.342**



1316 **WT. KG/M - 0.410**



1317 **WT. KG/M - 0.267**






TABLE OF CONTENTS


1315 **WT. KG/M - 0.621**




1313 **WT. KG/M - 0.308**




1347 **WT. KG/M - 0.389**



1348 **WT. KG/M - 0.109**



1275 **WT. KG/M - 0.916**



1107 **WT. KG/M - 0.147**





TABLE OF CONTENTS

1520 **WT. KG/M - 2.500**



1521 **WT. KG/M - 2.380**





TABLE OF CONTENTS

1545 **WT. KG/M - 2.899**



1544 **WT. KG/M - 2.040**






TABLE OF CONTENTS


1573 **WT. KG/M - 1.850**



1552 **WT. KG/M - 2.555**



4796 **WT. KG/M - 0.825**



1604 **WT. KG/M - 0.535**






TABLE OF CONTENTS


1718 **WT. KG/M - 0.317**




1757 **WT. KG/M - 2.823**




1704 **WT. KG/M - 1.308**



1746 **WT. KG/M - 3.268**




1589 **WT. KG/M - 2.618**




MISCELLANEOUS


1742 **WT. KG/M - 1.015**




1743 **WT. KG/M - 0.809**




1582 **WT. KG/M - 0.662**




1583 **WT. KG/M - 0.778**



1634 **WT. KG/M - 1.187**



1739 **WT. KG/M - 2.408**



1745 **WT. KG/M - 0.703**






TABLE OF CONTENTS


1728 **WT. KG/M - 0.645**




4562 **WT. KG/M - 1.146**



1829 **WT. KG/M - 0.181**



4734 **WT. KG/M - 0.513**



1772 **WT. KG/M - 0.515**






TABLE OF CONTENTS


1588 **WT. KG/M - 1.463**




1575 **WT. KG/M - 0.119**




1590 **WT. KG/M - 0.150**



1636 **WT. KG/M - 0.242**



1331 **WT. KG/M - 0.057**



1629 **WT. KG/M - 1.353**






TABLE OF CONTENTS


1574 **WT. KG/M - 0.735**



1653 **WT. KG/M - 2.157**



1685 **WT. KG/M - 1.296**



1686 **WT. KG/M - 1.570**






TABLE OF CONTENTS

1683 **WT. KG/M - 1.660**



1511 **WT. KG/M - 1.569**



1698 **WT. KG/M - 0.820**






TABLE OF CONTENTS


1678 **WT. KG/M - 1.414**



1761 **WT. KG/M - 0.901**




1519 **WT. KG/M - 1.210**




1568 **WT. KG/M - 0.522**


TABLE OF CONTENTS




1506 **WT. KG/M - 0.653**




1847 **WT. KG/M - 1.458**




1515 **WT. KG/M - 0.211**



1881 **WT. KG/M - 0.991**




1504 **WT. KG/M - 0.425**



1507 **WT. KG/M - 0.674**

TABLE OF CONTENTS



1402 **WT. KG/M - 11.573**






TABLE OF CONTENTS


1793 **WT. KG/M - 1.008**



1794 **WT. KG/M - 1.120**



1910 **WT. KG/M - 1.451**



4110 **WT. KG/M - 0.664**






TABLE OF CONTENTS


1355 **WT. KG/M - 0.197**




1358 **WT. KG/M - 0.190**




1379 **WT. KG/M - 0.304**




3509 **WT. KG/M - 0.245**



1845 **WT. KG/M - 0.240**



1846 **WT. KG/M - 0.237**




3605 **WT. KG/M - 1.374**




TABLE OF CONTENTS


1915 **WT. KG/M - 2.104**



1385 **WT. KG/M - 0.223**



1386 **WT. KG/M - 0.215**



1352 **WT. KG/M - 0.858**






TABLE OF CONTENTS


1165 **WT. KG/M - 0.944**




1193 **WT. KG/M - 0.430**




1195 **WT. KG/M - 0.661**



1198 **WT. KG/M - 0.600**




1372 **WT. KG/M - 0.326**




1512 **WT. KG/M - 0.140**


TABLE OF CONTENTS




1513 **WT. KG/M - 0.151**




1868 **WT. KG/M - 0.202**




1869 **WT. KG/M - 0.822**




1401 **WT. KG/M - 0.247**



1886 **WT. KG/M - 0.472**




1887 **WT. KG/M - 0.585**



MISCELLANEOUS

1111 **WT. KG/M - 0.867**



1144 **WT. KG/M - 0.222**






TABLE OF CONTENTS


1163 **WT. KG/M - 0.261**



1180 **WT. KG/M - 0.194**



1143 **WT. KG/M - 1.842**



1110 **WT. KG/M - 5.624**




TABLE OF CONTENTS

1841 **WT. KG/M - 3.025**






TABLE OF CONTENTS

3534 **WT. KG/M - 3.002**




1222 **WT. KG/M - 0.181**


TABLE OF CONTENTS




1223 **WT. KG/M - 0.311**




1224 **WT. KG/M - 0.721**




1215 **WT. KG/M - 0.908**



1213 **WT. KG/M - 0.117**



1216 **WT. KG/M - 0.838**



1214 **WT. KG/M - 0.284**




TABLE OF CONTENTS

1484 **WT. KG/M - 7.236**




TABLE OF CONTENTS

1498 WT. KG/M - 6.769





TABLE OF CONTENTS




1501 **WT. KG/M - 0.529**
1501A **WT. KG/M - 0.575**


TABLE OF CONTENTS




1505 **WT. KG/M - 0.555**
1505A **WT. KG/M - 0.578**




1502 **WT. KG/M - 0.309**
1502A **WT. KG/M - 0.361**



1503 **WT. KG/M - 0.241**
1503A **WT. KG/M - 0.270**



1208 **WT. KG/M - 0.571**



1209 **WT. KG/M - 0.356**






TABLE OF CONTENTS


1217 **WT. KG/M - 0.638**




1218 **WT. KG/M - 0.360**




1935 **WT. KG/M - 0.665**



1937 **WT. KG/M - 0.610**



1975 **WT. KG/M - 0.792**



1492 WT. KG/M - 1.523






TABLE OF CONTENTS

1493 WT. KG/M - 1.407




1494 **WT. KG/M - 0.411**


TABLE OF CONTENTS




1495 **WT. KG/M - 1.238**




1496 **WT. KG/M - 1.527**




1497 **WT. KG/M - 0.419**



1499 **WT. KG/M - 0.193**




1207 **WT. KG/M - 0.575**




1251 **WT. KG/M - 1.280**


TABLE OF CONTENTS




1235 **WT. KG/M - 1.293**




1250 **WT. KG/M - 1.001**




1265 **WT. KG/M - 0.255**




1337 **WT. KG/M - 0.395**




1324 **WT. KG/M - 0.270**




1303 **WT. KG/M - 0.156**




1333 **WT. KG/M - 0.555**



1335 **WT. KG/M - 0.634**



1276 **WT. KG/M - 0.352**



1314 **WT. KG/M - 0.953**




TABLE OF CONTENTS

1488 **WT. KG/M - 6.482**




TABLE OF CONTENTS

1487 **WT. KG/M - 2.168**




TABLE OF CONTENTS

1221 **WT. KG/M - 2.635**





TABLE OF CONTENTS

1955 **WT. KG/M - 2.594**



1954 **WT. KG/M - 2.848**






TABLE OF CONTENTS


4576 **WT. KG/M - 0.140**




4524 **WT. KG/M - 0.125**




4551 **WT. KG/M - 0.112**




4568 **WT. KG/M - 0.117**



4555 **WT. KG/M - 0.106**



4561 **WT. KG/M - 0.123**



4171 **WT. KG/M - 0.135**





TABLE OF CONTENTS


Ceiling / AC Grill Profiles

4401 WT. KG/M - 0.115


TABLE OF CONTENTS




4445 WT. KG/M - 0.116




4862 WT. KG/M - 0.102




4402 WT. KG/M - 0.118




4430 WT. KG/M - 0.113




4436 WT. KG/M - 0.073




4823 WT. KG/M - 0.133



4608 WT. KG/M - 0.072



4681 WT. KG/M - 0.117



4207 WT. KG/M - 0.124






TABLE OF CONTENTS


4458 **WT. KG/M - 0.104**




4801 **WT. KG/M - 0.129**




4403 **WT. KG/M - 0.077**




4473 **WT. KG/M - 0.080**




4814 **WT. KG/M - 0.085**




4683 **WT. KG/M - 0.080**




4474 **WT. KG/M - 0.163**




4809 **WT. KG/M - 0.089**



4408 **WT. KG/M - 0.097**




4288 **WT. KG/M - 0.165**




4854 **WT. KG/M - 0.084**


TABLE OF CONTENTS




4439 **WT. KG/M - 0.086**




4459 **WT. KG/M - 0.102**




4672 **WT. KG/M - 0.070**




4414 **WT. KG/M - 0.116**




4603 **WT. KG/M - 0.145**




4699 **WT. KG/M - 0.089**




4698 **WT. KG/M - 0.222**




4256 **WT. KG/M - 0.089**




4471 **WT. KG/M - 0.120**




8243 **WT. KG/M - 0.239**




4201 **WT. KG/M - 0.137**




8249 **WT. KG/M - 0.120**




8250 **WT. KG/M - 0.186**



8289 **WT. KG/M - 0.082**




8290 **WT. KG/M - 0.063**




4841 WT. KG/M - 0.168


TABLE OF CONTENTS




4685 WT. KG/M - 0.193




4203 WT. KG/M - 0.115




4278 WT. KG/M - 0.145




8412 WT. KG/M - 0.178



8441 WT. KG/M - 0.095




4419 **WT. KG/M - 0.103**




4609 **WT. KG/M - 0.106**


TABLE OF CONTENTS




4883 **WT. KG/M - 0.109**




4679 **WT. KG/M - 0.121**




4415 **WT. KG/M - 0.140**




4452 **WT. KG/M - 0.152**




4266 **WT. KG/M - 0.112**



4611 **WT. KG/M - 0.158**




4435 **WT. KG/M - 0.130**




4412 **WT. KG/M - 0.152**


TABLE OF CONTENTS




4421 **WT. KG/M - 0.150**




4429 **WT. KG/M - 0.167**




4457 **WT. KG/M - 0.184**




4413 **WT. KG/M - 0.169**




4619 **WT. KG/M - 0.177**



4686 **WT. KG/M - 0.195**



4840 **WT. KG/M - 0.195**



4499 **WT. KG/M - 0.090**






TABLE OF CONTENTS


4490 **WT. KG/M - 0.108**




4453 **WT. KG/M - 0.152**




4422 **WT. KG/M - 0.196**




4620 **WT. KG/M - 0.204**




4455 **WT. KG/M - 0.191**




1529 **WT. KG/M - 0.262**




4454 **WT. KG/M - 0.142**



4621 **WT. KG/M - 0.147**



4601 **WT. KG/M - 0.103**



4602 **WT. KG/M - 0.169**






TABLE OF CONTENTS


4482 **WT. KG/M - 0.148**




4651 **WT. KG/M - 0.130**




4663 **WT. KG/M - 0.117**



8254 **WT. KG/M - 0.207**



8253 **WT. KG/M - 0.218**



4824 **WT. KG/M - 0.208**






TABLE OF CONTENTS


4860 **WT. KG/M - 0.402**




4240 **WT. KG/M - 0.455**




4804 **WT. KG/M - 0.192**



4494 **WT. KG/M - 0.250**



4493 **WT. KG/M - 0.198**



4803 **WT. KG/M - 0.251**






TABLE OF CONTENTS


4667 **WT. KG/M - 0.273**




4438 **WT. KG/M - 0.190**




4442 **WT. KG/M - 0.262**



4204 **WT. KG/M - 0.204**



4606 **WT. KG/M - 0.243**



4404 **WT. KG/M - 0.210**






TABLE OF CONTENTS


4427 **WT. KG/M - 0.229**




8247 **WT. KG/M - 0.256**




4607 **WT. KG/M - 0.284**




4426 **WT. KG/M - 0.286**




4695 **WT. KG/M - 0.244**



8458 **WT. KG/M - 0.188**




4687 **WT. KG/M - 0.230**




1655 **WT. KG/M - 0.670**


TABLE OF CONTENTS




4640 **WT. KG/M - 0.318**



4489 **WT. KG/M - 0.253**



8446 **WT. KG/M - 0.222**



8457 **WT. KG/M - 0.247**






TABLE OF CONTENTS


4405 **WT. KG/M - 0.286**




4826 **WT. KG/M - 0.582**



4669 **WT. KG/M - 0.743**




4889 **WT. KG/M - 0.939**




4467 **WT. KG/M - 0.226**


TABLE OF CONTENTS




4652 **WT. KG/M - 0.257**




4448 **WT. KG/M - 0.246**



4443 **WT. KG/M - 0.265**



4416 **WT. KG/M - 0.230**



4417 **WT. KG/M - 0.262**






TABLE OF CONTENTS


4477 **WT. KG/M - 0.190**




4226 **WT. KG/M - 0.218**




4227 **WT. KG/M - 0.288**




4478 **WT. KG/M - 0.250**



4680 **WT. KG/M - 0.237**




4206 **WT. KG/M - 0.328**




4225 **WT. KG/M - 0.302**


TABLE OF CONTENTS




4479 **WT. KG/M - 0.246**



4205 **WT. KG/M - 0.278**



8413 **WT. KG/M - 0.232**



8408 **WT. KG/M - 0.501**






TABLE OF CONTENTS


8218 **WT. KG/M - 0.227**




4265 **WT. KG/M - 0.177**




8203 **WT. KG/M - 0.282**




8204 **WT. KG/M - 0.433**




8248 **WT. KG/M - 0.297**




8414 **WT. KG/M - 0.244**




4410 **WT. KG/M - 0.245**




4428 **WT. KG/M - 0.216**




4463 **WT. KG/M - 0.216**




4464 **WT. KG/M - 0.227**




4456 **WT. KG/M - 0.234**



4447 **WT. KG/M - 0.189**



4472 **WT. KG/M - 0.225**



4819 **WT. KG/M - 0.333**






TABLE OF CONTENTS


4622 **WT. KG/M - 0.772**




4835 **WT. KG/M - 0.523**




4820 **WT. KG/M - 0.780**




4676 **WT. KG/M - 0.702**




4411 **WT. KG/M - 0.416**




4425 **WT. KG/M - 0.440**




4626 **WT. KG/M - 0.406**




4476 **WT. KG/M - 0.374**



4451 **WT. KG/M - 0.454**




4839 **WT. KG/M - 0.485**




4845 **WT. KG/M - 0.468**


TABLE OF CONTENTS




4684 **WT. KG/M - 0.355**




8229 **WT. KG/M - 0.473**




8488 **WT. KG/M - 0.353**



8489 **WT. KG/M - 0.268**




4257 **WT. KG/M - 0.281**




4671A **WT. KG/M - 0.299**


TABLE OF CONTENTS




4604 **WT. KG/M - 0.352**




4811 **WT. KG/M - 0.355**




4842 **WT. KG/M - 0.361**




4849 **WT. KG/M - 0.352**




4697 **WT. KG/M - 0.312**




4433 **WT. KG/M - 0.343**




4817 **WT. KG/M - 0.342**



4218 **WT. KG/M - 0.384**




4407 **WT. KG/M - 0.390**




4229 **WT. KG/M - 0.343**


TABLE OF CONTENTS




4843 **WT. KG/M - 0.400**




4409 **WT. KG/M - 0.391**




4431 **WT. KG/M - 0.443**




4209 **WT. KG/M - 0.434**




4449 **WT. KG/M - 0.424**




4469 **WT. KG/M - 0.435**




4485 **WT. KG/M - 0.382**




4270 **WT. KG/M - 0.271**




8231 **WT. KG/M - 0.269**




8232 **WT. KG/M - 0.266**




8233 **WT. KG/M - 0.317**




8234 **WT. KG/M - 0.426**




8264 **WT. KG/M - 0.262**



8460 **WT. KG/M - 0.295**



8459 **WT. KG/M - 0.292**



8479 **WT. KG/M - 0.350**






TABLE OF CONTENTS


8473 **WT. KG/M - 0.745**




8474 **WT. KG/M - 0.786**




8475 **WT. KG/M - 0.867**




8476 **WT. KG/M - 0.907**




8477 **WT. KG/M - 0.948**




4825 **WT. KG/M - 0.400**




4406 **WT. KG/M - 0.380**




4822 **WT. KG/M - 0.387**




4816 **WT. KG/M - 0.375**




4432 **WT. KG/M - 0.443**




4810 **WT. KG/M - 0.432**




4806 **WT. KG/M - 0.419**



4418 **WT. KG/M - 0.380**




4420 **WT. KG/M - 0.434**




4434 **WT. KG/M - 0.345**


TABLE OF CONTENTS




4605 **WT. KG/M - 0.325**




4838 **WT. KG/M - 0.478**




4642 **WT. KG/M - 0.531**



4821 **WT. KG/M - 0.437**



4673A **WT. KG/M - 0.348**



4674A **WT. KG/M - 0.363**






TABLE OF CONTENTS


4624 **WT. KG/M - 0.553**




4625 **WT. KG/M - 0.550**




4848 **WT. KG/M - 0.429**




4450 **WT. KG/M - 0.449**




4484 **WT. KG/M - 0.381**




4888 **WT. KG/M - 0.380**




4696 **WT. KG/M - 0.361**




4861 **WT. KG/M - 0.505**




4639 **WT. KG/M - 0.384**




4677 **WT. KG/M - 0.441**




4219 **WT. KG/M - 0.399**




4208 **WT. KG/M - 0.431**




4653 **WT. KG/M - 0.385**




4228 **WT. KG/M - 0.332**




4258 **WT. KG/M - 0.279**




4264 **WT. KG/M - 0.392**




4268 **WT. KG/M - 0.465**




4246 **WT. KG/M - 0.499**




8205 **WT. KG/M - 0.520**




8255 **WT. KG/M - 0.388**




8262 **WT. KG/M - 0.362**




8251 **WT. KG/M - 0.416**




8434 **WT. KG/M - 0.273**




8435 **WT. KG/M - 0.278**




8436 **WT. KG/M - 0.260**




8437 **WT. KG/M - 0.222**




8438 **WT. KG/M - 0.302**




8439 **WT. KG/M - 0.346**




8409 **WT. KG/M - 0.388**



8410 **WT. KG/M - 0.393**




4486 **WT. KG/M - 0.315**




4475 **WT. KG/M - 0.286**


TABLE OF CONTENTS




4446 **WT. KG/M - 0.438**




4815 **WT. KG/M - 0.420**




4481 **WT. KG/M - 0.270**




4856 **WT. KG/M - 0.258**



4423 **WT. KG/M - 0.235**



4424 **WT. KG/M - 0.274**



4837 **WT. KG/M - 0.368**






TABLE OF CONTENTS


4496 **WT. KG/M - 0.358**




4497 **WT. KG/M - 0.311**




4498 **WT. KG/M - 0.243**




4465 **WT. KG/M - 0.340**



4808 **WT. KG/M - 0.323**



1509 **WT. KG/M - 0.321**



1510 **WT. KG/M - 0.491**






TABLE OF CONTENTS


4252 **WT. KG/M - 0.585**




4253 **WT. KG/M - 0.697**




4247 **WT. KG/M - 0.493**




4251 **WT. KG/M - 0.586**



4248 **WT. KG/M - 0.511**



4250 **WT. KG/M - 0.598**



4249 **WT. KG/M - 0.524**






TABLE OF CONTENTS


8219 **WT. KG/M - 0.653**




8220 **WT. KG/M - 0.626**




8221 **WT. KG/M - 0.499**




8222 **WT. KG/M - 0.471**




8223 **WT. KG/M - 0.444**



4920 **WT. KG/M - 0.555**



8224 **WT. KG/M - 0.136**



8225 **WT. KG/M - 0.146**






TABLE OF CONTENTS


8235 **WT. KG/M - 0.597**




8236 **WT. KG/M - 0.523**




8237 **WT. KG/M - 0.550**




8238 **WT. KG/M - 0.566**




8239 **WT. KG/M - 0.497**



8240 **WT. KG/M - 0.521**




4267 **WT. KG/M - 0.461**




4244 **WT. KG/M - 0.308**


TABLE OF CONTENTS



4241 **WT. KG/M - 1.138**



4242 **WT. KG/M - 0.633**



4243 **WT. KG/M - 0.752**






TABLE OF CONTENTS


4290 **WT. KG/M - 0.548**




4291 **WT. KG/M - 0.522**




4287 **WT. KG/M - 0.887**




4295 **WT. KG/M - 0.741**




4283 **WT. KG/M - 0.569**




4269 **WT. KG/M - 0.439**




4286 **WT. KG/M - 0.357**




4282 **WT. KG/M - 0.279**




8256 **WT. KG/M - 0.290**




8257 **WT. KG/M - 0.584**



8261 **WT. KG/M - 0.227**



4922 **WT. KG/M - 0.586**



4933 **WT. KG/M - 0.373**






TABLE OF CONTENTS


4937 **WT. KG/M - 0.570**




4938 **WT. KG/M - 0.517**



4940 **WT. KG/M - 0.763**



8258 **WT. KG/M - 0.317**



4279 **WT. KG/M - 0.319**

TABLE OF CONTENTS




4292 **WT. KG/M - 0.322**




4297 **WT. KG/M - 0.349**




8259 **WT. KG/M - 0.375**




4280 **WT. KG/M - 0.198**




4284 **WT. KG/M - 0.237**



4281 **WT. KG/M - 0.092**




4285 **WT. KG/M - 0.108**




4298 **WT. KG/M - 0.286**


TABLE OF CONTENTS




4299 **WT. KG/M - 0.207**




4277 **WT. KG/M - 0.204**




4296 **WT. KG/M - 0.338**




4273 **WT. KG/M - 0.297**



4289 **WT. KG/M - 0.131**



4487 **WT. KG/M - 0.098**



8265 **WT. KG/M - 0.190**





TABLE OF CONTENTS

4918 **WT. KG/M - 1.210**



4263 **WT. KG/M - 1.460**





TABLE OF CONTENTS

4262 WT. KG/M - 1.640



4261 WT. KG/M - 1.104





TABLE OF CONTENTS

4274 **WT. KG/M - 0.885**



4275 **WT. KG/M - 1.649**




TABLE OF CONTENTS

4276 **WT. KG/M - 0.979**



4934 **WT. KG/M - 0.730**





TABLE OF CONTENTS

8266 **WT. KG/M - 1.195**



8288 **WT. KG/M - 0.190**






TABLE OF CONTENTS


4440 **WT. KG/M - 0.200**




8202 **WT. KG/M - 0.199**




1514 **WT. KG/M - 0.191**




4441 **WT. KG/M - 0.205**




4468 **WT. KG/M - 0.192**



4259 **WT. KG/M - 0.188**



4682 **WT. KG/M - 0.205**



4495 **WT. KG/M - 0.257**






TABLE OF CONTENTS


8241 **WT. KG/M - 0.230**




4812 **WT. KG/M - 0.287**




8201 **WT. KG/M - 0.443**




4818 **WT. KG/M - 0.416**



4272 **WT. KG/M - 0.253**



8252 **WT. KG/M - 0.408**



4460 **WT. KG/M - 0.708**






TABLE OF CONTENTS


4462 **WT. KG/M - 0.305**




4912 **WT. KG/M - 0.229**




4913 **WT. KG/M - 0.128**




4863 **WT. KG/M - 0.171**




4444 **WT. KG/M - 0.254**




4675 **WT. KG/M - 0.145**



4245 **WT. KG/M - 0.208**




4237 **WT. KG/M - 0.205**




4480 **WT. KG/M - 0.083**


TABLE OF CONTENTS




4254 **WT. KG/M - 0.193**




4260 **WT. KG/M - 0.130**




4907 **WT. KG/M - 1.160**




4908 **WT. KG/M - 0.478**




4857 **WT. KG/M - 0.525**




4483 **WT. KG/M - 0.371**




4802 **WT. KG/M - 0.240**



4807 **WT. KG/M - 1.354**



4466 **WT. KG/M - 1.563**



4678 **WT. KG/M - 0.686**






TABLE OF CONTENTS

4461 **WT. KG/M - 0.716**



8260 **WT. KG/M - 0.871**



4834 **WT. KG/M - 0.909**






TABLE OF CONTENTS

4884 **WT. KG/M - 0.782**



8212 **WT. KG/M - 0.595**



4271 **WT. KG/M - 0.809**






TABLE OF CONTENTS

4492 **WT. KG/M - 0.751**



4692 **WT. KG/M - 1.110**



8478 **WT. KG/M - 0.988**






TABLE OF CONTENTS

4470 **WT. KG/M - 0.781**



4491 **WT. KG/M - 1.166**



4668 **WT. KG/M - 1.210**






TABLE OF CONTENTS


4805 **WT. KG/M - 0.697**



4836 **WT. KG/M - 0.410**




4693 **WT. KG/M - 0.444**




4488 **WT. KG/M - 0.556**


TABLE OF CONTENTS



4437 **WT. KG/M - 0.675**



4828 **WT. KG/M - 0.669**



4694 **WT. KG/M - 0.399**






TABLE OF CONTENTS


4890 **WT. KG/M - 0.805**



4827 **WT. KG/M - 0.700**




4855 **WT. KG/M - 0.972**




4902 **WT. KG/M - 0.358**


TABLE OF CONTENTS




4904 **WT. KG/M - 0.402**




4901 **WT. KG/M - 0.678**



4903 **WT. KG/M - 0.492**




4905 **WT. KG/M - 0.386**



4906 WT. KG/M - 1.037

TABLE OF CONTENTS



4909 WT. KG/M - 1.685







TABLE OF CONTENTS

Handrails and Balusters


HAND RAIL & BALUSTRADES

TABLE OF CONTENTS


4721 **WT. KG/M - 0.945**




4762 **WT. KG/M - 1.503**




4516 **WT. KG/M - 0.205**




4550 **WT. KG/M - 0.914**



4120 **WT. KG/M - 0.274**



4565 **WT. KG/M - 0.477**



4515 **WT. KG/M - 0.334**
4515A **WT. KG/M - 0.383**






TABLE OF CONTENTS


4114 **WT. KG/M - 0.295**




4127 **WT. KG/M - 0.272**




4112 **WT. KG/M - 0.551**




4126 **WT. KG/M - 0.419**



4113 **WT. KG/M - 0.821**




4134 **WT. KG/M - 0.629**




8316 **WT. KG/M - 1.094**


TABLE OF CONTENTS



4720 **WT. KG/M - 1.290**
4720A **WT. KG/M - 1.411**



1962 **WT. KG/M - 0.571**



4514 **WT. KG/M - 0.350**
4514A **WT. KG/M - 0.387**






TABLE OF CONTENTS


4716 **WT. KG/M - 1.441**




4509 **WT. KG/M - 0.600**




4763 **WT. KG/M - 1.365**




4564 **WT. KG/M - 1.375**




1795 **WT. KG/M - 1.930**




4340 **WT. KG/M - 0.943**



4725 **WT. KG/M - 1.690**



4559 **WT. KG/M - 0.764**




HAND RAIL & BALUSTRADES

1706 **WT. KG/M - 0.414**


1706A **WT. KG/M - 0.480**

TABLE OF CONTENTS




1707 **WT. KG/M - 0.594**

1707A **WT. KG/M - 0.631**




1705 **WT. KG/M - 0.343**

1705A **WT. KG/M - 0.385**




1710 **WT. KG/M - 0.503**


1710A **WT. KG/M - 0.585**



1799 **WT. KG/M - 0.441**



1777 **WT. KG/M - 1.443**



1917 **WT. KG/M - 0.410**





TABLE OF CONTENTS

1987 **WT. KG/M - 4.254**



3602 **WT. KG/M - 0.667**





TABLE OF CONTENTS

4386 **WT. KG/M - 1.878**



8397 **WT. KG/M - 2.060**






TABLE OF CONTENTS


1940 **WT. KG/M - 4.401**




8128 **WT. KG/M - 0.775**



8129 **WT. KG/M - 1.180**



8130 **WT. KG/M - 0.391**



Hinged series for Doors and Windows


TABLE OF CONTENTS






4501 **WT. KG/M - 0.160**


TABLE OF CONTENTS




4502 **WT. KG/M - 0.240**
4502A **WT. KG/M - 0.201**




4578 **WT. KG/M - 0.883**



4504 **WT. KG/M - 0.545**
4504A **WT. KG/M - 0.583**




4505 **WT. KG/M - 0.425**
4505A **WT. KG/M - 0.480**




HINGED DOOR & WINDOW 42MM


4701 **WT. KG/M - 0.653**
4701A **WT. KG/M - 0.752**




4702 **WT. KG/M - 0.667**
4702A **WT. KG/M - 0.724**




4703 **WT. KG/M - 0.581**
4703A **WT. KG/M - 0.648**




4704 **WT. KG/M - 0.581**
4704A **WT. KG/M - 0.675**



4705 **WT. KG/M - 0.761**
4705A **WT. KG/M - 0.790**




4706 **WT. KG/M - 0.761**
4706A **WT. KG/M - 0.867**




HINGED DOOR & WINDOW 42MM

4707 **WT. KG/M - 0.938**
4707A **WT. KG/M - 0.997**




4742 **WT. KG/M - 0.651**


TABLE OF CONTENTS




4510 **WT. KG/M - 0.159**
4510A **WT. KG/M - 0.181**



4529 **WT. KG/M - 0.203**




4708 **WT. KG/M - 1.300**
4708A **WT. KG/M - 1.460**




HINGED DOOR & WINDOW 42MM

TABLE OF CONTENTS


4739 **WT. KG/M - 1.175**



4503 **WT. KG/M - 0.867**
4503A **WT. KG/M - 0.760**
4503B **WT. KG/M - 0.976**




4738 **WT. KG/M - 1.053**




HINGED DOOR & WINDOW 42MM

TABLE OF CONTENTS


8345 **WT. KG/M - 1.142**




4181 **WT. KG/M - 0.281**



4182 **WT. KG/M - 0.564**




4180 **WT. KG/M - 0.757**




HINGED DOOR & WINDOW 42MM

TABLE OF CONTENTS

4152 **WT. KG/M - 0.650**




4153 **WT. KG/M - 0.610**




HINGED DOOR & WINDOW 42MM

8312 **WT. KG/M - 0.510**


TABLE OF CONTENTS




8313 **WT. KG/M - 0.510**



8319 **WT. KG/M - 0.851**




8317 **WT. KG/M - 0.623**




HINGED DOOR & WINDOW 42MM

8315 **WT. KG/M - 1.015**


TABLE OF CONTENTS



8318 **WT. KG/M - 0.980**



8120 **WT. KG/M - 0.922**







TABLE OF CONTENTS


Fixed light series

TABLE OF CONTENTS

4535 **WT. KG/M - 0.737**



4755 **WT. KG/M - 1.296**
4755A **WT. KG/M - 1.386**




Door Partitions

TABLE OF CONTENTS




4797 **WT. KG/M - 0.373**


TABLE OF CONTENTS




4798 **WT. KG/M - 0.430**



4799 **WT. KG/M - 0.456**



4567 **WT. KG/M - 0.060**



Sliding series for Doors and Windows


TABLE OF CONTENTS



SLIDING WINDOW 100 MM

TABLE OF CONTENTS

4709	WT. KG/M - 1.250
4709A	WT. KG/M - 1.464
4709S	WT. KG/M - 1.220



4710	WT. KG/M - 1.600
4710A	WT. KG/M - 1.767
4710S	WT. KG/M - 1.532






TABLE OF CONTENTS

4359 **WT. KG/M - 1.887**




4107 **WT. KG/M - 0.595**




SLIDING DOOR & WINDOW 100 MM

TABLE OF CONTENTS


4511 **WT. KG/M - 0.950**
4511A **WT. KG/M - 1.072**



4512 **WT. KG/M - 1.250**
4512A **WT. KG/M - 1.400**




4513 **WT. KG/M - 0.500**
4513A **WT. KG/M - 0.560**




SLIDING WINDOW 100 MM

4713 **WT. KG/M - 0.845**
4713A **WT. KG/M - 0.880**


TABLE OF CONTENTS




4712 **WT. KG/M - 0.820**
4712A **WT. KG/M - 0.895**




4714 **WT. KG/M - 0.863**
4714A **WT. KG/M - 0.960**




4528 **WT. KG/M - 0.616**



4736 **WT. KG/M - 0.710**




4737 **WT. KG/M - 0.770**




SLIDING WINDOW 100 MM


4106 **WT. KG/M - 0.707**




4360 **WT. KG/M - 0.843**




4361 **WT. KG/M - 0.931**




4711 **WT. KG/M - 0.489**
4711A **WT. KG/M - 0.527**



4506 **WT. KG/M - 0.674**
4506A **WT. KG/M - 0.730**




4108 **WT. KG/M - 0.353**




SLIDING & WINDOW 100 MM

4717 **WT. KG/M - 0.618**
4717A **WT. KG/M - 0.730**

TABLE OF CONTENTS



4718 **WT. KG/M - 0.500**
4718A **WT. KG/M - 0.590**




4727 **WT. KG/M - 0.786**
4727A **WT. KG/M - 0.898**



4719 **WT. KG/M - 0.403**
4719A **WT. KG/M - 0.475**



4740 **WT. KG/M - 0.808**
4740A **WT. KG/M - 0.832**



4745 **WT. KG/M - 0.600**
4745A **WT. KG/M - 0.617**






TABLE OF CONTENTS


4536 **WT. KG/M - 0.608**




1535 **WT. KG/M - 0.273**



1536 **WT. KG/M - 0.140**



4533 **WT. KG/M - 0.084**



4526 **WT. KG/M - 0.092**





TABLE OF CONTENTS

4309 **WT. KG/M - 2.060**



4101 **WT. KG/M - 1.180**





TABLE OF CONTENTS

4758 **WT. KG/M - 1.566**



4117 **WT. KG/M - 1.196**





TABLE OF CONTENTS

4163 **WT. KG/M - 1.318**



8353 **WT. KG/M - 1.683**





TABLE OF CONTENTS

8352 **WT. KG/M - 2.200**



8344 **WT. KG/M - 1.292**






TABLE OF CONTENTS


4540 **WT. KG/M - 0.795**




4759 **WT. KG/M - 0.776**




4760 **WT. KG/M - 0.805**




4541 **WT. KG/M - 0.237**



4539 **WT. KG/M - 0.682**




4165 **WT. KG/M - 0.832**




4164 **WT. KG/M - 0.251**


TABLE OF CONTENTS



8382 **WT. KG/M - 0.740**



8121 **WT. KG/M - 0.611**



8376 **WT. KG/M - 1.221**






TABLE OF CONTENTS


4369 **WT. KG/M - 2.044**



4370 **WT. KG/M - 2.710**




4368 **WT. KG/M - 1.331**




45 MM HINGED DOORS & WINDOWS


4116 **WT. KG/M - 0.881**




4118 **WT. KG/M - 0.583**




4371 **WT. KG/M - 0.673**



8358 **WT. KG/M - 0.998**



4115 **WT. KG/M - 0.442**



4161 **WT. KG/M - 0.630**






TABLE OF CONTENTS


4310 WT. KG/M - 1.645



4311 WT. KG/M - 0.962




4329 WT. KG/M - 0.898




45 MM HINGED DOORS & WINDOWS

4330 **WT. KG/M - 1.095**


TABLE OF CONTENTS



4102 **WT. KG/M - 0.616**



4331 **WT. KG/M - 1.050**



4332 **WT. KG/M - 1.048**






TABLE OF CONTENTS


8354 **WT. KG/M - 1.199**




8347 **WT. KG/M - 1.079**



8327 **WT. KG/M - 0.500**




8377 **WT. KG/M - 0.474**




45 MM HINGED DOORS & WINDOWS

8357 **WT. KG/M - 1.475**


TABLE OF CONTENTS




8356 **WT. KG/M - 1.475**



8355 **WT. KG/M - 1.114**




8342 **WT. KG/M - 0.883**




45 MM HINGED DOORS & WINDOWS

TABLE OF CONTENTS


4333 **WT. KG/M - 1.195**



4334 **WT. KG/M - 0.435**



8359 **WT. KG/M - 0.454**



4335 **WT. KG/M - 1.432**






TABLE OF CONTENTS

8371 **WT. KG/M - 0.857**



8372 **WT. KG/M - 1.143**



8373 **WT. KG/M - 1.344**






TABLE OF CONTENTS


8332 **WT. KG/M - 1.372**



8331 **WT. KG/M - 1.102**



4155 **WT. KG/M - 1.372**



4156 **WT. KG/M - 0.235**






TABLE OF CONTENTS

8366 **WT. KG/M - 3.411**




8333 **WT. KG/M - 0.958**


TABLE OF CONTENTS



4157 **WT. KG/M - 0.648**



8330 **WT. KG/M - 0.877**



8343 **WT. KG/M - 1.102**





TABLE OF CONTENTS

8384 **WT. KG/M - 1.157**



8385 **WT. KG/M - 0.999**





TABLE OF CONTENTS

4394 **WT. KG/M - 3.454**



4397 **WT. KG/M - 1.308**






TABLE OF CONTENTS


8329 **WT. KG/M - 2.177**




8328 **WT. KG/M - 0.908**



4154 **WT. KG/M - 0.309**



8360 **WT. KG/M - 0.977**



8361 **WT. KG/M - 1.021**






TABLE OF CONTENTS

4398 **WT. KG/M - 2.263**



4177 **WT. KG/M - 1.403**



4178 **WT. KG/M - 0.295**





TABLE OF CONTENTS

8349 **WT. KG/M - 2.139**



8350 **WT. KG/M - 2.631**





TABLE OF CONTENTS

8380 **WT. KG/M - 2.170**



8379 **WT. KG/M - 2.626**





TABLE OF CONTENTS

8368 WT. KG/M - 2.987



8386 WT. KG/M - 1.380






TABLE OF CONTENTS

8362 **WT. KG/M - 2.742**



4162 **WT. KG/M - 1.216**



4166 **WT. KG/M - 1.273**





TABLE OF CONTENTS

4395 **WT. KG/M - 3.889**



4399 **WT. KG/M - 1.764**





TABLE OF CONTENTS

8369 **WT. KG/M - 2.482**



8387 **WT. KG/M - 1.033**





TABLE OF CONTENTS

8351 **WT. KG/M - 2.509**



8346 **WT. KG/M - 2.728**






TABLE OF CONTENTS

8139 **WT. KG/M - 0.110**



8535 **WT. KG/M - 1.374**



8114 **WT. KG/M - 1.965**





TABLE OF CONTENTS

8381 **WT. KG/M - 2.684**



8383 **WT. KG/M - 0.919**






TABLE OF CONTENTS

8363 **WT. KG/M - 2.703**




1979 **WT. KG/M - 3.245**



4392 WT. KG/M - 2.739

TABLE OF CONTENTS



4393 WT. KG/M - 1.584






TABLE OF CONTENTS

4396 **WT. KG/M - 4.760**




4537 **WT. KG/M - 0.310**


TABLE OF CONTENTS




4538 **WT. KG/M - 0.392**



4519 **WT. KG/M - 0.599**




4527 **WT. KG/M - 0.691**




CORNER CLEAT ANGLE

TABLE OF CONTENTS

8334 **WT. KG/M - 1.485**




8335 **WT. KG/M - 2.039**




CORNER CLEAT ANGLE

1534 **WT. KG/M - 1.267**


TABLE OF CONTENTS



4376 **WT. KG/M - 2.649**




4362 **WT. KG/M - 4.416**



CORNER CLEAT ANGLE

TABLE OF CONTENTS


8348 **WT. KG/M - 6.630**




CORNER CLEAT ANGLE

TABLE OF CONTENTS

4169 **WT. KG/M - 2.701**




4170 **WT. KG/M - 3.054**



CORNER CLEAT ANGLE

TABLE OF CONTENTS

4109 **WT. KG/M - 4.382**



4133 **WT. KG/M - 3.674**






TABLE OF CONTENTS


4337 **WT. KG/M - 2.078**




4342 **WT. KG/M - 0.730**




4595 **WT. KG/M - 1.006**



4599 **WT. KG/M - 0.614**




4104 **WT. KG/M - 0.550**




SLIDING WINDOW 55 MM

4517 **WT. KG/M - 0.567**


TABLE OF CONTENTS




4518 **WT. KG/M - 0.654**




4741 **WT. KG/M - 0.430**




4724 **WT. KG/M - 0.491**
4724A **WT. KG/M - 0.553**




4754 **WT. KG/M - 0.362**



4747 **WT. KG/M - 0.459**



4722 **WT. KG/M - 0.416**
4722A **WT. KG/M - 0.471**



4723 **WT. KG/M - 0.442**
4723A **WT. KG/M - 0.492**






TABLE OF CONTENTS


4352 **WT. KG/M - 1.005**




4353 **WT. KG/M - 1.047**



4350 **WT. KG/M - 0.821**



4167 **WT. KG/M - 0.739**



8519 **WT. KG/M - 1.244**






TABLE OF CONTENTS

4374 **WT. KG/M - 2.443**



4375 **WT. KG/M - 1.985**






TABLE OF CONTENTS

Thermal Break systems


THERMAL BREAK SLIDING

TABLE OF CONTENTS


4387 **WT. KG/M - 0.929**




4388 **WT. KG/M - 0.788**



4390 **WT. KG/M - 1.132**



4389 **WT. KG/M - 1.017**



4391 **WT. KG/M - 0.792**






TABLE OF CONTENTS

8520 **WT. KG/M - 0.865**



8521 **WT. KG/M - 0.654**







TABLE OF CONTENTS


Amplimesh

TABLE OF CONTENTS

4530 **WT. KG/M - 0.430**



4748 **WT. KG/M - 0.567**



8374 **WT. KG/M - 0.746**




TABLE OF CONTENTS


Panelling systems




PANELLING SECTIONS

TABLE OF CONTENTS


4726 **WT. KG/M - 0.693**
4726A **WT. KG/M - 0.794**




8311 **WT. KG/M - 0.508**



4746 **WT. KG/M - 0.692**




4779 **WT. KG/M - 0.570**




PANELLING SECTIONS

TABLE OF CONTENTS


1537 **WT. KG/M - 0.964**




1647 **WT. KG/M - 2.067**




4347 **WT. KG/M - 0.442**



4121 **WT. KG/M - 0.702**



4174 **WT. KG/M - 0.414**



PANELLING SECTIONS

8365 **WT. KG/M - 1.774**






TABLE OF CONTENTS

8367 **WT. KG/M - 0.579**



8370 **WT. KG/M - 0.350**



8378 **WT. KG/M - 0.475**




TABLE OF CONTENTS

Louvres






TABLE OF CONTENTS

4549 **WT. KG/M - 0.621**



4532 **WT. KG/M - 0.700**



4150 **WT. KG/M - 0.820**






TABLE OF CONTENTS

4547 **WT. KG/M - 1.573**



4525 **WT. KG/M - 0.350**
4525A **WT. KG/M - 0.408**



4119 **WT. KG/M - 0.347**





TABLE OF CONTENTS

4123 **WT. KG/M - 1.570**



4571 **WT. KG/M - 0.656**






TABLE OF CONTENTS


4546 **WT. KG/M - 1.223**



4103 **WT. KG/M - 1.17**




4520 **WT. KG/M - 0.397**
4520A **WT. KG/M - 0.448**




4545 **WT. KG/M - 0.487**


TABLE OF CONTENTS



4577 **WT. KG/M - 0.601**




4176 **WT. KG/M - 0.705**



4531 **WT. KG/M - 0.859**

TABLE OF CONTENTS



4548 **WT. KG/M - 0.916**





TABLE OF CONTENTS

4569 **WT. KG/M - 0.760**



4125 **WT. KG/M - 0.691**





TABLE OF CONTENTS

4579 **WT. KG/M - 1.080**



4670 **WT. KG/M - 0.766**





TABLE OF CONTENTS

4580 **WT. KG/M - 1.018**



4623 **WT. KG/M - 0.854**





TABLE OF CONTENTS

For Kitchens




4766 **WT. KG/M - 0.317**

4766A **WT. KG/M - 0.285**




4355 **WT. KG/M - 0.348**


TABLE OF CONTENTS




4743 **WT. KG/M - 0.380**




4364 **WT. KG/M - 0.413**




4731 **WT. KG/M - 0.356**




4356 **WT. KG/M - 0.313**



4732 **WT. KG/M - 0.300**




4365 **WT. KG/M - 0.371**




4733 **WT. KG/M - 0.310**


TABLE OF CONTENTS




4744 **WT. KG/M - 0.343**




4366 **WT. KG/M - 0.402**




4357 **WT. KG/M - 0.337**




4756 **WT. KG/M - 0.265**
4756A **WT. KG/M - 0.237**
4756B **WT. KG/M - 0.212**




4757 **WT. KG/M - 0.300**
4757A **WT. KG/M - 0.270**
4757B **WT. KG/M - 0.240**




4367 **WT. KG/M - 0.320**



4761 **WT. KG/M - 0.284**




4767 **WT. KG/M - 0.233**
4767B **WT. KG/M - 0.216**




4343 **WT. KG/M - 0.348**


TABLE OF CONTENTS




4771 **WT. KG/M - 0.269**
4771B **WT. KG/M - 0.244**




4770 **WT. KG/M - 0.269**
4770B **WT. KG/M - 0.244**




4344 **WT. KG/M - 0.403**




4556 **WT. KG/M - 0.079**




8388 **WT. KG/M - 0.303**



8389 **WT. KG/M - 0.184**




4544 **WT. KG/M - 0.639**




4553 **WT. KG/M - 0.120**


TABLE OF CONTENTS




4552 **WT. KG/M - 0.307**




4130 **WT. KG/M - 0.085**




4574 **WT. KG/M - 0.105**




4554 **WT. KG/M - 0.074**



4543 **WT. KG/M - 0.576**




4542 **WT. KG/M - 0.250**




4776 **WT. KG/M - 0.451**


TABLE OF CONTENTS




8314 **WT. KG/M - 0.335**




4775 **WT. KG/M - 0.645**




4777 **WT. KG/M - 0.400**



4557 **WT. KG/M - 0.234**




1581 **WT. KG/M - 0.208**




4778 **WT. KG/M - 0.194**

4778B **WT. KG/M - 0.181**




4560 **WT. KG/M - 0.075**


TABLE OF CONTENTS




4780 **WT. KG/M - 0.645**



4793 **WT. KG/M - 0.748**



4795 **WT. KG/M - 0.425**



4301 **WT. KG/M - 0.287**






TABLE OF CONTENTS


4558 **WT. KG/M - 2.978**




4302 **WT. KG/M - 0.390**
4302A **WT. KG/M - 0.395**




4303 **WT. KG/M - 0.517**
4303A **WT. KG/M - 0.523**




4772 **WT. KG/M - 0.396**




4768 **WT. KG/M - 0.478**



4773 **WT. KG/M - 0.387**



4774 **WT. KG/M - 0.301**



4584 **WT. KG/M - 0.248**






TABLE OF CONTENTS


4585 **WT. KG/M - 0.115**




4590 **WT. KG/M - 0.171**




4591 **WT. KG/M - 0.384**




4592 **WT. KG/M - 0.264**




4593 **WT. KG/M - 0.646**



4594 **WT. KG/M - 0.320**



1736 **WT. KG/M - 0.856**



1522 **WT. KG/M - 1.125**






TABLE OF CONTENTS


1523 **WT. KG/M - 1.064**




1525 **WT. KG/M - 1.254**



1526 **WT. KG/M - 0.588**



1524 **WT. KG/M - 0.580**



1508 **WT. KG/M - 1.275**





TABLE OF CONTENTS


Curtain wall systems

4715 WT. KG/M - 1.732
4715A WT. KG/M - 1.889
4715B WT. KG/M - 1.600




4377 WT. KG/M - 1.563

TABLE OF CONTENTS



4728 WT. KG/M - 1.394
4728A WT. KG/M - 1.496



4729 WT. KG/M - 2.047
4729A WT. KG/M - 2.133






TABLE OF CONTENTS

4345 **WT. KG/M - 1.394**




4752 **WT. KG/M - 2.900**




4354 **WT. KG/M - 1.984**

8337 **WT. KG/M - 1.948**




4327 **WT. KG/M - 2.445**

4327A **WT. KG/M - 2.385**




4328 **WT. KG/M - 1.869**


TABLE OF CONTENTS



4534 **WT. KG/M - 1.820**




4105 **WT. KG/M - 1.08**




4373 WT. KG/M - 2.990

TABLE OF CONTENTS




4336 WT. KG/M - 2.573




4765 **WT. KG/M - 1.890**


TABLE OF CONTENTS




4358 **WT. KG/M - 1.500**




4124 **WT. KG/M - 1.615**



4111 **WT. KG/M - 1.508**




4764 **WT. KG/M - 1.568**




4346 **WT. KG/M - 1.217**


TABLE OF CONTENTS




4522 **WT. KG/M - 0.402**



4508 **WT. KG/M - 0.278**



4523 **WT. KG/M - 0.516**



4507 **WT. KG/M - 0.430**






TABLE OF CONTENTS


4521 **WT. KG/M - 0.351**




4730 **WT. KG/M - 0.537**



4132 **WT. KG/M - 0.518**



4129 **WT. KG/M - 0.173**



8505 **WT. KG/M - 2.445**






TABLE OF CONTENTS


4781 **WT. KG/M - 1.320**



4782 **WT. KG/M - 2.622**




4351 **WT. KG/M - 2.045**



8517 **WT. KG/M - 2.500**

TABLE OF CONTENTS



8518 **WT. KG/M - 2.010**




TABLE OF CONTENTS

4385 **WT. KG/M - 3.333**







TABLE OF CONTENTS


Shutter systems

4735 **WT. KG/M - 0.832**


TABLE OF CONTENTS




4322 **WT. KG/M - 0.595**




4769 **WT. KG/M - 0.498**




4751 **WT. KG/M - 0.490**



1528 **WT. KG/M - 0.325**




4339 **WT. KG/M - 0.263**



4315 **WT. KG/M - 0.583**



4318 **WT. KG/M - 0.653**







TABLE OF CONTENTS

Ducting systems

7105 **WT. KG/M - 0.280**


7105A **WT. KG/M - 0.181**

TABLE OF CONTENTS



7103 **WT. KG/M - 0.176**


7103A **WT. KG/M - 0.136**




1740 **WT. KG/M - 0.307**



7114 **WT. KG/M - 0.202**



7102 **WT. KG/M - 0.290**



7104 **WT. KG/M - 0.255**

7104A **WT. KG/M - 0.171**






TABLE OF CONTENTS


7106 **WT. KG/M - 0.203**



7108 **WT. KG/M - 0.391**



7101 **WT. KG/M - 0.418**



7107 **WT. KG/M - 0.428**




TABLE OF CONTENTS

INDEX

SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N
1107	60	1303	85	1428	52	1513	75
1110	75A	1305	48	1429	52	1514	136
1111	75A	1308	48	1430	52	1515	71
1143	75A	1313	60	1432	52	1516	39
1144	75A	1314	85	1450	51	1517	39
1163	75A	1315	60	1451	52	1518	39
1165	74A	1316	60	1452	51	1519	70
1180	75A	1317	60	1458	51	1520	61
1193	74A	1322	48	1484	78	1521	61
1195	74A	1324	84	1487	87	1522	226
1198	74A	1325	48	1488	86	1523	226
		1331	67	1492	82	1524	226
1207	83	1333	85	1493	82	1525	226
1208	80	1335	85	1494	83	1526	226
1209	80	1337	84	1495	83	1527	55
1213	77	1346	48	1496	83	1528	235
1214	77	1347	60	1497	83	1529	98
1215	77	1348	60	1498	79	1530	55
1216	77	1350	55A	1499	83	1531	39
1217	81	1352	74			1532	39
1218	81	1355	73A	1501	80	1533	46
1221	88	1358	73A	1501A	80	1534	196
1222	77	1365	55A	1502	80	1535	173
1223	77	1368	55A	1502A	80	1536	173
1224	77	1369	55A	1503	80	1537	207
1235	84	1372	74A	1503A	80	1538	57
1250	84	1379	73A	1504	72	1539	40
1251	84	1380	55A	1505	80	1540	40
1258	50	1381	55A	1505A	80	1541	40
1261	58	1382	55A	1506	71	1542	56
1265	84	1385	74	1507	72	1544	62
1275	60	1386	74	1508	226	1545	62
1276	85			1509	122	1546	55
1291	48	1401	75	1510	122	1547	58
1292	55A	1402	72	1511	69	1551	50
		1419	54	1512	75	1552	63

TABLE OF CONTENTS

INDEX

SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N
1553	38	1616	46	1710	155	1752	32
1554	38	1617	47	1710A	155	1753	32
1558	58	1619	46	1711	42	1754	35
1559	58	1628	58	1712	36	1755	42
1560	47	1629	68	1713	37	1756	46
1562	66	1631	47	1714	37	1757	64
1566	59	1632	46	1715	38	1760	26
1567	59	1634	65	1716	28	1761	70
1568	71	1635	59	1717	36	1765	37
1569	50	1636	67	1718	64	1767	43
1571	53	1640	59	1719	38	1771	31
1572	58	1641	59	1720	33	1772	66
1573	63	1642	38	1721	33	1775	45
1574	68	1647	207	1722	33	1776	37
1575	67	1653	68	1723	33	1777	155
1579	57	1655	103	1724	31	1785	29
1580	57	1664	59	1725	42	1787	27
1581	222	1678	70	1726	43	1789	45
1582	65	1682	50	1728	66	1793	73
1583	65	1683	69	1730	38	1794	73
1585	53	1685	68	1731	37	1795	154
1586	49	1686	68	1733	41	1799	155
1587	49	1698	69	1736	225	1829	66
1588	67			1737	31	1841	76
1589	64	1701	29	1738	30	1845	75A
1590	67	1702	29	1739	65	1846	75A
1593	56	1703	26	1740	236	1847	71
1594	47	1704	64	1741	33	1866	38
1598	39	1705	155	1742	65	1868	75
1599	56	1705A	155	1743	65	1869	75
		1706	155	1745	66	1881	71
1601	56	1706A	155	1746	64	1882	54
1604	64	1707	155	1748	41	1886	75
1605	59	1707A	155	1749	41	1887	75
1606	59	1708	41	1750	37	1910	73
1615	58	1709	41	1751	31	1915	74

TABLE OF CONTENTS

INDEX

SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N
1916	31	2109	1	2520	4	2556	5
1917	155	2110	1	2521	4	2557	5
1920	32			2522	4	2558	5
1926	30	2201	2	2523	6	2559	5
1927	30	2202	2	2524	6	2560	6
1935	81	2203	2	2525	4	2561	6
1937	81	2204	2	2526	6	2562	5
1938	26	2205	2	2527	4	2563	4
1940	156A	2206	2	2528	4	2564	6
1942	34	2207	2	2529	4	2565	6
1943	34	2208	2	2530	5	2566	4
1944	27	2209	2	2531	4	2567	5
1945	28	2210	2	2532	5	2568	5
1948	34	2211	2	2533	5	2569	6
1953	29			2534	4	2571	4
1954	89	2301	3	2535	5	2572	4
1955	89	2302	3	2536	6	2573	6
1956	44			2537	4	2574	6
1960	34	2501	4	2538	6	2575	4
1961	34	2502	5	2539	5	2576	5
1962	152	2503	5	2540	5	2577	4
1973	44	2504	5	2541	5	2578	6
1974	35	2505	4	2542	5	2579	4
1975	81	2506	6	2543	6	2580	4
1979	193	2507	5	2544	5	2581	4
1987	155A	2508	4	2545	6		
1990	35	2509	4	2546	4	2801	7
		2510	4	2547	6	2802	7
2101	1	2511	5	2548	5	2803	7
2102	1	2512	4	2549	5		
2103	1	2513	5	2550	6	2901	8
2104	1	2514	5	2551	6	2902	8
2105	1	2515	4	2552	5	2903	8
2106	1	2517	4	2553	5	2904	8
2107	1	2518	5	2554	6	2905	8
2108	1	2519	4	2555	4	2906	8

TABLE OF CONTENTS

INDEX

SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N
2907	8	3310	10	3346	12	4110	73
2908	8	3311	10	3347	11	4111	231
2909	8	3312	11	3349	10	4112	151
2910	8	3313	11	3350	10	4113	151
2911	8	3314	12	3351	10	4114	151
2912	8	3315	11	3352	10	4115	181
2913	8	3316	10	3353	10	4116	181
2914	8	3317	12	3354	11	4117	175
2915	8	3318	11	3355	10	4118	181
2916	8	3319	11	3358	11	4119	210
2917	8	3320	10	3360	10	4120	150
2918	8	3321	11	3362	12	4121	207
		3322	12	3363	10	4123	211
3101	9	3323	11	3364	11	4124	231
3102	9	3324	11	3365	12	4125	215
3103	9	3325	11	3366	10	4126	151
3104	9	3326	11	3367	11	4127	151
3105	9	3327	12	3368	11	4129	233
3106	9	3328	12	3369	10	4130	221
3107	9	3329	10	3370	11	4132	233
3108	9	3330	11			4133	199
3109	9	3331	11	3509	73A	4134	151
3110	9	3332	10	3534	76A	4150	209
3111	9	3333	11			4152	162
3112	9	3334	11	3602	155A	4153	162
3113	9	3335	10	3605	73A	4154	189
		3336	12			4155	187
3301	10	3337	10	4101	174	4156	187
3302	11	3338	10	4102	183	4157	188
3303	11	3339	10	4103	212	4161	181
3304	11	3340	10	4104	200	4162	191
3305	11	3341	10	4105	229	4163	176
3306	11	3342	10	4106	171	4164	179
3307	10	3343	10	4107	168	4165	179
3308	10	3344	10	4108	171	4166	191
3309	11	3345	11	4109	199	4167	202

TABLE OF CONTENTS

INDEX

SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N
4169	198	4249	123	4286	128	4339	235
4170	198	4250	123	4287	127	4340	154
4171	90	4251	123	4288	92	4341	32
4174	207	4252	123	4289	130	4342	200
4176	213	4253	123	4290	127	4343	220
4177	189A	4254	139	4291	127	4344	220
4178	189A	4256	94	4292	129	4345	228
4180	161	4257	113	4295	127	4346	232
4181	161	4258	120	4296	130	4347	207
4182	161	4259	136	4297	129	4350	202
		4260	139	4298	130	4351	234
4201	94	4261	132	4299	130	4352	202
4203	95	4262	132			4353	202
4204	101	4263	131	4301	223	4354	228
4205	107	4264	120	4302	224	4355	218
4206	106	4265	108	4302A	224	4356	218
4207	91	4266	96	4303	224	4357	219
4208	119	4267	126	4303A	224	4358	231
4209	114	4268	120	4309	174	4359	168
4218	113	4269	128	4310	182	4360	171
4219	119	4270	114	4311	182	4361	171
4225	107	4271	142	4315	235	4362	196
4226	106	4272	137	4318	235	4364	218
4227	106	4273	130	4322	235	4365	218
4228	119	4274	133	4327	229	4366	219
4229	114	4275	133	4327A	229	4367	219
4237	139	4276	134	4328	229	4368	180
4240	100	4277	130	4329	182	4369	180
4241	126	4278	95	4330	183	4370	180
4242	126	4279	129	4331	183	4371	181
4243	126	4280	129	4332	183	4372	32
4244	126	4281	129	4333	186	4373	230
4245	138	4282	128	4334	186	4374	203
4246	120	4283	127	4335	186	4375	203
4247	123	4284	129	4336	230	4376	196
4248	123	4285	129	4337	200	4377	227

TABLE OF CONTENTS

INDEX

SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N
4385	234B	4421	97	4457	97	4493	100
4386	156	4422	98	4458	92	4494	100
4387	204	4423	121	4459	93	4495	136
4388	204	4424	121	4460	138	4496	122
4389	204	4425	111	4461	141	4497	122
4390	204	4426	102	4462	138	4498	122
4391	204	4427	102	4463	109	4499	97
4392	193A	4428	109	4464	109		
4393	193A	4429	97	4465	122	4501	157
4394	188B	4430	91	4466	140	4502	157
4395	191A	4431	114	4467	105	4502A	157
4396	193B	4432	116	4468	136	4503	160
4397	188B	4433	113	4469	114	4503A	160
4398	189A	4434	117	4470	144	4503B	160
4399	191A	4435	97	4471	94	4504	157
		4436	91	4472	109	4504A	157
4401	91	4437	146	4473	92	4505	157
4402	91	4438	101	4474	92	4505A	157
4403	92	4439	93	4475	121	4506	171
4404	101	4440	136	4476	111	4506A	171
4405	104	4441	136	4477	106	4507	232
4406	116	4442	101	4478	106	4508	232
4407	114	4443	105	4479	107	4509	153
4408	92	4444	138	4480	139	4510	159
4409	114	4445	91	4481	121	4510A	159
4410	109	4446	121	4482	99	4511	169
4411	111	4447	109	4483	140	4511A	169
4412	97	4448	105	4484	118	4512	169
4413	97	4449	114	4485	114	4512A	169
4414	93	4450	118	4486	121	4513	169
4415	96	4451	111	4487	130	4513A	169
4416	105	4452	96	4488	146	4514	152
4417	105	4453	98	4489	103	4514A	152
4418	116	4454	98	4490	98	4515	150
4419	96	4455	98	4491	144	4515A	150
4420	117	4456	109	4492	143	4516	150

TABLE OF CONTENTS

INDEX

SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N
4517	201	4551	90	4603	93	4680	106
4518	201	4552	221	4604	113	4681	91
4519	194	4553	221	4605	117	4682	136
4520	213	4554	221	4606	101	4683	92
4520A	213	4555	90	4607	102	4684	112
4521	233	4556	220	4608	91	4685	95
4522	232	4557	222	4609	96	4686	97
4523	232	4558	224	4611	96	4687	103
4524	90	4559	154	4619	97	4692	143
4525	210	4560	223	4620	98	4693	145
4525A	210	4561	90	4621	98	4694	146
4526	173	4564	154	4622	110	4695	102
4527	194	4565	150	4623	217	4696	119
4528	170	4567	166	4624	118	4697	113
4529	159	4568	90	4625	118	4698	93
4530	205	4569	215	4626	111	4699	93
4531	214	4570	58	4639	119		
4532	209	4571	211	4640	103	4701	158
4533	173	4574	221	4642	117	4701A	158
4534	229	4576	90	4651	99	4702	158
4535	165	4577	213	4652	105	4702A	158
4536	173	4578	157	4653	119	4703	158
4537	194	4579	216	4663	99	4703A	158
4538	194	4580	217	4667	101	4704	158
4539	178	4584	225	4668	144	4704A	158
4540	178	4585	225	4669	104	4705	158
4541	178	4590	225	4670	216	4705A	158
4542	221	4591	225	4671A	113	4706	158
4543	221	4592	225	4672	93	4706A	158
4544	221	4593	225	4673A	117	4707	159
4545	213	4594	225	4674A	117	4707A	159
4546	212	4595	200	4675	138	4708	159
4547	210	4599	200	4676	110	4708A	159
4548	214			4677	119	4709	167
4549	209	4601	98	4678	140	4709A	167
4550	150	4602	98	4679	96	4709S	167

TABLE OF CONTENTS

INDEX

SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N
4710	167	4728A	227	4759	178	4797	166
4710A	167	4729	227	4760	178	4798	166
4710S	167	4729A	227	4761	219	4799	166
4711	171	4730	233	4762	150		
4711A	171	4731	218	4763	153	4801	92
4712	170	4732	218	4764	232	4802	140
4712A	170	4733	219	4765	231	4803	100
4713	170	4734	66	4766	218	4804	100
4713A	170	4735	235	4766A	218	4805	145
4714	170	4736	170	4767	220	4806	116
4714A	170	4737	170	4767B	220	4807	140
4715	227	4738	160	4768	224	4808	122
4715A	227	4739	160	4769	235	4809	92
4715B	227	4740A	172	4770	220	4810	116
4716	153	4740	172	4770B	220	4811	113
4717	172	4741	201	4771	220	4812	137
4717A	172	4742	159	4771B	220	4814	92
4718	172	4743	218	4772	224	4815	121
4718A	172	4744	219	4773	224	4816	116
4719	172	4745	172	4774	224	4817	113
4719A	172	4745A	172	4775	222	4818	137
4720	152	4746	206	4776	222	4819	109
4720A	152	4747	201	4777	222	4820	110
4721	150	4748	205	4778	223	4821	117
4722	201	4751	235	4778B	223	4822	116
4722A	201	4752	228	4779	206	4823	91
4723	201	4754	201	4780	223	4824	99
4723A	201	4755	165	4781	234	4825	116
4724	201	4755A	165	4782	234	4826	104
4724A	201	4756	219	4783	36	4827	147
4725	154	4756A	219	4784	42	4828	146
4726	206	4756B	219	4785	42	4834	141
4726A	206	4757	219	4792	36	4835	110
4727	172	4757A	219	4793	223	4836	145
4727A	172	4757B	219	4795	223	4837	122
4728	227	4758	175	4796	63	4838	117

TABLE OF CONTENTS

INDEX

SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N
4839	111	4933	128	5131	14	5313	16
4840	97	4934	134	5132	14	5314	16
4841	95	4937	128A	5133	13	5315	17
4842	113	4938	128A	5134	14	5316	17A
4843	114	4940	128A	5135	13	5317	15
4845	112			5136	13	5318	17
4848	118	5101	13	5137	13	5319	17
4849	113	5102	13	5138	13	5320	15
4854	93	5103	14	5139	14	5321	15
4855	147	5104	14	5140	13	5322	16
4856	121	5105	14	5141	14	5323	17
4857	139	5106	14	5142	13	5324	17
4860	100	5107	13	5143	14	5325	16
4861	119	5108	13	5144	14	5326	15
4862	91	5109	13	5145	13	5327	16
4863	138	5110	13	5146	14A	5328	16
4883	96	5111	13	5147	14	5329	15
4884	142	5112	13	5148	14	5330	16
4888	118	5113	14	5149	13	5331	17
4889	104	5114	14	5150	14	5332	15
4890	147	5115	14	5151	14	5333	17A
		5116	13	5152	13	5334	17
4901	148	5117	13	5153	13	5335	17
4902	148	5118	13			5336	17
4903	148	5119	13	5301	15	5337	17
4904	148	5120	13	5302	17	5338	17
4905	148	5121	14	5303	16	5339	17
4906	149	5122	14	5304	16	5340	16
4907	139	5123	14	5305	17	5341	17
4908	139	5124	13	5306	16	5342	15
4909	149	5125	14	5307	16	5343	15
4912	138	5126	14A	5308	15	5344	17A
4913	138	5127	14	5309	16	5345	17
4918	131	5128	14	5310	17	5346	17
4920	124	5129	14A	5311	15	5347	15
4922	128	5130	14	5312	16	5348	16

TABLE OF CONTENTS

INDEX

SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N
5349	16	6019	19	6054	20	6093	21
5350	16	6020	18	6055	19	6094	21A
5351	16	6020A	18	6056	19	6096	19
5352	17	6021	21	6057	21	6098	20
5353	16	6022	20	6058	21A	6099	19
5354	15	6023	21	6059	19		
5355	15	6024	21	6060	18	6101	23
5356	15	6025	18	6061	21A	6102	23
5357	15	6026	20	6062	21	6103	23
5358	15	6027	21	6063	21A	6104	23
5359	17A	6028	21	6064	21A	6105	22
5360	17A	6029	21	6065	20	6106	22
5361	17	6030	21	6066	20	6107	22
5362	15	6031	20	6067	19	6108	22
5363	15	6032	18	6068	21A	6109	22
5364	16	6033	19	6069	21	6110	22
5365	15	6034	19	6070	21A	6111	23
		6035	19	6071	21A	6112	23
6001	20	6036	20	6072	21A	6113	22
6002	21	6037	18	6073	21A	6114	22
6003	20	6038	18	6074	21	6115	23
6004	20	6039	20	6075	21	6116	23
6005	18	6040	21	6076	21A	6117	23
6006	20	6041	20	6077	21A	6118	23
6007	20	6042	18	6078	21A	6119	23
6008	20	6043	19	6079	21	6120	22
6009	19	6044	19	6080	21A	6121	23
6010	20	6045	19	6081	21	6122	22
6011	18	6046	21	6082	21A	6123	22
6012	19	6047	21	6083	21A	6124	23
6013	18	6048	20	6085	21	6125	22
6014	18	6049	21	6086	19	6126	22
6015	19	6050	21A	6087	20	6127	22
6016	19	6051	20	6090	21A	6128	23
6017	18	6052	18	6091	19	6129	22
6018	20	6053	21	6092	20	6130	22

TABLE OF CONTENTS

INDEX

SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N
6131	23	6222	25	6504	19	7106	237
6132	23	6223	25	6505	19	7107	237
6133	22	6224	25	6506	18	7108	237
6134	22	6225	25	6507	19	7114	236
6135	22	6226	24	6508	21A		
6136	22	6227	25	6509	18	8113	189B
6137	22	6228	24	6510	18	8114	192A
6138	23	6229	25	6511	19	8120	164
6139	23	6230	25	6512	21	8121	179
6140	22	6231	24	6513	20	8128	156A
6141	23	6232	24	6514	18	8129	156A
6142	23	6233	24	6515	19	8130	156A
6143	23	6234	25	6516	20	8139	192A
6144	22	6235	25	6517	19		
		6236	24	6518	18	8201	137
6201	25	6237	25	6519	21	8202	136
6202	25	6238	24	6520	18	8203	108
6203	24	6239	25A	6521	21A	8204	108
6204	24	6240	25A	6522	18	8205	120
6205	25	6241	24	6523	18	8212	142
6206	25	6242	24	6524	21	8218	108
6207	24	6243	24	6525	18	8219	124
6208	25	6244	24	6526	21	8220	124
6209	24	6245	24	6527	18	8221	124
6210	24	6246	25	6528	19	8222	124
6211	25	6047	25	6529	18	8223	124
6212	25	6248	24	6531	20	8224	124
6213	24	6249	25			8225	124
6214	24	6250	25A	7101	237	8229	112
6215	24	6251	25	7102	236	8231	115
6216	24	6252	25A	7103	236	8232	115
6217	25	6253	25	7103A	236	8233	115
6218	24	6254	25	7104	236	8234	115
6219	25			7104A	236	8235	125
6220	24	6501	20	7105	236	8236	125
6221	24	6502	18	7105A	236	8237	125

INDEX							
SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N	SECTION NO.	PAGE N
8238	125	8319	163	8367	208	8441	95
8239	125	8327	184	8368	190B	8446	103
8240	125	8328	189	8369	191B	8457	103
8241	137	8329	189	8370	208	8459	115
8243	94	8330	188	8371	186A	8460	115
8247	102	8331	187	8372	186A	8473	115A
8248	108	8332	187	8373	186A	8474	115A
8249	94	8333	188	8374	205	8475	115A
8250	94	8334	195	8376	179	8476	115A
8251	120	8335	195	8377	184	8477	115A
8252	137	8337	228	8378	208	8478	143
8253	99	8342	185	8379	190A	8479	115
8254	99	8343	188	8380	190A	8488	112
8255	120	8344	177	8381	192B	8489	112
8256	128	8345	161	8382	179		
8257	128	8346	192	8383	192B	8505	233
8258	129	8347	184	8384	188A	8512	189B
8259	129	8348	197	8385	188A	8517	234A
8260	141	8349	190	8386	190B	8518	234A
8261	128	8350	190	8387	191B	8519	202
8262	120	8351	192	8388	220	8520	204A
8264	115	8352	177	8389	220	8521	204A
8265	130	8353	176	8397	156	8535	192A
8266	135	8354	184				
8288	135	8355	185	8408	107		
8289	94	8356	185	8409	120A		
8290	94	8357	185	8410	120A		
		8358	181	8412	95		
8311	206	8359	186	8413	107		
8312	163	8360	189	8414	108		
8313	163	8361	189	8434	120A		
8314	222	8362	191	8435	120A		
8315	164	8363	193	8436	120A		
8316	152	8364	35A	8437	120A		
8317	163	8365	208	8438	120A		
8318	164	8366	187A	8439	120A		

TABLE OF CONTENTS

General Catalogue

Volume One

EXTRUSION

P.O.Box - 1814, Umm Al Quwain, United Arab Emirates | Tel: +971 6 766 7177
Email: info@alhamadx.ae | www.alhamadx.ae