



US00PP17420P2

(12) **United States Plant Patent**
Zaias-Fast

(10) **Patent No.:** **US PP17,420 P2**
(45) **Date of Patent:** **Feb. 20, 2007**

(54) **MICROSORIUM PLANT NAMED ‘VP005’**

(50) Latin Name: *Microsorium punctatum*
Varietal Denomination: **VP005**

(76) Inventor: **Magaly Zaias-Fast**, 11068 NW. Third
St., Miami Beach, FL (US) 33071

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 29 days.

(21) Appl. No.: **11/166,650**

(22) Filed: **Jun. 25, 2005**

(51) **Int. Cl.**
A01H 5/00 (2006.01)

(52) **U.S. Cl.** **Plt./379**

(58) **Field of Classification Search** **Plt./379**
See application file for complete search history.

Primary Examiner—Kent Bell

(57) **ABSTRACT**

A new cultivar of *Microsorium* plant named ‘VP005’ that is
characterized by dark green curly fronds and a compact
habit.

1 Drawing Sheet

1

Botanical classification: *Microsorium punctatum*.
Variety denomination: ‘VP005’.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar
of *Microsorium* plant botanically known as *Microsorium*
punctatum and hereinafter referred to by the cultivar name
‘VP005’.

The new cultivar was discovered by the inventor in a
cultivated area of Miami, Fla. in May of 2000. ‘VP005’ was
discovered as a naturally occurring whole plant mutation of
an unnamed *Microsorium punctatum* (not patented).

Asexual reproduction by tissue culture of the new cultivar
‘VP005’ was first done in June of 2003 in Renesse, The
Netherlands. Since that time, under careful observation, the
unique characteristics of the new cultivar have been
uniform, stable and reproduced true to type in successive
generations of asexual reproduction.

SUMMARY OF THE INVENTION

The following represent the distinguishing characteristics
of the new *Microsorium* cultivar ‘VP005’. These traits in
combination distinguish ‘VP005’ as a new and distinct
cultivar apart from other known existing varieties of
Microsorium.

1. *Microsorium* ‘VP005’ exhibits curled frond margins.
2. *Microsorium* ‘VP005’ exhibits a compact habit.
3. *Microsorium* ‘VP005’ exhibits dark green fronds.

The new cultivar ‘VP005’ is distinguishable from the
parent *Microsorium* plant by the following characteristics:

1. ‘VP005’ has darker fronds.
2. ‘VP005’ has frond margins that are curled.
3. ‘VP005’ has a more compact habit.

The closest comparison cultivar is *Microsorium* ‘Cobra’
(not patented). The new cultivar ‘VP005’ is distinguishable
from ‘Cobra’ by the following characteristics:

1. ‘VP005’ has a more compact habit.

BRIEF DESCRIPTION OF THE DRAWING

The accompanying photograph illustrates the distinguish-
ing traits of *Microsorium* ‘VP005’. The photograph shows
an overall view of a 2 year old plant. The photograph was

2

taken using conventional techniques and although colors
may appear different from actual colors due to light reflec-
tance it is as accurate as possible by conventional photo-
graphic techniques.

BOTANICAL DESCRIPTION OF THE PLANT

The following is a detailed description of the new
Microsorium cultivar named ‘VP005’. Data was collected in
Renesse, Netherlands from 2 year old glass greenhouse
grown plants. The time of year was Winter. The average
temperature was 22° Centigrade during the day and 20°
Centigrade at night. The light level was natural outdoor
light. Color determinations are in accordance with The
Royal Horticultural Society Colour Chart 2001 edition,
except where general color terms of ordinary dictionary
significance are used. The growing requirements are similar
to the species.

‘VP005’ has not been tested under all possible conditions
and phenotypic differences may be observed with variations
in environmental, climatic, and cultural conditions,
however, without any variance in genotype.

Botanical classification: *Microsorium punctatum*.

Use: Ornamental perennial.

Plant type: Potted Plant.

Parentage: ‘VP005’ was discovered as a naturally occurring
whole plant mutation of an unnamed *Microsorium punc-*
tatum.

Vigor: Medium.

Growth habit: Upright.

Plant shape: Narrow inverted triangle.

Suitable container size: 12 cm.

Height: 41 cm. in height.

Width: 35 cm. in width.

Hardiness: USDA Zone 10.

Propagation: Tissue culture.

Crop time: From propagation, approximately 2 years are
required to produce a finished plant.

Time to initiate roots: 14 days at 22 degrees Centigrade.

Time to produce a rooted cutting or liner: 56 days in the
summer, 70 days in the winter.

Rhizomes: Dull, rough, 2.1 cm. in length between fronds
and 0.6 cm in diameter, color N199B.

Stem: None, fronds grow directly from roots.

Frond:
 Shape.—Flabellate to bifurcate.
 Aspect.—Upright, curled and twisted at the top.
 Quantity.—26 per plant.
 Length.—31 cm. in length.
 Width.—12.6 cm. in width.
 Apex.—Bifurcate to multifurcate, heavily crinkled and twisted.
 Base.—Narrow Cuneate.
 Texture.—Smooth, leathery.
 Margin.—Entire.
 Vein pattern.—Forked.
 Young color (lower surface).—143A to 144A.
 Young color (upper surface).—143A to 144A.

Mature color (lower surface).143A.
 Mature color (upper surface).—141A to 143A.
 Vein color (lower surface).—146A.
 Vein color (upper surface).—147B.
 Durability of fronds to stress.—High.
Rachis: None, fronds simple.
Pinnea: None, fronds simple.
Flower: None observed, no spores observed.
Disease and pest resistance: Has not been observed.
 It is claimed:
 1. A new and distinct variety of *Microsorium* plant named ‘VP005’ as described and illustrated.

* * * * *

