



US00PP28208P2

(12)

United States Plant Patent
Stemkens

(10)

Patent No.: US PP28,208 P2

(45)

Date of Patent: Jul. 18, 2017

(54)

PHLOX PLANT NAMED ‘PHOZ0003’

(50)

Latin Name: *Phlox subulata*
Varietal Denomination: PHOZ0003

(71)

Applicant: SYNGENTA PARTICIPATIONS AG,
Basel (CH)

(72)

Inventor: Henricus Godefridus Wilhelmus
Stemkens, Enkhuizen (NL)

(73)

Assignee: Syngenta Participations AG, Basel
(CH)

(*)

Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21)

Appl. No.: 14/999,432

(22)

Filed: May 3, 2016

(51)

Int. Cl.
A01H 5/02 (2006.01)

(52)

U.S. Cl.
USPC Plt./320

(58)

Field of Classification Search
USPC Plt./320
See application file for complete search history.

Primary Examiner — Annette Para

(74)

Attorney, Agent, or Firm — Dale Skalla

(57)

ABSTRACT
A new *Phlox* plant named ‘PHOZ0003’ particularly distin-
guished by large flowers, plant vigor, and upright habit.

1 Drawing Sheet

1

Latin name of the genus and species of the plant claimed:
Phlox subulata.
Varietal denomination: ‘PHOZ0003’.

BACKGROUND OF THE NEW PLANT

The present invention comprises a new and distinct vari-
ety botanically known as *Phlox subulata*, and hereinafter
referred to by the variety name ‘PHOZ0003’.

The new variety originated from a controlled hybridiza-
tion in April of 2009 in Enkhuizen, The Netherlands
between the female parent, proprietary *Phlox* plant ‘J7808-
1’ (unpatented), and the male parent, proprietary *Phlox* plant
‘J7803-1’ (unpatented).

‘PHOZ0003’ was first propagated by cuttings in Enkhui-
zen, The Netherlands in 2010 and has been subsequently
asexually propagated. ‘PHOZ0003’ has been found to retain
its distinctive characteristics through successive asexual
propagations via vegetative cuttings for more than 5 gen-
erations.

BRIEF SUMMARY OF THE INVENTION

The following are the most outstanding and distinguish-
ing characteristics of this new variety when grown under
normal horticultural practices in Enkhuizen, The Nether-
lands: 1. Large flowers, 2. Plant vigor, and 3. Upright habit.

Plant Breeder’s Rights applications for ‘PHOZ0003’ were
not filed yet ‘PHOZ0003’ has not been sold or made publicly
available more than one year prior to filing of this applica-
tion.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

This new *Phlox* plant is illustrated by the accompanying
photograph which shows the flower blooms and foliage of
the plant. The colors shown are as true as can be reasonably
obtained by conventional photographic procedures. Differ-
ences in the coloration of the blooms in the photograph are

2

due to age differences between the flowers. The photograph
was taken in Enkhuizen, The Netherlands in March of 2016.

BRIEF DESCRIPTION OF THE NEW VARIETY

The following detailed description sets forth the distinc-
tive characteristics of ‘PHOZ0003’. The data which defines
these characteristics were collected from asexual reproduc-
tions carried out in Enkhuizen, The Netherlands. The plant
history was taken on approximately 6 month old plants.
Color readings were taken under natural light.

Color references are made to The Royal Horticultural
Society Colour Chart (R.H.S.) 2001.

TABLE 1

DIFFERENCES BETWEEN THE NEW VARIETY ‘PHOZ0003’ AND A MOST SIMILAR VARIETY		
	‘PHOZ0003’	‘Emerald Cushion Blue’ (unpatented)
Flower color:	RHS 97D	RHS 97B
Flower size:	Larger	Smaller
Plant habit:	Upright	Prostrate habit

Plant:

Plant habit.—Compact, upright and mounded.

Growth habit.—Vigorous and freely-branching.

Form.—Compact.

Height (measured from the top of the soil).—15.0-23.0
cm.

Diameter or area of spread.—22.0-32.0 cm.

Diameter or area of spread (2-year old plant).—Ap-
proximately 60.0 cm.

Propagation.—Vegetative cuttings.

Time to produce a finished flowering plant.—25 to 30
weeks.

Lastingness of inflorescence on the plant.—4 days.

Outdoor plant performance.—Good.

Time to initiate and develop roots.—3 weeks.

Time to produce rooted cutting or liner (young
plant).—5 weeks.

Root description.—Many tiny roots.
Branches.—Habit — Semi-upright.
Number of branches per plant.—At least 25, quickly dividing into new branches.
Length of lateral branches.—22.0-32.0 cm.
Diameter of spread of lateral branches.—20.0 cm.

Stems:
Shape in cross-section.—Round.
Color.—RHS 137C.
Diameter.—1.0 mm.
Pubescence.—Very short hairs.

Leaves:
Arrangement.—Opposite.
Color.—Immature leaf (both upper and lower surfaces): RHS 137B. Mature leaf (both upper and lower surfaces): RHS 137A.
Apex.—Acute.
Base.—Truncated.
Margin.—Smooth.
Length.—17.0 mm.
Width.—25.0 mm.
Shape.—Acicular.
Texture.—Smooth.
Venation.—One single vein in the middle of the leaf.
Petiole.—Absent.

Peduncle:
Color.—RHS 137C.
Length.—23.0 mm.
Diameter.—0.6-0.8 mm.

Inflorescence:
Inflorescence type.—Cyme.
Blooming habit.—Abundant flowers.
Height.—45.0 mm.
Width.—55.0 mm.
Natural flowering season.—Spring (April to May).
Flower number per inflorescence.—3 to 6.
Fragrance.—No fragrance.

Flowers:
 Flower bud:
Length.—14.0 mm.
Width.—2 mm.
Color.—RHS 137B.

Pedicel:
Color.—RHS 137B.
Length.—12.0 mm.
Diameter.—0.6 mm.

5 Sepals:
Number.—5.
Shape.—Fused.
Length.—9.0 mm.
Width.—2.0 mm.
 10 *Color (both upper and lower surfaces).*—RHS 137B.

Corolla:
Length.—13.0 mm.
Width.—4.0 mm.

Petals:
 15 *Length.*—16.0 mm.
Width.—9.0 mm.
Number.—5.
Shape.—Obovate, fused at base.
 20 *Color.*—Upper surface (base color): RHS 97D. Upper surface (at center): RHS 95B (a small, yet very clear eye of 2 mm). Outside of corolla tube: RHS 97D.
Reproductive organs.—

Stamens:
 25 *Quantity (per flower).*—5.
Anther color.—RHS 12D.
Pollen color.—RHS 12C.

Pistil:
 30 *Quantity.*—1.
Color.—RHS 137C.
Size.—2.0 mm.

Style:
Length.—8.0 mm.
Shape.—Three lobes.
 35 *Disease and insect resistance.*—Not observed to date.
Pest resistance.—Not observed to date.

What is claimed is:

1. A new and distinct variety of *Phlox* plant named 'PHOZ0003' substantially as illustrated and described herein.

* * * * *

