

(12) **United States Plant Patent**
Stewart et al.

(10) **Patent No.:** **US PP35,158 P2**
(45) **Date of Patent:** **May 9, 2023**

(54) **STRAWBERRY PLANT NAMED ‘DRISSTRAWONEHUNDREDONE’**

(50) Latin Name: *Fragaria x ananassa*
Varietal Denomination:
DrisStrawOneHundredOne

(71) Applicant: **Driscoll’s, Inc.**, Watsonville, CA (US)

(72) Inventors: **Philip J. Stewart**, Watsonville, CA (US); **Kevin Coons**, Watsonville, CA (US); **Amy M. Edmondson**, Watsonville, CA (US); **Iana Kostina**, Watsonville, CA (US)

(73) Assignee: **Driscoll’s, Inc.**, Watsonville, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **17/855,310**

(22) Filed: **Jun. 30, 2022**

(51) **Int. Cl.**
A01H 5/08 (2018.01)
A01H 6/74 (2018.01)

(52) **U.S. Cl.**
USPC **Plt./209**
CPC **A01H 6/7409** (2018.05)

(58) **Field of Classification Search**
USPC Plt./209
CPC A01H 6/7409; A01H 5/08
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

PP1,745 P	8/1958	Lang
PP3,981 P	11/1976	Bringhurst et al.
PP4,487 P	11/1979	Bringhurst et al.
PP4,538 P	5/1980	Bringhurst et al.
PP5,262 P	7/1984	Voth et al.
PP5,265 P	7/1984	Voth et al.
PP5,266 P	7/1984	Bringhurst et al.
PP5,300 P	10/1984	Johnson, Jr. et al.
PP5,840 P	12/1986	Johnson, Jr. et al.
PP6,191 P	5/1988	Johnson, Jr. et al.
PP6,231 P	7/1988	Johnson, Jr. et al.
PP6,578 P	1/1989	Voth et al.
PP6,579 P	1/1989	Bringhurst et al.
PP7,024 P	9/1989	Johnson, Jr. et al.
PP7,172 P	2/1990	Voth et al.
PP7,522 P	5/1991	Johnson, Jr. et al.
PP7,614 P	8/1991	Bringhurst et al.
PP7,615 P	8/1991	Bringhurst et al.
PP8,086 P	1/1993	Nelson et al.
PP8,205 P	4/1993	Nelson et al.
PP8,649 P	3/1994	Sjulin et al.
PP8,661 P	3/1994	Bringhurst et al.
PP8,708 P	5/1994	Voth et al.
PP8,745 P	5/1994	Sjulin et al.
PP9,130 P	5/1995	Sjulin et al.
PP9,909 P	6/1997	Ackerman et al.
PP10,221 P	2/1998	Sjulin et al.
PP10,534 P	8/1998	Sjulin et al.
PP10,642 P	10/1998	Amorao et al.

PP11,035 P	8/1999	Mowrey et al.
PP11,277 P	3/2000	Gilford et al.
PP11,279 P	3/2000	Gilford et al.
PP11,522 P	9/2000	Amorao et al.
PP11,548 P	10/2000	Amorao et al.
PP11,554 P	10/2000	Sjulin et al.
PP11,639 P	11/2000	Mowrey et al.
PP12,186 P2	11/2001	Gilford et al.
PP12,436 P2	3/2002	Amorao et al.
PP12,577 P2	4/2002	Amorao et al.
PP12,817 P2	7/2002	Gilford et al.
PP12,899 P2	9/2002	Mowrey et al.
PP13,386 P2	12/2002	Mowrey et al.
PP13,469 P3	1/2003	Larson et al.
PP14,005 P3	7/2003	Amorao et al.
PP14,062 P3	8/2003	Amorao et al.
PP14,109 P3	8/2003	Gilford et al.
PP14,771 P3	5/2004	Amorao et al.
PP15,145 P2	9/2004	Mowrey et al.
PP15,308 P2	11/2004	Sjulin et al.
PP15,375 P2	11/2004	Mowrey et al.
PP15,435 P2	12/2004	Sjulin et al.
PP15,596 P2	3/2005	Amorao et al.
PP15,731 P2	4/2005	Amorao et al.
PP15,752 P2	5/2005	Gilford et al.
PP16,070 P2	10/2005	Gilford et al.
PP16,238 P2	2/2006	Amorao et al.
PP16,241 P2	2/2006	Mowrey et al.
PP16,298 P2	2/2006	Gilford et al.
PP16,299 P2	2/2006	Gilford et al.
PP16,475 P2	4/2006	Gilford et al.
PP16,558 P3	5/2006	Lopez
PP18,000 P2	9/2007	Meulenbroek
PP18,040 P3	9/2007	Mowrey et al.
PP18,041 P3	9/2007	Gilford
PP18,458 P2	1/2008	Ferguson et al.
PP18,575 P3	3/2008	Amorao et al.
PP18,878 P2	6/2008	Mowrey et al.
PP19,240 P2	9/2008	Gilford et al.
PP19,673 P3	2/2009	Ferguson et al.
PP19,767 P2	2/2009	Shaw et al.
PP20,248 P3	9/2009	Rogers et al.
PP20,363 P2	9/2009	Chandler
PP20,701 P2	2/2010	Gilford et al.
PP20,731 P2	2/2010	Mowrey et al.
PP20,733 P2	2/2010	Mowrey et al.
PP20,735 P2	2/2010	Ferguson
PP20,775 P2	2/2010	Mowrey et al.
PP20,922 P2	4/2010	Gilford et al.
PP21,538 P2	11/2010	Gilford et al.
PP21,559 P2	12/2010	Ferguson et al.
PP21,762 P2	3/2011	Stewart et al.
PP22,040 P3	7/2011	Stewart et al.
PP22,218 P2	11/2011	Ferguson et al.
PP22,247 P2	11/2011	Ferguson
PP23,107 P2	10/2012	Ferguson et al.
PP23,148 P2	10/2012	Gilford et al.
PP23,377 P2	2/2013	Ferguson et al.

(Continued)

Primary Examiner — Keith O. Robinson
(74) Attorney, Agent, or Firm — Morrison & Foerster LLP

(57) **ABSTRACT**

A new and distinct variety of strawberry plant named ‘DrisStrawOneHundredOne’, particularly selected for its fruit flavor as well as having large, glossy, and firm fruit, in addition to the plant having high yield potential and being healthy and vigorous, is disclosed.

(56)

References Cited

U.S. PATENT DOCUMENTS

PP23,378 P2

2/2013

Pullen et al.

PP23,382 P2

2/2013

Ferguson et al.

PP23,383 P2

2/2013

Ferguson et al.

PP23,400 P2

2/2013

Ferguson et al.

PP23,401 P2

2/2013

Pullen et al.

PP23,459 P2

3/2013

Stewart et al.

PP23,506 P3

4/2013

Ferguson et al.

PP23,517 P3

4/2013

Ferguson et al.

PP24,096 P3

12/2013

Fear et al.

PP24,317 P3

3/2014

Ferguson et al.

PP24,333 P3

3/2014

Vitten et al.

PP24,395 P3

4/2014

Vitten et al.

PP24,533 P3

6/2014

Ferguson et al.

PP24,745 P2

8/2014

Vitten et al.

PP25,408 P3

4/2015

Vitten et al.

PP25,437 P3

4/2015

Vitten et al.

PP25,698 P3

7/2015

Ferguson et al.

PP25,699 P3

7/2015

Stewart et al.

PP25,747 P3

7/2015

Kibbe et al.

PP25,866 P3

9/2015

Ferguson et al.

PP26,800 P3

6/2016

Stewart et al.

PP26,801 P3

6/2016

Stewart et al.

PP26,802 P3

6/2016

Rodriguez Alcazar et al.

PP27,442 P2

12/2016

Kibbe et al.

PP27,645 P3

2/2017

Vitten et al.

PP27,682 P3

2/2017

Kibbe et al.

PP27,711 P3

2/2017

Vitten et al.

PP27,813 P3

3/2017

Ferguson et al.

PP29,289 P3

5/2018

Vitten et al.

PP29,728 P2

10/2018

Stewart et al.

PP29,729 P2

10/2018

Kibbe et al.

PP29,730 P2

10/2018

Kibbe et al.

PP29,731 P2

10/2018

Ferguson et al.

PP29,747 P2

10/2018

Vitten et al.

PP29,748 P2

10/2018

Vitten et al.

PP29,749 P2

10/2018

Stewart et al.

PP30,775 P2

8/2019

Carrillo Mendoza et al.

PP30,789 P2

8/2019

Ferguson et al.

PP30,818 P2

8/2019

Pakozdi et al.

PP30,851 P2

8/2019

Fear et al.

PP30,936 P2

10/2019

Stewart et al.

PP31,083 P2

11/2019

Carrillo Mendoza et al.

PP31,233 P2

12/2019

Pakozdi et al.

PP31,527 P3

3/2020

Carrillo Mendoza et al.

PP31,655 P2

4/2020

Carrillo Mendoza et al.

PP31,703 P2

4/2020

Stewart et al.

PP31,827 P2

6/2020

Ferguson et al.

PP31,896 P2

6/2020

Pakozdi et al.

PP31,935 P2

7/2020

Pakozdi et al.

PP32,079 P2

8/2020

Carrillo Mendoza et al.

PP32,080 P2

8/2020

Ferguson et al.

PP32,271 P2

10/2020

Ferguson et al.

PP32,305 P3

10/2020

Pakozdi et al.

PP32,498 P2

11/2020

Mendoza et al.

PP32,499 P3

11/2020

Jacobs et al.

PP32,500 P3

11/2020

Stewart et al.

PP32,801 P2

2/2021

Ferguson et al.

PP32,814 P2

2/2021

Stewart et al.

PP32,824 P2

2/2021

Stewart et al.

PP33,070 P2

5/2021

Mendoza et al.

PP33,090 P2

5/2021

Mendoza et al.

PP33,283 P2

7/2021

Stewart et al.

PP33,513 P2

9/2021

Stewart et al.

PP33,737 P2

12/2021

Hernandez et al.

PP33,738 P2

12/2021

Stewart et al.

PP34,072 P2

3/2022

Mendoza et al.

PP34,212 P2

5/2022

Jacobs et al.

PP34,241 P2

5/2022

Pakozdi et al.

PP34,273 P2

5/2022

Mendoza et al.

PP34,274 P2

5/2022

Ferguson et al.

PP34,440 P2

7/2022

Nguyen et al.

PP34,441 P2

7/2022

Nguyen et al.

2003/0079263 P1

4/2003

Gilford et al.

2013/0276182 P1

10/2013

Fear et al.

1

STRAWBERRY PLANT NAMED
'DRISSTRAWONEHUNDREDONE'

Latin name:

Botanical classification: *Fragaria* x *ananassa*.

Varietal denomination: The varietal denomination of the claimed variety of strawberry plant is 'DrisStrawOneHundredOne'.

BACKGROUND OF THE INVENTION

Cultivated strawberry is a hybrid species of the genus *Fragaria* that is grown worldwide for its fruit. Modern strawberry was first bred in Brittany, France, in the 18th century by crossing *Fragaria virginiana* with *Fragaria chiloensis*. Strawberry fruit is an aggregate accessory fruit, with the fleshy part of the fruit being derived from the receptacle that holds the ovaries.

Strawberry varieties vary widely in color, size, shape, flavor, season of ripening, degree of fertility, and susceptibility to disease. Certain varieties vary in foliage, and some vary in the relative development of their reproductive organs. Typically, strawberry flowers appear hermaphroditic in structure, but function as either male or female. Generally, commercial production of strawberry plants involves propagation from runners and distribution as either plugs or bare root plants. Cultivation is either perennial or annual plasticulture. During the off season, strawberries can also be produced in greenhouses.

Strawberry fruit is widely appreciated for its characteristic bright red color, aroma, juicy texture, and sweetness. Strawberry fruit is a popular fruit that is generally consumed either fresh or in prepared foods, such as preserves and baked goods.

Strawberry is an important and valuable fruit crop. Accordingly, there is a need for new varieties of strawberry plants. In particular, there is a need for improved varieties of strawberry plant that are stable, high yielding, and agronomically sound.

SUMMARY OF THE INVENTION

In order to meet these needs, the present invention is directed to an improved variety of strawberry plant. In particular, the invention relates to a new and distinct variety of strawberry plant (*Fragaria* x *ananassa*), which has been denominated as 'DrisStrawOneHundredOne'.

Strawberry plant variety 'DrisStrawOneHundredOne' originated from a controlled cross between the proprietary strawberry female parent '182AB281' (unpatented) and the proprietary strawberry male parent '44AA282' (unpatented). Progeny plants from this cross, including 'DrisStrawOneHundredOne', were asexually propagated via stolons in Shasta County, Calif. in April 2016. Strawberry plant variety 'DrisStrawOneHundredOne' was later specifically identified and selected in Monterey County, Calif. in June 2017.

'DrisStrawOneHundredOne' was subsequently asexually propagated via stolons, and has undergone testing at test plots in Monterey County, Calif. for five years (2017 to 2022). The present variety has been found to be stable and reproduce true to type through successive asexual propagations via stolons and tissue culture.

'DrisStrawOneHundredOne' was particularly selected for its fruit flavor as well as having large, glossy, and firm fruit, in addition to the plant having high yield potential and being healthy and vigorous.

2

DESCRIPTION OF THE DRAWINGS

This new strawberry plant is illustrated by the accompanying photographs. The colors shown are as true as can be reasonably obtained by conventional photographic procedures. Unless otherwise indicated, the photographs are of plants that are six months old.

FIG. 1 illustrates whole fruit of variety 'DrisStrawOneHundredOne'.

FIG. 2 illustrates longitudinal sections of fruit of variety 'DrisStrawOneHundredOne'.

FIG. 3 illustrates the upper surface of flowers of variety 'DrisStrawOneHundredOne'.

FIG. 4 illustrates different views of leaves of variety 'DrisStrawOneHundredOne'.

FIG. 5 illustrates leaflets of variety 'DrisStrawOneHundredOne'.

FIG. 6 illustrates stolons of variety 'DrisStrawOneHundredOne'.

DETAILED BOTANICAL DESCRIPTION

The following detailed descriptions set forth the distinctive characteristics of 'DrisStrawOneHundredOne'. The data which define these characteristics is based on observations taken in Monterey County, Calif. from 2017 to 2022. This description is in accordance with UPOV terminology. Color designations, color descriptions, and other phenotypical descriptions may deviate from the stated values and descriptions depending upon variation in environmental, seasonal, climatic, and cultural conditions. 'DrisStrawOneHundredOne' has not been observed under all possible environmental conditions. The botanical description of 'DrisStrawOneHundredOne' was taken from plants that were six months old. The indicated values represent averages calculated from measurements of several plants. Color references are primarily to The R.H.S. Colour Chart of The Royal Horticultural Society of London (R.H.S.) (2015 edition). Descriptive terminology follows the *Plant Identification Terminology, An Illustrated Glossary*, 2nd edition by James G. Harris and Melinda Woolf Harris, unless where otherwise defined.

Classification:

Species.—*Fragaria* x *ananassa*.

Common name.—Strawberry.

Denomination.—'DrisStrawOneHundredOne'.

Parentage:

Female parent.—Proprietary strawberry plant '182AB281' (unpatented).

Male parent.—Proprietary strawberry plant '44AA282' (unpatented).

Plant:

Height.—21.3 cm.

Diameter.—37.2 cm.

Height/width ratio.—0.57.

Number of crowns per plant.—4.

Growth habit.—Semi-upright.

Density of foliage.—Dense.

Vigor.—Strong.

Stolon:

Diameter (at bract).—2.15 mm.

Overall color.—RHS 143A (Strong yellow green).

Anthocyanin coloration.—Weak.

Anthocyanin color.—RHS 59B (Deep purplish red).

Density of pubescence.—Medium.

Fruiting truss:

Length (from crown to base of terminal flower or fruit).—18.5 cm.

Diameter (at base of truss).—0.49 cm.

Number of berries per truss.—1.4.

Attitude at first picking.—Semi-erect.

Color (at base of truss).—RHS 135B (Moderate green).

Leaf:

Number of leaflets.—Three only.

Color of leaf upper surface.—RHS 143B (Strong yellow green).

Color of leaf lower surface.—RHS 147C (Moderate yellow green).

Blistering.—Medium.

Glossiness.—Medium.

Variegation.—Absent.

Terminal leaflet.—Length: 7.6 cm. Width: 8.5 cm.

Length/width ratio: 0.89. Number of teeth per terminal leaflet: 22.2. Overall shape: Orbicular. Shape of base: Obtuse. Shape of apex: Rounded. Margin: Crenate. Margin profile: Cupped. Shape in cross section: Concave.

Petiole.—Length: 25.8 cm. Diameter: 4.1 mm. Overall color: RHS 139B (Moderate yellow green). Pubescence: Medium. Attitude of hairs: Slightly outwards. Bract frequency (number present on each petiole): 1.5.

Petiolule.—Length: 22.6 mm. Diameter: 2.05 mm. Color: RHS 136A (Dark green).

Stipule.—Length: 2.9 mm. Width: 14.4 mm. Stipule color: RHS 139C (Moderate yellow green). Anthocyanin coloration: Weak. Anthocyanin color: RHS N57D (Deep purplish pink). Pubescence: Medium.

Inflorescence:

Number of flowers per plant.—4.8.

Position of inflorescence in relation to foliage.—Same level.

Flowering interval.—April to October.

Pedicel.—Attitude of hairs: Slightly outwards.

Flower.—Flower diameter (petal tip to petal tip on non-flattened flower): 24.8 mm. Arrangement of petals: Free. Size of calyx in relation to corolla: Larger. Stamen: Present. Anther color: RHS 172A (Strong brown).

Petal.—Length: 9.3 mm. Width: 8.4 mm. Length/width ratio: 1.1. Number of petals per flower: 5.9. Color of upper and lower surface: RHS 155B (Pinkish white). Overall shape: Orbicular. Margin: Entire. Shape of base: Concavo-convex.

Calyx.—Diameter (sepal tip to sepal tip, measured on back of flower): 43.4 mm.

Sepal.—Length: 18.7 mm. Width: 8.5 mm. Number of sepals per flower: 13.5. Overall shape: Elliptical. Margin: Entire.

Fruit:

Fruit size.—Length: 43.3 mm. Width: 46.9 mm. Length/width ratio: 0.92.

Fruit hollow.—Length: 8.9 mm. Width: 7.15 mm. Length/width ratio: 1.2.

Shape.—Conical.

Difference in shape of terminal and other fruits.—None or very slight.

Fruit color.—RHS 44A (Vivid red).

Evenness of color.—Slightly uneven.

Glossiness.—Medium.

Evenness of surface.—Even or very slightly uneven.

Width of band without achenes.—Absent or very narrow.

Position of achenes.—Level with surface.

Position of calyx attachment.—Level with fruit.

Attitude of sepals.—Outwards.

Diameter of calyx in relation to diameter of fruit.—Slightly smaller.

Adherence of calyx.—Strong.

Firmness.—Medium firm.

Color of flesh (excluding core).—RHS 43A (Vivid reddish orange).

Evenness of flesh color.—Slightly uneven.

Distribution of flesh color.—Marginal and central.

Color of core.—RHS 41A (Vivid reddish orange).

Sweetness/soluble solids (in ° Brix).—9.1.

Individual fruit weight.—28.3 g/fruit.

Achenes.—Color of upper (sunward) side: RHS 184A (Greyish red). Color of lower (shaded) side: RHS N148A (Moderate yellow green).

Fruiting.—Harvest interval: April to November. Type of bearing: Partially remontant. Productivity: 84,000 lbs to 95,000 lbs of fruit per acre per season from ten-month-old plants when grown in Santa Maria, Calif.

Resistance to abiotic stress, pests, and diseases:

Two-spotted spider mite (tetranychus urticae).—Moderately susceptible.

Powdery mildew (podosphaera macularis).—Moderately resistant.

COMPARISON WITH PARENTAL AND
REFERENCE VARIETIES

‘DrisStrawOneHundredOne’ differs from the female parent proprietary strawberry plant ‘182AB281’ (unpatented) in that ‘DrisStrawOneHundredOne’ has improved fruit flavor, higher yield potential, and fewer culls than ‘182AB281’.

‘DrisStrawOneHundredOne’ differs from the male parent proprietary strawberry plant ‘44AA282’ (unpatented) in that ‘DrisStrawOneHundredOne’ has improved fruit flavor, higher yield potential, and fewer culls than ‘44AA282’.

‘DrisStrawOneHundredOne’ differs from the reference variety ‘DrisStrawEighty’ (U.S. Plant Pat. No. 32,824) in that ‘DrisStrawOneHundredOne’ has weak stolon anthocyanin coloration, large fruit size, petal length is moderately shorter in relation to petal width, and the density of foliage is dense, whereas ‘DrisStrawEighty’ has medium stolon anthocyanin coloration, medium fruit size, petal length is moderately longer in relation to petal width, and the density of foliage is medium.

‘DrisStrawOneHundredOne’ differs from the reference variety ‘DrisStrawSixtySix’ (U.S. Plant Pat. No. 31,703) in that ‘DrisStrawOneHundredOne’ has strong plant vigor, partially remontant type of bearing, calyx diameter is slightly smaller in relation to fruit diameter, and the density of foliage is dense, whereas ‘DrisStrawSixtySix’ has medium plant vigor, day neutral type of bearing, calyx diameter is slightly larger in relation to fruit diameter, and the density of foliage is medium.

We claim:

1. A new and distinct variety of strawberry plant named ‘DrisStrawOneHundredOne’ as shown and described herein.

* * * * *




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6