

US00PP36351P2

(12)

United States Plant Patent

Hachmann

(10)

Patent No.:

US PP36,351 P2

(45)

Date of Patent:

Dec. 31, 2024

(54)

DASIPHORA PLANT NAMED ‘HACHAPP’

(50)

Latin Name: *Dasiphora fruticosa* subsp. *fruticosa*

Varietal Denomination: **Hachapp**

(71)

Applicant: **Holger Hachmann**, Barmstedt (DE)

(72)

Inventor: **Holger Hachmann**, Barmstedt (DE)

(73)

Assignee: **H. HACHMANN INH. HOLGER HACHMANN**, Barmstedt (DE)

(*)

Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21)

Appl. No.: **18/637,515**

(22)

Filed: **Apr. 17, 2024**

Related U.S. Application Data

(60)

Provisional application No. 63/460,508, filed on Apr. 19, 2023.

(51)

Int. Cl.

A01H 5/02

(2018.01)

A01H 6/74

(2018.01)

(52)

U.S. Cl.

USPC Plt./237

(58)

Field of Classification Search

USPC Plt./226, 237

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

PP9,874 P * 4/1997 Lenz Plt./237

* cited by examiner

Primary Examiner

— Karen M Redden

(74)

Attorney, Agent, or Firm

— Penny J. Aguirre

(57)

ABSTRACT

A new cultivar of *Dasiphora* plant named ‘Hachapp’ that is characterized by its compact plant habit, its flattened globular to globular plant shape, and its flowers that are salmon pink in color with yellow centers and fade very little in color after opening.

2 Drawing Sheets

1

Botanical classification: *Dasiphora fruticosa* subsp. *fruticosa*.

Variety denomination: ‘Hachapp’.

CROSS REFERENCE TO RELATED APPLICATIONS

This application is related to a European Community Plant Variety Office (CPVO) Plant Breeder’s Rights Application filed on Jul. 12, 2018, application No. 2018/3255. This application claims priority to a U.S. Provisional Patent Application, Application No. 63/460,508, filed Apr. 19, 2023 under 35 U.S.C. 119(e), the entire contents of which is incorporated by reference herein. This application is co-pending with a U.S. Plant Patent Application filed for a plant derived from the same breeding program that is entitled *Dasiphora* Plant Named ‘Hachrosa’ (U.S. Plant patent application Ser. No. 18/637,530)*.

* (Applicant gives the examiner the authority to replace the U.S. Plant Patent Application No. with a Patent No. if applicable and delete this statement.)

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar of *Dasiphora fruticosa* subsp. *fruticosa* (syn. *Dasiphora fruticosa*, syn. *Potentilla fruticosa*). The new cultivar will be referred to hereafter by its cultivar name, ‘Hachapp’. ‘Hachapp’ is a new cultivar of deciduous shrub grown for landscape use.

The Inventor discovered the new cultivar in summer of 2016 as a seedling that was discovered growing in a trial field plot that was planted with many varieties and unnamed plants of *Dasiphora fruticosa* subsp. *fruticosa* in Barmstedt, Germany. Both the female and male parent are unknown.

2

Asexual propagation of the new cultivar was first accomplished by softwood cuttings by the Inventor in Barmstedt, Germany in August of 2016. Asexual propagation by softwood cuttings has determined that the characteristics of the new cultivar are stable and reproduced true to type in successive generations.

SUMMARY OF THE INVENTION

The following traits have been repeatedly observed and represent the characteristics of the new shrub rose. These attributes in combination distinguish ‘Hachapp’ as a unique cultivar of *Dasiphora*.

1.

‘Hachapp’ exhibits a compact plant habit.
2.

‘Hachapp’ exhibits a flattened globular to globular plant shape.
3.

‘Hachapp’ exhibits flowers that are salmon pink in color with yellow centers and fade very little in color after opening.
- ‘Hachapp’ is unique from all of the plants of *Dasiphora fruticosa* subsp. *fruticosa* that were growing in the field plot where the new cultivar was discovered. ‘Hachapp’ can be most closely compared to the *Dasiphora fruticosa* subsp. *fruticosa* cultivars ‘Daydawn’ (not patented), ‘Pink Beauty’ (not patented) and ‘Hachrosa’. All three are similar to ‘Hachapp’ in having flowers that are pinkish in color. ‘Daydawn’ differs from ‘Hachapp’ in having a less compact plant habit, a less globular plant shape, and flowers that are lighter in color. ‘Pink Beauty’ differs from ‘Hachapp’ in having a less compact plant habit, a less globular plant shape, and flowers that are pink in color. ‘Hachrosa’ differs from ‘Hachapp’ in having flowers that are lilac pink in color with red-pink centers.

STATEMENT REGARDING PRIOR
DISCLOSURES BY THE INVENTOR

The Applicant asserts that no publications or advertise-
ments relating to sales, offers for sale, or public distribution
occurred more than one year prior to the effective filing date
of this application. Any information about the claimed plant
would have been obtained from a direct or indirect disclo-
sure from the Inventor. The Applicant claims a prior art
exemption under 35 U.S.C. 102(b)(1) for disclosures and/or
sales that fall within a one-year grace period to the filing
date. Disclosures include website listings by Monrovia,
Pahls, Bigboyplants, lmag, garden center marketing, trees
today nursery, hubspotusercontent20, landscape business,
gpnmag, issuu, Logan greenhouse, kapias, Cascadian Nurs-
eries, giecnd, and scribd.

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying color photographs illustrate the over-
all appearance and distinct characteristics of the new *Dasiphora*.
The photographs were taken of a 1.5-year-old plant
as grown outdoors in a 1.5-liter container at a nursery in
Barmstedt, Germany.

The photograph in FIG. 1 provides a view of a plant of
'Hachapp' in bloom.

The photograph in FIG. 2 provides a close-up view of the
flowers of 'Hachapp'.

The colors in the photographs are as close as possible with
the photographic and printing technology utilized and the
color values cited in the detailed botanical description
accurately describe the colors of the new *Dasiphora*.

DETAILED BOTANICAL DESCRIPTION

The following is a description of 1-year-old plants as
grown outdoors in 9-cm containers in Boskoop, The Neth-
erlands. The phenotype of the new cultivar may vary with
variations in environmental, climatic, and cultural condi-
tions, as it has not been tested under all possible environ-
mental conditions. The color determination is in accordance
with The 2019 Colour Chart of The Royal Horticultural
Society, London, England, except where general color terms
of ordinary dictionary significance are used.

General description:

Blooming period.—May into July in Germany.

Plant type.—Deciduous shrub.

Plant habit.—Broadly spreading and upright, globular
to flatten globular.

Height and spread.—An average of 17.8 cm in height
and 19.3 cm in spread as a 1-year-old plant as grown
in a container and an average of 60 cm in height and
70 cm in width as a mature plant grown in the
landscape.

Hardiness.—At least in U.S.D.A. Zones 3 to 8.

Diseases and pests.—Low susceptibility to powdery
mildew has been observed in Germany (caused by
Podosphaera sp. and other unknown causative
agents), no susceptibility or resistance to pests has
been observed).

Propagation.—Softwood cuttings.

Root description.—Fibrous.

Growth rate.—Low to moderate.

Root development.—Cuttings initiate roots in 6 to 8
weeks and a fully rooted cutting plant is produced in
10 months.

Branch description:

Branch shape.—Rounded.

Branch color.—Young; 145C, mature; 164A to 164B.

Branch surface texture.—Moderately pubescent; cov-
ered with short soft hairs an average of 0.5 mm in
length and NN155D in color, older bark exfoliating
in small strips.

Branching.—Freely branching.

Branch size.—An average of 10.7 cm in length and 1
mm in diameter.

Branch quantity.—Main; 4, lateral; 12.

Internode length.—Average of 6.5 mm.

Foliage description:

Leaves.—Compound, alternate arrangement, flat to
slightly carinate in aspect, reniform in shape, an
average of 1.25 cm in length, 1.65 cm in width, 17
leaves per branch, leaf venation is pinnate.

Leaflets.—5, occasionally 3, elliptic in shape, acute
apex and base, entire margins, an average of 1 cm in
length and 3.5 mm in width, unlobed, both surfaces
matte, upper surface sparsely to moderately pubes-
cent, lower surface moderately pubescent, hairs are
soft, 0.5 mm in length, NN155D in color, color;
young upper surface a blend of 143B and 143C,
young lower surface 138B, mature upper surface
137B, veins 137B, mature lower surface 138B, veins
146C.

Stipules.—Ovate in shape, both sides smooth and gla-
brous, matte, 6 mm in length, 2.5 mm in width, top
narrow acute, base narrow cuneate, color both sur-
faces; N199D, veined 200D.

Petioles.—An average of 4 mm in length and 0.75 mm
in diameter, medium to high strength, color; upper
surface 144B, lower surface 146D, surface is mod-
erately pubescent short hairs 0.75 mm in length,
NN155D in color.

Inflorescence description:

Inflorescence type.—Solitary, terminal and axillary at
upper nodes of stems.

Flower number.—An average of 2 per main stem, 5
flowers and buds per plant.

Flower fragrance.—None.

Flower longevity.—About 5 days, self-cleaning.

Flower type.—Single, rotate.

Flower aspect.—Upright to outward.

Flower size.—An average of 2.7 cm in diameter and 7
mm in depth.

Pedicels.—An average of 3 mm in length, 1 mm in
diameter, held in a 7.5° angle, 138C in color, surface
is matte, and is densely covered with soft, short hairs,
average of 0.5 mm in length, N155A in color.

Flower buds.—Nearly spherical in shape, an average of
5 mm in length, 5.5 mm in diameter, 150B to 150C
in color, surface is smooth, sparsely to moderately
pubescent with soft, short hairs, 1.5 mm in length,
N155A in color.

Sepals.—5, placed in one whorl, deltoid in shape, entire
margins, 5.5 mm in length, 4 mm in width, broadly
cuneate base, acute apex, upper surface smooth and
glabrous, lower surface moderately pubescent with
short hairs, 1 mm in length, too small to measure
color, color; when opening and fully open upper
surface 150B, margins and tips 151A, when opening
and fully open lower surface 150B to 150C.

Petals.—6, varying between 5 to 8, 1 whorl, broadly ovate to nearly orbicular in shape, obtuse apex, cuneate base, margins are entire and slightly undulate, both surfaces are smooth, glabrous, and matte, 5 color; when opening upper surface 35C, base 5B to 5C, when opening lower surface 11D, margins 36A to 36B, base 5D, when fully open upper surface 16D, margins 35C, base 5C, when fully open lower sur- 10 face 11D, margins 36A to 36B, base 5D.

Calyx.—Rotate, 1.5 mm in length, 15 cm in diameter.

Reproductive organs:

Pistils.—Average of 60, 1 mm in length, stigma; club-shaped, 0.2 mm in length, diameter, 153D in color, style; 0.8 mm in length, 5C in color, ovary; 143C in color.

Stamens.—30 per flower, filaments; average of 1 mm in length, 154C in color, anthers; average of 1 mm in length and 0.75 mm in width, short oblong in shape, 12A in color, pollen; low in quantity, 12C in color.

Fruit and seed.—Have not been observed to date.

It is claimed:

1. A new and distinct cultivar of *Dasiphora* plant named 'Hachapp' as herein illustrated and described.

* * * * *




FIG. 1



FIG. 2