




KHỎI RELAY


KHỎI HEADER PI VÀ CẢM BIẾN MÔI TRƯỜNG

KHỎI NGUỒN

KHỎI HIỂN THỊ

KHỎI XỬ LÝ

Title		
Size	Number	Revision
A2		
Date:	9/16/2026	Sheet of
File:	D:\DATN\PCB_HAT_V2\Sheet2.SchDoc	Drawn By:



Line #	Name	Description	Designator	Quantity	Manufacturer 1	Manufacturer Part Number 1	Manufacturer Lifecycle 1	Supplier 1	Supplier Part Number 1	Supplier Unit Price 1	Supplier Subtotal 1
	AMS1117-3.3V	Dán	AMS1	1							
	100uF	Dán	C1	1							
	220uF	Dán	C2	1							
	10uF	Capacitor SMD 0603	C3, C4, C5, C6, C9, C11	6							
	0.1uF	Capacitor SMD 0603	C7, C10, C12	3							
	1nF	Capacitor SMD 0603	C8, C13, C14, C15, C16, C17, C18	7							
	SS34	Dán	D1	1							
	SS14	Dán	D2	1							
	LES5D5.0CT1 G	Transient Voltage Suppressors for ESD Protection	D3, D4	2							
	1N4007	Cám	D5, D6, D7	3							
	USB to UART	Header IDC, 4 x 1 Pin Vertical 2.54mm Pitch (Non-Boxed, Male)	H1	1							
	Header2	Header IDC, 2 x 1 Pin Vertical 2.54mm Pitch (Non-Boxed, Male)	H2, H3, H4	3							
	Raspberry Pi Header	40 Position Header Connector 0.100 (2.54mm) Through Hole Gold	J1	1							
	Soil Moisture Sensor	WR-PHD 2.54 mm Angled Socket Header	J2	1							
	BH1750	WR-PHD 2.54 mm Angled Socket Header	J3	1							
	SHT31	WR-PHD 2.54 mm Angled Socket Header	J4	1							
	ADS1115	Connector 10	J5	1							
	JACK DC 5.5	JACK DC 5.5	JACK DC1	1							
	CON 3 DOMINO		JP1, JP2, JP3	3							
	100uH - 3A SMD	Dán	L1	1							
	Led	Typical LED	LD1, LD2, LD3, LD4, LD5	5							
	Transistor NPN	NPN Bipolar Transistor	Q1, Q2	2							
	C1815	NPN 600mW, ECB	Q3, Q4, Q5	3							
	1k	RES SMD 0603	R1, R4, R13, R14, R15, R16, R18, R21, R24, R26, R27	11	Vishay	CRCW040210K0FKED	Volume Production	DigiKey	541-10.0KLCT-ND	2,63017E+29	2,89318E+30
	12k	RES SMD 0603	R2, R7, R8	3	Vishay	CRCW040210K0FKED	Volume Production	DigiKey	541-10.0KLCT-ND	8,21927E+29	2,46578E+30
	5k	RES SMD 0603	R3	1	Vishay	CRCW040210K0FKED	Volume Production	DigiKey	541-10.0KLCT-ND	8,21927E+29	8,21927E+29
	470	RES SMD 0603	R5, R6, R28	3	Vishay	CRCW040210K0FKED	Volume Production	DigiKey	541-10.0KLCT-ND	8,21927E+29	2,46578E+30
	0	RES SMD 0603	R9, R10, R11, R12	4	Vishay	CRCW040210K0FKED	Volume Production	DigiKey	541-10.0KLCT-ND	2,63017E+29	2,63017E+30
	100	RES SMD 0603	R17, R20, R23	3	Vishay	CRCW040210K0FKED	Volume Production	DigiKey	541-10.0KLCT-ND	8,21927E+29	2,46578E+30
	10k	RES SMD 0603	R19, R22, R25	3	Vishay	CRCW040210K0FKED	Volume Production	DigiKey	541-10.0KLCT-ND	8,21927E+29	2,46578E+30
	4.7k	RES SMD 0603	R29, R30	2	Vishay	CRCW040210K0FKED	Volume Production	DigiKey	541-10.0KLCT-ND	8,21927E+29	1,64385E+30
	Relay SPDT	Relay SPDT	RL1, RL2, RL3	3							
	Nut Nhan 2 Chan SMD 3x6x2.5	Nut Nhan 2 Chan SMD 3x6x2.5	SW1, SW2	2							
	SW_CAPTURE	Switch button 4 pin	SW3	1							
	SW_UP	Switch button 4 pin	SW4	1							
	SW-OK	Switch button 4 pin	SW5	1							
	SW-DOWN	Switch button 4 pin	SW6	1							
	ESP32-WROOM-32-N4	Description	U1	1							
	TFT ILI9341		U2	1							
	CP2102-GM	USB Bridge, USB to UART USB 2.0 UART Interface 28-QFN (5x5)	U3	1							
	LM2596S-5.0	Simple Switcher 3A Step-Down Voltage Regulator	U4	1							
	PC817B		U5, U6, U7	3							
	USB Mini 5p SMD	USB Type B	USB1	1							