

CSS

```
/*
* =====
*     LOGIN PAGE
* =====
*/
.login-page {
    position: relative;
}

.login-page::before {
    content: '';
    width: 100%;
    height: 100%;
    display: block;
    z-index: -1;
    background: url(../img/bg.jpg);
    background-size: cover;
    -webkit-filter: blur(10px);
    filter: blur(10px);
    z-index: 1;
    position: absolute;
    top: 0;
    right: 0;
}

.login-page .container {
    min-height: 100vh;
    z-index: 999;
    padding: 20px;
    position: relative;
}

.login-page .form-holder {
    width: 100%;
    border-radius: 5px;
    overflow: hidden;
    margin-bottom: 50px;
}

.login-page .form-holder .info, .login-page .form-holder .form {
    min-height: 70vh;
    padding: 40px;
    height: 100%;
}

.login-page .form-holder div[class*='col-'] {
    padding: 0;
}

.login-page .form-holder .info {
    background: rgba(43, 144, 217, 0.9);
    color: #fff;
}

.login-page .form-holder .info h1 {
    font-size: 2.5em;
}
```

```

    font-weight: 600;
}

.login-page .form-holder .info p {
    font-weight: 300;
}

.login-page .form-holder .form .form-group {
    position: relative;
    margin-bottom: 30px;
}

.login-page .form-holder .form .content {
    width: 100%;
}

.login-page .form-holder .form form {
    width: 100%;
    max-width: 400px;
}

.login-page .form-holder .form #login, .login-page .form-holder .form
#register {
    margin-bottom: 20px;
    cursor: pointer;
}

.login-page .form-holder .form a.forgot-pass, .login-page .form-
holder .form a.signup {
    font-size: 0.9em;
    color: #85b4f2;
}

.login-page .form-holder .form small {
    color: #aaa;
}

.login-page .form-holder .form .terms-conditions label {
    cursor: pointer;
    color: #aaa;
    font-size: 0.9em;
}

.login-page .copyrights {
    width: 100%;
    z-index: 9999;
    position: absolute;
    bottom: 0;
    left: 0;
    color: #fff;
}

@media (max-width: 991px) {
    .login-page .info, .login-page .form {
        min-height: auto !important;
    }
    .login-page .info {
        padding-top: 100px !important;
        padding-bottom: 100px !important;
    }
}

```

```

/*

/*
* =====
*      student PAGE
* =====
*/

#view ,#fees1{

    margin-top: 4%;
    margin-left: 2%;
    width: 1040px;
    border: 1px solid #ffffff;
    box-shadow: 5px 10px #f7f8fa;
    background-color: #ffffff;
}
hr.line{
    border-top: 2px dashed #54e69d;
}

.view{
    border: 1px solid #ffffff;
    box-shadow: 5px 10px #f7f8fa;
    border-radius: 25px;
    background-color: #2EB97F ;
    color: #ffffff;
    margin-left: 5%;
    text-align: center;
}

.v1 {
    border-left: 2px dashed #ffffff;
    margin-top: 25px;
    height: 700px;
}
hr.line1{
    border-top: 2px dashed #ffffff;
}

img#src {
    border-radius: 50%;
    width: 30%;
}

hr.line2{
    border: 1px solid #ffffff;
}

}

#courses ,#dept ,#fees{

    margin-top: 4%;
    margin-left: 2%;
    width: 1040px;
    border: 1px solid #ffffff;
    box-shadow: 5px 10px #f7f8fa;
    background-color: #ffffff;
}

```

```

.border{
border: 1px solid gray;
box-shadow: 5px 10px #f7f8fa;
border-radius: 5px;
color: #2EB97F;
margin-left: 5%;

}

.center {
width: 95%;
display: block;
margin-left: auto;
margin-right: auto;
border-radius: 10px;
margin-top: 5px;

}

.text{

font-family: Arial, Helvetica, sans-serif;
margin-left: 25PX;
}

#btn1{

background-color: #2EB97F;
color: #fff;
border: 1px solid #2EB97F;
width: 60%;
height: 50px;
margin-left: 30px;
margin-top: 10px;
border-radius: 25px;
}
#btn1:hover{
background-color: #fff;
color: #28a745;
}
.form-control{
width: 200%;
height: 40px;
border: 1px solid #2EB97F;
border-radius: 10px;

}

.pragraph{
margin-left: 10px;

}

.pragraph span{
margin-right: 15px;
}

ul.list {
list-style-type: square;
margin-left: 35px;
}

.btn-group ,#btnGroupDrop1,.btn11{

```

```

width: 150px;
height: 65px;
background: #2EB97F 0% 0% no-repeat padding-box;
color: #ffffff;
box-shadow: 1px 1px 2px #00000029;
border-radius: 20px;
opacity:1 ;
}
.btn11:hover{
background: #ffffff ;
color: #2EB97F;
}
.dropdown-item{
color:#2EB97F;
}

/*

```

Login Html

```

<div class="page login-page">
  <div class="container d-flex align-items-center">
    <div class="form-holder has-shadow">
      <div class="row">
        <!-- Logo & Information Panel-->
        <div class="col-lg-6">
          <div style="background-color:#2eb97a" class="info d-
flex align-items-center">
            <div class="content">
              <div class="logo">
                <h1>Login</h1>
              </div>
              <p>Student Affairs System</p>
            </div>
          </div>
        </div>
        <!-- Form Panel -->
        <div class="col-lg-6 bg-white">
          <div class="form d-flex align-items-center">
            <div class="content">
              <form class="form-validate" method="post"
action="fun/login.php">
                <div class="form-group">

```

```

        <input id="login-username" type="text"
name="loginUsername" required data-msg="Please enter your username"
class="input-material">
        <label for="login-username" class="label-
material">User Name</label>
    </div>
    <div class="form-group">
        <input id="login-password" type="password"
name="loginPassword" required data-msg="Please enter your password"
class="input-material">
        <label for="login-password" class="label-
material">Password</label>
    </div>
        <button class="btn btn-primary"
type="submit">Login</button>

    </form><a href="#" class="forgot-pass">Forgot
Password?</a><br><small>Do not have an account? </small><a
href="register.php" class="signup">Sign up</a>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>

```

student html + PHP

```

<section id="dept">
    <h2 style="margin-top:-10px ; margin-left: 15px;">All Students
List</h2>
    <hr class="line"> <br>
    <div class="container">
        <div class="row">
            <div class="col">
                <div style="float: right;" class="btn-group"
role="group">
                    <button id="btnGroupDrop1" type="button" class="btn
btn-secondary dropdown-toggle" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false">
                        Tools
                    </button>
                    <div style="background-color: #ECEAEA; "
class="dropdown-menu" aria-labelledby="btnGroupDrop1">
                        <a class="dropdown-item" href="#"> <i class="fas
fa-print"></i> &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&Print</a>
                        <a class="dropdown-item" href="#"><i class="fas
fa-file-pdf"></i> &nbsp;&nbsp;&nbsp;&nbsp;&Save As Pdf</a>
                        <a class="dropdown-item" href="#"><i class="fas
fa-file-excel"></i> &nbsp;&nbsp;&nbsp;&nbsp;&Export To Excel</a>
                    </div>
                </div> <!-- group -->
            </div>
        </div>
    </div>

```

```

        </div> <!-- 2 -->
    </div> <!-- row -->
</div> <!-- container -->
<div style="margin-top: 20px; margin-left: 20px;"
class="border">
    <form method="post" action="search_student.php">
        <span style="margin-left: 20px; font-size: larger;"
>Search :</span>
        <input style=" margin-left: 10px; margin-top: 30px;
border: 2px solid #2EB97F; border-radius: 5px; height: 40px;"
ype="text" placeholder="search...." name="search">
    </form>

    <table style="margin-top: 30px; color: #2EB97F; "
class="table table-bordered">
        <thead>
            <tr>
                <th>ID</th>
                <th>img</th>
                <th>English_Name</th>
                <th>Arabic_Name</th>
                <th>Department</th>
                <th>Mobile</th>
                <th>FullName</th>
                <th>Birth_Date</th>
                <th>Action</th>
            </tr>
        </thead>
        <tbody>
            <?php include 'fun/db_connection.php';
$select = "SELECT * FROM student";
$students = $conn -> query($select);
$index = 1;
foreach ($students as $student) {
    ?>
    <tr>
        <td><?php echo $index++; ?></td>
        <td></td>
        <td><?php echo $student['name_en']; ?></td>
        <td><?php echo $student['name_ar']; ?></td>
        <td><?php
            if($student['department'] == 1) {
                echo "IT";
            }elseif($student['department'] == 2){
                echo "CS";
            }
            elseif($student['department'] == 3){
                echo "IS";
            }else{
                echo "Biology";
            }
            ?>
        </td>
        <td><?php echo $student['mobile']; ?></td>
        <td><?php echo $student['user_name']; ?></td>
        <td><?php echo $student['birth_date'];
?></td>
        <td><a
href="?action=edit_student.php&ssn=<?php echo $student['ssn'] ?>" ><i
class='far fa-edit'></i> </a>

```


[illegible]

[illegible]

```

        </div>
    </form>
</div>
</div>
</div>
</section>

```

Edit Student Html + PHP

```

<?php
$ssn = $_GET['ssn'];
include 'fun/db_connection.php';
$student_s = "SELECT * FROM student WHERE ssn = $ssn";
$student_q = $conn -> query($student_s);
$student = $student_q -> fetch_assoc();
?>
<!-- Page Header-->
<header class="page-header">
    <div class="container-fluid">
        <h2 class="no-margin-bottom">Edit Student</h2>
    </div>
</header>
<!-- Forms Section-->
<section class="forms">
    <div class="container-fluid">
        <div class="row">
            <!-- Basic Form-->
            <div class="col-lg-12">
                <div class="card">
                    <div class="card-close">
                    </div>
                    <div class="card-header d-flex align-items-
center">
                        <h3 class="h4">Basic Information</h3>
                    </div>
                    <div class="card-body">
                        <form class="form-inline" method="post"
action="fun/edit_student.php" >
                            <input type="hidden" name="ssn" value="<?php
echo $ssn ?>">
                            <div class="form-group">
                                <label for="inlineFormInput" class="sr-
only">Arabic_Name</label>
                                <input id="inlineFormInput" type="text"
name="name_ar" value="<?php echo $student['name_ar']; ?>" class="mr-4
form-control">
                                    </div>
                                <div class="form-group">
                                    <label for="inlineFormInputGroup"
class="sr-only">English_Name</label>
                                    <input id="inlineFormInputGroup"
name="name_en" type="text" value="<?php echo $student['name_en'] ?>"
class="mr-4 form-control">
                                        </div>

```

[illegible]


```

        <?php
            echo $row['user_name'];
        ?>
    </p><hr class="line2">
    <h5>Email</h5>
    <p class="para"><?php echo
$row['birth_date']; ?></p> <hr class="line2">
    <h5>Phone</h5>
    <p class="para"><?php echo $row['mobile'];
?></p><hr class="line2">
        <a href="view.php?ssn=<?php echo $row['ssn']
?>" style="background-color: #fff; border-radius: 20px; color:
green;" class="btn btn-secondary btn-lg active" role="button" aria-
pressed="true">view</a> <br> <br>
    </div> <!-- 1 -->
</div>
    <?php
    }
    ?>
</div>
</div> <br> <br>
</section> <!-- end section -->

```

About Student Html + PHP

[illegible]


```

        <hr style=" width:20% ;float: left; " class="line"> <br>
<br>
        <div class="view">
            <div class="container">
                <div style="margin-top: 20px;" class="row">
                    <div style="text-align: left;" class="col-sm">
                        
                        <p style="padding-top: 20px;" >&nbsp;<?php echo
$student['user_name']; ?></p>
                        <p>&nbsp;<?php echo $student['mobile']; ?></p>
                    <br>
                    <p style="font-weight: 600;">Account Information</p>
                    <p>User Name :&nbsp;<?php echo $student['user_name'];
?></p>
                    <p>password :&nbsp;<?php echo $student['password']; ?>
</p>
                    <br>
                    <hr class="line1">
                    <p style="font-weight: 600;">Student Files</p> <br>
                    <a href="st_file.php?ssn=<?php echo $student['ssn'] ?>"
class="btn btn-lg active viewbtn" role="button" aria-
pressed="true"><span>View files</span> </a>
                </div> <!-- 1 -->
                <div class="v1"></div> <!-- line -->
                <div style="text-align: left; margin-top: 30px;"
class="col-sm">
                    <h4 style="text-align: center;" >Guardian
Data</h4> <br>
                    <p>Name :&nbsp;<?php echo $gue['name']; ?></p>
                    <p> Nationality :&nbsp;<?php echo
$gue['national']; ?> </p>
                    <p>City :&nbsp;<?php echo $gue['work_place']; ?>
</p>
                    <p>Job title :&nbsp;<?php echo $gue['job_title'];
?> </p>
                    <p>work place :&nbsp;<?php echo
$gue['work_place']; ?></p>
                    <p>Relation :&nbsp;<?php echo $gue['relation'];
?></p>
                    <p>home Tel :&nbsp;<?php echo $gue['home_tel'];
?></p>
                    <p>Mobile :&nbsp;<?php echo $gue['mobile'];
?></p>
                    <p>Email :&nbsp;<?php echo $gue['email']; ?></p>
                    <p>fax :&nbsp;<?php echo $gue['fax']; ?></p>
                    <hr class="line1">
                    <h4 style="text-align: center;" >Previous
qualification</h4> <b></b>
                    <p>Previous Qualification :&nbsp;<?php echo
$student['previous_qualification']; ?></p>
                    <p> Institute :&nbsp;<?php echo
$student['Institute']; ?></p>
                    <p> Graduation year :&nbsp;<?php echo
$student['graduation_year']; ?></p>
                    <p> Total :&nbsp;<?php echo $student['total'];
?></p>
                    <p> Percentage :&nbsp;<?php echo
$student['Percentage']; ?></p>
                    <?php
                    }

```



```

        ?>
    </div> <!-- 2 -->
        <div class="v1"></div> <!-- line -->
    <div style="text-align: left;margin-top: 30px;"
class="col-sm">
        <h4 style="text-align: center; " >Personal
Information</h4> <br>
        <p>Name : <?php echo $student['name_ar']; ?></p>
        <p>Name (EN) :&nbsp;<?php echo
$student['name_en']; ?></p>
        <p>Code :&nbsp;</p>
        <p>Religin &nbsp;<?php echo $student['religion'];
?></p>
        <p>Gender :&nbsp;<?php if($student['gender'] =
1){
            echo "Female";
        }else{
            echo "Male";
        }
        ?></p>
        <p>Nationality :&nbsp;<?php echo
$student['nationality']; ?></p>
        <p>Birth Date :&nbsp;<?php echo
$student['birth_date']; ?> </p>
        <p>Birth Place :&nbsp;</p>
        <p>Relationship :&nbsp;<?php echo
$student['relationship']; ?></p>
        <p>ID Type :&nbsp;<?php echo $student['id_type'];
?></p>
        <p>National ID :&nbsp;</p>
        <p>Medical Examination :&nbsp;</p>
    </div> <!-- 3 -->
</div> <!-- end row -->
</div> <!-- end container -->
<hr class="line1">
<div class="container">
    <div class="row">
        <div style="text-align: left;" class="col-sm">
            <h4 style="text-align: center;margin-top:
20px;" >Contact Information</h4> <br>
            <p>City :&nbsp;<?php echo $student['address'];
?></p>
            <p>Mobile :&nbsp;<?php echo
$student['mobile']; ?></p>
            <p>Building Num :&nbsp;</p>
            <p>Mail Code :&nbsp;<?php echo
$student['mail_box']; ?></p>
        </div> <!-- 1 -->
        <div style="text-align: left;margin-top: 70px;"
class="col-sm">
            <p>Email :&nbsp;<?php echo
$student['mail_box']; ?></p>
            <p>Fax :&nbsp;<?php echo $student['fax'];
?></p>
            <p>Apartment Num :&nbsp;</p>
        </div> <!-- 2 -->
        <div style="text-align: left;margin-top: 70px;"
class="col-sm">
            <p> Address :&nbsp;<?php echo
$student['address']; ?></p>

```

```

        <p>Home Tel :&nbsp;<?php echo
$student['home_tel']; ?></p>
        <p>Mail Box :&nbsp;<?php echo
$student['mail_box']; ?></p>
    </div> <!-- 3 -->
</div> <!-- end row -->
</div> <!-- end container -->
</div> <!-- view -->
</section> <!-- end section -->

```

Code -> connection

```

<?php
$host = "localhost";
$db_username = "root";
$db_password = "";
$db_name="university";
$conn = new mysqli($host, $db_username, $db_password, $db_name);
try {
    $bdd = new
PDO('mysql:host='.$host.';dbname='.$db_name,$db_username,$db_password
');
    $bdd->query("SET NAMES utf8");
    $bdd->query("SET CHARACTER SET utf8");
}
catch(Exception $e){
    die('erreur | '.$e->getMessage());
}
?>

```

Login php

```

<?php
session_start();
include 'db_connection.php';
$username = $_POST['loginUsername'];
$password = $_POST['loginPassword'];
$select = "SELECT * FROM employee WHERE username = '$username'
AND password = '$password'";
$admins = $conn -> query($select);
if ($admins -> num_rows > 0) {
    $admin = $admins -> fetch_assoc();
    $_SESSION['login'] = $admin;
    header("location: ../index.php");
    exit();
} else {
    header("location: ../login.php");
}
?>

```

Add Student PHP

```
<?php
include 'db_connection.php';
$ssn = $_POST['ssn'];
$id = $_POST['id'];
$address = $_POST['address'];
$name_ar = $_POST['name_ar'];
$name_en = $_POST['name_en'];
$user_name = $_POST['user_name'];
$mobile = $_POST['mobile'];
$date = $_POST['date'];
$gender = $_POST['gender'];
$department = $_POST['department'];
$collage = $_POST['collage'];
$guardian = $_POST['guardian'];
print_r($_FILES);
$tmp = $_FILES['img']['tmp_name'];
$img_name = $_FILES['img']['name'];
$dest = "../images/" . $img_name;
move_uploaded_file($tmp, $dest);
if (!$conn) {
    die("connection failed : " . mysqli_connection_error());
}
$insert = "INSERT INTO student (ssn, id, name_ar, name_en,
user_name, mobile, birth_date, gender, department, collage, guardian,
personal_photo ) VALUES ('$ssn' , '$id' , '$name_ar' , '$name_en' ,
'$user_name' , '$mobile' ,
'$date' , '$gender' , '$department' , '$collage' , '$guardian' ,
'$img_name')";
if (mysqli_query($conn , $insert)) {
    echo "successfull";
} else {
    echo "error" . $insert . "<br>" . mysqli_error($conn);
}
mysqli_close($conn);
header("location: ../students.php");
?>
```

Edit Student PHP

```
<?php
include 'db_connection.php';
$ssn = $_POST['ssn'];
$name_ar = $_POST['name_ar'];
$name_en = $_POST['name_en'];
$user_name = $_POST['user_name'];
$mobile = $_POST['mobile'];
$date = $_POST['date'];
$gender = $_POST['gender'];
```

```

$department = $_POST['department'];
$update = "UPDATE student SET name_ar = '$name_ar', name_en =
'$name_en', user_name = '$user_name', mobile = '$mobile',
birth_date = '$date', gender = '$gender', department =
'$department' WHERE ssn = '$ssn'";
$conn -> query($update);
print_r($_FILES);
if ($_FILES['img']['error'] == 0) {
    $tmp = $_FILES['img']['tmp_name'];
    $imgName = $_FILES['img']['name'];
    $des = "../images/" . $imgName;
    move_uploaded_file($tmp, $des);
    $update = "UPDATE student SET personal_photo = '$imgName'
WHERE ssn = '$ssn'";
    $conn -> query($update);
}
header("location: ../students.php");
?>

```

Delete Student PHP

```

<?php
session_start();
if (!isset($_SESSION['login'])) {
    header("location: ../login.php");
    exit();
}
include 'db_connection.php';

$ssn = $_GET['ssn'];

/delete = "DELETE FROM student WHERE ssn = '$ssn'";
$conn -> query($delete);

header("location: ../students.php");
?>

```

Logout PHP

```

<?php

```

```
session_start();  
session_unset();  
session_destroy();  
header("location: ../login.php");  
?>
```