CK FITNESS

CK FITNESS APP

CLAUDE BUILD-OUT GUIDE

Phase-by-phase implementation specification in simple English

PURPOSE

This is the implementation guide to hand to Claude. It tells Claude what to build, in what order, what not to build yet, how the data should be structured, how programs and storage work, how accountability works from Phase 1, and what must pass before moving to the next phase.

Owners: Kv & Chanveer | CK Fitness / Chardikala Fitness & Performance

Version 1.0 | 9 October 2026

Build small. Launch. Measure. Improve.

0. How to Use This Guide

Claude must follow this document phase by phase and not jump ahead.

This guide is intentionally more detailed than the Master Planning Plan. The Master Planning Plan explains why the app should exist. This document explains how to build it. Claude should treat the Phase 1 specification as the immediate scope and keep later-phase code behind clear boundaries so future features can be added without rebuilding the product.

IMPORTANT TERMINOLOGY

The CRM is always called Toasted Media CRM. Do not use any other vendor or platform name in user-facing copy, documentation, comments intended for clients, admin labels, or future planning documents.

Contents

1. Claude Master Instructions
2. Product Scope and Five-Phase Roadmap
3. Recommended Technical Architecture
4. Phase 1 Scope: Revenue-Ready Web MVP
5. Phase 1 Navigation and Information Architecture
6. Programs: Categories, Sub-tabs and Content Model
7. Phase 1 Screen-by-Screen Build Specification
8. Phase 1 Accountability Engine
9. Video, File Storage and Content Delivery
10. Membership, Payments and Entitlements
11. Notifications and Re-engagement
12. Admin Portal and Content Management
13. Toasted Media CRM Integration
14. Database Schema and Data Rules
15. Security, Privacy and Safety Rules
16. Analytics, KPIs and Event Tracking
17. Phase 1 QA, Launch and Definition of Done
18. Phase 2: Native iOS + Community + Live + Coaching
19. Phase 3: AI Coach + Nutrition + Calorie Tracking
20. Phase 4: Health Data + Adaptive Accountability + Automation
21. Phase 5: Scale + Android + Additional Revenue
22. Program Migration Runbook
23. Cost Control and Storage Economics
24. Claude Execution Prompts by Phase
25. Final Acceptance Checklists
26. Platform Notes and References

1. Claude Master Instructions

These rules are non-negotiable for the build.

Copy the prompt below into the start of the Claude project before coding. It establishes the product boundaries and prevents Claude from quietly adding complexity or changing the business model.

Claude Project Prompt

```
You are the lead product engineer for the CK Fitness App.
Owners: Kv & Chanveer.
Business: CK Fitness / Chardikala Fitness & Performance.
CRM name: Toasted Media CRM. Never use another CRM vendor name in user-facing copy or project documentation.


BUILD RULES
1. Build phase by phase. Do not start a later phase until the current phase passes its acceptance checklist.
2. Phase 1 is a mobile-first web app / PWA and admin system. Native iOS is Phase 2.
3. Keep the code simple, readable, typed and modular. Prefer boring, reliable architecture over clever code.
4. Never hard-code secrets, prices, program access, user roles or membership status in the UI.
5. Use database migrations. Never manually change production tables without a migration.
6. Never expose server secrets, service-role keys, CRM tokens, Cloudflare signing secrets or payment secrets
to the browser.
7. Membership access is entitlement-based. The UI may display locks, but the server must also enforce access.
8. Paid video must use short-lived signed access. Do not place permanent public video URLs in the database.
9. All user health/profile records are private by default. Users can only see their own records unless an
authorized CK staff role is explicitly allowed.
10. Build account deletion, privacy links, terms links and support access before public launch.
11. Phase 1 accountability is rules-based, not AI. AI begins in Phase 3.
12. Do not create a custom live-streaming system in Phase 2. Use scheduled sessions + external meeting/live
provider links first.
13. Do not create a custom calorie database in Phase 1. Nutrition intelligence begins in Phase 3.
14. The target audience for the first public app is adults 18+. Do not launch youth accounts until a separate
consent/privacy design is approved.
15. After every milestone run formatting/linting, type checks, tests and a production build. Fix errors before
moving on.
16. Keep a CHANGELOG and PHASE_STATUS.md file so the owners can see what is finished, what is blocked and what
is next.
17. Never silently remove a feature from this specification. If something cannot be built, document the reason
and propose the smallest safe alternative.
18. Use plain English labels in the app. Avoid technical language in consumer-facing screens.
19. Use CK visual language: deep green, cream/white, restrained saffron-gold accent, clean cards, large
readable tap targets and a strong but welcoming women-focused aesthetic.
20. Build accessibility into the first version: readable text, labels, contrast, keyboard support on web,
screen-reader labels and large enough touch targets.
```

How Claude should work

- **One milestone at a time.** Claude should complete one build milestone, show what changed, run tests, and wait for approval before starting the next major milestone.
- **No hidden scope expansion.** If Claude believes a new service or package is required, it must explain why before adding it.
- **Seed data, not fake production data.** Create a safe development seed with sample programs and a demo user; do not mix test users into production.
- **Feature flags.** Later-phase features such as community, AI and HealthKit should have explicit flags so incomplete work cannot leak into production.
- **Documentation.** Every external service must have a short setup note in /docs so Kv and Chanveer are not dependent on one developer.

2. Product Scope and Five-Phase Roadmap

Launch revenue and accountability first; add sophistication only when usage proves it is needed.

Phase	Build	Main additions	Business purpose
Phase 1	Mobile-first web MVP	Free dashboard, onboarding, programs, secure video, membership, rules-based accountability, admin, storage, Toasted Media CRM sync	Launch fast and validate paid demand
Phase 2	Native iOS + retention	App Store app, Apple subscriptions, community, live sessions, coaching/training tab, richer push	Make CK a daily mobile product
Phase 3	AI + nutrition	CK AI Coach, calorie/macros, food search, photo estimates, South Asian meal support	Personalization at scale
Phase 4	Health + automation	Apple Health, adaptive reminders, weekly intelligence, progress photos, smarter risk flags	Increase retention and reduce manual follow-up
Phase 5	Scale + new revenue	Android, annual plans, premium tiers, referrals, multi-coach, localization, expanded commerce/partnerships	Scale MRR and ecosystem

PHASE 1 PRINCIPLE

Phase 1 must already feel like a real CK product. It is not a landing page. It should be good enough for a free member to track herself daily and for a paid member to complete structured CK programs. What Phase 1 avoids is native iOS complexity, community moderation, live systems, AI cost and health integrations.

Free -> Paid -> Coaching revenue ladder

Layer	User gets	Primary goal
Free	Account, personalized onboarding, Today dashboard, water, weight/measurements, basic progress, free starter content, basic accountability	Acquire owned users and create a habit

Layer	User gets	Primary goal
$29.99/month CK Membership	Full self-guided program library, deeper program accountability, member content and later AI/live/community benefits	Recurring membership revenue
Premium / Coaching	Human review, custom programming, tighter accountability, studio/hybrid/1:1 options	Higher ARPU without giving away Chanveer time

3. Recommended Technical Architecture

Use a stack that is cheap to launch, secure enough for production, and easy for Claude to maintain.

Phase 1 stack

Layer	Recommended tool	What it does
Web app + admin	Next.js, TypeScript, Tailwind CSS	Mobile-first consumer web app and /admin portal; deploy on Vercel.
Database + auth	Supabase Postgres + Supabase Auth	Users, programs, progress, accountability, memberships, admin data.
Images/files	Supabase Storage	Profile images, program thumbnails, downloadable PDFs and later private progress images. Do not use it as the primary video streaming platform.
Video	Cloudflare Stream	Upload/encode/stream recorded programs. Use signed access for paid content.
Web subscriptions	RevenueCat Web connected to Stripe	Create one CK entitlement model now so web and future iOS purchases unlock the same membership.
CRM + lifecycle	Toasted Media CRM	Lead/contact records, consented email/SMS nurture, member status and sales follow-up.
Notifications	In-app notification center + Toasted Media CRM email/SMS; optional PWA web push	Accountability messages in Phase 1. Native push becomes first-class in Phase 2.
Error monitoring	Sentry or equivalent	Capture production errors and performance issues; do not log sensitive health values.
Hosting	Vercel	Web deployment, preview deployments and server routes.

Architecture flow

```
User browser / PWA
      |
      v
Next.js CK Fitness Web App
      |
      +--> Supabase Auth + Postgres
      |       +--> profile / onboarding
      |       +--> programs / progress
      |       +--> accountability / check-ins
      |
      +--> Cloudflare Stream
      |       +--> secure signed video playback
```

```
      |
      +--> RevenueCat Web + Stripe
      |       +--> entitlement = ck_member
      |
      +--> Toasted Media CRM
              +--> free/member tags
              +--> lifecycle email/SMS
              +--> coaching leads

Phase 2 adds: Native iOS App + Apple IAP -> RevenueCat -> same entitlement
```

Repository structure

```
ck-fitness/
  apps/
    web/                 # Phase 1 Next.js consumer + admin
    mobile/              # Phase 2 Expo / React Native app
  packages/
    core/                # shared types, validation, access rules
    api-client/          # typed API helpers shared later with mobile
    design-tokens/       # CK colors, spacing, typography constants
  supabase/
    migrations/
    seed.sql
    functions/           # only if needed; keep server logic minimal
  docs/
    SETUP.md
    STORAGE.md
    PAYMENTS.md
    TOASTED_MEDIA_CRM.md
    APPLE_PHASE2.md
    PRIVACY_DATA_MAP.md
  PHASE_STATUS.md
  CHANGELOG.md
```

DO NOT OVER-ENGINEER

Do not split Phase 1 into microservices. One web app + Supabase + video + payment/CRM integrations is enough. The goal is fast iteration with clear security boundaries.

4. Phase 1 Scope: Revenue-Ready Web MVP

This is the immediate build. Native iOS is deliberately deferred to Phase 2.

Phase 1 must include

- Public marketing entry page or clean app landing route with Get Started and Log In.
- Email/password account creation, login, password reset, verified email where appropriate, logout and account deletion request.
- Detailed onboarding that captures enough information to recommend a starting pathway without pretending to diagnose medical conditions.
- Free Today dashboard with water, scheduled activity, weight/measurements, progress and accountability actions.
- Programs area with structured categories, filters, My Programs, Free content and a locked Member Library.
- Program -> phase/week -> workout/lesson -> video/instructions -> complete flow.
- Secure paid video playback with progress/resume position and completion state.
- $29.99/month membership checkout on web and a reliable entitlement check.
- Rules-based accountability: schedule, check-ins, missed-workout recovery, streak/consistency view, weekly review and inactivity escalation.
- In-app notification center plus consented lifecycle messaging through Toasted Media CRM.
- Admin portal to create, organize, gate, publish and reorder content without a code deployment.
- Basic product analytics and an admin view for free users, paid users, active members, at-risk members and program completion.
- Privacy/terms/support links and working account/data deletion path.

Phase 1 should NOT include

- Native App Store submission.
- Community posting/comments.
- Live video infrastructure or live-stream encoding.
- AI chat or AI-generated coaching.
- Food photo calorie estimation.
- Apple Health / HealthKit.
- Complex wearables.
- Leaderboards.
- Youth/minor accounts.
- Custom 1:1 trainer chat.
- Custom nutrition database.
- Unlimited custom habits or an overly configurable habit builder.

Recommended Phase 1 build milestones

Milestone	Build	Exit condition
1A	Project setup, environments, Supabase, base design system	Staging app deploys and connects to staging database.
1B	Auth, roles, profile, onboarding	New user can create account, finish onboarding and land on Home.
1C	Home + accountability + progress	User can schedule, track, check in and see weekly status.

Milestone	Build	Exit condition
1D	Programs + secure video	Admin can publish a program and user can complete it end-to-end.
1E	Membership + entitlements	Paid member unlocks library; canceled/expired member loses gated access correctly.
1F	Admin + Toasted Media CRM + notifications	Operations can run without database editing.
1G	QA + beta + production	20-50 beta users can use the product without critical failures.

5. Phase 1 Navigation and Information Architecture

The app must feel simple on a phone even though it contains many systems.

Consumer navigation

Primary tab	Purpose	Phase 1 contents
Home	Daily action	Today plan, water, scheduled workout, consistency, quick progress, next program action, reminders.
Programs	Training library	Discover, My Programs, Free, Member Library, categories and filters.
Progress	Proof of consistency	Weight, measurements, workout completions, water consistency, weekly check-in history.
Accountability	Keep the user moving	My Week, schedule, weekly check-in, missed-workout recovery, consistency score, commitments.
Profile	Settings and account	Personal details, preferences, notification settings, membership, support, privacy, delete account.

PHASE 1 NAVIGATION DECISION

Do not add Nutrition, Community, Coach and Live as full tabs yet. Show them only as “Coming in future updates” where useful, or keep them hidden until their phase ships. Empty tabs reduce trust.

Programs tab sub-navigation

Sub-tab	What it shows
Discover	Curated rows: Start Here, Popular, Free Foundations, Continue Training, New/Featured.
My Programs	Programs the user has started or has been assigned/enrolled in; show progress percentage and next lesson.
Free	All content with access_level = free.

Sub-tab	What it shows
Member Library	All self-guided membership content. Free users can browse cards but see a clear lock and benefits paywall when opening gated lessons.
Categories	Goal-based categories listed in Section 6; selectable chips/tiles.

Desktop/web behavior

On desktop, use a left sidebar or wider top navigation, but preserve the same information hierarchy. On mobile, use a bottom navigation with five items maximum. The mobile layout is the source of truth because most users will access Phase 1 from their phone.

6. Programs: Categories, Sub-tabs and Content Model

Programs must be organized so CK can add hundreds of lessons later without creating a messy library.

Phase 1 program categories

Category	Purpose	CK content examples
Start Here / Foundations	Beginner entry points and free starters	5-Day Women's Core & Pelvic Foundation; future beginner orientations
Fat Loss & Transformation	Structured recomposition / consistency paths	12-Week Transformation; Burn & Transform phase/content
Strength & Sculpt	Strength-first training	Foundation Strength & Sculpt; future gym/home strength blocks
Core & Pelvic Floor	Core connection, pelvic stability, foundational strength	5-Day Women's Core & Pelvic Foundation; future paid progression
Mobility & Corrective	Mobility, posture, stiffness and movement quality	Corrective / Mobility lessons and future blocks
Home Training	Minimal-equipment, at-home sessions	Home-friendly lessons/programs tagged delivery=home
Gym Training	Gym-based structured sessions	Programs tagged delivery=gym
Live / Follow-Along	Recorded follow-along sessions and later replays	Current/future live online training recordings
Performance & Conditioning	Speed, conditioning, fitness-test preparation	Sprint/Track and police/fitness-test content when approved for the library
Specialty	Specific life-stage or focused pathways	Postnatal / pelvic-floor progression and future specialties

Some CK offerings in the business source are services rather than finalized self-guided app programs. Claude must not automatically turn every service into member content. Kv and Chanveer decide which content becomes Free, Member, Premium Preview or Coach-only before migration.

Required tags

Tag group	Allowed examples	Why it matters
Access	free, member, premium_preview, coach_only, hidden	Controls entitlement and visibility.

Tag group	Allowed examples	Why it matters
Goal	fat_loss, strength, core_pelvic, mobility, performance, postpartum, general_fitness	Filters and future recommendations.
Level	beginner, intermediate, advanced	Makes library understandable.
Delivery	home, gym, outdoor, follow_along, live_replay	Filters by environment.
Equipment	none, mat, bands, dumbbells, kettlebell, full_gym, other	Future substitution/recommendation logic.
Duration	5_day, 4_week, 8_week, 12_week, ongoing	User expectations and progress.
Content type	program, workout, lesson, guide, replay, challenge	Allows non-workout content later.

Content hierarchy

```
Program
  -> Phase or Week (ordered)
      -> Day / Module (ordered)
          -> Lesson / Workout
              -> video (optional)
              -> title + short objective
              -> written instructions
              -> equipment
              -> duration
              -> safety notes
              -> completion action
              -> downloadable resource (optional)
```

Program card requirements

- Cover image/thumbnail
- Program name
- One-line benefit
- Duration
- Level
- Home/Gym/Other tag
- Access badge: Free or Member
- Progress percentage if enrolled
- Continue button if started
- Lock icon + short benefit message for gated content

7. Phase 1 Screen-by-Screen Build Specification

Claude should build these screens in the order shown below.

7.1 Welcome / Landing

- CK Fitness branding and short promise: training, progress, accountability and community ecosystem.
- Primary CTA: Get Started Free. Secondary CTA: Log In.
- No long marketing page is needed inside the app. Keep it fast and mobile-first.
- Links: Privacy, Terms, Support.

7.2 Sign Up / Login / Password Reset

- Email + password in Phase 1. Social login can wait for Phase 2.
- Collect first name and last name after account creation, not in an oversized signup form.
- Prevent duplicate accounts by email.
- Password reset flow must be tested end-to-end.
- After first login, route incomplete users to onboarding; completed users go to Home.

7.3 Onboarding - 5 simple steps

Step	Fields	Rules
1. About you	First name, date of birth or age, gender/preference, height, weight	Target initial app to adults 18+. Height/weight allow BMI calculation. Gender field must allow “prefer not to say”.
2. Your goal	Fat loss, strength, mobility, core & pelvic, general fitness, performance; choose primary + optional secondary	Do not promise medical outcomes.
3. Training setup	Beginner/intermediate/advanced, home/gym, equipment, preferred workout days, preferred reminder time	This powers accountability and program filters.
4. Lifestyle + nutrition preference	Vegetarian/non-vegetarian/other, typical activity, sleep range, optional schedule constraints	Phase 1 stores preference; detailed nutrition engine is Phase 3.
5. Safety + commitment	Relevant injuries/limitations, pregnancy/postpartum context if user chooses, consent/acknowledgment, “Why are you starting?” and weekly commitment	If risk answers are present, show safety guidance and route toward professional support instead of automatic intensity claims.

BMI can be displayed as an informational metric calculated as weight in kilograms divided by height in metres squared. Do not present BMI as a diagnosis. Let the user hide it from the dashboard if she does not want to see it.

7.4 Home / Today

Home is the most important Phase 1 screen. It should answer one question: “What should I do today?”

- Greeting + profile image initials.
- Today card: scheduled workout / next program lesson / rest or recovery day.
- Water target and quick +250 mL / +500 mL actions.
- Weight/measurement quick log, but do not pressure daily weigh-ins.

- Consistency card: workouts completed this week / workouts planned.
- Accountability prompt: “How are you doing today?” with simple response buttons.
- Continue Program button for enrolled users.
- Free users see a member benefit card below useful free content, not as the first thing on every visit.
- Paid users see current program and next session first.

7.5 Programs

- Discover, My Programs, Free, Member Library and Categories sub-tabs.
- Filters: goal, level, home/gym, duration.
- Cards must support free/member locks.
- Search is optional Phase 1; add only if the library is already large enough to need it.
- Clicking a card opens Program Detail.

7.6 Program Detail

- Hero image, title, benefit, level, duration, location/equipment.
- Program description and “What you will do”.
- Ordered weeks/phases/modules.
- Progress bar.
- Start Program / Continue Program CTA.
- If locked: show exactly what membership unlocks and $29.99/month CTA. Do not expose direct media URLs.
- If a program is coach-only: CTA should be “Ask about coaching” and create a coaching-interest event instead of checkout for the program itself.

7.7 Workout / Lesson Player

- Secure video player where required.
- Title, purpose, duration, equipment, written coaching points and safety note.
- Remember playback position where practical.
- Complete button; auto-complete only after meaningful playback if desired, but never force watching every second.
- Previous / Next lesson controls.
- “I cannot do this today” opens recovery options: reschedule, choose a lighter alternative if CK has supplied one, or skip with reason. Phase 1 does not invent exercise alternatives using AI.
- Completion writes progress immediately.

7.8 Progress

- Current weight + trend, with optional display.
- Measurements: waist, hips, chest/bust, thigh, arm and optional custom notes; CK can decide which fields are default.
- Workout completion count by week.
- Water consistency by week.
- Program progress cards.
- Weekly check-in history.
- No progress photo upload in public Phase 1 unless privacy flow is fully implemented; preferred rollout is Phase 4.

7.9 Accountability

- My Week calendar showing planned vs completed sessions.
- Edit preferred training days and reminder times.
- Weekly commitment: e.g. “3 workouts this week”.
- Weekly check-in form.
- Missed workout recovery.
- Consistency score and streak/milestones.

- “Need help?” support action for real human follow-up.

7.10 Profile / Settings

- Personal info and onboarding answers.
- Notification preferences by channel.
- Membership status and Manage Membership link.
- Units: kg/cm initially; support lb/in before broad Canadian launch if users request it.
- Support/contact.
- Privacy Policy, Terms, safety disclaimer.
- Download/request data if implemented; Delete Account must be clearly accessible.

8. Phase 1 Accountability Engine

Accountability should be a product system, not only push notifications.

Phase 1 should already create the feeling that CK is checking in and helping the member stay consistent, without AI and without requiring Chanveer to personally message every user. Build a small rules engine around planned workouts, completion, weekly goals and inactivity.

8.1 Accountability features for ALL free users

Feature	Behavior	Why it matters
Weekly commitment	User chooses number of movement/workout days for the week. Default comes from onboarding but is editable.	Creates a clear promise.
My Week	Seven-day view with Planned, Complete, Missed/Rescheduled and Rest states.	Turns abstract goals into visible behavior.
Water tracking	Daily target + quick log buttons + progress ring.	Daily reason to open the app.
Simple consistency score	Show percentage of planned actions completed this week. Do not score body weight.	Encourages behavior, not shame.
Weekly check-in	1-2 minute form: energy, sleep, soreness, confidence, biggest obstacle, optional weight.	Creates reflection and data.
Milestones	First workout, 3 workouts, 7-day return streak, first completed week, first program module.	Positive reinforcement.
Missed-day recovery	Ask: Reschedule, Rest, Skip, Need help. Update week instead of showing permanent failure.	Prevents one missed day becoming churn.

8.2 Additional accountability for paid members

- Program adherence: planned program sessions versus completed sessions.
- Next-best action card on Home based on current program position.
- Member weekly summary: workouts, water consistency, program progress, check-in status and next-week commitment.
- At-risk re-engagement when the user has not opened or completed a paid program for a defined period.
- Member support CTA that can create a Toasted Media CRM task/opportunity when the user explicitly asks for human help.

8.3 Rules-based accountability logic

Trigger	In-app action	Optional lifecycle action
Scheduled workout morning	Show workout at top of Today; send one reminder at user-selected time.	PWA push if enabled.
Workout not completed several hours after reminder	Show “Still want to train today?” with Start / Reschedule / Rest.	Do not send a second channel automatically unless user opted in.
1 missed planned workout	Offer reschedule within the same week.	None by default.
3 days without activity	Home shows restart card: “Pick up where you left off.”	One gentle push/email based on consent.
7 days inactive	Mark user as at_risk_7d.	Sync inactivity segment to Toasted Media CRM for member re-engagement automation.
14 days inactive + paid	Mark paid user at_risk_14d.	Optional human follow-up task for high-value/premium users; do not manually chase every $29.99 user.
Weekly check-in due	Show persistent but dismissible card until complete or week ends.	One reminder.
Milestone reached	Celebration card and optional share-safe graphic later.	No aggressive upsell on the same moment.
Program 80% complete	Show next-program preview / coaching path.	Create qualified upsell event, not immediate sales spam.

8.4 Weekly check-in questions

1. How many workouts did you plan this week? Pre-filled from schedule.
2. How many did you complete? Auto-filled from logs.
3. How was your energy this week? 1-5.
4. How was your sleep? 1-5.
5. How sore or uncomfortable did you feel? 1-5 with a note that concerning pain should be handled by an appropriate professional.
6. How confident do you feel about next week? 1-5.
7. What got in your way? Choose: time, energy, travel, illness, soreness, family/work, motivation, other.
8. Optional note: “Anything CK should know?”
9. Set next week commitment: number of training days + preferred days.

COPY RULE

Accountability language should be supportive and action-oriented. Avoid “You failed”, “You broke your streak”, guilt, body-shaming or punishment. Use “Restart today”, “Reschedule”, “One missed day does not end the week” and similar language.

9. Video, File Storage and Content Delivery

Do not treat storage as an afterthought. Program videos are the largest asset and need a delivery system designed for streaming.

9.1 Storage responsibilities

Asset	Where to store	Access
Program videos	Cloudflare Stream	Free videos may be public or tokenized; member/premium videos require signed access.
Video masters / source files	Separate CK business archive/backup outside the app delivery platform	Owner/admin only; never rely on the streaming copy as the only master.
Program thumbnails	Supabase Storage	Public or authenticated; no sensitive data.
PDF guides/resources	Supabase Storage	Public if free; private/signed if member-only.
Profile avatars	Supabase Storage	Public or authenticated depending on design.
Progress photos	Private Supabase bucket - Phase 4 preferred	User + explicitly authorized staff only; signed short-lived access.
Meal photos	Private Supabase bucket - Phase 3	User + processing service path only; retention policy required.
Database records	Supabase Postgres	RLS by user and staff role.

9.2 Cloudflare Stream implementation

1. Create a CK Fitness Stream account/project and record the account ID in server-only environment settings.
2. Create an API token with only the permissions required to upload/manage Stream videos. Keep it server-side.
3. Upload each final program video to Stream and wait for processing before publishing it in the app.
4. Set paid/member videos to require signed URLs/tokens.
5. In the CK database store only the Stream video UID, duration, thumbnail reference and metadata. Do not store a permanent public playback URL for gated content.
6. Create a server endpoint such as /api/video-token that checks the logged-in user, lesson access level and current membership entitlement before creating a short-lived token.
7. The player requests that token immediately before playback.
8. If membership expires, the token endpoint must stop issuing member video tokens. Previously issued tokens should expire quickly.
9. Use Stream analytics to watch minutes delivered. Do not preload long videos aggressively because delivered minutes are billable.
10. Keep an external master backup of every original video.

9.3 Supabase Storage buckets

Bucket	Public?	Phase	Suggested rules
program-thumbnails	Yes	1	Images only; admin write, anyone read.
program-resources	Mixed/private recommended	1	PDF/images; server checks program access before signed member download.
avatars	Optional public	1	User can update own file; size/type limits.
support-attachments	Private	1 or later	User can upload own file only if support attachments are enabled.
meal-photos	Private	3	Compress before upload; owner read, temporary AI processing path.
progress-photos	Private	4	Highly private; short signed URLs; user controls deletion.

9.4 File limits

- Avatars: accept JPG/PNG/WEBP, compress client-side, target under 1 MB after compression.
- Program thumbnails: optimize to modern image formats where supported; keep a consistent card aspect ratio.
- PDF resources: set a reasonable maximum such as 20 MB unless a specific asset needs more.
- Never upload program video files into the browser and then proxy them through the Next.js server. Upload to Stream using a safe server/direct upload flow.
- For future private photos, strip unnecessary metadata where practical and use randomized storage paths, not real names.

9.5 Current Stream cost formula

Cloudflare Stream currently bills by video duration stored and minutes delivered, not by raw file size. At the time of this guide, pricing is USD $5 per 1,000 minutes stored and USD $1 per 1,000 minutes delivered. Encoding/ingress are included. Always re-check pricing before production launch.

Example	Minutes	Illustrative Stream cost
50 hours of stored CK programs	3,000 stored minutes	About USD $15 of storage capacity at current pricing.
100 paid members x 240 min watched/month	24,000 delivered minutes	About USD $24/month delivery.

Example	Minutes	Illustrative Stream cost
500 paid members x 240 min	120,000 delivered minutes	About USD $120/month delivery.
1,000 paid members x 240 min	240,000 delivered minutes	About USD $240/month delivery.

10. Membership, Payments and Entitlements

Create one entitlement system from Phase 1 so web and iOS do not become separate businesses.

10.1 Entitlements

Entitlement / role	Meaning	Who gets it
free	Base account access	Every registered user.
ck_member	Full $29.99 self-guided membership	Active web or future Apple subscriber.
ck_premium	Optional higher access level	Manually or commercially assigned coaching/premium clients; exact pricing can be added later.
staff roles	owner, admin, coach, content_manager, support	CK team; not purchasable.

10.2 Phase 1 web purchase flow

1. User browses useful free content first and opens a member program or membership card.
2. Paywall explains exactly what $29.99/month unlocks.
3. User starts web checkout through RevenueCat Web connected to CK's Stripe account.
4. Purchase success is associated with the same CK app user ID.
5. RevenueCat becomes the entitlement source and marks ck_member active.
6. App refreshes customer status and unlocks member content.
7. A server webhook records membership event in Supabase and syncs the change to Toasted Media CRM.
8. Cancellation keeps access until the paid period ends; expiration removes gated access automatically.
9. Billing issue creates a grace / billing_problem state rather than instantly deleting user data.

10.3 Paywall copy structure

- Headline: Unlock the Complete CK Fitness Experience.
- Benefits: full program library, structured paths, member accountability, future live/community/AI benefits as they actually become available. Do not advertise unbuilt features as currently included.
- Price: $29.99 CAD / month.
- Clear recurring-billing language.
- Cancel/manage instructions.
- Already a member? Refresh / restore access where applicable.
- Never hide required billing terms in tiny text.

10.4 Access enforcement

Every gated route must check access on the server/API layer. Hiding a button is not security. A free user who guesses a lesson ID must still be denied the signed video token and protected resource.

11. Notifications and Re-engagement

Phase 1 uses notifications as part of accountability, but the product should not become noisy.

Notification channels

Channel	Phase 1 use	Rule
In-app	Notification center, reminders, milestones, weekly check-in	Available to every user.
Web/PWA push	Workout reminder, inactivity/restart, new member content	Only after explicit opt-in; optional if implementation slows launch.
Email via Toasted Media CRM	Welcome, weekly summary, important membership/support communication	Consent and preference rules apply.
SMS via Toasted Media CRM	High-intent reminders or sales/accountability flows where consented	Use sparingly; do not make SMS the default for every habit.
Native push	Primary mobile notification channel	Phase 2 iOS.

Phase 1 notification types

- Workout scheduled reminder.
- Hydration reminder - user configurable, not forced.
- Weekly check-in due.
- Restart after inactivity.
- Program milestone reached.
- New member program/content published.
- Membership billing/renewal issue from payment system.
- Support response available.
- Optional progress reminder such as monthly measurements.

Notification preferences screen

Let users control Workout, Water, Weekly Check-in, New Content and Marketing separately. Transactional billing/security messages may not be optional in the same way as marketing. Store channel consent and timestamp.

Noise guardrails

- Default maximum: one accountability push in a short window; avoid stacking water + workout + marketing messages.
- Respect local quiet hours.
- If a user completes the action, cancel the pending reminder where possible.
- Do not use guilt-based copy.
- Let users pause habit reminders without leaving the membership.

12. Admin Portal and Content Management

Kv, Chanveer and authorized staff must be able to run the app without asking Claude to edit the database.

12.1 Admin navigation

Admin area	Required capabilities
Dashboard	Free users, paid members, MRR snapshot if available, 7-day active users, at-risk members, program starts/completions.
Programs	Create/edit program, access level, category/tags, publish status, cover image, description, reorder.
Content	Create phases/weeks/modules/lessons; attach Stream UID; upload resource; reorder; duplicate lesson.
Users	Search user, view membership state, onboarding status, active program, last activity, basic progress summary; avoid showing unnecessary sensitive detail.
Accountability	At-risk segments, weekly check-in completion, members requesting help.
Notifications	Create in-app announcement/new-content notice; target Free/Member/Premium.
CRM Sync	View latest sync status/errors; retry failed sync safely.
Settings	Program categories/tags, support contact, legal URLs, app flags.
Audit	Log important admin content/access changes.

12.2 Owner permissions

Kv and Chanveer should both have the owner role. Owner can manage staff roles, billing/configuration references and all content. Admin can manage users/content but cannot change owner access or production secrets.

12.3 Publishing workflow

1. Create content as Draft.

2. Add metadata, tags, access level and video/resource.

3. Preview as Free and Member user.

4. Run required-field validation.

5. Publish. A publish timestamp and staff ID are recorded.

6. If an error is found, Unpublish hides it immediately without an app redeploy.

13. Toasted Media CRM Integration

The app owns the product experience. Toasted Media CRM owns lifecycle sales/nurture operations.

13.1 Sync events

App event	Toasted Media CRM action
free_account_created	Create/update contact; tag CK APP - FREE; record app user ID.
onboarding_completed	Update goal, delivery preference and primary interest fields that are appropriate to sync.
membership_started	Tag CK APP - MEMBER; remove FREE-only nurture; start member welcome automation.
membership_cancelled	Record cancel requested but keep member status until entitlement actually expires.
membership_expired	Remove active-member tag; begin retention/win-back path.
at_risk_7d	Add CK APP - AT RISK 7D segment; gentle re-engagement.
coaching_interest	Create/update opportunity or task for sales follow-up.
help_requested	Create service/support task; high-priority only if user explicitly requests help.
program_completed	Optional milestone tag for upsell/next program logic.

13.2 What NOT to sync

- Do not send every water log, every weight entry or sensitive health answer into the CRM.
- Do not duplicate the entire Supabase profile database into the CRM.
- Do not use CRM tags as the app's source of truth for membership access.
- Do not put payment secrets or health notes into custom fields merely because fields exist.

13.3 Integration pattern

Create a server-only Toasted Media CRM adapter. The rest of the app should call simple functions such as syncContact(), setLifecycleTag(), createCoachingLead() and createSupportTask(). If the CRM API changes later, only the adapter should need major changes.

```
Server-side interface example (conceptual only)

syncContact(appUser)
setMembershipState(appUserId, "member" | "expired" | "free")
setRiskState(appUserId, "7d" | "14d" | null)
createCoachingLead(appUserId, source, notes)
createSupportTask(appUserId, category, message)
```

```
Environment names:
TOASTED_CRM_API_BASE_URL
TOASTED_CRM_API_TOKEN
TOASTED_CRM_WORKSPACE_ID
TOASTED_CRM_WEBHOOK_SECRET
```

14. Database Schema and Data Rules

Claude should create these tables with migrations. Names may be adjusted only if the same responsibilities remain clear.

14.1 Core user tables

Table	Important fields / purpose
profiles	user_id PK/FK auth, first_name, last_name, birth_date/age, gender_preference, avatar_path, units, onboarding_complete, created_at, updated_at.
onboarding_profiles	user_id, height_cm, starting_weight_kg, primary_goal, secondary_goals json/array, level, training_location, equipment, nutrition_preference, schedule_constraints, safety_flags, starting_reason, consent timestamps.
staff_roles	user_id, role = owner/admin/coach/content_manager/support, active.
notification_preferences	user_id, workout, water, weekly_checkin, new_content, marketing, email, sms, push, quiet_hours.
memberships	user_id, provider_customer_id, entitlement, status, started_at, period_end, cancel_at_period_end, source web/apple, updated_at.
support_requests	id, user_id, category, message, status, assigned_to, CRM sync ID if any, timestamps.

14.2 Program/content tables

Table	Important fields / purpose
programs	id, slug, title, short_description, long_description, cover_path, access_level, level, duration_label, delivery tags, goal tags, published, featured, sort_order.
program_sections	id, program_id, title, section_type phase/week/module, order_index, published.
lessons	id, section_id, title, content_type, summary, instructions, equipment, duration_minutes, stream_uid, resource_path, access_override nullable, order_index, published.
program_enrollments	id, user_id, program_id, started_at, status, current_lesson_id, completed_at.

Table	Important fields / purpose
lesson_progress	user_id, lesson_id, started_at, playback_seconds, completed_at, completion_source.
content_tags	id, tag_group, slug, label.
program_tag_map	program_id, tag_id.

14.3 Accountability/progress tables

Table	Important fields / purpose
accountability_plans	user_id, weekly_target_workouts, preferred_days, reminder_time, timezone, active.
scheduled_actions	id, user_id, action_type workout/checkin/water/etc, linked_lesson_id nullable, scheduled_for, status planned/completed/rescheduled/skipped.
habit_logs	id, user_id, date, habit_type water_ml/steps/manual, value.
weigh_ins	id, user_id, date, weight_kg, note nullable.
body_measurements	id, user_id, date, waist_cm, hips_cm, bust_cm, thigh_cm, arm_cm, optional json extras.
weekly_checkins	id, user_id, week_start, planned_workouts, completed_workouts, energy, sleep, soreness, confidence, obstacle, note, next_week_target.
milestones	id, user_id, milestone_type, achieved_at, metadata.
risk_states	user_id, state active/at_risk_3d/7d/14d, detected_at, last_activity_at, resolved_at.

14.4 Operational tables

Table	Purpose
notifications	User-facing in-app notifications and read state.
crm_sync_events	Event queue/status, retries and error message for Toasted Media CRM.

Table	Purpose
analytics_events	Important product events only; do not copy every database write.
admin_audit_log	Who changed program access, publishing, staff role or sensitive configuration.
app_settings	Feature flags, support URL/email, legal URLs, current public membership price display, etc.

14.5 Row-level security rules

- User can read/update only her own profile/onboarding/progress/accountability records.
- User can read published free content. Member access to gated media/resources also requires current entitlement verification.
- Admin/owner access goes through role policies and server/admin routes; do not simply trust a role field sent by the browser.
- Content managers can edit programs/content but cannot view private user progress unless their role requires it.
- Support staff can see support context but should not automatically see body measurements or safety answers.
- Service-role key is server-only.

15. Security, Privacy and Safety Rules

The app collects body and wellness information. Treat it as sensitive even when it is not a medical record system.

Minimum privacy behaviors before launch

- Publish Privacy Policy, Terms of Use, Support contact and general fitness/safety disclaimer.
- Collect only fields CK will actually use.
- Explain why sensitive onboarding questions are asked and make optional fields optional.
- Provide clear account deletion in Profile. Deletion should remove or anonymize user data according to the approved retention policy.
- Keep private files in private buckets and use short-lived signed URLs.
- Do not send body measurements, injury answers or private notes to analytics tools.
- Do not include sensitive values in application logs or error messages.
- Encrypt data in transit through HTTPS; rely on managed providers for encryption at rest and account security capabilities.
- Have a staff access policy: owners/admins should not browse private records casually.
- Review applicable Canadian/BC privacy obligations with appropriate legal/privacy counsel before broad public launch.

Fitness safety rules

- The app provides fitness education and programming, not diagnosis or emergency care.
- If a user reports concerning injury/pain or pregnancy/postpartum complications, the app should show conservative safety messaging and human/professional escalation options rather than automatically prescribing an intense program.
- BMI, calorie targets and future AI estimates must be described as informational/estimated where appropriate.
- Never claim a sensor or AI can diagnose conditions.
- Keep program-specific contraindication/safety notes editable by CK staff.

Phase 2 community safety

When community posting launches, the app must have report, block and moderation tools before App Store submission. Community posts are user-generated content and need a clear community standard and support contact.

16. Analytics, KPIs and Event Tracking

Track the events that help CK make product and revenue decisions. Do not collect everything simply because it is possible.

Core Phase 1 events

Event	Use
account_created	Top-of-funnel conversion.
onboarding_started / completed	Detect onboarding drop-off.
dashboard_viewed	Activation/return behavior.
program_viewed	Content demand.
program_started	Activation.
lesson_started / completed	Program adherence.
weekly_checkin_completed	Accountability engagement.
paywall_viewed	Commercial intent.
checkout_started / membership_started	Paid conversion.
membership_cancelled / expired	Churn.
coaching_interest	Upsell demand.
help_requested	Service need.
account_deleted	Churn/privacy event.

Phase 1 KPI dashboard

KPI	Definition
Activation rate	% of new accounts that complete onboarding + first meaningful action.
Free -> paid conversion	% of eligible free users who become paying members in a defined window.

KPI	Definition
7-day active rate	% of users returning in the last 7 days.
Paid program start rate	% of paid members who start a program.
Weekly adherence	Completed planned workouts / planned workouts.
Weekly check-in completion	% of active members completing check-in.
At-risk rate	% of paid members with 7+ days of inactivity.
Monthly membership churn	Paid cancellations/expirations relative to active base.
Coaching lead rate	% of engaged members expressing human coaching interest.

17. Phase 1 QA, Launch and Definition of Done

Do not call Phase 1 finished because the homepage looks good. The end-to-end flows must work.

17.1 Test accounts

- Free user - onboarding complete.
- Free user - onboarding incomplete.
- Active member.
- Member cancel_at_period_end but still active.
- Expired member.
- Owner (Kv).
- Owner (Chanveer).
- Content manager/admin.
- App-review/demo style account can be created in Phase 2.

17.2 Critical test flows

1. Create account -> complete onboarding -> see personalized Home.

2. Change workout schedule -> reminder/Today changes correctly.

3. Log water -> dashboard updates -> next day resets daily total but history remains.

4. Log weight/measurements -> progress shows correct values and dates.

5. Open free program -> play lesson -> complete -> progress updates.

6. Free user opens member program -> sees paywall and cannot obtain paid video token.

7. Complete web membership checkout -> entitlement becomes active -> member library unlocks without manual intervention.

8. Cancel membership -> access remains until period end -> expires correctly.

9. Complete weekly check-in -> summary and next-week commitment update.

10. Become inactive in test data -> correct risk state and Toasted Media CRM event is created once, not repeatedly.

11. Admin creates draft program -> previews -> publishes -> it appears without redeploy.

12. Admin unpublishes -> content disappears safely.

13. Password reset works.

14. Account deletion request works and user is logged out/blocked appropriately.

15. Mobile layout works at common phone widths with no clipped navigation or impossible tap targets.

17.3 Beta launch

1. Run internal QA with Kv, Chanveer and staff.

2. Invite 20-50 trusted clients/leads. Do not spend heavily on acquisition yet.

3. Watch onboarding completion, program starts, video errors, payment issues, check-in completion and support questions for at least several days.

4. Fix any issue that blocks account creation, playback, membership access, progress saving or cancellation.

5. Only then announce the broad free account launch to CK's audience.

PHASE 1 DEFINITION OF DONE

A new user can join free, complete onboarding, use the daily dashboard, track herself, start a free program, upgrade on web, unlock and complete a paid program, receive accountability nudges, and request human help. Kv and Chanveer can publish content and see member/risk status without editing the database.

18. Phase 2: Native iOS + Community + Live + Coaching

Phase 2 turns the validated web product into a stronger iPhone experience and adds retention/revenue features.

18.1 Native iOS build

- Create apps/mobile using Expo + React Native + Expo Router (or another current stable React Native workflow if there is a clear reason).
- Reuse shared types, access rules and API client from packages/. Do not duplicate business logic manually.
- Connect to the same Supabase project and same user accounts.
- Use native secure storage for session tokens where supported.
- Implement native push notifications and deep links.
- Implement RevenueCat iOS SDK and Apple auto-renewable subscription mapped to the same ck_member entitlement.
- Existing web subscribers can sign in and receive access through RevenueCat entitlement mapping. In-app digital subscription purchase must follow current Apple rules.
- Include Restore Purchases.
- Provide privacy, terms, support and account deletion in the native app.
- Prepare App Review notes and a demo account with clear explanation of Free vs Member functionality.

18.2 Phase 2 navigation

The native app can evolve to six main destinations, but avoid six bottom-tab icons. Recommended bottom tabs: Home, Programs, Community, Coaching, Profile. Nutrition/AI remains hidden until Phase 3. Progress and Accountability can live inside Home/Profile or a “More” path if needed.

18.3 Free community

- CK announcements
- Introductions
- Wins
- Selected educational posts
- Free challenges
- Bootcamp/event announcements
- Upgrade cards placed naturally

18.4 Paid community

- Program-specific channels
- Weekly accountability thread
- Member wins
- Nutrition discussion (education only before Phase 3 engine)
- Ask CK / Q&A
- Member challenges
- Live replay discussions

18.5 Community technical requirements

Table	Purpose
community_channels	Free/member/premium channel definitions.

Table	Purpose
community_posts	Author, channel, text/media, created_at, status.
community_comments	Threaded or flat comments; keep v1 simple.
community_reports	User report reason, target post/user, status.
community_blocks	Blocking relationships.
moderation_actions	Admin record of removed content / suspended user.

Before App Store launch with user-generated content, include objectionable-content filtering/moderation, report, block and published contact/support mechanisms.

18.6 Live sessions

- Create Live tab/section under Coaching or Community.
- Admin creates event: title, date/time, access level, capacity optional, host, meeting link, description, replay link later.
- User can RSVP and add to calendar.
- At event time, eligible member taps Join. Open secure provider link or embedded supported meeting experience.
- After the call, admin can attach a replay from Cloudflare Stream and member discussion thread.
- Do not build CK's own video conference stack yet.

18.7 Coaching / Training tab - revenue center

Offer tile	CTA	Lead/payment logic
CK Membership	$29.99/month	Apple IAP in iOS; same ck_member entitlement.
Premium small-group accountability	Join waitlist / Apply / Buy when finalized	If digital one-to-many service is sold in iOS, validate IAP treatment at implementation time.
1:1 online coaching	Apply / Book assessment	Creates coaching_interest and qualified follow-up; real-time person-to-person payment route should follow current platform rules.
Studio / Hybrid training	Book assessment	Physical/off-app service checkout/booking can use appropriate external payment flow.
Specialty program / cohort	View details	Access method depends on whether it is digital self-guided, group live or person-to-person service.

19. Phase 3: AI Coach + Nutrition + Calorie Tracking

AI should know CK's programs and the user's context. It should not behave like an unrestricted medical chatbot.

19.1 CK AI Coach architecture

- Create an AI provider adapter so the app can switch model providers without rewriting the product.
- Create an approved CK knowledge base from current programs, exercise instructions, FAQs, nutrition education and policies.
- Use retrieval (RAG) so answers cite/ground themselves in CK content where possible. Fine-tuning is not required to launch.
- Give the AI limited user context: active program, week, completed lessons, equipment, goals and selected preferences. Do not send unnecessary sensitive data.
- Log AI conversations with a clear retention policy and allow the user to delete chat history.
- Escalate injury, severe pain, pregnancy/postpartum concerns, eating-disorder signals, emergencies and medical questions to safe guidance/human/professional support rather than confident personalized treatment.
- Add fair-use limits and cost tracking per paid member.

19.2 AI Coach user cases

Question	Expected behavior
I missed yesterday's workout	Use program schedule + accountability rules to suggest safe reschedule options.
My gym does not have this machine	Use CK-approved substitution map, not invented exercise advice.
I'm travelling for three days	Use available CK travel/home lessons if tagged.
What is next in my program?	Read active enrollment and show exact next lesson.
I am vegetarian and need protein ideas	Give general CK-approved food suggestions that match preference.
I have sharp pain in my back	Do not diagnose. Stop/modify advice and route to appropriate professional/CK human support.

19.3 Nutrition and calorie system

- Daily calorie/protein/macro target when appropriate and based on an approved calculation/methodology.
- Manual food search and quick-add meal.
- Custom CK food library for common South Asian foods and CK-approved recipes.
- Photo-assisted meal estimate. Every result must say estimated and let the user correct portion/items.
- Vegetarian/non-vegetarian preference.
- Weekly consistency summary, not obsessive perfection scoring.
- Protein gap suggestions and meal ideas.
- No disease treatment plans or medical nutrition claims without qualified review.

19.4 New tables/services

- ai_threads
- ai_messages
- ai_feedback
- knowledge_documents + chunks/embeddings
- food_items / CK food overrides
- meal_logs
- meal_items
- nutrition_targets
- ai_usage_daily

20. Phase 4: Health Data + Adaptive Accountability + Automation

Use real behavior to make CK more useful without becoming invasive.

Phase 4 features

- Apple Health / HealthKit: steps and other approved, clearly useful metrics. Ask only for permissions needed for visible features.
- Weekly CK Progress Report combining program adherence, water/protein consistency, body metrics the user chooses to track and check-in sentiment.
- Adaptive reminder timing based on user behavior, while respecting preferences/quiet hours.
- Progress photos in a private bucket with consent, deletion and strict access.
- Rules that detect likely churn earlier: reduced opens + incomplete program + missed check-ins.
- Program recommendation engine using tags, history and goal - start with deterministic rules before adding AI ranking.
- Automatic “next block” recommendation as a user completes a program.
- Coach/admin dashboard for premium users showing who needs actual human attention.

Adaptive accountability examples

Behavior	System response
User always completes workouts at 7 PM	Suggest moving reminder to 6:30 PM if she has enabled smart reminders.
User repeatedly misses Monday but trains Tuesday	Offer schedule adjustment rather than repeatedly sending Monday failure reminders.
User completes program ahead of schedule	Offer next path and celebratory summary.
User has low energy/soreness check-ins multiple weeks	Show conservative recovery messaging and human-support option; do not automatically intensify.
Premium client becomes inactive	Prioritize for coach review, not just an automated message.

21. Phase 5: Scale + Android + Additional Revenue

Build only after retention and acquisition are working.

Phase 5 product additions

- Android release using the shared React Native codebase; add Google Play Billing through RevenueCat.
- Annual membership offer to improve cash flow and reduce voluntary churn.
- Premium membership tier if live/accountability demand is proven.
- Multi-coach support: assigned coach, coach dashboard, limited client visibility.
- Referral engine: member invite link, verified referral, reward policy.
- Localization: Punjabi and other languages if demand is proven; do not translate medical/safety copy casually.
- Advanced challenges, badges and opt-in leaderboards.
- Partner/community memberships and employer/group codes if commercially useful.
- Optional shop/partner offers only after core membership retention is healthy.
- Content cohorts and seasonal launches without needing app releases.

Phase 5 revenue layers

Revenue stream	Scalability	Notes
$29.99 membership	High	Core recurring revenue.
Annual membership	High	Pull cash forward; price after retention is known.
Premium group coaching	Medium	Higher ARPU but consumes scheduled human time.
1:1 coaching	Low/medium	High value, founder/coach capacity constrained.
Studio/hybrid	Local / low scale	High-touch local conversion.
Specialty cohorts	Medium	Can launch as limited-time guided blocks.
Partnership/commerce	High if relevant	Do not distract from fitness subscription until core is stable.

22. Program Migration Runbook

Move programs into a consistent structure before bulk uploading video.

22.1 Create a master inventory spreadsheet

Before migration, Kv/Chanveer should have one row per program and one row per lesson/video asset. Claude can create an import template later, but the content decision must come from CK.

Field	Example
Program name	12-Week Transformation
Current / outdated / duplicate	Current
Access level	member
Category	Fat Loss & Transformation
Level	Beginner/Intermediate
Delivery	Home/Gym
Duration	12 weeks
Section/week	Week 1
Lesson title	Lower Body Strength A
Source video filename	W1_D1_lower_body.mp4
Written instructions ready?	Yes/No
Thumbnail ready?	Yes/No
Safety notes approved?	Yes/No
Publish in Phase 1?	Yes/No

22.2 Migration order

1. Inventory all current program assets.

2. Remove duplicates/outdated versions from the launch list.

3. Decide access level for each program.

4. Standardize program and lesson naming.

5. Create cover images and short descriptions.

6. Upload launch videos to Cloudflare Stream.

7. Enter Stream UIDs into the content import/admin system.

8. Create program sections and lesson order.

9. QA each video on mobile and desktop.

10. Test as free user and paid user.

11. Publish only the launch library. Migrate lower-priority legacy content after release.

22.3 Recommended first launch library

- 5-Day Women's Core & Pelvic Foundation as the flagship free starting asset.
- 12-Week Transformation as a major paid member path if Kv and Chanveer confirm the recorded/self-guided version belongs in membership.
- Strength & Sculpt / Burn & Transform content organized under the correct transformation phases if those assets are current.
- Mobility/Corrective starter content.
- One clearly labeled Home Training path if enough current assets exist.
- Only include live replays if they are organized and useful; avoid dumping an archive of random recordings.

23. Cost Control and Storage Economics

The app should be inexpensive at launch but have clear controls before usage grows.

Base infrastructure mindset

Cost area	Launch approach	Control
Supabase	Use production paid plan before broad launch; current Pro starts around USD $25/month and includes significant file quota. Re-check at launch.	Set spend caps/alerts where available; do not store video there.
Cloudflare Stream	Pay by stored minutes + delivered minutes.	Track minutes delivered per paid member; disable wasteful preloading.
Vercel	Start on appropriate production tier for commercial app.	Monitor serverless/function usage; cache public content where safe.
RevenueCat	Start on current eligible plan; fees scale with revenue depending on plan.	Use one entitlement system; monitor platform fee economics.
Stripe / Apple	Transaction/store fees apply by channel.	Model net MRR separately from gross MRR.
Toasted Media CRM	Existing operating system.	Send only high-value lifecycle events, not every app action.
AI	Phase 3 only.	Per-user usage caps, cached answers/RAG, cheaper model where adequate.
Notifications	Keep volume intentional.	Preference controls and channel limits.

Video cost metric to track

Create a monthly admin metric: video_minutes_delivered / active_paid_members. If this grows unexpectedly, inspect autoplay, preloading, replay behavior and abuse. Do not reduce legitimate usage just to save pennies; use the metric to catch technical waste.

Storage budget alerts

- Alert at 70%, 85% and 95% of any meaningful storage/usage budget.
- Review Stream storage after every large content migration.
- Delete obsolete delivery copies only after master backups are confirmed.
- Compress future user images before upload.
- Never keep failed temporary uploads indefinitely.

24. Claude Execution Prompts by Phase

Use these after the master project prompt. Each prompt tells Claude what it is allowed to build next.

Prompt A - Start Phase 1

```
PHASE 1 BUILD REQUEST
Build the CK Fitness mobile-first web MVP exactly from Sections 3-17 of the CK Fitness App Claude Build-Out
Guide.

Start with Milestone 1A only. Before coding:
- summarize the architecture you will use;
- list every external account/key I need to create;
- create PHASE_STATUS.md with the Phase 1 milestones;
- create the initial database migration plan;
- identify any decision that truly blocks implementation.

Then implement Milestone 1A. Do not build community, AI, nutrition/photo calories, HealthKit or native iOS. Do
not use any CRM name other than Toasted Media CRM.

At the end of the milestone:
- run lint/typecheck/tests/build;
- show all files changed;
- list environment variables required without exposing values;
- give me a plain-English test checklist;
- stop and wait for approval before Milestone 1B.
```

Prompt B - Start Phase 2

```
PHASE 2 BUILD REQUEST
Phase 1 is approved and stable. Build the native iOS app plus Community, Live and Coaching features described
in Section 18.

Requirements:
- reuse the existing backend and user accounts;
- use the shared entitlement ck_member;
- implement Apple subscription purchase + Restore Purchases through RevenueCat;
- preserve access for valid web subscribers;
- implement native push/deep links;
- add user-generated-content moderation, reporting and blocking before App Store submission;
- use scheduled external live-session links rather than custom video-conferencing infrastructure;
- keep AI/Nutrition disabled until Phase 3.

Build in sub-milestones and stop for approval after each major sub-milestone.
```

Prompt C - Start Phase 3

```
PHASE 3 BUILD REQUEST
Phase 2 is approved. Build the CK AI Coach and Nutrition/Calories system described in Section 19.

Do not create an unrestricted chatbot. Build a CK-grounded system with approved knowledge, program context,
safety escalation, usage limits and provider abstraction. Label calorie/photo outputs as estimates and let
users correct them. Add South Asian food support through a CK override library. Add cost/usage monitoring
before public release.
```

Prompt D - Start Phase 4

```
PHASE 4 BUILD REQUEST
Build the Health Data, adaptive accountability and automation features from Section 20. Request the minimum
```

```
Apple Health permissions needed. Add private progress photos only after deletion/access controls are complete.
Start recommendations with deterministic rules before adding more AI complexity.
```

Prompt E - Start Phase 5

```
PHASE 5 BUILD REQUEST
Build only the Phase 5 items explicitly approved by Kv and Chanveer from Section 21. Prioritize Android +
billing parity, annual plan and proven premium revenue features. Do not add every optional feature at once.
Each major feature must have a KPI and an acceptance checklist.
```

25. Final Acceptance Checklists

Use these as gates. A phase is not complete until the applicable boxes are true.

Phase 1 gate

☐ Production and staging are separate and documented.
☐ Owners Kv and Chanveer have owner access.
☐ Free signup/login/reset/delete flows work.
☐ Onboarding saves correctly and handles incomplete users.
☐ BMI calculation is correct and framed as informational.
☐ Home dashboard loads quickly on mobile.
☐ Water, schedule, weight/measurements and weekly plan save correctly.
☐ Accountability rules do not send duplicates or guilt-based copy.
☐ Programs show correct categories/sub-tabs and ordering.
☐ Free/member access is enforced server-side.
☐ Paid videos require short-lived signed access.
☐ Web membership starts, renews/cancels/expires correctly.
☐ Toasted Media CRM sync handles success/failure/retry safely.
☐ Admin can create/publish/unpublish/reorder content.
☐ At-risk members can be identified.
☐ Privacy/terms/support are linked.
☐ Account deletion works.
☐ No secrets are present in client code/repo.
☐ 20-50 person beta completed with critical bugs fixed.
☐ Basic KPI dashboard is visible.

Phase 2 gate

☐ Native iOS app signs into same accounts.
☐ Apple subscription + restore purchases work in sandbox and production configuration is ready.
☐ Valid web subscriber receives same ck_member access.
☐ Push works.
☐ Community report/block/moderation works.
☐ Live event RSVP/join/replay works.
☐ Coaching interest creates correct lead.
☐ App Review demo account/notes/privacy metadata are ready.
☐ No external digital-purchase path violates the current storefront rules.

Phase 3 gate

☐ AI answers are grounded in approved CK knowledge where required.
☐ Safety escalation works.
☐ Usage/cost caps work.
☐ Meal estimates clearly say estimated and can be corrected.
☐ Nutrition history and delete controls work.
☐ No medical diagnosis/treatment behavior is presented as CK AI coaching.

26. Platform Notes and References

These implementation notes were checked against current platform documentation while preparing this guide. Re-check before the actual App Store submission because policies and pricing can change.

Apple

App Review Guidelines: https://developer.apple.com/app-store/review/guidelines/

Configure In-App Purchases for review: https://developer.apple.com/help/app-review/before-submitting-for-review/configure-in-app-purchases

Submit an In-App Purchase: https://developer.apple.com/help/app-store-connect/manage-submissions-to-app-review/submit-an-in-app-purchase/

Apple In-App Purchase: https://developer.apple.com/in-app-purchase/

Relevant current Apple principles: digital features/content unlocked inside iOS generally require In-App Purchase; multi-platform services may allow access to content purchased on other platforms when the same items are available as in-app purchases; real-time person-to-person services have different treatment from one-to-many digital services; apps with user-generated content need filtering/moderation, reporting, blocking and published contact information.

RevenueCat

Stripe Billing integration: https://www.revenuecat.com/docs/web/integrations/stripe

RevenueCat Web overview: https://www.revenuecat.com/docs/web/overview

Entitlements: https://www.revenuecat.com/docs/getting-started/entitlements

Supabase

Storage buckets: https://supabase.com/docs/guides/storage/buckets/fundamentals

Storage access control: https://supabase.com/docs/guides/storage/security/access-control

Storage pricing: https://supabase.com/docs/guides/storage/pricing

Cloudflare Stream

Stream pricing: https://developers.cloudflare.com/stream/pricing/

Secure Stream / signed URLs: https://developers.cloudflare.com/stream/viewing-videos/securing-your-stream/

Stream live video: https://developers.cloudflare.com/stream/stream-live/

CK source context

This build guide carries forward the CK Fitness Master Business Understanding V3 and the CK Fitness App Master Planning Plan v1.1. Existing CK program/service names are used only where those source documents support them. Items that were marked for validation in CK V3 should be confirmed by Kv and Chanveer before hard-coding pricing, availability or public claims.

NEXT ACTION

Give this guide to Claude and start with Prompt A. Claude should complete Milestone 1A only, report back, and wait. Do not paste all later-phase prompts into the same execution request; keep the project disciplined.