

```
[smbshare]
    comment = Thu muc chia se tu centos 7
    path = /smbshare
[root@Ducnhuad ~]# service smb start
Redirecting to /bin/systemctl start smb.service
[root@Ducnhuad ~]# service smb status
Redirecting to /bin/systemctl status smb.service
● smb.service - Samba SMB Daemon
   Loaded: loaded (/usr/lib/systemd/system/smb.service; disabled; vendor preset: disabled)
   Active: active (running) since Fri 2024-04-12 16:02:13 +07; 14s ago
     Docs: man:smbd(8)
           man:samba(7)
           man:smb.conf(5)
  Main PID: 3787 (smbd)
    Status: "smbd: ready to serve connections..."
      Tasks: 4
    CGroup: /system.slice/smb.service
            └─3787 /usr/sbin/smbd --foreground --no-process-group
              └─3793 /usr/sbin/smbd --foreground --no-process-group
                └─3794 /usr/sbin/smbd --foreground --no-process-group
                  └─3795 /usr/sbin/smbd --foreground --no-process-group

Apr 12 16:02:12 Ducnhuad systemd[1]: Starting Samba SMB Daemon...
```


```
[root@Ducnhuad ~]# smbpasswd -a ducnhu
New SMB password:
Retype new SMB password:
Added user ducnhu.
[root@Ducnhuad ~]# smb
smbcacs  smbcontrol  smbd          smbpasswd  smbpool  smbtar

Enter SAMBA\ducnhu's password:
Try "help" to get a list of possible commands.
smb: \> dir
.
..
adjtime
aliases
aliases.db
anacrontab
asound.conf
at.deny
D 0 Fri Apr 12 15:57:31 2024
D 0 Fri Apr 12 15:57:13 2024
N 16 Fri Apr 12 15:57:31 2024
N 1529 Fri Apr 12 15:57:31 2024
N 12288 Fri Apr 12 15:57:31 2024
N 541 Fri Apr 12 15:57:31 2024
N 55 Fri Apr 12 15:57:31 2024
N 1 Fri Apr 12 15:57:31 2024

17811456 blocks of size 1024. 12670928 blocks available
smb: \> quit
[root@Ducnhuad ~]# firewall -cmd --permanent --add-port=137/tcp
bash: firewall: command not found...
[root@Ducnhuad ~]# firewall-cmd --permanent --add-port=137/tcp
success
[root@Ducnhuad ~]# firewall-cmd --permanent --add-port=138/tcp
success
[root@Ducnhuad ~]# firewall-cmd --permanent --add-port=139/tcp
success
[root@Ducnhuad ~]# firewall-cmd --permanent --add-port=445/tcp
success
[root@Ducnhuad ~]# firewall-cmd --permanent --add-port=901/tcp
success
[root@Ducnhuad ~]# firewall-cmd --reload
success
[root@Ducnhuad ~]# ping 192.168.46.1
```

bit

Open ▾



smb.conf  
/etc/samba

Save

≡

—

```
security = user

passdb backend = tdbsam

printing = cups
printcap name = cups
load printers = yes
cups options = raw

[homes]
comment = Home Directories
valid users = %S, %D%W%S
browseable = No
read only = No
inherit acls = Yes

[printers]
comment = All Printers
path = /var/tmp
printable = Yes
create mask = 0600
browseable = No

[print$]
comment = Printer Drivers
path = /var/lib/samba/drivers
write list = @printadmin root
force group = @printadmin
create mask = 0664
directory mask = 0775

[smbshare]
comment = Thu muc chia se tu centos 7
path = /smbshare
browseable = Yes
```

Plain Text ▾

Tab Width: 8 ▾

Ln 43, Col 1

←

Map Network Drive

×

### What network folder would you like to map?

Specify the drive letter for the connection and the folder that you want to connect to:

Drive:

S: ▾

Folder:

\\192.168.46.131\smbshare ▾

Browse...

Example: \\server\share

☐ Reconnect at sign-in

☒ Connect using different credentials

[Connect to a Web site that you can use to store your documents and pictures.](#)

Finish

Cancel

131) (S: × +

⌂ > This PC > smbshare (\\192.168.46.131) (S:)

📁 📄 🔍 🗑️ ⬆️ ⬆️ ⬆️

Sort ▾ View ▾ ⋮

Name	Date modified	Type	Size
📄 adjtime	4/12/2024 3:57 PM	File	1 KB
📄 aliases	4/12/2024 3:57 PM	File	2 KB
📄 aliases	4/12/2024 3:57 PM	Data Base File	12 KB
📄 anacrontab	4/12/2024 3:57 PM	File	1 KB
📄 asound.conf	4/12/2024 3:57 PM	CONF File	1 KB
📄 at.deny	4/12/2024 3:57 PM	DENY File	1 KB