
```
[root@Ducnhuad ~]# rpm -qa|grep nfs
nfs4-acl-tools-0.3.3-21.el7.x86_64
libnfsidmap-0.25-19.el7.x86_64
nfs-utils-1.3.0-0.68.el7.x86_64
```



```
File Edit View Search Terminal Help
cp: overwrite '/nfssharel/abrt/abrt-action-save-package-data.conf'? ^C
[root@Ducnhuad ~]# vi /etc/exports
[root@Ducnhuad ~]# exportfs -a
[root@Ducnhuad \sim]# service nfs start
Redirecting to /bin/systemctl start nfs.service
[root@Ducnhuad ~]# service nfs status
Redirecting to /bin/systemctl status nfs.service
nfs-server.service - NFS server and services
  Loaded: loaded (/usr/lib/systemd/system/nfs-server.service; disabled; vendor
preset: disabled)
  Active: active (exited) since Fri 2024-04-19 10:40:17 +07; 6s ago
  Process: 3591 ExecStartPost=/bin/sh -c if systemctl -q is-active gssproxy; the
n systemctl reload gssproxy ; fi (code=exited, status=0/SUCCESS)
  Process: 3575 ExecStart=/usr/sbin/rpc.nfsd $RPCNFSDARGS (code=exited, status=0
/SUCCESS)
 Process: 3573 ExecStartPre=/usr/sbin/exportfs -r (code=exited, status=0/SUCCES
S)
 Main PID: 3575 (code=exited, status=0/SUCCESS)
    Tasks: 0
   CGroup: /system.slice/nfs-server.service
Apr 19 10:40:17 Ducnhuad systemd[1]: Starting NFS server and services...
Apr 19 10:40:17 Ducnhuad systemd[1]: Started NFS server and services.
[root@Ducnhuad ~]#
```

```
root@Ducnhuad:~
                                                                          _ X
File Edit View Search Terminal Help
/SUCCESS)
 Process: 3573 ExecStartPre=/usr/sbin/exportfs -r (code=exited, status=0/SUCCES
S)
Main PID: 3575 (code=exited, status=0/SUCCESS)
   Tasks: 0
   CGroup: /system.slice/nfs-server.service
Apr 19 10:40:17 Ducnhuad systemd[1]: Starting NFS server and services...
Apr 19 10:40:17 Ducnhuad systemd[1]: Started NFS server and services.
[root@Ducnhuad ~]# firewall-cmd --permanent --add-service=nfs
success
[root@Ducnhuad ~]# firewall-cmd --permanent --add-service=mounted
Error: INVALID SERVICE: 'mounted' not among existing services
[root@Ducnhuad ~]# firewall-cmd --permanent --add-service=mountd
[root@Ducnhuad ~]# firewall-cmd --permanent --add-service=rpc-bind
[root@Ducnhuad ~]# firewall-cmd --permanent --add-port=2049/tcp
[root@Ducnhuad ~]# firewall-cmd --permanent --add-port=2049/udp
[root@Ducnhuad ~]# firewall-cmd --reload
success
[root@Ducnhuad ∼1# ∏
```

