(/)

Curriculum

SE Foundations Average: 108.76%

0x01. Shell, permissions

Bash

Shell

By: Julien Barbier

Weight: 1

DevOps

■ Project over - took place from Feb 9, 2023 6:00 AM to Feb 10, 2023 6:00 AM

An auto review will be launched at the deadline

In a nutshell...

Auto QA review: 70.0/70 mandatory & 20.0/20 optional

• Altogether: 200.0%

Mandatory: 100.0%Optional: 100.0%

Calculation: 100.0% + (100.0% * 100.0%) == 200.0%

About Bash projects

Unless stated, all your projects will be auto-corrected with Ubuntu 20.04 LTS.

Concepts

For this project, we expect you to look at this concept:

• Struggling with the sandbox? Try this: Using Docker & WSL on your local host (/concepts/100039)

Resources



Read or watch:

Help

Permissions (/rltoken/aQmRB6ms-SDHUhqY0Rsa3g)

man or help:

- chmod
- sudo
- su
- chown
- chgrp
- id
- groups
- whoami
- adduser
- useradd
- addgroup

Learning Objectives

At the end of this project, you are expected to be able to explain to anyone (/rltoken/ku9cNLQc4XzHnVXH6YFE7A), without the help of Google:

Permissions

- What do the commands chmod , sudo , su , chown , chgrp do
- Linux file permissions
- · How to represent each of the three sets of permissions (owner, group, and other) as a single digit
- How to change permissions, owner and group of a file
- Why can't a normal user chown a file
- How to run a command with root privileges
- How to change user ID or become superuser

Other Man Pages

- How to create a user
- How to create a group
- How to print real and effective user and group IDs
- · How to print the groups a user is in
- How to print the effective userid

Copyright - Plagiarism

- You are tasked to come up with solutions for the tasks below yourself to meet with the above learning objectives.
- You will not be able to meet the objectives of this or any following project by copying and pasting someone else's work.
- You are not allowed to publish any content of this project.
- Any form of plagiarism is strictly forbidden and will result in removal from the program.

Requirements

General

- Allowed editors: vi, vim, emacs
- All your scripts will be tested on Ubuntu 20.04 LTS
- All your scripts should be exactly two lines long (\$ wc -1 file should print 2)
- All your files should end with a new line (why? (http://unix.stackexchange.com/questions/18743/whats-the-point-in-adding-a-new-line-to-the-end-of-a-file/18789))
- The first line of all your files should be exactly #!/bin/bash
- A README.md file, at the root of the folder of the project, describing what each script is doing
- You are not allowed to use backticks, && , || or ;
- All your files must be executable

Quiz questions

Great! You've completed the quiz successfully! Keep going! (Show quiz)

Tasks

0. My name is Betty

mandatory

Score: 100.0% (Checks completed: 100.0%)

Create a script that switches the current user to the user betty.

- You should use exactly 8 characters for your command (+1 character for the new line)
- You can assume that the user betty will exist when we will run your script

```
julien@ubuntu:/tmp/h$ tail -1 0-iam_betty | wc -c
9
julien@ubuntu:/tmp/h$
```

Repo:


• GitHub repository: alx-system_engineering-devops

• Directory: 0x01-shell_permissions

• File: 0-iam_betty



Help Check your code >_ Get a sandbox **QA Review Ø**Done! 1. Who am I mandatory Score: 100.0% (Checks completed: 100.0%) Write a script that prints the effective username of the current user. julien@ubuntu:/tmp/h\$./1-who_am_i julien julien@ubuntu:/tmp/h\$ Repo: • GitHub repository: alx-system_engineering-devops • Directory: 0x01-shell_permissions • File: 1-who_am_i ☑ Done! >_ Get a sandbox Help Check your code **QA Review**



Project: 0x01. Shell, permissions | Nairobi Intranet 3_fNew owner mandatory Score: 100.0% (Checks completed: 100.0%) Write a script that changes the owner of the file hello to the user betty. julien@ubuntu:/tmp/h\$ ls -l total 4 -rwxrw-r-- 1 julien julien 30 Sep 20 14:23 3-new_owner -rw-rw-r-- 1 julien julien 0 Sep 20 14:18 hello julien@ubuntu:/tmp/h\$ sudo ./3-new_owner julien@ubuntu:/tmp/h\$ ls -l total 4

Repo:

GitHub repository: alx-system_engineering-devops


-rwxrw-r-- 1 julien julien 30 Sep 20 14:23 3-new_owner

-rw-rw-r-- 1 betty julien 0 Sep 20 14:18 hello

- Directory: 0x01-shell_permissions
- File: 3-new_owner

julien@ubuntu:/tmp/h\$

☑ Done! Help Check your code >_ Get a sandbox **QA Review**



5₍Execute

mandatory

Score: 100.0% (Checks completed: 100.0%)

Write a script that adds execute permission to the owner of the file hello.

• The file hello will be in the working directory

```
julien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 28 Sep 20 14:26 5-execute
-rw-rw-r-- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$ ./hello
bash: ./hello: Permission denied
julien@ubuntu:/tmp/h$ ./5-execute
julien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 28 Sep 20 14:26 5-execute
-rwxrw-r-- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$
```

Repo:

• GitHub repository: alx-system_engineering-devops

• Directory: 0x01-shell_permissions

• File: 5-execute

☑ Done!

Help

Check your code

>_ Get a sandbox

QA Review

6. Multiple permissions

mandatory

Score: 100.0% (Checks completed: 100.0%)

Write a script that adds execute permission to the owner and the group owner, and read permission to other users, to the file hello.

The file hello will be in the working directory

```
jwlien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 36 Sep 20 14:31 6-multiple_permissions
-r--r---- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$ ./6-multiple_permissions
julien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 36 Sep 20 14:31 6-multiple_permissions
-r-xr-xr-- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$
```

- GitHub repository: alx-system_engineering-devops
- Directory: 0x01-shell_permissions
- File: 6-multiple_permissions

7. Everybody!

mandatory

Score: 100.0% (Checks completed: 100.0%)

Write a script that adds execution permission to the owner, the group owner and the other users, to the file hello

- The file hello will be in the working directory
- You are not allowed to use commas for this script

```
julien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 28 Sep 20 14:35 7-everybody
-rw-r---- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$ ./7-everybody
julien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 28 Sep 20 14:35 7-everybody
-rwxr-x--x 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$
```

Repo:

GitHub repository: alx-system_engineering-devops

• Directory: 0x01-shell_permissions

• File: 7-everybody



Done! Help Check your code >_ Get a sandbox QA Review

8. James Bond

mandatory

Score: 100.0% (Checks completed: 100.0%)

Write a script that sets the permission to the file hello as follows:

- Owner: no permission at all
- · Group: no permission at all
- Other users: all the permissions

The file hello will be in the working directory You are not allowed to use commas for this script

```
julien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 28 Sep 20 14:40 8-James_Bond
-rwxr-x--x 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$ ./8-James_Bond
julien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 28 Sep 20 14:40 8-James_Bond
-----rwx 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$
```

Repo:

- GitHub repository: alx-system_engineering-devops
- Directory: 0x01-shell_permissions
- File: 8-James_Bond

☑ Done!

Help

Check your code

>_ Get a sandbox

QA Review

9. John Doe

mandatory

Score: 100.0% (Checks completed: 100.0%)

Write a script that sets the mode of the file hello to this:

-rwxr-x-wx 1 julien julien 23 Sep 20 14:25 hello



- The file hello will be in the working directory
- You are not allowed to use commas for this script



- GitHub repository: alx-system_engineering-devops
- Directory: 0x01-shell_permissions
- File: 9-John_Doe

☑ Done!

Help

Check your code

>_ Get a sandbox

QA Review

10. Look in the mirror

mandatory

Score: 100.0% (Checks completed: 100.0%)

Write a script that sets the mode of the file hello the same as olleh's mode.

- The file hello will be in the working directory
- The file olleh will be in the working directory

```
julien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 42 Sep 20 14:45 10-mirror_permissions
-rwxr-x-wx 1 julien julien 23 Sep 20 14:25 hello
-rw-rw-r-- 1 julien julien 0 Sep 20 14:43 olleh
julien@ubuntu:/tmp/h$ ./10-mirror_permissions
julien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 42 Sep 20 14:45 10-mirror_permissions
-rw-rw-r-- 1 julien julien 23 Sep 20 14:25 hello
-rw-rw-r-- 1 julien julien 0 Sep 20 14:43 olleh
julien@ubuntu:/tmp/h$
```

Note: the mode of olleh will not always be 664. Make sure your script works for any mode.

Repo:

- GitHub repository: alx-system_engineering-devops
- Directory: 0x01-shell_permissions
- File: 10-mirror_permissions

☑ Done!

Help

Check your code

>_ Get a sandbox

QA Review

Q

11. Directories

mandatory

Score: 100.0% (Checks completed: 100.0%)

(/)

Create a script that adds execute permission to all subdirectories of the **current directory** for the owner, the group owner and all other users.

Regular files should not be changed.

```
julien@ubuntu:/tmp/h$ ls -l
total 20
-rwxrwxr-x 1 julien julien 24 Sep 20 14:53 11-directories_permissions
drwx----- 2 julien julien 4096 Sep 20 14:49 dir0
drwx----- 2 julien julien 4096 Sep 20 14:49 dir1
drwx----- 2 julien julien 4096 Sep 20 14:49 dir2
-rw-rw-r-- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$ ./11-directories_permissions
julien@ubuntu:/tmp/h$ ls -l
total 20
-rwxrwxr-x 1 julien julien 24 Sep 20 14:53 11-directories_permissions
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir0
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir1
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir2
-rw-rw-r-- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$
```

Repo:

- GitHub repository: alx-system_engineering-devops
- Directory: 0x01-shell_permissions
- File: 11-directories_permissions

12. More directories

mandatory

Score: 100.0% (Checks completed: 100.0%)

Create a script that creates a directory called <code>my_dir</code> with permissions 751 in the working directory.

```
المِلَ $\dien@ubuntu:/tmp/h$ ls -l
total 20
-rwxrwxr-x 1 julien julien 39 Sep 20 14:59 12-directory_permissions
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir0
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir1
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir2
-rw-rw-r-- 1 julien julien
                            23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$ ./12-directory_permission s
julien@ubuntu:/tmp/h$ ls -l
total 24
-rwxrwxr-x 1 julien julien 39 Sep 20 14:59 12-directory_permissions
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir0
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir1
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir2
drwxr-x--x 2 julien julien 4096 Sep 20 14:59 my_dir
-rw-rw-r-- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$
```

- GitHub repository: alx-system_engineering-devops
- Directory: 0x01-shell_permissions
- File: 12-directory_permissions

13. Change group

mandatory

Score: 100.0% (Checks completed: 100.0%)

Write a script that changes the group owner to school for the file hello

• The file hello will be in the working directory

```
المِلَ $\dien@ubuntu:/tmp/h$ ls -l
total 24
-rwxrwxr-x 1 julien julien 34 Sep 20 15:03 13-change_group
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir0
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir1
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir2
drwxr-x--x 2 julien julien 4096 Sep 20 14:59 my_dir
-rw-rw-r-- 1 julien julien
                            23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$ sudo ./13-change_group
julien@ubuntu:/tmp/h$ ls -l
total 24
-rwxrwxr-x 1 julien julien
                                34 Sep 20 15:03 13-change_group
drwx--x--x 2 julien julien
                             4096 Sep 20 14:49 dir0
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir1
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir2
drwxr-x--x 2 julien julien 4096 Sep 20 14:59 my_dir
-rw-rw-r-- 1 julien school
                            23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$
```

- GitHub repository: alx-system_engineering-devops
- Directory: 0x01-shell_permissions
- File: 13-change_group

☑ Done! Help Check your code ➤ Get a sandbox QA Review

14. Owner and group

#advanced

Score: 100.0% (Checks completed: 100.0%)

Write a script that changes the owner to vincent and the group owner to staff for all the files and directories in the working directory.

```
المِلَ $\dien@ubuntu:/tmp/h$ ls -l
Kotal 24
-rwxrwxr-x 1 julien julien 36 Sep 20 15:06 100-change_owner_and_group
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir0
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir1
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir2
drwxr-x--x 2 julien julien 4096 Sep 20 14:59 my_dir
-rw-rw-r-- 1 julien julien
                             23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$ sudo ./100-change_owner_and_group
julien@ubuntu:/tmp/h$ ls -l
total 24
-rwxrwxr-x 1 vincent staff
                             36 Sep 20 15:06 100-change_owner_and_group
drwx--x--x 2 vincent staff 4096 Sep 20 14:49 dir0
drwx--x--x 2 vincent staff 4096 Sep 20 14:49 dir1
drwx--x--x 2 vincent staff 4096 Sep 20 14:49 dir2
drwxr-x--x 2 vincent staff 4096 Sep 20 14:59 my_dir
-rw-rw-r-- 1 vincent staff
                             23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$
```

- GitHub repository: alx-system_engineering-devops
- Directory: 0x01-shell_permissions
- File: 100-change_owner_and_group

15. Symbolic links

#advanced

Score: 100.0% (Checks completed: 100.0%)

Write a script that changes the owner and the group owner of _hello to vincent and staff respectively.

- The file _hello is in the working directory
- The file _hello is a symbolic link

```
jµlien@ubuntu:/tmp/h$ ls -l
total 24
-rwxrwxr-x 1 julien julien
                            44 Sep 20 15:12 101-symbolic_link_permissions
-rw-rw-r-- 1 julien julien
                            23 Sep 20 14:25 hello
lrwxrwxrwx 1 julien julien
                             5 Sep 20 15:10 _hello -> hello
julien@ubuntu:/tmp/h$ sudo ./101-symbolic_link_permissions
julien@ubuntu:/tmp/h$ ls -l
total 24
                            44 Sep 20 15:12 101-symbolic_link_permissions
-rwxrwxr-x 1 julien julien
-rw-rw-r-- 1 julien julien
                              23 Sep 20 14:25 hello
lrwxrwxrwx 1 vincent staff
                              5 Sep 20 15:10 _hello -> hello
julien@ubuntu:/tmp/h$
```

- GitHub repository: alx-system_engineering-devops
- Directory: 0x01-shell_permissions
- File: 101-symbolic_link_permissions

☑ Done! Help Check your code ➤ Get a sandbox QA Review

16. If only

#advanced


Score: 100.0% (Checks completed: 100.0%)

Write a script that changes the owner of the file hello to betty only if it is owned by the user guillaume.

• The file hello will be in the working directory

Repo:

- GitHub repository: alx-system_engineering-devops
- Directory: 0x01-shell_permissions



Copyright © 2024 ALX, All rights reserved.