
anaemia: N drug & reaction
Count
0
500
1000
1500
2000
Index


anaemia: all
−log10(p)
0
50
100
200
300
Index


anaemia: within indication
−log10(p)
0
50
100
200
300
Index


hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn's disease
hormone replacement therapy
nuclear magnetic resonance imaging
non-small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
glaucoma
metastasis
parkinson's disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
tuberculosis
pulmonary hypertension
attention deficit/hyperactivity disorder
cardiac failure congestive
psoriatic arthropathy
acute myeloid leukaemia
diffuse large b-cell lymphoma
blood pressure increased
colorectal cancer metastatic
pain in extremity
urinary tract infection
dermatitis allergic
prophylaxis
vomiting
abdominal pain
adult
anaemia
blood
chest pain
diarrhoea
endoscopy
fatigue
inborn error of metabolism
maternal exposure during pregnancy
pain
pregnancy
renal failure
urine


anorexia: N drug & reaction
Count
0
500
1000
1500
2000
Index


anorexia: all
−log10(p)
0
50
100
200
300
Index


anorexia: within indication
−log10(p)
Index


hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn's disease
hormone replacement therapy
nuclear magnetic resonance imaging
non-small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
glaucoma
hepatitis c
parkinson's disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
tuberculosis
pulmonary hypertension
attention deficit/hyperactivity disorder
cardiac failure congestive
acute myocardial infarction
hodgkin's disease
diffuse large b-cell lymphoma
blood pressure increased
colonoscopy
depressed mood
urinary tract infection
dermatitis allergic
prophylaxis
vomiting
anaemia
abdominal pain
adult
endoscopy
inborn error of metabolism
maternal exposure during pregnancy








hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn's disease
hormone replacement therapy
nuclear magnetic resonance imaging
non-small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
glaucoma
hepatitis c
parkinson's disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
tuberculosis
pulmonary hypertension
attention deficit hyperactivity disorder
coronary artery bypass
acute myocardial infarction
diffuse large b-cell lymphoma
blood pressure increased
cataract
prophylaxis
vomiting
pregnancy
adult
endoscopy
inborn error of metabolism
maternal exposure during pregnancy
pain in extremity
urinary tract infection
dermatitis allergic
prophylaxis against emesis
group b streptococcal infection
abdominal pain
abdominal pain upper
acute coronary syndrome
acute kidney injury
acute myeloid leukaemia
acute respiratory distress syndrome
adult failure to thrive
anaemia
anaemia of chronic disease
anaemia of malignant disease
anaemia postoperative
anaemia vitamin b12 deficiency
anaphylactic reaction
anaphylactic shock
anaphylactic transfusion reaction
anaphylactoid reaction
anaphylactoid shock
anaphylactoid transfusion reaction
anaphylaxis
anaphylaxis transfusion
angina pectoris
angina unstable
angioedema
ankylosing spondylitis
anterior chamber cell
anterior chamber flare
anterior chamber inflammation
anterior segment inflammation
antiphospholipid antibody positive
aortic aneurysm
aortic aneurysm repair
aortic dissection
aortic valve incompetence
aortic valve stenosis
aplastic anaemia
arrhythmia
arrhythmia supraventricular
arterial bypass
arterial bypass occlusion
arterial bypass stenosis
arterial graft occlusion
arterial graft stenosis
arterial haemorrhage
arterial occlusive disease
arterial stenosis
arteriovenous fistula
arteriovenous fistula aneurysm
arteriovenous fistula occlusion
arteriovenous fistula operation
arteriovenous fistula site complication
arteriovenous fistula site haemorrhage
arteriovenous fistula site infection
arteriovenous fistula site pain
arteriovenous fistula site stenosis
arteriovenous fistula thrombosis
arteriovenous graft
arteriovenous graft aneurysm
arteriovenous graft complication
arteriovenous graft dysfunction
arteriovenous graft haemorrhage
arteriovenous graft infection
arteriovenous graft occlusion
arteriovenous graft operation
arteriovenous graft site complication
arteriovenous graft site haemorrhage
arteriovenous graft site infection
arteriovenous graft site pain
arteriovenous graft site stenosis
arteriovenous graft thrombosis
arthralgia
arthritis
arthritis bacterial
arthritis infective
arthropathy
asbestosis
ascites
asthenia
asthma exacerbation
asthma prophylaxis
atelectasis
atrial flutter
atrial thrombosis
atrioventricular block
atrioventricular block complete
atrioventricular block first degree
atrioventricular block second degree
atrioventricular dissociation
autoimmune disorder
autoimmune hepatitis
autoimmune thyroiditis
back pain
bacterial infection
bacterial sepsis
bacteraemia
bacteraemia staphylococcal
bacterial test positive
bacterial vaginosis
bacteriuria
balance disorder
basal cell carcinoma
basal cell carcinoma metastatic
basal ganglia haemorrhage
basal ganglia infarction
basal ganglia stroke
basal metabolic rate decreased
basal metabolic rate increased
basal metabolic rate test
basal metabolic rate test abnormal
basal metabolic rate test normal
basal metabolic rate test poor
basal metabolic rate test unreliable
basal metabolic rate test unreliable
basal metabolic rate test unreliable


arthralgia: N drug & reaction
Count
0
500
1000
1500
2000
Index


arthralgia: all
−log10(p)
0
50
100
200
300
Index


arthralgia: within indication
−log10(p)
0
50
100
200
300
Index


hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn's disease
hormone replacement therapy
nuclear magnetic resonance imaging
non-small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
glaucoma
hepatitis c
parkinson's disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
tuberculosis
pulmonary hypertension
attention deficit/hyperactivity disorder
cardiac failure congestive
hodgkin's disease
acute lymphocytic leukaemia
diffuse large b-cell lymphoma
blood pressure increased
colorectal cancer
pancreatic carcinoma
metastases to liver
dementia
prophylaxis
vomiting
abdominal pain
abdominal pain upper
adult
anaemia
asthenia
back pain
blood glucose increased
bronchitis
cellulitis
chest pain
chronic kidney disease
computerised tomogram abdomen
computerised tomogram head
computerised tomogram thorax
confusional state
constipation
cough
depression
dizziness
dyspepsia
dyspnoea
endoscopy gastrointestinal
epistaxis
fatigue
gastrooesophageal reflux disease
haemoglobin decreased
haemoglobin increased
hepatic function abnormal
hypertension
hypotension
inborn error of metabolism
infection
insomnia
leukocytosis
maternal exposure during pregnancy
nausea
neoplasm malignant
neutropenia
pain
pain in extremity
pancytopenia
pharyngitis
pneumonia
prescribed overdose
pruritus
pyrexia
rash
respiratory tract infection
sepsis
skin infection
thrombocytopenia
urinary tract infection
vomiting


attention: N drug & reaction
Count
Index
attention: all
−log10(p)
Index
attention: within indication
−log10(p)
Index
hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn s disease
hormone replacement therapy
nuclear magnetic resonance imaging
non−small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
nausea
hepatitis c
parkinson s disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
pulmonary tuberculosis
attention deficit hyperactivity disorder
coronary artery bypass
acute lymphocytic leukaemia
diffuse large b cell lymphoma
in vitro fertilisation
blood pressure increased
colonoscopy
pacemaker
urinary tract infection
dermatitis atopic
prophylaxis
acute myeloid leukaemia
computed tomography
insulin
hepatitis c
mumps
pneumonia
adult
anaemia
blood
endoscopy
inborn error
maternal
pain
pregnancy
rheumatoid arthritis
synthesis
urine


dementia: N drug & reaction
Count
Index
dementia: all
−log10(p)
Index
dementia: within indication
−log10(p)
Index
hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn s disease
hormone replacement therapy
nuclear magnetic resonance imaging
non−small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
glaucoma
hepatitis c
parkinson s disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
tuberculosis
pulmonary hypertension
attention deficit hyperactivity disorder
coronary artery bypass
acute lymphocytic leukaemia
diffuse large b cell lymphoma
in vitro fertilisation
blood pressure increased
colonoscopy
gastrointestinal
urinary tract infection
dermatitis atopic
prophylaxis
vomiting
nausea
anaemia
adult
blood
endoscopy
inborn error
maternal
pain
pregnancy
synthesis
sensitivity


depression: N drug & reaction
Count
Index
depression: all
−log10(p)
Index
depression: within indication
−log10(p)
Index
hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn s disease
hormone replacement therapy
nuclear magnetic resonance imaging
non−small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
migraine
hepatitis c
parkinson s disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
tuberculosis
pulmonary hypertension
attention deficit hyperactivity disorder
coronary artery bypass
acute myeloid leukaemia
diffuse large b cell lymphoma
non hodgkin s lymphoma
blood pressure increased
colonoscopy
pancreatic
urinary tract infection
dermatitis atopic
prophylaxis
nausea
vomiting
acute kidney injury
anaemia
complication
abdominal pain
pneumonia
insulin
hepatitis c
mental
pain
spasm
adult
anaemia
blood
endoscopy
inborn error
maternal
pregnancy
synthesis
pain
prevention


emotional: N drug & reaction
Count
0
500
1000
1500
2000
Index


emotional: all
−log10(p)
0
50
100
200
300
Index


emotional: within indication
−log10(p)
0
50
100
200
300
Index


hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn's disease
hormone replacement therapy
nuclear magnetic resonance imaging
non-small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
glaucoma
hepatitis c
parkinson's disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
tuberculosis
pulmonary hypertension
attention deficit/hyperactivity disorder
cardiac failure congestive
hodgkin's disease
acute lymphocytic leukaemia
diffuse large b-cell lymphoma
blood pressure increased
colonoscopy
depressed mood
urinary tract infection
dementia
prophylaxis
drug abuse
abdominal pain
adult
bipolar disorder
cardiac disorder
cerebrovascular accident
chronic kidney disease
depression
diabetes mellitus
drug ineffective
dyspnoea
endoscopy
epilepsy
fatigue
gastrooesophageal reflux disease
hepatitis c
hiv infection
hypertension
inborn error of metabolism
maternal exposure during pregnancy
multiple sclerosis
myocardial infarction
nausea
pain
pancreatitis
pneumonia
prophylaxis
pulmonary embolism
rheumatoid arthritis
schizophrenia
suicide attempt
thrombosis
urinary tract infection
vomiting


mania: N drug & reaction
Count
0
500
1000
1500
2000
Index


mania: all
−log10(p)
0
50
100
200
300
Index


mania: within indication
−log10(p)
0
50
100
200
300
Index


hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn's disease
hormone replacement therapy
nuclear magnetic resonance imaging
non-small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
glaucoma
hepatitis c
parkinson's disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
tuberculosis
pulmonary hypertension
attention deficit/hyperactivity disorder
cardiac failure congestive
osteoarthritis
acute myocardial infarction
diffuse large b-cell lymphoma
invasive ductal breast carcinoma
blood glucose increased
colorectal cancer metastatic
platelet transfusion
urinary tract infection
dermatitis allergic
prophylaxis
vomiting
adult
bipolar i disorder
insulin
pain
hepatic cancer
endoscopy
inborn error of metabolism
maternal exposure during pregnancy
pregnancy


memory: N drug & reaction
Count
0
500
1000
1500
2000
Index


memory: all
−log10(p)
0
50
100
200
300
Index


memory: within indication
−log10(p)
0
50
100
200
300
Index


hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn's disease
hormone replacement therapy
nuclear magnetic resonance imaging
non-small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
glaucoma
hepatitis c
parkinson's disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
tuberculosis
pulmonary hypertension
attention deficit hyperactivity disorder
cardiac failure congestive
coronary artery bypass
hepatitis viral
acute myocardial infarction
diffuse large b-cell lymphoma
infertility female
blood pressure increased
colorectal cancer
depressed mood
psoriatic arthropathy
urinary tract infection
dermatitis atopic
prophylaxis
vomiting
pregnancy
anaemia
complication
abdominal pain
insulin
pain
adult
endoscopy
inborn error of metabolism
maternal exposure during pregnancy
pharmacokinetic drug interaction
stevens-johnson syndrome


nasopharyngitis: N drug & reaction
Count
0
500
1000
1500
2000
Index


nasopharyngitis: all
−log10(p)
0
50
100
200
300
Index


nasopharyngitis: within indication
−log10(p)
0
50
100
200
300
Index


hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn's disease
hormone replacement therapy
nuclear magnetic resonance imaging
non-small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
glaucoma
hepatitis c
parkinson's disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
tuberculosis
pulmonary hypertension
attention deficit/hyperactivity disorder
cardiac failure congestive
hodgkin's disease
acute lymphocytic leukaemia
diffuse large b-cell lymphoma
invasive ductal breast carcinoma
blood pressure increased
colorectal cancer metastatic
platelet transfusion
urinary tract infection
dermatitis allergic
prophylaxis
vomiting
anaemia
adult
bleeding
endoscopy
inborn error of metabolism
maternal exposure during pregnancy
pain
pregnancy
synthesis


panic_attack: N drug & reaction
Count
Index
panic_attack: all
−log10(p)
Index
panic_attack: within indication
−log10(p)
Index
hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn s disease
hormone replacement therapy
nuclear magnetic resonance imaging
non−small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
nausea
hepatitis c
bladder cancer
parkinson s disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
pulmonary tuberculosis
attention deficit hyperactivity disorder
coronary artery bypass
acute lymphocytic leukaemia
diffuse large b cell lymphoma
in vitro fertilisation
blood pressure increased
colonoscopy
gastrointestinal neoplasm
urinary tract infection
dermatitis atopic
prophylaxis
nausea and vomiting
group b streptococcal infection
pregnancy
acute myeloid leukaemia
computed tomography abdomen
neonatal jaundice
hepatitis c
insulin
multiple myeloma
prophylaxis
adjuvant therapy
blood
endoscopy
inborn error of metabolism
maternal exposure during pregnancy
pain
pneumonia
sepsis
scleroderma
systemic lupus erythematosus


paranoia: N drug & reaction
Count
0
500
1000
1500
2000
Index


paranoia: all
−log10(p)
0
50
100
200
300
Index


paranoia: within indication
−log10(p)
0
50
100
200
300
Index


hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn's disease
hormone replacement therapy
nuclear magnetic resonance imaging
non-small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
glaucoma
hepatitis c
parkinson's disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
tuberculosis
pulmonary hypertension
attention deficit hyperactivity disorder
coronary artery bypass
hodgkin's disease
acute myocardial infarction
diffuse large b-cell lymphoma
blood pressure decreased
colorectal cancer
peripheral arterial occlusive disease
urinary tract infection
dementia alzheimer's type
prophylaxis against emesis
chemotherapy
adjuvant therapy
computerised tomogram abdomen
endoscopic retrograde cholangiopancreatography
inborn error of metabolism
maternal exposure during pregnancy


pneumonia: N drug & reaction
Count
Index
pneumonia: all
−log10(p)
Index
pneumonia: within indication
−log10(p)
Index
hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn s disease
hormone replacement therapy
nuclear magnetic resonance imaging
non−small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
congenital heart disease
hepatitis c
parkinson s disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
tuberculosis
pulmonary hypertension
attention deficit hyperactivity disorder
coronary artery bypass
hodgkin s disease
acute myeloid leukaemia
diffuse large b cell lymphoma
non−hodgkin lymphoma
blood pressure increased
colonoscopy
pacemaker
urinary tract infection
dermatitis atopic
prophylaxis
acute kidney injury
nausea
vomiting
anaemia
adenocarcinoma
computed tomography
hepatitis c
insulin
diabetes mellitus
pain
hypertension
prophylaxis
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn s disease
hormone replacement therapy
nuclear magnetic resonance imaging
non−small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
congenital heart disease
hepatitis c
parkinson s disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
tuberculosis
pulmonary hypertension
attention deficit hyperactivity disorder
coronary artery bypass
hodgkin s disease
acute myeloid leukaemia
diffuse large b cell lymphoma
non−hodgkin lymphoma
blood pressure increased
colonoscopy
pacemaker
urinary tract infection
dermatitis atopic
prophylaxis
acute kidney injury
nausea
vomiting
anaemia
adenocarcinoma
computed tomography
hepatitis c
insulin
diabetes mellitus


psychotic: N drug & reaction
Count
Index
psychotic: all
−log10(p)
Index
psychotic: within indication
−log10(p)
Index
hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn s disease
hormone replacement therapy
nuclear magnetic resonance imaging
non−small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
glaucoma
hepatitis c
parkinson s disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
tuberculosis
pulmonary hypertension
attention deficit hyperactivity disorder
coronary artery bypass
acute lymphocytic leukaemia
diffuse large b cell lymphoma
in vitro fertilisation
blood pressure increased
colonoscopy
pacemaker
urinary tract infection
dermatitis atopic
prophylaxis
vomiting
growth retardation
pregnancy
adenocarcinoma
computed tomography
hepatitis
insulin
hemoglobin
pneumonia
pain
blood
endoscopy
inborn error
maternal
pregnancy
synthesis








hypertension
prophylaxis
pain
rheumatoid arthritis
hiv infection
depression
diabetes mellitus
asthma
anaesthesia
schizophrenia
psoriasis
epilepsy
atrial fibrillation
type 2 diabetes mellitus
breast cancer
multiple sclerosis
acne
crohn's disease
hormone replacement therapy
nuclear magnetic resonance imaging
non-small cell lung cancer
prostate cancer
constipation
gastrooesophageal reflux disease
bladder cancer
glaucoma
hepatitis c
parkinson's disease
plasma cell myeloma
chronic obstructive pulmonary disease
osteoporosis
contraception
premedication
tuberculosis
pulmonary embolism
attention deficit/hyperactivity disorder
cardiac failure congestive
depression suicidal
acute lymphocytic leukaemia
diffuse large b-cell lymphoma
blood pressure increased
chronic myelomonocytic leukaemia
drug abuse
drug dependence
drug interaction
drug withdrawal syndrome
dyspepsia
dysuria
epistaxis
erectile dysfunction
gastrointestinal haemorrhage
gastrooesophageal reflux disease
gingivitis
glaucoma
haematuria
haemorrhoids
hepatic cirrhosis
hepatic failure
hepatic function abnormal
hepatitis
hepatitis c
hepatitis c virus test positive
hepatocellular injury
hepatotoxicity
hiv infection
hiv test positive
hodgkin's disease
hyperbilirubinaemia
hypercholesterolaemia
hyperglycaemia
hyperkalaemia
hypertension
hypertriglyceridaemia
hypertrophy
hypoglycaemia
hypokalaemia
hyponatraemia
hypotension
hypothyroidism
hypoxia
idiopathic pulmonary fibrosis
immune thrombocytopenic purpura
impaired gastric emptying
impaired healing
impaired work ability
implant site pain
implant site reaction
implant site swelling
implantation complication
implantation pain
incision site pain
incision site swelling
infection
infection prophylaxis
infertility
influenza
injection site bruising
injection site erythema
injection site haematoma
injection site haemorrhage
injection site hypersensitivity
injection site inflammation
injection site irritation
injection site pain
injection site pruritus
injection site reaction
injection site swelling
injection site urticaria
injection site vasculitis
injection site warmth
injury
insomnia
intervertebral disc degeneration
intervertebral disc disorder
intervertebral disc protrusion
intervertebral disc prolapse
intervertebral disc space narrowing
intervertebral disc stenosis
intervertebral disc syndrome
intervertebral disc thickening
intervertebral disc thinning
intervertebral disc ulcer
intervertebral disc vascularisation
intervertebral disc vascularisation increased
intervertebral disc vascularisation decreased
intervertebral disc vascularisation abnormal
intervertebral disc vascularisation normal
intervertebral disc vascularisation absent
intervertebral disc vascularisation present
intervertebral disc vascularisation unknown
intervertebral disc vascularisation not applicable
intervertebral disc vascularisation not known
intervertebral disc vascularisation not reported
intervertebral disc vascularisation not specified
intervertebral disc vascularisation not stated
intervertebral disc vascularisation not tested
intervertebral disc vascularisation not assessed
intervertebral disc vascularisation not evaluated
intervertebral disc vascularisation not measured
intervertebral disc vascularisation not observed
intervertebral disc vascularisation not recorded