■ MapAt

`MapAt[`*f*`, `*expr*`, `*poslist*`]` applies *f* to parts of *expr* at positions specified in *poslist*. *poslist* must be a list of part specification. Each part specification must be a single integer or a list of integers.

Example: `MapAt[f, {a, b, c, d}, {{1}, {4}}]` ⟶ `{f[a], b, c, f[d]}`. ■ `MapAt[`*f*`, `*expr*`, {`i_1`, `i_2`, ...}]` applies *f* to parts *expr*`[[`i_1`]]`, *expr*`[[`i_2`]]`, ... ■ `MapAt[`*f*`, `*expr*`, {{`*i*`, `*j*`, ...}}]` applies *f* to the part *expr*`[[`*i*`, `*j*`, ...]]`.
■ `MapAt[`*f*`, `*expr*`, {{`i_1`, `j_1`, ...}, {`i_2`, `j_2`, ...}, ...}]` applies *f* to parts *expr*`[[`i_1`, `j_1`, ...]]`, *expr*`[[`i_2`, `j_2`, ...]]`, ...
■ The list of positions used by *MapAt* is in the same form as is returned by the function `Position`. ■ See page 177.

Web sample page from The *Mathematica* Book, Second Edition, by Stephen Wolfram, published by Addison-Wesley Publishing Company (hardcover ISBN 0-201-51502-4; softcover ISBN 0-201-51507-5). To order *Mathematica* or this book contact Wolfram Research: info@wolfram.com; http://www.wolfram.com/; 1-800-441-6284.