

A asymptotic symmetry

Half-infinite symmetry strings act as boundary bond insertions; the sector label lives on the centre $Z(H_\alpha)$ of the unbroken subgroup, integral on its cocharacters.

PROVED any compact G *WI, A1, A2, G0, S-IDX-G-label*

charge quantization fixes
the index coset
D26(INT), M-IDX-density

Ward identity constrains
the index
ML4-Ward, S-IDX-fin-G

B memory

Escaped charge is an integer in every finite window; every limit law is supported on $\mathbb{Z}$, with $\delta x = -(2s)^{-1} \sum_\nu \nu p_\nu$.

PROVED window index, unconditional
PROVED limit law, given (LR)
(LR): window relaxation

M-INDEX-fin, M-INDEX-spec

C soft theorem

On a finite ring the Ward index of a charge-created leg is one; the soft phase slope is $\text{sgn}(v_h - v_s)/S$, Adler zero.

PROVED finite ring, any compact G
SKETCH soft limit: two named gaps
(PROTO-LSZ), (MATCH-S)
S-IDX-fin-r2, S-IDX-fin-G; S-IDX-spec-r2

value transfer: soft data enter the outcome law only through p_2
AC-EX, ACE-LD, LD-ID

REFUTED universality beyond the protocol class: the coefficient is on-shell data, not universal. *ML5*