

Copy Markers

Copies a set of markers to another position on the timeline — keeping their spacing, their names and their colours.

Use the shortcut you assigned during install — or run it from [Actions](#) → [Show Action List](#)


WHAT IT IS FOR

You have programmed a block of cues — say a chorus — and the same block comes back later in the song. Instead of rebuilding it, select those markers once and drop a copy wherever you need it. The distances between them stay exactly as they were.

STEP BY STEP

1 Select the markers in the Region/Marker Manager

Open it with [View](#) → [Region/Marker Manager](#), then click the markers you want. Shift-click for a range, Cmd-click to pick individual ones. Regions in the selection are ignored — only markers are copied.



#	Name	Start	End	Length	Current	Visible	Ruler Lane	Render Track List	Info
☐	M1 intro	1.1.00	-	-	-	•	2		Project marker
☒	M2 verse	3.1.00	-	-	-	•	2		Project marker
☒	M3 buildup	5.1.00	-	-	-	•	2		Project marker
☒	M4 drop	7.1.00	-	-	-	•	2		Project marker
☐	M5 break	8.1.00	-	-	-	•	2		Project marker

Three markers selected: verse, buildup, drop. The marker *break* below stays untouched.

2 Click once into the arrange

This step is easy to miss. As long as the Region/Marker Manager has keyboard focus, it swallows the shortcut: the window will not appear, and your marker selection gets cleared. Click anywhere in the arrange view first, then press the shortcut.


Your selection survives that click — only the blue highlight fades, because macOS dims it while the manager is not the active window. The plugin still reads it correctly.

3

Start the plugin

Run **Copy Markers** — with the shortcut you assigned, or from the Action List. The window shows how many markers are selected, and where your edit cursor currently sits, in bars and in timecode.

You can leave the window open while you work: change the selection in the manager or move the edit cursor, and the display follows.



4

Choose where the copy should go

There are three ways, and you can use whichever fits the moment:

Copy to cursor

Copies to wherever the edit cursor is right now — the fastest way. Move the cursor, hit the button.

Copy to measure.beats

For a musical position: type something like **19.3.00** .


Copy to hh:mm:ss:ff

For a timecode position: type something like **00:00:34:20** .

Refresh from cursor fills both fields with the current cursor position, so you can nudge the value from there instead of typing it out.

Copy

The status line at the bottom confirms what happened. The copies carry the original names and colours.



Green means done.

#	Name	Start	End	Length	Current	Visible	Ruler Lane	Render Track List	Info
M1	intro	1.00	-	-		•	2		Project
M2	verse	3.100	-	-		•	2		Project
M3	buildup	5.100	-	-		•	2		Project
M4	drop	7.100	-	-		•	2		Project
M5	break	8.100	-	-	•	•	2		Project
M6	intro	14.100	-	-		•	2		Project
M7	verse	16.100	-	-		•	2		Project
M8	buildup	18.100	-	-		•	2		Project

The copies M6–M8 arrived at bar 14, 16 and 18 — two bars apart, exactly like the originals at 1, 3 and 5.

GOOD TO KNOW

Spacing is measured from the earliest marker

The first of your selected markers — the earliest one on the timeline, not the first one you clicked — lands exactly on the target position. Everything else keeps its distance to it. So the block arrives as a block.

The selection is read from the manager, not from the arrange

Markers you clicked in the arrange view are not the same selection as the manager's list. If the manager is closed, the plugin falls back to the arrange selection and says so in the window.

It does not need JS_ReaScriptAPI

On REAPER 7.62 and newer, Copy Markers works without that extension. It sorts by timeline position anyway, so it never needs to know in which order you clicked. (Rename selected markers does need it — that one cares about your click order.)