
Class report for lesson 3

This is a representation of my own report about lesson 3, in this report I am going to show what exactly we learn from lesson 3, also some knowledges from previous lectures.


First and foremost we learn ai/ml, in this course, but AI itself is a huge sphere where in contains Deep learning and also Machine Learning. In my point of view scheme look like this.



For now we specifically learn Machine Learning sphere, Machine learning uses structured and unstructured data for getting target, in other words it uses input information to accomplish main mission.
Machine learning itself usually divided by 3 cases, They are SML, UML, RML and also there are 2 additional options which are SSML(semi-supervised machine learning) and SSML(self-supervised machine learning). All of them are meant to create specific result by own structure. For example SML uses input and output information mainly for training and making prediction, and filling empty holes(section where information is not full). Whereas UML don’t have output information which means there is no target, that is why with only input information it can only make structured information by given input data. However Reinforcement machine learning don’t even have nor input neither output data, if we think about some function that has to be done by entering initial information, we would evaluate result at the end of the process. And according to result we will punish or reward model. This is exactly what RML, it uses reward/punish system in order to train model.

Now when all 3 cases of machine learning became clear to us we can dig down a bit again.

this is how lower level design looks like



In SML case results of the process is not always same, some times function can give us numeric answer sometimes Boolean answer, yes/no answer. To differentiate these answer we have subsection of SML which are Classification case and Regression case. Classification case can give us results which range of the answers is not going to be more that 2-3. Whereas multi-class division case is mainly take results that can be more that 3 possible answers but range of them is limited this is main difference between multi-class and regression case, regression don’t have limits.

Also this is additional information, personally for me cause this is going to be reminder for me. There are big amount of databases available on Kaggle, and most important procedure in the beginning of the creation of the model, are collection of suitable data and data preprocessing which means we have to prepare data that we collected and make it

more easier for model to understand it. After that we have learnt conditions which has significant role in creation of any project. Next steps are going to represented in next lectures, and there are skills that I have to learn from next lectures such as: model training, evaluation of the model, testing, deployment, and maintaining/monitoring of the model.