



Proceedings Volume . 16

By Physical Society of London

Rarebooksclub.com, United States, 2012. Paperback. Book Condition: New. 246 x 189 mm. Language: English . Brand New Book ***** Print on Demand *****.This historic book may have numerous typos and missing text. Purchasers can download a free scanned copy of the original book (without typos) from the publisher. Not indexed. Not illustrated. 1899 Excerpt: .C. per minute, the cooling being negligible. The volume of copper was about 21-4 c.c.; whence the power spent =0 40 watt. The driving-power was found to be 0-0069 watt; therefore the motor efficiency =0-066 per cent. Current in Secondary Coil.--The current in the shortcircuited secondary coil could not be measured directly. Calculating from the dimensions of the coil, however, the resistance was found to be 85×10^6 ohm. From this and the value of the power (0-40 watt) we find that the secondary current attains the extraordinary value of 220 amperes. For the sake of comparison some of the above results are collected in Table IV. Tablb IV. In conclusion, it will be noticed that in motor meters the driving-flux density is of the order 100 and the brake B from 500 to 1000; also that the motor efficiencies are all verysmall, particularly...



READ ONLINE
[8.26 MB]

Reviews

This ebook can be worthy of a read, and much better than other. I have read and i am certain that i am going to planning to go through again once again in the future. You may like just how the writer compose this book.

-- **Mr. Grant Stanton PhD**

A whole new eBook with an all new standpoint. It is actually rally fascinating throgh reading through time period. You wont truly feel monotony at anytime of your own time (that's what catalogues are for relating to when you request me).

-- **Claire Bartell**