

Implementing incremental and parallel parsing A subtitle that can be rather long

Master of Science Thesis in Computer Science

Tobias Olausson

University of Gothenburg Chalmers University of Technology Department of Computer Science and Engineering Göteborg, Sweden, March 2014 The Author grants to Chalmers University of Technology and University of Gothenburg the non-exclusive right to publish the Work electronically and in a non-commercial purpose make it accessible on the Internet. The Author warrants that he/she is the author to the Work, and warrants that the Work does not contain text, pictures or other material that violates copyright law.

The Author shall, when transferring the rights of the Work to a third party (for example a publisher or a company), acknowledge the third party about this agreement. If the Author has signed a copyright agreement with a third party regarding the Work, the Author warrants hereby that he/she has obtained any necessary permission from this third party to let Chalmers University of Technology and University of Gothenburg store the Work electronically and make it accessible on the Internet.

Implementing incremental and parallel parsing

A subtitle here that can be quite long

Tobias Olausson

© Tobias Olausson, March 2014

Examiner: Patrik Jansson

University of Gothenburg Chalmers University of Technology Department of Computer Science and Engineering SE-412 96 Göteborg Sweden Telephone + 46 (0)31-772 1000

Cover: an image that is used as a cover image

Department of Computer Science and Engineering Göteborg, Sweden, March 2014

${\bf Abstract}$ This thesis shows an incremental implementation of everything

Contents

1	Bac	ckground	2
	1.1	Introduction	2
	1.2	Context-free grammars	2
	1.3	Parsing	2
	1.4	Dependently typed programming	2
	1.5	The LexGen project	2
2	Project		
	2.1	Problem description	3
	2.2	Delimitations	3
	2.3	Methodology	3
3	Implementation 4		
	3.1	BNFC	4
		3.1.1 Merging matrices	4
	3.2	Parser	4
	3.3	Testing	4
4	Res	sults	5
	4.1	Lexer generator	5
	4.2	Parser generator	5
5	Discussion		
	5.1	Obstacles	6
	5.2	Improvements	6
	5.3	Future work	6

Background

1.1 Introduction

Something like a motivation on why this is interesting at all.

1.2 Context-free grammars

A description of what context-free grammars are and perhaps something about CNF as well.

1.3 Parsing

What is parsing?

1.4 Dependently typed programming

What is dependently typed programming, and how can it be used in Haskell.

1.5 The LexGen project

Shortly describe LexGen and its relevance.

Project

- 2.1 Problem description
- 2.2 Delimitations
- 2.3 Methodology

Implementation

- 3.1 BNFC
- 3.1.1 Merging matrices
- 3.2 Parser
- 3.3 Testing

Results

- 4.1 Lexer generator
- 4.2 Parser generator

Discussion

- 5.1 Obstacles
- 5.2 Improvements
- 5.3 Future work