

FTB End-to-End Manual Testing Checklist

1. Test preparation

Test environments

- Confirm the web app is running against the intended API environment.
- Confirm the iOS app is running against the intended API environment.
- Confirm the Android app is running against the intended API environment.
- Confirm the API environment variables are loaded correctly.
- Confirm the database migration adding `users.model_provider` has been applied.
- Confirm the S3 bucket and permissions are configured.
- Confirm OpenAI API credentials are configured.
- Confirm Gemini API credentials are configured.
- Confirm ElevenLabs credentials are configured.
- Confirm Fish Audio credentials are configured.
- Confirm Google OAuth is configured for web, iOS, and Android.
- Confirm Facebook OAuth is configured for web and mobile where supported.
- Confirm Apple Sign-In configuration is available before testing iOS production behavior.
- Confirm API logs are visible during testing.
- Confirm client-side logs are visible for web and mobile.
- Confirm test payment or subscription behavior will not create real charges.
- Confirm usage limits are set low enough that they can be tested safely.
- Confirm generated files can be identified and removed after testing.

Test accounts

Prepare separate accounts for:

- Brand-new user.
- Existing user with previous conversations.
- User with OpenAI selected.
- User with Gemini selected.
- User with concise audio enabled.
- User with concise audio disabled.
- User with memory enabled.
- User with memory disabled.
- User with a free or lowest subscription plan.
- User with Silver access.
- User with access to all available personas.
- User who has reached or nearly reached a usage limit.

- User with expired or invalid authentication.
- User with intentionally incomplete profile information.

Device and browser matrix

Test at minimum:

Web

- Chrome on macOS.
- Safari on macOS.
- Firefox on macOS.
- Chrome or Edge on Windows, when available.
- Mobile Safari browser.
- Mobile Chrome browser.

iOS

- Current iPhone simulator.
- At least one real iPhone.
- Small-screen iPhone.
- Large-screen iPhone.
- Portrait orientation.
- Landscape orientation where supported.
- Light mode.
- Dark mode.

Android

- Android emulator.
- At least one real Android phone.
- Small-screen Android device.
- Large-screen Android device.
- Current supported Android version.
- Oldest Android version you intend to support.
- Portrait orientation.
- Landscape orientation where supported.
- Light mode.
- Dark mode.

2. Installation and application startup

Web

- Open the production or staging URL directly.
- Verify the page loads without a blank screen.
- Verify there are no fatal console errors.
- Refresh the page on the landing screen.
- Refresh the page while signed in.
- Refresh the page while viewing a conversation.
- Open a deep link directly in a new tab.
- Open the app in a private or incognito window.
- Verify cached assets do not cause an outdated interface after deployment.
- Verify the app works after a hard refresh.
- Verify an API outage produces a usable error rather than a permanent spinner.

iOS

- Install a fresh build.
- Launch the app for the first time.
- Force-close and reopen the app.
- Restart the phone and reopen the app.
- Update from an older installed build without deleting app data.
- Delete and reinstall the app.
- Verify the launch screen displays correctly.
- Verify the app icon displays correctly.
- Verify the app does not crash during startup.
- Verify the app handles unavailable API service during startup.
- Verify the app resumes correctly after being in the background.

Android

- Install a fresh APK or testing-track build.
 - Launch the app for the first time.
 - Force-stop and reopen the app.
 - Restart the device and reopen the app.
 - Update from an older build without clearing data.
 - Uninstall and reinstall the app.
 - Verify the adaptive app icon is not cropped.
 - Verify the splash screen displays correctly.
 - Verify the app does not crash during startup.
 - Verify Android's back button behaves correctly.
 - Verify the app resumes correctly after backgrounding.
-

3. Landing page and unauthenticated state

- Verify the landing page loads correctly.
 - Verify the FTB logo and branding are correct.
 - Verify all text is readable.
 - Verify buttons have clear labels.
 - Verify Sign In and Create Account actions are visible.
 - Verify Privacy Policy opens.
 - Verify Terms of Use opens.
 - Verify legal pages can be opened before signing in.
 - Verify unavailable authenticated features redirect to login.
 - Verify unauthenticated users cannot access private API resources.
 - Verify the browser back button returns to the expected page.
 - Verify the mobile back action returns to the expected screen.
 - Verify loading indicators disappear after content loads.
 - Verify API errors are displayed clearly.
 - Verify retry actions work after an error.
-

4. Account registration

Email registration, when supported

- Register with a valid email.
- Register with an uppercase email and verify normalization.
- Attempt registration with an invalid email.
- Attempt registration with a missing password.
- Attempt registration with a weak password.
- Attempt registration with mismatched passwords.
- Attempt registration using an existing email.
- Verify duplicate accounts are not created.
- Verify terms acceptance is required.
- Verify privacy acceptance is required.
- Verify the accepted legal document versions are stored.
- Verify required age or birth-date checks.
- Verify the registration button cannot be submitted repeatedly.
- Verify validation errors clear after correction.
- Verify success redirects to the expected screen.
- Verify the newly created user receives the correct default settings.
- Verify the default model provider is OpenAI.

- Verify concise audio defaults to the intended value.
- Verify memory defaults to the intended value.

Google OAuth

- Sign up with Google on web.
- Sign in with Google on web.
- Sign up with Google on iOS.
- Sign in with Google on iOS.
- Sign up with Google on Android.
- Sign in with Google on Android.
- Cancel the Google authorization flow.
- Close the Google authorization page midway through.
- Attempt sign-in with a Google account already linked.
- Verify the redirect returns to the correct app or webpage.
- Verify no duplicate account is created.
- Verify profile information is populated correctly.
- Verify OAuth failure produces a readable error.

Facebook OAuth

- Sign up with Facebook on web.
- Sign in with Facebook on web.
- Test Facebook sign-in on iOS where enabled.
- Test Facebook sign-in on Android where enabled.
- Cancel the Facebook authorization flow.
- Deny optional Facebook permissions.
- Verify redirect behavior.
- Verify no duplicate account is created.
- Verify authentication errors are understandable.

Apple Sign-In

- Sign up with Apple on iOS.
 - Sign in with Apple on iOS.
 - Test Hide My Email.
 - Test Share My Email.
 - Cancel Apple Sign-In.
 - Verify the account works after reinstalling the app.
 - Verify no duplicate account is created on repeated login.
 - Verify revoked Apple authorization is handled correctly.
-

5. Login, logout, and session handling

- Log in with valid credentials.
 - Attempt login with an invalid password.
 - Attempt login with an unknown email.
 - Attempt login with blank fields.
 - Submit the login form repeatedly.
 - Verify loading state while authentication is in progress.
 - Verify the user is redirected correctly after login.
 - Refresh the web app and verify the session persists.
 - Close and reopen the mobile app and verify the session persists.
 - Sign out on web.
 - Sign out on iOS.
 - Sign out on Android.
 - Verify private data is removed from the interface after logout.
 - Verify browser back navigation does not reopen private screens after logout.
 - Verify mobile back navigation does not reopen private screens after logout.
 - Verify expired sessions redirect to login.
 - Verify invalid or revoked tokens are handled.
 - Log in on two devices simultaneously.
 - Sign out from one device and verify intended behavior on the other.
 - Verify sensitive tokens are not printed in browser or mobile logs.
-

6. Onboarding and first-use experience

- Verify new users receive the intended onboarding screens.
 - Verify onboarding can be completed.
 - Verify onboarding can be skipped, if allowed.
 - Verify onboarding does not reappear unnecessarily.
 - Verify onboarding appears again after resetting account data, if intended.
 - Verify the user understands how to select a persona.
 - Verify the user understands how to send the first message.
 - Verify the user understands audio functionality.
 - Verify provider settings are discoverable.
 - Verify subscription restrictions are explained clearly.
 - Verify denied permissions do not block unrelated app functions.
-

7. Navigation

Shared navigation

- Open every main navigation destination.
- Verify the current destination is visibly selected.
- Verify repeated tapping does not create duplicate screens.
- Verify back navigation returns to the correct previous screen.
- Verify scroll position behaves as intended.
- Verify unsaved changes produce a warning where appropriate.
- Verify navigation does not expose another user's data.
- Verify unavailable features display an explanation.

Web-specific navigation

- Test browser Back.
- Test browser Forward.
- Test direct URLs.
- Open links in a new tab.
- Duplicate a signed-in tab.
- Sign out in one tab and inspect the other.
- Verify page titles are correct.
- Verify URLs update correctly.
- Verify reloading each route works.

Mobile-specific navigation

- Test hardware or gesture back navigation.
 - Test tab navigation.
 - Test modal dismissal.
 - Test swipe-back on iOS.
 - Test Android system back.
 - Test returning from an external OAuth browser.
 - Test returning from the photo picker.
 - Test returning from the file picker.
 - Test returning from microphone permission settings.
-

8. Persona discovery and selection

- Verify all available personas are displayed.
 - Verify unavailable personas are hidden or correctly marked.
 - Verify LaRae's profile information is correct.
 - Verify Bam Bam's profile information is correct.
 - Verify persona images load.
 - Verify fallback images appear when an asset fails.
 - Verify persona colors and themes are correct.
 - Verify persona descriptions are not truncated incorrectly.
 - Verify supported providers are respected.
 - Verify minimum plan restrictions are respected.
 - Attempt to open a restricted persona with an ineligible account.
 - Verify the upgrade message is clear.
 - Select LaRae and start a chat.
 - Select Bam Bam and start a chat.
 - Switch personas.
 - Verify switching personas does not mix conversation histories.
 - Verify the selected persona persists after refresh or app restart where intended.
 - Verify the correct voice profile is associated with each persona.
 - Verify the correct visual assets are associated with each persona.
-

9. Core text chat

Basic messages

- Send a short message.
- Send a long message.
- Send a message containing multiple paragraphs.
- Send punctuation-only input.
- Send emoji-only input.
- Send a message containing URLs.
- Send a message containing code.
- Send a message containing special characters.
- Send a message with leading and trailing spaces.
- Attempt to send an empty message.
- Attempt to send a message over the maximum length.
- Verify the send button is disabled appropriately.
- Verify the message appears immediately or with the intended pending state.
- Verify the response appears in the correct conversation.
- Verify messages are stored after refresh or app restart.
- Verify timestamps are correct.

- Verify message ordering is correct.
- Verify long responses are readable.
- Verify markdown renders correctly.
- Verify lists render correctly.
- Verify code blocks render correctly.
- Verify links are safe and open correctly.
- Verify HTML or script input is escaped.
- Verify the user cannot accidentally submit the same message multiple times.

Conversation continuity

- Ask a question and then a follow-up requiring context.
- Refer to something from several messages earlier.
- Restart the app and continue the conversation.
- Switch away from the conversation and return.
- Open the same conversation on another device.
- Verify messages remain in sync.
- Verify conversation titles are created correctly.
- Verify conversation titles can handle unusual characters.
- Verify the persona does not confuse messages from separate conversations.
- Verify the selected model provider is applied to new requests.
- Switch providers and continue an existing conversation.
- Confirm provider switching does not corrupt conversation context.
- Confirm provider-specific metadata is not exposed to the user.

Streaming

- Verify streamed text appears progressively.
- Verify partial responses do not duplicate.
- Verify markdown remains stable while streaming.
- Navigate away during streaming.
- Background the mobile app during streaming.
- Disconnect the network during streaming.
- Restore the network during or after the failure.
- Verify the final stored response matches the displayed response.
- Verify the typing or thinking indicator stops.
- Verify the user can retry a failed response.
- Verify duplicate assistant messages are not created after retry.

10. OpenAI provider testing

- Select OpenAI in Settings.
 - Verify the selection is saved.
 - Refresh or restart and verify it persists.
 - Send a basic text message.
 - Send a long-context message.
 - Test web search.
 - Test file search.
 - Test code interpreter where available.
 - Test image generation.
 - Test application function calls.
 - Test background requests.
 - Test audio response generation.
 - Test concise audio enabled.
 - Test concise audio disabled.
 - Verify OpenAI errors display a user-friendly message.
 - Test with an invalid OpenAI key in a nonproduction environment.
 - Test OpenAI timeout behavior.
 - Test OpenAI rate-limit behavior.
 - Verify usage and cost records are created.
 - Verify generated files belong only to the current user.
-

11. Gemini provider testing

- Select Gemini in Settings.
- Verify the selection is saved to the account.
- Refresh or restart and verify it persists.
- Verify the setting is shared between web and mobile.
- Send a basic Gemini text request.
- Send a long conversation request.
- Test Google Search grounding.
- Verify citations are displayed correctly.
- Open Gemini-provided source links.
- Test Gemini code execution.
- Test application function calls.
- Test multiple tool calls in one request.
- Test a request requiring several tool iterations.
- Verify the maximum tool-iteration limit stops loops.
- Test supported file attachments.
- Test an unsupported file type.
- Test an oversized file.
- Test an unreadable or corrupt file.

- Test Gemini with audio enabled and no tools.
 - Verify structured `visible_text` and `tts_script` behavior.
 - Test Gemini with audio and application tools enabled.
 - Confirm the request does not fail because of `response_format`.
 - Confirm ordinary text falls back to the speech-script builder.
 - Verify OpenAI image generation still works while Gemini is selected.
 - Verify OpenAI vector-store delegation works where applicable.
 - Verify Gemini API errors do not expose internal request details.
 - Test invalid Gemini credentials in a safe environment.
 - Test Gemini rate limiting.
 - Test Gemini timeout behavior.
 - Test a partially completed interaction.
 - Test a failed interaction status.
 - Verify usage metadata is recorded.
 - Verify estimated cost uses Gemini rates rather than OpenAI rates.
-

12. Provider switching

- Change from OpenAI to Gemini on web.
 - Verify mobile reflects the updated selection.
 - Change from Gemini to OpenAI on mobile.
 - Verify web reflects the updated selection.
 - Switch provider while a conversation is open.
 - Send a message immediately after switching.
 - Refresh immediately after switching.
 - Sign out and sign back in.
 - Verify the server-side preference overrides a manipulated client request.
 - Attempt to submit an unsupported provider value.
 - Confirm invalid provider values are rejected or safely normalized.
 - Confirm one user's provider selection does not affect another user.
-

13. Persona behavior and style

LaRae

- Test a casual conversation.

- Test fashion advice.
- Test relationship advice.
- Test current-events or web-search behavior.
- Test a long structured response.
- Verify LaRae's voice remains present throughout the response.
- Verify she does not become generic midway through a long answer.
- Verify profanity level is consistent with the profile.
- Verify serious topics reduce joking appropriately.
- Verify factual answers remain accurate and useful.
- Verify spoken delivery matches the intended persona.
- Verify TTS text does not expose formatting or markdown artifacts.

Bam Bam

- Test a casual conversation.
- Test nightlife planning.
- Test fashion advice.
- Test Pride-related conversation.
- Test a long structured response.
- Verify Bam Bam's voice remains present throughout the response.
- Verify the persona does not become generic midway through.
- Verify slang remains understandable.
- Verify the persona does not become an exaggerated racial caricature.
- Verify shade does not become hateful or abusive.
- Verify serious topics reduce joking appropriately.
- Verify practical answers remain accurate.
- Verify Atlanta references are not invented.
- Verify current venue details trigger current-information tools.
- Verify Bam Bam's TTS voice matches the intended profile.

Cross-persona isolation

- Ask LaRae a question and verify Bam Bam's style does not appear.
- Ask Bam Bam a question and verify LaRae's style does not appear.
- Switch personas within the same session.
- Verify voice IDs do not cross over.
- Verify images and visual states do not cross over.
- Verify memories do not cross over unexpectedly.

14. Audio playback and TTS

Audio generation

- Generate audio from a short response.
- Generate audio from a long response.
- Generate audio with concise mode enabled.
- Generate audio with concise mode disabled.
- Verify the spoken response matches the visible answer in meaning.
- Verify the private TTS script is not displayed to the user.
- Verify the TTS script is not included in client API responses.
- Verify audio duration is reasonable.
- Verify very long audio is limited or shortened.
- Verify unsupported characters do not break TTS.
- Verify URLs, markdown, emojis, and code are spoken appropriately.
- Verify audio records expire according to configuration.
- Verify users cannot access another user's audio URL.

Playback

- Play audio.
- Pause audio.
- Resume audio.
- Restart audio.
- Seek, if supported.
- Play a second response after the first.
- Verify only one response plays at a time.
- Navigate away while audio is playing.
- Lock the phone while audio is playing.
- Receive a phone call or interruption.
- Connect and disconnect Bluetooth audio.
- Connect and disconnect wired headphones.
- Change media volume.
- Verify silent mode behavior on iOS.
- Verify Android audio-focus behavior.
- Verify playback state does not become stuck.
- Verify deleted or expired audio produces a clean error.

ElevenLabs

- Generate LaRae audio with ElevenLabs.
- Generate Bam Bam audio with ElevenLabs.
- Verify each persona uses the correct voice.
- Verify voice speed and style settings.
- Test invalid voice ID handling.

- Test ElevenLabs timeout.
- Test ElevenLabs quota or rate-limit errors.
- Verify fallback behavior.

Fish Audio

- Generate LaRae audio with Fish Audio.
 - Generate Bam Bam audio with Fish Audio.
 - Verify the correct reference ID is used.
 - Test emotional range.
 - Test casual delivery.
 - Test excited delivery.
 - Test serious delivery.
 - Test profanity pronunciation.
 - Test slang pronunciation.
 - Test invalid reference ID handling.
 - Test Fish Audio timeout.
 - Test provider quota or rate-limit behavior.
 - Verify fallback behavior.
-

15. Persona visual states and media

- Verify the idle visual appears before a message is sent.
- Verify the thinking visual appears while waiting.
- Verify the speaking visual appears during audio playback.
- Verify the state returns to idle after playback.
- Verify visual transitions do not flicker.
- Verify crossfades look smooth.
- Verify videos loop correctly.
- Verify videos do not restart unexpectedly.
- Verify hidden or background videos are paused.
- Verify the correct assets load for LaRae.
- Verify the correct assets load for Bam Bam.
- Verify fallback assets appear if a video fails.
- Verify slow network conditions do not leave a blank area.
- Verify image aspect ratios are correct.
- Verify full-body images are not cropped incorrectly.
- Verify portrait images are centered.
- Verify mobile layout does not distort assets.
- Verify screen rotation does not break the visual stage.

- Verify rapid message sending does not leave the visual in the wrong state.
 - Verify audio failure returns the persona to idle.
-

16. Attachments and uploads

Images

- Upload a JPEG.
- Upload a PNG.
- Upload a WebP file.
- Upload a large image.
- Upload a tiny image.
- Upload a portrait image.
- Upload a landscape image.
- Upload an image with transparency.
- Upload a corrupt image.
- Upload an unsupported image format.
- Verify preview.
- Remove the attachment before sending.
- Send multiple images if supported.
- Verify EXIF orientation is handled.
- Verify filenames with special characters work.

Documents and other files

- Upload a PDF.
- Upload a plain-text file.
- Upload a supported document format.
- Upload an empty file.
- Upload a file above the maximum size.
- Upload a file with an unsupported MIME type.
- Upload a file whose extension does not match its MIME type.
- Upload a password-protected document.
- Upload a corrupt document.
- Verify the model can reference the uploaded content.
- Verify attachments remain associated with the correct message.
- Verify files are not loaded entirely into memory when avoidable.
- Verify temporary local files are removed.
- Verify S3 objects are private.

- Verify signed URLs expire.
- Verify one user cannot access another user's attachment.

Mobile picker behavior

- Grant photo access.
 - Deny photo access.
 - Select limited photo access on iOS.
 - Revoke access from system settings.
 - Grant file access.
 - Cancel the picker.
 - Background the app while the picker is open.
 - Select a cloud-hosted file that must be downloaded first.
 - Verify upload progress.
 - Cancel an upload where supported.
 - Retry a failed upload.
-

17. Image generation

- Generate an image with OpenAI selected.
 - Generate an image with Gemini selected.
 - Verify Gemini correctly delegates image generation to OpenAI.
 - Test a simple prompt.
 - Test a detailed prompt.
 - Test different quality settings.
 - Test different image sizes where exposed.
 - Test a prompt blocked by moderation.
 - Verify moderation errors are understandable.
 - Verify generated images display correctly.
 - Verify images persist after refresh.
 - Verify images can be opened full-screen.
 - Verify download or share behavior where supported.
 - Verify generated images belong only to the current user.
 - Verify repeated submissions do not create unintended duplicate charges.
 - Verify usage and cost tracking.
 - Verify failed generations do not consume incorrect usage balances.
 - Verify storage cleanup and expiration.
-

18. File search, web search, code tools, and app functions

Web search

- Ask for current information.
- Verify the search tool is invoked.
- Verify citations are displayed.
- Verify links open safely.
- Verify no fabricated sources appear.
- Test no-results behavior.
- Test search timeout behavior.
- Test search with OpenAI.
- Test search with Gemini.

File search

- Search an uploaded document.
- Search a vector-store document.
- Verify results belong to the current user.
- Verify missing vector-store IDs are handled.
- Verify empty results are explained.
- Verify Gemini delegation to OpenAI works where designed.

Code execution

- Run a simple calculation.
- Run code producing text output.
- Run code producing a file.
- Run code that fails.
- Run long-running code.
- Verify timeout behavior.
- Verify generated files are accessible only to the current user.
- Verify code output is displayed correctly on mobile.

Application function calls

- Trigger each available application function.
- Verify valid arguments.
- Test missing arguments.

- Test invalid argument types.
 - Verify unauthorized operations are rejected.
 - Verify repeated tool calls do not create duplicate side effects.
 - Verify tool errors are translated into a useful assistant response.
 - Verify the model cannot call unregistered functions.
 - Verify tool-loop limits work.
-

19. Conversation management

- Start a new conversation.
 - Open an existing conversation.
 - Rename a conversation, if supported.
 - Delete a conversation.
 - Cancel conversation deletion.
 - Verify deletion confirmation.
 - Verify deleted conversations remain deleted after refresh.
 - Verify deleted conversations disappear from other devices.
 - Verify conversation list ordering.
 - Verify pagination or infinite scrolling.
 - Verify very long conversation histories.
 - Verify empty-state behavior.
 - Verify duplicate conversation titles are allowed or handled.
 - Verify search across conversations, if supported.
 - Verify archived conversations, if supported.
 - Verify a user cannot request another user's conversation ID.
-

20. Memory behavior

- Enable memory.
- Disable memory.
- Verify the setting persists.
- Verify the setting syncs across devices.
- Tell the persona a harmless preference.
- Start a new conversation and verify intended recall.
- Disable memory and verify new information is not retained.
- Verify disabling memory does not unexpectedly expose old memories.
- Delete saved memory where supported.

- Verify memory is isolated by user.
 - Verify memory behavior is clear to the user.
 - Verify sensitive information is not stored unnecessarily.
 - Verify persona-specific and shared memory behavior matches the design.
-

21. Profile and settings

- Open profile settings.
 - Edit display name.
 - Edit birth information where allowed.
 - Attempt invalid birth information.
 - Toggle memory.
 - Toggle concise audio.
 - Select OpenAI.
 - Select Gemini.
 - Save settings.
 - Refresh or restart and verify settings persist.
 - Verify settings sync across web, iOS, and Android.
 - Verify rapid toggling does not create stale values.
 - Verify failed saves display an error.
 - Verify save buttons cannot be submitted repeatedly.
 - Verify account email is displayed correctly.
 - Verify OAuth-managed fields cannot be edited incorrectly.
 - Verify sensitive values are not returned to the client.
 - Verify settings remain isolated between accounts.
-

22. Subscription and plan restrictions

- Verify the current plan is shown correctly.
- Verify Silver-only personas are restricted for lower plans.
- Verify locked features have clear messaging.
- Verify upgrade actions open the expected flow.
- Verify users cannot bypass restrictions through direct API requests.
- Verify plan changes are reflected after refresh.
- Verify plan changes are reflected across devices.
- Verify expired subscriptions reduce access correctly.
- Verify cancelled subscriptions retain access through the intended date.

- Verify billing errors do not corrupt the account.
 - Verify subscription data is not trusted only from the client.
-

23. Usage limits and cost controls

- Verify normal usage is recorded.
 - Verify OpenAI input and output usage.
 - Verify Gemini input and output usage.
 - Verify image usage.
 - Verify audio usage.
 - Verify web-search usage.
 - Verify file-search usage.
 - Verify code execution usage.
 - Verify style-transfer usage where applicable.
 - Verify reserved usage is reconciled after success.
 - Verify reservations are released after failure.
 - Verify retries do not double-charge.
 - Verify cancelled requests do not create incorrect charges.
 - Reach the daily spending limit.
 - Reach the daily token limit.
 - Verify further requests are blocked cleanly.
 - Verify the user receives a clear limit message.
 - Verify one provider's pricing is not used for the other.
 - Verify usage resets at the intended time.
 - Verify concurrent requests cannot bypass the limit.
 - Verify manipulated client-side usage data is ignored.
-

24. Import and export

Export

- Export a new account with minimal data.
- Export an account with many conversations.
- Export an account with attachments.
- Export an account with generated images.
- Export an account with audio.
- Verify the export file opens.

- Verify expected folders and files are present.
- Verify JSON is valid.
- Verify dates and IDs are preserved.
- Verify sensitive secrets are excluded.
- Verify other users' data is excluded.
- Test export on web.
- Test export initiation on mobile where supported.
- Test interrupted export.
- Test export timeout.
- Test repeated export requests.

Import

- Import a valid FTB export.
 - Import a ChatGPT export ZIP.
 - Import a Claude export where supported.
 - Import a large ZIP.
 - Import a corrupt ZIP.
 - Import an encrypted ZIP.
 - Import a ZIP with missing files.
 - Import a ZIP with unexpected files.
 - Import duplicate conversations.
 - Import content containing unusual Unicode.
 - Verify import progress.
 - Verify the user can cancel where supported.
 - Verify partial failure behavior.
 - Verify imported conversations appear correctly.
 - Verify imported content is associated with the current user.
 - Verify ZIP path traversal is blocked.
 - Verify executable files are ignored or rejected.
 - Verify import size limits.
 - Verify temporary import files are removed.
-

25. Network and reliability testing

Test the following while performing chat, upload, audio, and authentication flows:

- Fast Wi-Fi.
- Slow Wi-Fi.
- Mobile data.

- High latency.
 - Intermittent connection.
 - Complete network loss.
 - Network changes from Wi-Fi to cellular.
 - Network changes from cellular to Wi-Fi.
 - API returns HTTP 400.
 - API returns HTTP 401.
 - API returns HTTP 403.
 - API returns HTTP 404.
 - API returns HTTP 409.
 - API returns HTTP 413.
 - API returns HTTP 429.
 - API returns HTTP 500.
 - API returns HTTP 502 or 503.
 - API request times out.
 - API returns malformed JSON.
 - API returns an empty body.
 - Verify retry does not duplicate messages or charges.
 - Verify error messages are understandable.
 - Verify spinners do not run forever.
 - Verify the app recovers after service restoration.
-

26. Backgrounding and interruptions

Mobile

- Background the app while idle.
- Background during message submission.
- Background during streaming.
- Background during audio generation.
- Background during audio playback.
- Background during file upload.
- Background during OAuth.
- Leave the app backgrounded for several minutes.
- Return after the authentication token expires.
- Lock and unlock the device.
- Receive a notification while using the app.
- Receive a phone call during audio playback.
- Open another app using the microphone.
- Enable airplane mode while the app is open.

- Verify the app does not lose unsent text unexpectedly.
- Verify the app does not create duplicate messages after resuming.

Web

- Switch tabs during streaming.
 - Minimize the browser.
 - Put the computer to sleep.
 - Restore the browser after sleep.
 - Lose connectivity while the tab is inactive.
 - Verify stale sessions are refreshed or rejected cleanly.
-

27. Mobile permissions

iOS

- Allow photo access.
- Deny photo access.
- Select limited photo access.
- Allow microphone access.
- Deny microphone access.
- Revoke permissions in Settings.
- Return to the app after changing permissions.
- Verify permission explanations are clear.
- Verify denied permissions do not crash the app.
- Verify Settings links open the correct system page.

Android

- Allow photo and media access.
- Deny photo and media access.
- Allow microphone access.
- Deny microphone access.
- Select “Don’t ask again.”
- Revoke permissions in system settings.
- Test Android version-specific permission behavior.
- Verify denied permissions do not crash the app.
- Verify the app explains how to re-enable access.

28. Responsive design and accessibility

Layout

- Test narrow phone screens.
- Test wide phone screens.
- Test tablets where supported.
- Test desktop widths.
- Test browser zoom at 125%, 150%, and 200%.
- Test large system font sizes.
- Test display scaling.
- Verify buttons remain tappable.
- Verify text does not overlap.
- Verify modals fit on screen.
- Verify keyboard appearance does not cover inputs.
- Verify safe areas around iPhone notches.
- Verify Android navigation bars do not cover controls.
- Verify long persona names or labels do not break layout.
- Verify error messages wrap correctly.

Accessibility

- Navigate the web app using only a keyboard.
 - Verify visible focus indicators.
 - Verify logical tab order.
 - Test VoiceOver on iOS.
 - Test TalkBack on Android.
 - Verify buttons have meaningful accessible labels.
 - Verify icons are not announced as meaningless filenames.
 - Verify images have appropriate alternative text.
 - Verify form errors are announced.
 - Verify loading states are announced where appropriate.
 - Verify sufficient text contrast.
 - Verify the interface does not rely only on color.
 - Verify reduced-motion settings are respected where possible.
 - Verify audio controls are accessible.
 - Verify dynamic text does not become clipped.
-

29. Keyboard and text input

Web

- Press Enter to send.
- Use Shift+Enter for a new line.
- Paste long text.
- Paste formatted text.
- Use keyboard shortcuts.
- Verify browser autocomplete does not interfere.
- Verify password managers work correctly.
- Verify focus returns to the input after sending.

Mobile

- Test the default keyboard.
 - Test an alternate keyboard where available.
 - Test autocorrect.
 - Test dictation.
 - Test emoji keyboard.
 - Test copy and paste.
 - Test multiline input.
 - Test keyboard dismissal.
 - Test sending while the keyboard is open.
 - Verify the input is visible above the keyboard.
 - Verify draft text persists when navigating away where intended.
 - Verify draft text is cleared after successful submission.
-

30. Performance

- Measure first web-page load subjectively.
- Measure mobile startup subjectively.
- Open a conversation containing many messages.
- Scroll through a long conversation.
- Open a conversation with many images.
- Open a conversation with several audio responses.
- Switch personas repeatedly.
- Switch providers repeatedly.

- Upload several files consecutively.
 - Generate several responses consecutively.
 - Verify memory usage does not continually increase.
 - Verify videos do not continue playing off-screen.
 - Verify audio elements are cleaned up.
 - Verify lists do not visibly lag.
 - Verify the app does not overheat the device during ordinary use.
 - Verify battery consumption is reasonable.
 - Verify the app remains responsive during uploads.
 - Verify loading indicators appear for operations longer than a moment.
-

31. Security and privacy checks

- Verify API requests use HTTPS in production.
 - Verify authentication tokens are not visible in URLs.
 - Verify tokens are not printed in logs.
 - Verify API keys are never included in client bundles.
 - Verify S3 credentials are not included in clients.
 - Verify user IDs cannot be changed to access another account.
 - Attempt to access another user's conversation ID.
 - Attempt to access another user's attachment ID.
 - Attempt to access another user's audio.
 - Attempt to access another user's generated image.
 - Attempt to update another user's profile.
 - Attempt to switch another user's provider.
 - Verify signed URLs expire.
 - Verify file uploads reject dangerous content.
 - Verify ZIP imports prevent path traversal.
 - Verify HTML and scripts are escaped in messages.
 - Verify external links use safe behavior.
 - Verify OAuth state and redirect protection.
 - Verify expired tokens are rejected.
 - Verify deleted-account data is no longer accessible.
 - Verify provider error logs do not contain complete prompts or private files unnecessarily.
 - Verify private TTS scripts never reach the client.
 - Verify rate limiting on authentication and chat endpoints.
 - Verify repeated failed login attempts are handled safely.
 - Verify account enumeration is minimized in authentication errors.
-

32. Legal, moderation, and safety behavior

- Verify Terms of Use are accessible.
 - Verify Privacy Policy is accessible.
 - Verify the correct legal document versions are recorded.
 - Verify age restrictions are displayed and enforced as designed.
 - Verify users are warned that personas are AI.
 - Verify the app handles hateful requests.
 - Verify the app handles sexual content according to policy.
 - Verify the app handles self-harm content safely.
 - Verify the app handles dangerous instructions safely.
 - Verify the app handles medical questions responsibly.
 - Verify the app handles legal questions responsibly.
 - Verify the app handles financial questions responsibly.
 - Verify persona profanity does not override safety behavior.
 - Verify image-generation moderation.
 - Verify uploaded-content moderation where intended.
 - Verify moderation errors do not expose internal policy text unnecessarily.
 - Verify blocked requests do not create incorrect usage charges.
-

33. Account deletion and data lifecycle

- Start account deletion.
 - Cancel account deletion.
 - Confirm account deletion.
 - Verify the user is signed out.
 - Verify the account cannot log back in if deletion is immediate.
 - Verify delayed deletion behavior if applicable.
 - Verify conversations are removed or scheduled for removal.
 - Verify attachments are removed or scheduled for removal.
 - Verify generated images are removed or scheduled for removal.
 - Verify generated audio is removed or scheduled for removal.
 - Verify OAuth account links are handled correctly.
 - Verify deleted-user URLs stop working.
 - Verify recreating an account with the same email behaves as intended.
 - Verify retention behavior matches the Privacy Policy.
-

34. Web-only checks

- Verify all major pages have appropriate titles.
 - Verify favicon.
 - Verify browser refresh on every route.
 - Verify direct links after authentication.
 - Verify multiple tabs remain consistent.
 - Verify local storage and cookies are cleared appropriately on logout.
 - Verify disabled third-party cookies do not break the app unexpectedly.
 - Verify content blockers do not cause a blank screen.
 - Verify browser permission prompts.
 - Verify clipboard actions.
 - Verify file drag-and-drop where supported.
 - Verify drag-and-drop rejects unsupported files.
 - Verify responsive mobile-browser behavior.
 - Verify Safari-specific media autoplay behavior.
 - Verify audio playback after a user interaction.
 - Verify production source maps and debug information are handled appropriately.
-

35. iOS-only checks

- Verify app icon appearance.
- Verify app name under the icon.
- Verify launch screen.
- Verify safe-area handling.
- Verify swipe-back navigation.
- Verify keyboard avoidance.
- Verify Apple Sign-In.
- Verify Google OAuth redirect.
- Verify Facebook OAuth redirect where supported.
- Verify Universal Links or custom URL schemes.
- Verify opening the app from an OAuth callback while it is closed.
- Verify opening the app from an OAuth callback while it is backgrounded.
- Verify photo-library permission behavior.
- Verify microphone permission behavior.
- Verify silent-mode audio behavior.
- Verify Bluetooth audio.
- Verify app suspension and restoration.
- Verify memory-warning behavior where observable.
- Verify status-bar appearance.

- Verify light and dark mode.
 - Verify Dynamic Type.
 - Verify VoiceOver.
 - Verify TestFlight update behavior.
 - Verify privacy manifest and permission descriptions before submission.
-

36. Android-only checks

- Verify adaptive icon foreground and background.
 - Verify the icon is not cropped in the app drawer.
 - Verify splash screen.
 - Verify system Back behavior.
 - Verify gesture navigation.
 - Verify three-button navigation.
 - Verify Google OAuth redirect.
 - Verify Facebook OAuth redirect where supported.
 - Verify Android App Links or custom URL schemes.
 - Verify opening the app from an OAuth callback while it is closed.
 - Verify opening the app from an OAuth callback while backgrounded.
 - Verify runtime permissions across Android versions.
 - Verify photo-picker behavior.
 - Verify file-picker behavior.
 - Verify Android audio focus.
 - Verify notification interruptions.
 - Verify battery optimization does not break normal foreground behavior.
 - Verify app restoration after process death.
 - Verify status and navigation-bar appearance.
 - Verify light and dark mode.
 - Verify large fonts.
 - Verify TalkBack.
 - Verify Play Internal Testing installation.
 - Verify upgrade from an earlier Play testing build.
-

37. Cross-platform synchronization

Use the same account on web, iOS, and Android.

- Create a conversation on web and open it on iOS.

- Create a conversation on iOS and open it on Android.
 - Create a conversation on Android and open it on web.
 - Change the model provider on one platform.
 - Verify the other platforms show the same provider.
 - Toggle memory on one platform.
 - Verify the other platforms show the same setting.
 - Toggle concise audio on one platform.
 - Verify the other platforms show the same setting.
 - Delete a conversation on one platform.
 - Verify deletion appears on the others.
 - Update the profile on one platform.
 - Verify updates appear on the others.
 - Generate an image on one platform.
 - Verify it appears correctly on the others.
 - Generate audio on one platform.
 - Verify playback works on the others.
 - Sign out on one platform and confirm intended session behavior elsewhere.
 - Verify timestamps display correctly on every platform.
-

38. Final release smoke test

Run this smaller checklist on the exact build you plan to release.

- Fresh installation works.
- Existing-user upgrade works.
- New user can register.
- Existing user can log in.
- Google OAuth works.
- Apple Sign-In works on iOS.
- Facebook OAuth works where enabled.
- User can select LaRae.
- User can select Bam Bam with the appropriate plan.
- OpenAI text chat works.
- Gemini text chat works.
- OpenAI web search works.
- Gemini Google Search works.
- Image upload works.
- File upload works.
- Image generation works.
- ElevenLabs or the production TTS provider works.
- Audio playback works.

- Idle, thinking, and speaking visuals work.
 - Conversation history persists.
 - Provider settings persist.
 - Memory settings persist.
 - Concise audio settings persist.
 - Usage limits work.
 - Privacy Policy opens.
 - Terms of Use open.
 - Logout works.
 - Account deletion works or is clearly available.
 - No fatal errors appear in production logs.
 - No secrets appear in the client or logs.
 - No other user's content can be accessed.
 - App icons and launch screens are correct.
 - Exact App Store and Play Store builds were tested.
-

39. Bug-report template

For every issue, record:

Title:

Brief description of the problem.

Platform:

Web, iOS, Android, or API.

Environment:

Local, staging, TestFlight, Play Internal Testing, or production.

Build or commit:

Exact version, build number, or commit SHA.

Device/browser:

Device model, OS version, browser, and browser version.

Account type:

New user, existing user, plan level, provider selection, and relevant settings.

Preconditions:

State required before reproducing the issue.

Steps to reproduce:

- 1.
- 2.
- 3.

Expected result:

What should have happened.

Actual result:

What happened instead.

Frequency:

Every time, intermittent, or occurred once.

Severity:

- Blocker: prevents release or causes data/security loss.
- Critical: major feature is unusable.
- High: important feature is broken with no reasonable workaround.
- Medium: feature partially works or has a workaround.
- Low: visual, wording, or minor usability problem.

Evidence:

- Screenshot.
- Screen recording.
- Browser console output.
- Mobile logs.
- API request ID.
- Server error.
- Relevant database record.
- Network response.

Additional notes:

Network condition, provider, persona, attached file type, and anything else relevant.

40. Test execution status

Use these values consistently:

- **Not Run**
- **Pass**
- **Fail**

- **Blocked**
- **Needs Retest**
- **Not Applicable**

Recommended columns for a tracking sheet:

Test ID	Area	Platform	Test case	Priority	Status	Build	Tester	Bug ID	Notes
---------	------	----------	-----------	----------	--------	-------	--------	--------	-------

Priority definitions:

- **P0:** Authentication, security, privacy, data loss, payment, or app-start failures.
- **P1:** Core chat, provider, upload, audio, and conversation failures.
- **P2:** Settings, synchronization, visual-state, and error-recovery problems.
- **P3:** Minor visual, wording, spacing, or convenience issues.